

HECKED

JWH

C.I.P 30

7282 Argus Drive (815) 398–2332

3 SHEETS

TOTAL BILL OF MATERIALS

C.I.P. WALL No. 30

ITEM	UNITS	TOTAL
Structure Excavation	Cu. Yd.	18
Concrete Structures	Cu. Yd	53.4
Protective Coat	Sq. Yd.	76.4
Porous Granular Backfill	Cu. Yd	112
Reinforcement Bars (Epoxy Coated)	Pound	4,270
Pipe Underdrain for Structures, 4"	Foot	55
Form Liner Textured Surface	Sq. Ft.	398
Rubbed Finish	Sq. Ft.	235
		- ¹

GENERAL NOTES

1. It Shall be the responsibility of the Contractor to verify all dimensions and conditions existing in the field prior to construction and ordering materials.

2. Reinforcement bars shall conform to the requirements of ASTM A706 Gr 60. See Special Provisions.

3. Protective Coat shall be applied to all exposed surfaces of the wall and shall extend 1'-0" min. below finished grade.

4. All construction joints shall be bonded.

5. All exposed edges shall have a $\frac{3}{4}$ " x 45° chamfer, except as shown otherwise. Chamfers on vertical edges shall be continued a minimum of one foot below finished ground level.

6. Exposed surfaces of concrete shall be given a "rubbed finish" except where form liner is specified.

7. Reinforcing bars shall be lapped a minimum as shown on Plans where splices occur. Radius bars shall be factory bent and delivered to the site with appropriate radius. Field bending will only be allowed to achieve form

8. Dewatering, if necessary, is the responsibility of the contractor.

All work shall conform to Illinois Department of Transportation Standard Specifications for Road and Bridge Construction, latest Edition in Particular, Section 503 for Concrete Structures.

Concrete Shall be Class SI as specified in IDOT Standard Specification

11. Allowable soil pressure at toe is to be 1500 PSF. Field verify at time of

12. Backfill behind the retaining wall shall be placed to the lines and grades as shown on the plans. The contractor shall take care to ensure use of suitable material and proper compaction of all fill areas. Compaction shall be performed with a loose thickness of no more than 8" and each lift shall be compacted to a density greater than 95% Standard Proctor maximum dry density (ASTM D-698) taking care not to over compact the soil directly behind the wall. Soil moisture shall be within -2% to +3% of optimum. No heavy equipment shall be allowed within 6 feet of the wall during backfilling and compaction. Compaction shall be by hand method, walk behind" equipment in the areas within 6 feet of the face of the

GHAA 31-005060	<u>G</u>		& ELEVATION
		<u>C.I.P. WAL</u>	
MOLINE		<u>PEDESTRIAN</u> ALONG THE	
Management		WINNEBAGO	
	<u>SE</u>	CTION NO. 06-	<u>-00543-00-BT</u>
//0		STATION 30	05+58.34 TO
		STATION 3	<u>05+13.90</u>
F A RTE	SECTION	COUNTY	TOTAL SHEETS SHEET

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.		
	06-00543-00-BT	WINNEBAGO	48	106		
CONTRACT NO.			0.	85521		
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT						