
*Granular or solid flux filled headed studs conforming to Article 1006.32 of the Std. Specs., automatically end welded.

Strip seal – Top of slab Locking edge railat 50° F *3₄'' \(x 8'' studs at 2'-0" cts. at 1'-0" cts. (alt. with $^{7}_{16}$ " ϕ holes at 4'-0" cts. for $^{3}_{8}$ " ϕ top horizontal studs). bolts. All bolts shall be burned, sawed,

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



SECTION THRU WELDED RAIL JOINT


The strip seal shall be made continuous and shall have a minimum thickness of $\frac{1}{4}$ ". The configuration of the strip seal shall match the configuration of the Locking Edge Rails. Open or "webbed" strip seal gland configurations are not permitted. The gland shall be sized for a maximum rated movement of 4 inches.

The height and thickness of the Locking Edge Rails shown are minimum dimensions. The actual configuration of the Locking Edge Rails and matching strip seal may vary from manufacturer to manufacturer. Flanged edge rails will not be allowed. Locking Edge Rails may be spliced at slope discontinuities and stage construction joints.

The manufacturer's recommended installation methods shall be followed. The joint opening and deck dimensions detailed on the superstructure are based on a rolled rail expansion joint. If the Contractor elects to use the welded rail expansion joint, the opening and dock dimensions shall be modified according to the dimensions detailed on this sheet. Required modifications shall be made at no additional cost to the State.


All steel components shall be galvanized after fabrication according to Article 520.03 of the Standard Specifications.

SECTION THRU ROLLED RAIL JOINT




after forms are removed, typ.

ANCHOR P (for welded rail)



AT PARAPET



AT SIDEWALK OR MEDIAN

Shorter plates with a single row of studs at 12" cts, may be necessary on medians which are shallower than 9". See manufacturer's recommendation.

ROLLED EXTRUDED RAIL

DESIGNED - MJP

CHECKED - KWB

CHECKED - TON

DRAWN

- REZ

or chipped off flush with the plates

after forms are removed, typ.


LOCKING EDGE RAIL SPLICE

complete joint penetration


is verified by mock-up.

The inside of the locking edge rail groove shall be free of weld residue.

LOCKING EDGE RAILS




PLAN



SECTION A-A

POINT BLOCK DETAILS (for skews > 30°)



BILL OF MATERIAL

Item	Unit	Total
Preformed Joint Strip Seal	Foot	72

345 E. ASH AVE., SUITE B DECATUR, IL. 62526 TEL. 217-875-4800

SHEE

TYPICAL END TREATMENTS

1807 24 SHEETS

LAWRENCE COUNTY					
	<u>STATION 94A+66.74</u>				
		STRUCTURE N	0. <i>051-003</i>	<u>1</u>	
T NO.12	F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SH
				0.0	

HEE NO. LAWRENCE 60 28 (51-23HB)-6B-1 CONTRACT NO. 74115 FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT