



TANGENT SECTION
STA. 780+88.59 TO STA. 781+93.82





TANGENT SECTION STA. 783+39.05 LT TO STA. 784+20.11 LT STA. 783+56.09 RT TO STA. 784+20.11 RT

LEGEND

- ① EXISTING CONCRETE PAVEMENT 8"
- ② EXISTING STABILIZED SUB BASE 4"
- 3 EXISTING STABILIZED SHOULDER 8"
- (4) EXISTING AGGREGATE SHOULDER
- (5) EXISTING SUB BASE GRANULAR MATERIAL, TYPE C
- 6 EXISTING BITUMINOUS CURB
- PROPOSED PORTLAND CEMENT CONCRETE SURFACE REMOVAL 1/2"
- (8) PROPOSED HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N70 11/2"
- 9 PROPOSED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70 3/4"
- 10 PROPOSED HOT-MIX ASPHALT SURFACE REMOVAL, 1/2"
- PROPOSED HOT-MIX ASPHALT SHOULDERS
- PROPOSED AGGREGATE WEDGE
- PROPOSED COMBINATION CONCRETE CURB AND GUTTER, TYPE B, 6.24
- PROPOSED BITUMINOUS MATERIALS (PRIME COAT)
- 15 PROPOSED AGGREGATE (PRIME COAT)

THE FOLLOWING HOT-MIX ASPHALT MIXTURE REQUIREMENTS ARE APPLICABLE TO THIS PROJECT:

MIXTURE USE	SURFACE	BINDER	SHOULDERS		
AC/PG	PG 64-22	PG 64-22	PG 64-22		
RAP % (MAX)	10%	15%	30%		
DESIGN AIR VOIDS	4.0% @ Ndes=70	4.0% @ Ndes=70	2.0% @ Ndes=30		
MIX COMPOSITION					
(GRADATION MIXTURE)		IL 19.0			
FRICTION AGG	ICTION AGG MIXTURE "C"		BAM		

TOP LIFT SHOULDERS - DESIGN THIS MIX AT 2.0% VOIDS AND ADD ASPHALT TO REDUCE VOIDS TO 1.5%.

PLAN QUANTITIES FOR HOT-MIX ASPHALT SURFACE COURSE ITEMS ARE CALCULATED USING A UNIT WEIGHT OF 112 LB/SO YD/IN.

-	SOMEON TENTINE CONTY						A Rev. She	et 10-9-09
FILE NAME =	USER NAME = \$USER\$	DESIGNED -	REVISED -			·	F.A.P SECTION	COUNTY TOTAL SHEET
\$FILEL\$		DRAWN -	REVISED -	STATE OF ILLINOIS	ROADWAY TYPICAL SECTIONS		312 73-VB-I	RANDOLPH 21 4
	PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		•	312 1 13-40-1	CONTRACT NO. 76C78
	PLOT DATE = \$DATE\$	DATE -	REVISED -		SCALE:	SHEET NO. OF SHEETS STA. TO STA.	FED. ROAD DIST. NO. ILLINOIS FED. A	