



BAR SPLICER ASSEMBLY ALTERNATIVES

**Heavy Hex Nuts conforming to ASTM A 563, Grade C, D or DH may be used.



INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms. (E): Indicates epoxy coating.





A **tyco** international LTD. COMPANY

SECTION COUNTY TOTAL SHEET SHEETS NO. 1463 1010.1B соок STA. TO STA. FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT

CONTRACT NO. 62196 \$23 of \$23

<u>NOTES</u>

Bar splicer assemblies shall be of an approved type and shall develop in tension at least 125 percent of the yield strength of the lapped reinforcement bars.

Splicer rods shall be of minimum 60 ksi yield strength, threaded or coiled full length.
All reinforcement bars shall be lapped and tied to the splicer rods or dowel bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars.

Other systems of similar design may be submitted to the Engineer for approval. Approval shall be based on certified test results from an approved testing laboratory that the proposed bar splicer assembly satisfies the following requirements:


Minimum Capacity (Tension in kips) = $1.25 \times fy \times A_t$

(Tension III Kips)
Minimum *Pull-out Strength = 0.66 x fy x A,

(Tension in kips) Where fy = Yield strength of lapped reinforcement bars in ksi.

A_t = Tensile stress area of lapped reinforcement bars.
* = 28 day concrete

BAR SPLICER ASSEMBLIES					
	Splicer Rod or Dowel Bar Length	Strength Requirements			
Bar Size to be Spliced		Min. Capacity kips - tension	Min. Pull-Out Strength kips - tension		
#4	1'-8''	14.7	7.9		
#5	2'-0''	23.0	12.3		
#6	2'-7"	33.1	17.4		
#7	3′-5″	45.1	23.8		
#8	4'-6"	58.9	<i>31.3</i>		
#9	5′-9′′	75.0	39.6		
#10	7′-3′′	95.0	<i>50.3</i>		
#11	9′-0′′	117.4	61.8		



STANDARD

REVISIONS NAME

Bar Size	No. Assemblies Required	Location
#4	14	Approach
#5	452	Deck
#5	20	Abutment
#5	104	Approach
#6	8	Deck
#6	12	Abutment

ILLINOIS DEPARTM	MENT OF TRANSPORTATION
BAR SPLICER	ASSEMBLY DETAILS
31 CT CTPEET	OVER KILBOURN AVE

31 ST. STREET OVER KILBOURN AVE.
F.A.U. ROUTE 1463 SECTION 159-1010.1B
COOK COUNTY STATION 223+67.45 STR. NO. 016-0872

DRAWN BY JHR

SCALE: VERT.