


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



SECTION THRU STRIP SEAL JOINT FOR OVERLAY OVER DECK BEAMS


* Omit weld at seal opening.





LOCKING EDGE RAIL

LOCKING EDGE RAIL SPLICE



ROUTE NO.	SECTION	COUNTY		arang.	BHEET NO.
FAP 132	1BR-2	SALINE		114	52
FEO. ROAD DIST, NO.		TUL.(NOTS	FED, AID PROJECT-		

SHEET NO. 10

16 SHEETS

78010

GENERAL NOTES

The strip seal shall be made continuous and shall have a minimum thickness of '4'. The configuration of the strip seal shall match the configuration of the Locking Edge Rails

Edge Rails.

The height and thickness of the Locking Edge Rails shown are minimum dimensions. The actual configuration of the Locking Edge Rails and matching strip seal may vary from manufacturer to manufacturer. Flanged edge rails will not be allowed.

Locking Edge Rails may be spliced at slope discontinuities and stage construction joints.

The manufacturer's recommended installation methods shall be followed.

All Steel components shall be galvanized after fabrication according to Article 520.03 of the Standard Specifications.

Required Strip Seal rated movement	. "A"
1''	18''
2"	134"

STRIP SEAL EXPANSION JOINT

IL 34/145 OVER SOUTH FORK SALINE RIVER

FAP ROUTE 132 - SECTION 1BR-2

SALINE COUNTY

STATION 235+10.00

STRUCTURE NO. 083-0019