# 52

# November 17, 2017 Letting

# Notice to Bidders, Specifications, and Proposal



Springfield, Illinois 62764

Contract No. 61D16 KANE County Section 13-00215-30-PV Route FAU 2298 (Longmeadow Parkway) District 1 Construction Funds

Prepared by
Checked by

(Printed by authority of the State of Illinois)

S

# Illinois Department of Transportation

## **NOTICE TO BIDDERS**

- TIME AND PLACE OF OPENING BIDS. Electronic bids are to be submitted to the electronic bidding system (iCX-Integrated Contractors Exchange). All bids must be submitted to the iCX system prior to 10:00 a.m. November 17, 2017 prevailing time at which time the bids will be publicly opened from the iCX SecureVault.
- **2. DESCRIPTION OF WORK**. The proposed improvement is identified and advertised for bids in the Invitation for Bids as:

Contract No. 61D16 KANE County Section 13-00215-30-PV

Route FAU 2298 (Longmeadow Parkway)
District 1 Construction Funds

Constructing a new section of roadway for the Longmeadow Parkway Corridor; project begins at Illinois Route 62 and extends West for 0.46 miles and the reconstruction of Illinois Route 62 from North of Autumn Trail to South of Reagan Boulevard. The project is located along the new Longmeadow Parkway in the Villages of Carpentersville and Barrington Hills in Kane County.

- 3. INSTRUCTIONS TO BIDDERS. (a) This Notice, the invitation for bids, proposal and letter of award shall, together with all other documents in accordance with Article 101.09 of the Standard Specifications for Road and Bridge Construction, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.
  - (b) State law, and, if the work is to be paid wholly or in part with Federal-aid funds, Federal law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.
- 4. AWARD CRITERIA AND REJECTION OF BIDS. This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Department in the rules, Invitation for Bids and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to readvertise the proposed improvement, and to waive technicalities.

By Order of the Illinois Department of Transportation

Randall S. Blankenhorn, Secretary

#### CONTRACT 61D16

# INDEX FOR SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

## Adopted January 1, 2017

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS, frequently used RECURRING SPECIAL PROVISIONS, and LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction (Adopted 4-1-16) (Revised 1-1-17)

# **SUPPLEMENTAL SPECIFICATIONS**

| Std. Sp | ec. Sec.   | <u>ge No.</u> |
|---------|--|---------------|
| 106     | Control of Materials                               | 1             |
| 403     | Bituminous Surface Treatment (Class A-1, A-2, A-3) | 2             |
| 420     | Portland Cement Concrete Pavement                  |               |
| 502     | Excavation for Structures                          | 5             |
| 503     | Concrete Structures                                |               |
| 504     | Precast Concrete Structures                        | 10            |
| 542     | Pipe Culverts                                      |               |
| 586     | Sand Backfill for Vaulted Abutments                | 12            |
| 670     | Engineer's Field Office and Laboratory             | 14            |
| 704     | Temporary Concrete Barrier                         | 15            |
| 888     | Pedestrian Push-Button                             | 17            |
| 1003    | Fine Aggregates                                    | 18            |
| 1004    | Coarse Aggregates                                  | 19            |
| 1006    | Metals   |               |
| 1020    | Portland Cement Concrete                           | 22            |
| 1103    | Portland Cement Concrete Equipment                 | 24            |

# CHECK SHEET FOR RECURRING SPECIAL PROVISIONS

# Adopted January 1, 2017

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

# **RECURRING SPECIAL PROVISIONS**

| CHI | ECK | SHEET#   | <u>PAGE NO.</u> |
|-----|-----|--|-----------------|
| 1   | Х   | Additional State Requirements for Federal-Aid Construction Contracts | 26              |
| 2   | X   | Subletting of Contracts (Federal-Aid Contracts)                      | 29              |
| 3   | X   | EEO  | 30              |
| 4   |     | Specific EEO Responsibilities Non Federal-Aid Contracts              | 40              |
| 5   |     | Required Provisions - State Contracts                                | 45              |
| 6   |     | Asbestos Bearing Pad Removal   | 51              |
| 7   |     | Asbestos Waterproofing Membrane and Asbestos HMA Surface Removal     | 52              |
| 8   |     | Temporary Stream Crossings and In-Stream Work Pads                   | 53              |
| 9   |     | Construction Layout Stakes Except for Bridges                        | 54              |
| 10  | Χ   | Construction Layout Stakes   | 57              |
| 11  |     | Use of Geotextile Fabric for Railroad Crossing                       | 60              |
| 12  |     | Subsealing of Concrete Pavements                                     | 62              |
| 13  |     | Hot-Mix Asphalt Surface Correction                                   | 66              |
| 14  |     | Pavement and Shoulder Resurfacing                                    | 68              |
| 15  |     | Patching with Hot-Mix Asphalt Overlay Removal                        | 69              |
| 16  |     | Polymer Concrete   | 70              |
| 17  |     | PVC Pipeliner  | 72              |
| 18  |     | Bicycle Racks  | 73              |
| 19  |     | Temporary Portable Bridge Traffic Signals                            | 75              |
| 20  |     | Work Zone Public Information Signs                                   | 77              |
| 21  |     | Nighttime Inspection of Roadway Lighting                             | 78              |
| 22  |     | English Substitution of Metric Bolts                                 | 79              |
| 23  |     | Calcium Chloride Accelerator for Portland Cement Concrete            | 80              |
| 24  |     | Quality Control of Concrete Mixtures at the Plant                    | 81              |
| 25  | Х   | ——————————————————————————————————————                               | 89              |
| 26  |     | Digital Terrain Modeling for Earthwork Calculations                  | 105             |
| 27  |     | Reserved   | 107             |
| 28  |     | Preventive Maintenance – Bituminous Surface Treatment (A-1)          | 108             |
| 29  |     | Preventive Maintenance – Cape Seal                                   | 114             |
| 30  |     | Preventive Maintenance – Micro-Surfacing                             | 129             |
| 31  |     | Preventive Maintenance – Slurry Seal                                 | 140             |
| 32  |     | Temporary Raised Pavement Markers                                    | 149             |
| 33  |     | Restoring Bridge Approach Pavements Using High-Density Foam          | 150             |
| 34  |     | Portland Cement Concrete Inlay or Overlay                            | 153             |

# CHECK SHEET FOR LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

The following LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

## LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

| CHECK  | SHEET#   | PAGE NO. |
|--------|--|----------|
| LRS 1  | Reserved   | 158      |
| LRS 2  | ☐ Furnished Excavation                                       | 159      |
| LRS 3  | ☐ Work Zone Traffic Control Surveillance                     | 160      |
| LRS 4  | Flaggers in Work Zones                                       | 161      |
| LRS 5  | Contract Claims  | 162      |
| LRS 6  | ☐ Bidding Requirements and Conditions for Contract Proposals | 163      |
| LRS 7  | ☐ Bidding Requirements and Conditions for Material Proposals | 169      |
| LRS 8  | Reserved.  | 175      |
| LRS 9  | Bituminous Surface Treatments                                | 176      |
| LRS 10 | Reserved   | 177      |
| LRS 11 | Employment Practices   | 178      |
| LRS 12 | Wages of Employees on Public Works                           | 180      |
| LRS 13 | Selection of Labor   | 182      |
| LRS 14 | Paving Brick and Concrete Paver Pavements and Sidewalks      |          |
| LRS 15 | Partial Payments   | 186      |
| LRS 16 | Protests on Local Lettings                                   |          |
| LRS 17 | Substance Abuse Prevention Program                           |          |
| LRS 18 | Multigrade Cold Mix Asphalt                                  |          |

# INDEX OF SPECIAL PROVISIONS

| LOCATION OF IMPROVEMENTS   | 1  |
|--|----|
| DESCRIPTION OF IMPROVEMENTS                                      | 1  |
| MAINTENANCE OF ROADWAYS  | 1  |
| COMPLETION DATE PLUS WORKING DAYS                                | 2  |
| CONTRACTOR COOPERATION   | 2  |
| STATUS OF UTILITIES (D-1)  | 2  |
| PUBLIC CONVENIENCE AND SAFETY (DIST 1)                           | 6  |
| EMBANKMENT   | 7  |
| COARSE AGGREGATE FOR BACKFILL, TRENCH BACKFILL AND BEDDING (D-1) | 8  |
| TEMPORARY DITCH CHECKS   | 9  |
| MAINTENANCE OF EROSION CONTROL SYSTEM                            | 9  |
| SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE REMOVAL       | 10 |
| SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE MAINTENANCE   | 10 |
| HEAVY DUTY EROSION CONTROL BLANKET, SPECIAL                      | 11 |
| EROSION CONTROL BLANKET (MODIFIED)                               | 11 |
| PERIMETER EROSION BARRIER, SPECIAL                               | 12 |
| TEMPORARY AGGREGATE BERM   | 13 |
| CONCRETE TRUCK WASHOUT   | 14 |
| SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE               | 15 |
| DUST CONTROL WATERING  | 16 |
| SEDIMENT CONTROL, DRAINAGE STRUCTURE INLET FILTER CLEANING       | 17 |
| DEWATERING   | 17 |

| SEEDING, CLASS 3 (SPECIAL), SEEDING, CLASS 4 (SPECIAL), SEEDING, CLASS 4B (SPECIAL) | 18   |
|---|------|
| PERENNIAL PLANTS, WETLAND TYPES, 2" DIAMETER BY 4" DEEP PLUG                        | 23   |
| PLANTING WOODY PLANTS   | 26   |
| SUPPLEMENTAL WATERING   | 27   |
| MOWING (SPECIAL)  | 27   |
| GENERAL REQUIREMENTS FOR WEED CONTROL   | 28   |
| WEED CONTROL, TEASEL  | 30   |
| WEED CONTROL, PRE-EMERGENT GRANULAR HERBICIDE                                       | 31   |
| WEED CONTROL, AQUATIC   | 32   |
| AGGREGATE SUBGRADE IMPROVEMENT (D-1)  | 33   |
| SEPARATION JOINT WITH SLEEPER SLAB  | 35   |
| SLIPFORM PAVING (D-1)   | 36   |
| HMA MIXTURE DESIGN REQUIREMENTS (D-1)   | 36   |
| RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (D-1)                     | 43   |
| GROUND TIRE RUBBER (GTR) MODIFIED ASPHALT BINDER (D-1)                              | 55   |
| FRICTION AGGREGATE (D1)   | .56  |
| DETECTABLE WARNINGS   | .59  |
| FENCE REMOVAL   | 60   |
| FORM LINER TEXTURED SURFACE   | . 60 |
| STAINING CONCRETE STRUCTURES  | . 64 |
| ANTI-GRAFFITI PROTECTION SYSTEM   | . 66 |
| MANHOLES TYPE A, WITH 2 TYPE 1 FRAMES, OPEN LIDS, RESTRICTOR PLATE                  | 68   |
| ADJUSTMENTS AND RECONSTRUCTIONS   | . 69 |

| DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (DISTRICT 1)                        | 70  |
|---|-----|
| PRECAST CONCRETE BOX CULVERTS 2'X2' (SPECIAL)                                   | 71  |
| PIPE UNDERDRAINS  | 71  |
| LIGHTWEIGHT CELLULAR CONCRETE FILL (D-1)  | 72  |
| REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES                                    | 78  |
| TRAFFIC CONTROL PLAN  | 82  |
| TRAFFIC CONTROL AND PROTECTION (ARTERIALS)                                      | 83  |
| KEEPING ARTERIAL ROADWAYS OPEN TO TRAFFIC (LANE CLOSURES ONLY)                  | 83  |
| AGGREGATE SURFACE COURSE FOR TEMPORARY ACCESS                                   | 84  |
| TEMPORARY INFORMATION SIGNING   | 85  |
| TEMPORARY PAVEMENT  | 87  |
| TRAFFIC SIGNAL GENERAL REQUIREMENTS   | 87  |
| SERVICE INSTALLATION (TRAFFIC SIGNALS)  | 98  |
| GROUNDING OF TRAFFIC SIGNAL SYSTEMS   | 101 |
| UNDERGROUND RACEWAYS  | 102 |
| HANDHOLES   | 103 |
| FULL-ACTUATED CONTROLLER AND CABINET  | 104 |
| ELECTRIC CABLE  | 106 |
| GROUNDING CABLE   | 106 |
| TRAFFIC SIGNAL POST   | 107 |
| MAST ARM ASSEMBLY AND POLE  | 107 |
| CONCRETE FOUNDATIONS  | 108 |
| LIGHT EMITTING DIODE (LED) SIGNAL HEAD AND OPTICALLY PROGRAMMED LED SIGNAL HEAD | 108 |

| TRAFFIC SIGNAL BACKPLATE   | 112 |
|--|-----|
| DETECTOR LOOP  | 112 |
| EMERGENCY VEHICLE PRIORITY SYSTEM  | 114 |
| EMERGENCY VEHICLE PRIORITY SYSTEM LINE SENSOR CABLE, NO. 20 3/C            | 115 |
| UNINTERRUPTABLE POWER SUPPLY, SPECIAL                                      | 115 |
| MAST ARM SIGN PANELS   | 119 |
| OPTIMIZE TRAFFIC SIGNAL SYSTEM   | 119 |
| COILABLE NON-METALLIC CONDUIT  | 122 |
| AVAILABLE REPORTS  | 123 |
| IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION (TPG) | 124 |
|  |     |
|  |     |
|  |     |
| SWPPP  | 127 |
| NOI  | 140 |
| IEPA 401 CLEAN WATER CERTIFICATION   | 143 |
| US ARMY CORPS INDIVIDUAL PERMIT  | 146 |
| CCD FORM 663   | 155 |

# INDEX LOCAL ROADS AND STREETS SPECIAL PROVISIONS

| LR#<br>LR SD12<br>LR SD13<br>LR 107-2<br>LR 107-4<br>LR 108            | Pg#<br>178 | Special Provision Title Slab Movement Detection Device Required Cold Milled Surface Texture Railroad Protective Liability Insurance for Local Lettings Insurance Combination Bids   | Effective<br>Nov. 11, 1984<br>Nov. 1, 1987<br>Mar. 1, 2005<br>Feb. 1, 2007<br>Jan. 1, 1994                   | Revised Jan. 1, 2007 Jan. 1, 2007 Jan. 1, 2006 Aug. 1, 2007 Mar. 1, 2005                     |
|--|------------|---|--|--|
| LR 109<br>LR 109-2<br>LR 109-3<br>LR 109-4<br>LR 212<br>LR 355-1       |            | Equipment Rental Rates Bituminous Materials Cost Adjustment for Local Lettings Fuel Cost Adjustment for Local Lettings Steel Cost Adjustment for Local Lettings Shaping Roadway Bituminous Stabilized Base Course, Road Mix or Traveling Plant Mix  | Jan. 1, 2012<br>June 16, 2017<br>June 16, 2017<br>June 16, 2017<br>Aug. 1, 1969<br>Oct. 1, 1973              | Jan. 1, 2002<br>Jan. 1, 2007   |
| LR 355-2<br>LR 400-1<br>LR 400-2<br>LR 400-3<br>LR 400-4<br>LR 400-5   |            | Bituminous Stabilized Base Course, Plant Mix Bituminous Treated Earth Surface Bituminous Surface Plant Mix (Class B) Hot In-Place Recycling (HIR) – Surface Recycling Full-Depth Reclamation (FDR) with Emulsified Asphalt Cold In-Place Recycling (CIR) With Emulsified Asphalt                        | Feb. 20, 1963<br>Jan. 1, 2007<br>Jan. 1, 2008<br>Jan. 1, 2012<br>Apr. 1, 2012<br>Apr. 1, 2012                | Jan. 1, 2007<br>Apr. 1, 2012<br>Jun. 1, 2012<br>Jun. 1, 2012                                 |
| LR 400-6<br>LR 400-7<br>LR 400-8<br>LR 402<br>LR 403-1                 |            | Cold In Place Recycling (CIR) with Foamed Asphalt Full-Depth Reclamation (FDR) with Foamed Asphalt Pulverization Salt Stabilized Surface Course Surface Profile Milling of Existing, Recycled or Reclaimed Flexible   | June 1, 2012<br>June 1, 2012<br>Jan. 24, 2017<br>Feb. 20, 1963   | Jan. 1, 2007   |
| LR 403-2<br>LR 403-3<br>LR 403-4                                       |            | Pavement Bituminous Hot Mix Sand Seal Coat Preventive Maintenance - Bituminous Surface Treatment (A-1) Bituminous Surface Treatment (Class A-1, A-2, A-3) for Local Lettings  | Apr. 1, 2012<br>Aug. 1, 1969<br>July 1, 2016<br>June 16, 2017  | Jun. 1, 2012<br>Jan. 1, 2007   |
| LR 406<br>LR 420<br>LR 442<br>LR 451<br>LR 503-1<br>LR 503-2<br>LR 542 |            | Filling HMA Core Holes with Non-Shrink Grout PCC Pavement (Special) Bituminous Patching Mixtures for Maintenance Use Crack Filling Bituminous Pavement with Fiber-Asphalt Furnishing Class SI Concrete Furnishing Class SI Concrete (Short Load) Pipe Culverts, Type (Furnished)                        | Jan. 1, 2008<br>May 12, 1964<br>Jan. 1, 2004<br>Oct. 1, 1991<br>Oct. 1, 1973<br>Jan. 1, 1989<br>Sep. 1, 1964 | Jan. 2, 2007<br>Jun. 1, 2007<br>Jan. 1, 2007<br>Jan. 1, 2002<br>Jan. 1, 2002<br>Jan. 1, 2007 |
| LR 542-1<br>LR 663<br>LR 702<br>LR 1000-1                              |            | Pipe Culverts, Special Calcium Chloride Applied Construction and Maintenance Signs Cold In-Place Recycling (CIR) and Full Depth Reclamation (FDR) with Emulsified Asphalt Mix Design Procedures   | Apr. 1, 2016<br>Jun. 1, 1958<br>Jan. 1, 2004<br>Apr. 1, 2012   | Jan. 1, 2007<br>Jun. 1, 2007<br>Jun. 1, 2012   |
| LR 1000-2<br>LR 1004<br>LR 1030<br>LR 1032-1<br>LR 1102<br>LR 80029-1  |            | Cold In-Place Recycling (CIR) and Full Depth Reclamation (FDR) with Foamed Asphalt Mix Design Procedures Coarse Aggregate for Bituminous Surface Treatment Growth Curve Emulsified Asphalts Road Mix or Traveling Plan Mix Equipment Disadvantaged Business Enterprise Participation for Local Lettings | June 1, 2012<br>Jan. 1, 2002<br>Mar. 1, 2008<br>Jan. 1, 2007<br>Jan. 1, 2007<br>Aug. 26, 2016                | Jan. 1, 2007<br>Jan. 1, 2010<br>Feb. 7, 2008   |

# **BDE SPECIAL PROVISIONS**

The following special provisions indicated by an "x" are applicable to this contract. An  $^*$  indicates a new or revised special provision for the letting.

| <u>File</u><br>Name | <u>Pg.</u>                         |       | Special Provision Title   | <u>Effective</u> | Revised  |
|---------------------|------------------------------------|-------|---|------------------|--|
| 80099               |                                    |       | Accessible Pedestrian Signals (APS)                                 | April 1, 2003    | Jan. 1, 2014                                   |
| 80382               |                                    |       | Adjusting Frames and Grates   | April 1, 2017    |  |
| 80274               |                                    |       | Aggregate Subgrade Improvement                                      | April 1, 2012    | April 1, 2016                                  |
| 80192               |                                    |       | Automated Flagger Assistance Device                                 | Jan. 1, 2008     | , ,  |
| 80173               | 179                                | Х     | Bituminous Materials Cost Adjustments                               | Nov. 2, 2006     | Aug. 1, 2017                                   |
| 80241               |                                    |       | Bridge Demolition Debris  | July 1, 2009     | •  |
| 50261               |                                    |       | Building Removal-Case I (Non-Friable and Friable Asbestos)          | Sept. 1, 1990    | April 1, 2010                                  |
| 50481               |                                    |       | Building Removal-Case II (Non-Friable Asbestos)                     | Sept. 1, 1990    | April 1, 2010                                  |
| 50491               |                                    |       | Building Removal-Case III (Friable Asbestos)                        | Sept. 1, 1990    | April 1, 2010                                  |
| 5053I               |                                    |       | Building Removal-Case IV (No Asbestos)                              | Sept. 1, 1990    | April 1, 2010                                  |
| 80366               |                                    |       | Butt Joints   | July 1, 2016     | ·  |
| * 80386             | 181                                | Х     | Calcium Aluminate Cement for Class PP-5 Concrete Patching           | Nov. 1, 2017     |  |
| 80384               | 182                                | X     | Compensable Delay Costs   | June 2, 2017     |  |
| 80198               | :                                  |       | Completion Date (via calendar days)                                 | April 1, 2008    |  |
| 80199               |                                    |       | Completion Date (via calendar days) Plus Working Days               | April 1, 2008    |  |
| 80293               |                                    |       | Concrete Box Culverts with Skews > 30 Degrees and Design Fills ≤ 5  | April 1, 2012    | July 1, 2016                                   |
|                     |                                    |       | Feet  |                  |  |
| 80311               | İ                                  |       | Concrete End Sections for Pipe Culverts                             | Jan. 1, 2013     | April 1, 2016                                  |
| 80277               |                                    |       | Concrete Mix Design – Department Provided                           | Jan. 1, 2012     | April 1, 2016                                  |
| 80261               | 186                                | Х     | Construction Air Quality – Diesel Retrofit                          | June 1, 2010     | Nov. 1, 2014                                   |
| * 80387             |                                    |       | Contrast Preformed Plastic Pavement Marking                         | Nov. 1, 2017     |  |
| 80029               | 189                                | X     | Disadvantaged Business Enterprise Participation                     | Sept. 1, 2000    | July 2, 2016                                   |
| 80378               | 200                                | Х     | Dowel Bar Inserter  | Jan. 1, 2017     |  |
| * 80388             | 207                                | Χ     | Equipment Parking and Storage                                       | Nov. 1, 2017     |  |
| 80229               | 208                                | X     | Fuel Cost Adjustment  | April 1, 2009    | Aug. 1, 2017                                   |
| * 80304             |                                    |       | Grooving for Recessed Pavement Markings                             | Nov. 1, 2012     | Nov. 1, 2017                                   |
| 80246               | 211                                | Х     | Hot-Mix Asphalt – Density Testing of Longitudinal Joints            | Jan. 1, 2010     | April 1, 2016                                  |
| * 80347             |                                    |       | Hot-Mix Asphalt – Pay for Performance Using Percent Within Limits - | Nov. 1, 2014     | Nov. 1, 2017                                   |
|                     |                                    |       | Jobsite Sampling  |                  |  |
| * 80383             | 212                                | X     | Hot-Mix Asphalt – Quality Control for Performance                   | April 1, 2017    | Nov. 1, 2017                                   |
| 80376               | 218                                | Х     | Hot-Mix Asphalt – Tack Coat   | Nov. 1, 2016     |  |
| 80368               |                                    |       | Light Tower   | July 1, 2016     |  |
| 80336               |                                    |       | Longitudinal Joint and Crack Patching                               | April 1, 2014    | April 1, 2016                                  |
| 80369               | 219                                | Х     | Mast Arm Assembly and Pole  | July 1, 2016     |  |
| 80045               |                                    |       | Material Transfer Device  | June 15, 1999    | Aug. 1, 2014                                   |
| 80165               |                                    | ····· | Moisture Cured Urethane Paint System                                | Nov. 1, 2006     | Jan. 1, 2010                                   |
| 80349               |                                    |       | Pavement Marking Blackout Tape                                      | Nov. 1, 2014     | April 1, 2016                                  |
| 80371               | 220                                | X     | Pavement Marking Removal  | July 1, 2016     | Constitution Restauration performation regards |
| * 80390             | 221                                | X     | Payments to Subcontractors  | Nov. 2, 2017     | 1 1 4 0043                                     |
| 80377               | 222                                | X     | Portable Changeable Message Signs                                   | Nov. 1, 2016     | April 1, 2017                                  |
| * 80389             | 223                                | Χ     | Portland Cement Concrete  | Nov. 1, 2017     |  |
| * 80359             | The State and Arthurst Association |       | Portland Cement Concrete Bridge Deck Curing                         | April 1, 2015    | Nov. 1, 2017                                   |
| 80338               | 00.4                               |       | Portland Cement Concrete Partial Depth Hot-Mix Asphalt Patching     | April 1, 2014    | April 1, 2016                                  |
| 80385               | 224                                | _X_   | Portland Cement Concrete Sidewalk                                   | Aug. 1, 2017     | A 11.4 00.40                                   |
| 80300               | 00-                                |       | Preformed Plastic Pavement Marking Type D - Inlaid                  | April 1, 2012    | April 1, 2016                                  |
| 80328               | 225                                | Χ     | Progress Payments   | Nov. 2, 2013     |  |

| <u>File</u> | <u>Pg.</u> |   | Special Provision Title                                      | <b>Effective</b> | <u>Revised</u> |
|-------------|------------|---|--|------------------|----------------|
| <u>Name</u> |            |   |  |                  |                |
| 3426I       |            |   | Railroad Protective Liability Insurance                      | Dec. 1, 1986     | Jan. 1, 2006   |
| 80157       |            |   | Railroad Protective Liability Insurance (5 and 10)           | Jan. 1, 2006     |                |
| 80306       |            |   | Reclaimed Asphalt Pavement (RAP) and Reclaimed Asphalt       | Nov. 1, 2012     | April 1, 2016  |
|             |            |   | Shingles (RAS)   |                  |                |
| 80340       |            |   | Speed Display Trailer  | April 2, 2014    | Jan. 1, 2017   |
| 80127       | 226        | X | Steel Cost Adjustment  | April 2, 2014    | Aug. 1, 2017   |
| 80379       | 229        | X | Steel Plate Beam Guardrail                                   | Jan. 1, 2017     |                |
| * 80391     | 232        | Χ | Subcontractor Mobilization Payments                          | Nov. 2, 2017     |                |
| 80317       |            |   | Surface Testing of Hot-Mix Asphalt Overlays                  | Jan. 1, 2013     | April 1, 2016  |
| 80298       | 233        | X | Temporary Pavement Marking (NOTE: This special provision was | April 1, 2012    | April 1, 2017  |
|             |            |   | previously named "Pavement Marking Tape Type IV".)           |                  |                |
| 20338       | 236        | Х | Training Special Provision                                   | Oct. 15, 1975    |                |
| 80318       |            |   | Traversable Pipe Grate                                       | Jan. 1, 2013     | April 1, 2014  |
| 80381       | 239        | Х | Traffic Barrier Terminal, Type 1 Special                     | Jan. 1, 2017     |                |
| 80380       |            |   | Tubular Markers  | Jan. 1, 2017     |                |
| 80288       | 240        | X | Warm Mix Asphalt   | Jan. 1, 2012     | April 1, 2016  |
| 80302       | 242        | Х | Weekly DBE Trucking Reports                                  | June 2, 2012     | April 2, 2015  |
| 80071       |            |   | Working Days   | Jan. 1, 2002     |                |

The following special provisions have been deleted from use:

# 80289 Wet Reflective Thermoplastic Pavement Marking 80367 Light Poles

The following special provisions are in the 2017 Supplemental Specifications and Recurring Special Provisions.

| <u>File</u>          | <b>Special Provision Title</b>                              | New Location                                | <b>Effective</b> | Revised       |
|----------------------|---|---|------------------|---------------|
| <u>Name</u><br>80360 | Coarse Aggregate Quality                                    | Article 1004.01                             | July 1, 2015     |               |
| 80363                | Engineer's Field Office                                     | Article 670.07                              | April 1, 2016    |               |
| 80358                | Equal Employment Opportunity                                | Recurring CS #1 and #5                      | April 1, 2015    |               |
| 80364                | Errata for the 2016 Standard Specifications                 | Supplemental                                | April 1, 2016    |               |
| 80342                | Mechanical Side Tie Bar Inserter                            | Articles 420.03, 420.05, and 1103.19        | Aug. 1, 2014     | April 1, 2016 |
| 80370                | Mechanical Splicers   | Article 1006.10                             | July 1, 2016     |               |
| 80361                | Overhead Sign Structures Certification of Metal Fabricator  | Article 106.08                              | Nov. 1, 2015     | April 1, 2016 |
| 80365                | Pedestrian Push-Button                                      | Article 888.03                              | April 1, 2016    |               |
| 80353                | Portland Cement Concrete Inlay or Overlay                   | Recurring CS #34                            | Jan. 1, 2015     | April 1, 2016 |
| 80372                | Preventive Maintenance – Bituminous Surface Treatment (A-1) | Recurring CS #28                            | Jan. 1, 2009     | July 1, 2016  |
| 80373                | Preventive Maintenance - Cape Seal                          | Recurring CS #29                            | Jan. 1, 2009     | July 1, 2016  |
| 80374                | Preventive Maintenance – Micro Surfacing                    | Recurring CS #30                            | Jan. 1, 2009     | July 1, 2016  |
| 80375                | Preventive Maintenance – Slurry Seal                        | Recurring CS #31                            | Jan. 1, 2009     | July 1, 2016  |
| 80362                | Steel Slag in Trench Backfill                               | Articles 1003.01 and 1003.04                | Jan. 1, 2016     |               |
| 80355                | Temporary Concrete Barrier                                  | Articles 704.02, 704.04, 704.05, and 704.06 | Jan. 1, 2015     | July 1, 2015  |

The following special provisions require additional information from the designer. The additional information needs to be included in a separate document attached to this check sheet. The Project Development and Implementation section will then include the information in the applicable special provision. The Special Provisions are:

- Bridge Demolition Debris
- Building Removal-Case I
- Building Removal-Case II
- Building Removal-Case III
- Building Removal-Case IV
  - Completion Date
  - Completion Date Plus Working Days
  - DBE Participation

- Material Transfer Device
- Railroad Protective Liability Insurance
- Training Special Provisions
- Working Days

# GUIDE BRIDGE SPECIAL PROVISION INDEX/CHECK SHEET Effective as of the: June 16, 2017 Letting

| <u>Pg</u><br># | √ | File Name | <u>Title</u>   | Effective      | Revised      |
|----------------|---|-----------|--|----------------|--------------|
|                |   | GBSP 4    | Polymer Modified Portland Cement Mortar                                  | June 7, 1994   | Apr 1, 2016  |
|                |   | GBSP 12   | Drainage System  | June 10, 1994  | Jun 24, 2015 |
|                |   | GBSP 13   | High-Load Multi-Rotational Bearings                                      | Oct 13, 1988   | Apr 1, 2016  |
|                |   | GBSP 14   | Jack and Remove Existing Bearings  | April 20, 1994 | Jan 1, 2007  |
|                |   | GBSP 15   | Three Sided Precast Concrete Structure                                   | July 12, 1994  | Dec 21, 2016 |
|                |   | GBSP 16   | Jacking Existing Superstructure  | Jan 11, 1993   | Jan 1, 2007  |
|                |   | GBSP 17   | Bonded Preformed Joint Seal  | July 12, 1994  | Jan 1, 2007  |
|                |   | GBSP 18   | Modular Expansion Joint  | May 19, 1994   | Dec 29, 2014 |
|                |   | GBSP 21   | Cleaning and Painting Contact Surface Areas of Existing Steel Structures | June 30, 2003  | May 18, 2011 |
|                |   | GBSP 25   | Cleaning and Painting Existing Steel Structures                          | Oct 2, 2001    | Apr 22, 2016 |
|                |   | GBSP 26   | Containment and Disposal of Lead Paint Cleaning Residues                 | Oct 2, 2001    | Арг 22, 2016 |
|                |   | GBSP 28   | Deck Slab Repair   | May 15, 1995   | Oct 15, 2011 |
|                |   | GBSP 29   | Bridge Deck Microsilica Concrete Overlay                                 | May 15, 1995   | Apr 1, 2016  |
|                |   | GBSP 30   | Bridge Deck Latex Concrete Overlay                                       | May 15, 1995   | Jun 24, 2015 |
|                |   | GBSP 31   | Bridge Deck High-Reactivity Metakaolin (HRM) Conc Overlay                | Jan 21, 2000   | Apr 1, 2016  |
|                |   | GBSP 33   | Pedestrian Truss Superstructure  | Jan 13, 1998   | Dec 29, 2014 |
|                |   | GBSP 34   | Concrete Wearing Surface   | June 23, 1994  | Oct 4, 2016  |
|                |   | GBSP 35   | Silicone Bridge Joint Sealer   | Aug 1, 1995    | Oct 15, 2011 |
|                |   | GBSP 45   | Bridge Deck Thin Polymer Overlay   | May 7, 1997    | Feb 6, 2013  |
| 243            | Х | GBSP 51   | Pipe Underdrain for Structures   | May 17, 2000   | Jan 22, 2010 |
|                |   | GBSP 53   | Structural Repair of Concrete  | Mar 15, 2006   | Apr 1, 2016  |
|                |   | GBSP 55   | Erection of Curved Steel Structures                                      | June 1, 2007   |              |
|                |   | GBSP 56   | Setting Piles in Rock  | Nov 14, 1996   | Apr 1, 2016  |
|                |   | GBSP 59   | Diamond Grinding and Surface Testing Bridge Sections                     | Dec 6, 2004    | Mar 29, 2017 |
|                |   | GBSP 60   | Containment and Disposal of Non-Lead Paint Cleaning Residues             | Nov 25, 2004   | Apr 22, 2016 |
| 244            | Х | GBSP 61   | Slipform Parapet   | June 1, 2007   | Apr 22, 2016 |
|                |   | GBSP 67   | Structural Assessment Reports for Contractor's Means and Methods         | Mar 6, 2009    | Oct 5, 2015  |
|                |   | GBSP 71   | Aggregate Column Ground Improvement                                      | Jan 15, 2009   | Oct 15, 2011 |
|                |   | GBSP 72   | Bridge Deck Fly Ash or GGBF Slag Concrete Overlay                        | Jan 18, 2011   | Jun 24, 2015 |
|                |   | GBSP 75   | Bond Breaker for Prestressed Concrete Bulb-T Beams                       | April 19, 2012 |              |
|                |   | GBSP 77   | Weep Hole Drains for Abutments, Wingwalls, Retaining Walls And Culverts  | April 19, 2012 | Oct 22, 2013 |
|                |   | GBSP 78   | Bridge Deck Construction   | Oct 22, 2013   | Dec 21, 2016 |
|                |   | GBSP 79   | Bridge Deck Grooving (Longitudinal)                                      | Dec 29, 2014   | Mar 29, 2017 |
|                |   | GBSP 81   | Membrane Waterproofing for Buried Structures                             | Oct 4, 2016    |              |
|                |   | GBSP 82   | Metallizing of Structural Steel  | Oct 4, 2016    |              |
|                |   | GBSP 83   | Hot Dip Galvanizing for Structural Steel                                 | Oct 4, 2016    |              |
|                |   | GBSP 85   | Micropiles   | Apr 19, 1996   | Oct 5, 2015  |
|                |   | GBSP 86   | Drilled Shafts   | Oct 5, 2015    | Oct 4, 2016  |
|                |   | GBSP 87   | Lightweight Cellular Concrete Fill                                       | Nov 11, 2011   | Apr 1, 2016  |
|                |   | GBSP 88   | Corrugated Structural Plate Structures                                   | Apr 22, 2016   |              |
|                |   | GBSP 89   | Preformed Pavement Joint Seal  | Oct 4, 2016    |              |
|                |   | GBSP 90   | Three Sided Precast Concrete Structure (Special)                         | Dec 21, 2016   | Mar 29, 2017 |
|                |   | GBSP 91   | Crosshole Sonic Logging Testing of Drilled Shafts                        | Apr 20, 2016   |              |
|                |   | GBSP 92   | Thermal Integrity Profile Testing of Drilled Shafts                      | Apr 20, 2016   |              |

| Pg<br># | 1 | File Name | <u>Title</u>  | Effective    | Revised      |
|---------|---|-----------|---|--------------|--------------|
|         |   | GBSP 93   | Preformed Bridge Joint Seal                         | Dec 21, 2016 |              |
|         |   | GBSP 94   | Warranty for Cleaning and Painting Steel Structures | Mar 3, 2000  | Nov 24, 2004 |
|         |   |           |   |              |              |

| LIST ANY ADDITIONAL SPECIAL PROVISIONS BELOW |  |
|--|--|
|  |  |
|  |  |

# The following Guide Bridge Special Provisions have been incorporated into the 2016 Standard Specifications:

| File   | Title   | Std Spec  |
|--------|---|-----------|
| Name   |   | Location  |
| GBSP32 | Temporary Sheet Piling                                  | 522       |
| GBSP38 | Mechanically Stabilized Earth Retaining Walls           | 522       |
| GBSP42 | Drilled Soldier Pile Retaining Wall                     | 522       |
| GBSP43 | Driven Soldier Pile Retaining Wall                      | 522       |
| GBSP44 | Temporary Soil Retention System                         | 522       |
| GBSP46 | Geotextile Retaining Walls                              | 522       |
| GBSP57 | Temporary Mechanically Stabilized Earth Retaining Walls | 522       |
| GBSP62 | Concrete Deck Beams                                     | 504       |
| GBSP64 | Segmental Concrete Block Wall                           | 522       |
| GBSP65 | Precast Modular Retaining Wall                          | 522       |
| GBSP73 | Cofferdams  | 2017 Supp |
| GBSP74 | Permanent Steel Sheet Piling (LRFD)                     | 522       |
| GBSP76 | Granular Backfill for Structures                        | 2017 Supp |
| GBSP80 | Fabric Reinforced Elastomeric                           | 1028      |
| GBSP84 | Precast, Prestressed Concrete Beams                     | 2017 Supp |

The following Guide Bridge Special Provisions have been discontinued or have been superseded:

| File   | Title                       | Disposition:                 |
|--------|-----------------------------|------------------------------|
| Name   |                             |                              |
| GBSP70 | Braced Excavation           | Use TSRS per Sec 522         |
| GBSP95 | Bridge Deck Concrete Sealer | Use July 1, 2012 version for |
|        |                             | Repair projects only         |
|        |                             |                              |
|        |                             |                              |
|        |                             |                              |

# STATE OF ILLINOIS SPECIAL PROVISIONS

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction", adopted April 1, 2016, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways" (MUTCD); and the "Manual of Test Procedures of Materials" in effect on the date of invitation of bids; and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included herein which apply to and govern the construction of Longmeadow Parkway and IL 62 Section No. 13-00215-30-PV, Job No. C-91-066-15, Contract No. 61D16 in The Village of Carpentersville and Barrington Hills, Kane County, and in case of conflict with any part, or parts, of said Specifications, the said Special Provisions shall take precedence and shall govern.

## **LOCATION OF IMPROVEMENTS**

The project is located along the new Longmeadow Parkway in the Villages of Carpentersville and Barrington Hills in Kane County. The improvements begins east of IL Route 25 at Station 2283+00 and extends easternly to IL Route 62 to at Station 2307+16.89. The improvement along IL Route 62 begins south of Reagan Drive at Station 802+50 and extends northwesternly to south of Autumn Trail (north entrance) at Station 830+02.95. The project is located in Dundee Township 42N and Range 8E, 3<sup>rd</sup> PM. The net and gross length is 5,170 feet (0.98 miles).

#### **DESCRIPTION OF IMPROVEMENTS**

The work consists of the pavement reconstruction 10" PCC jointed concrete pavement, HMA pavement, HMA shoulders, bituminous bike path, retaining walls, soldier pile retaining walls, temporary MSE walls, concrete curb and gutters erosion control, storm sewers, jacked storm sewers, earthwork, signing, tree removal, pavement removal, maintenance of traffic, traffic control, traffic signals, pavement marking, landscaping, and all other incidental and collateral work necessary to complete the project as shown on the plans and described herein.

#### MAINTENANCE OF ROADWAYS

Effective: September 30, 1985 Revised: November 1, 1996

Beginning on the date that work begins on this project, the Contractor shall assume responsibility for normal maintenance of all existing roadways within the limits of the improvement. This normal maintenance shall include all repair work deemed necessary by the Engineer, but shall not include snow removal operations. Traffic control and protection for maintenance of roadways will be provided by the Contractor as required by the Engineer.

If items of work have not been provided in the contract, or otherwise specified for payment, such items, including the accompanying traffic control and protection required by the Engineer, will be paid for in accordance with Article 109.04 of the Standard Specifications.

# COMPLETION DATE PLUS WORKING DAYS

Effective: September 30, 1985 Revised: January 1, 2007

Revise Article 108.05 (b) of the Standard Specifications as follows:

"When a completion date plus working days is specified, the Contractor shall complete all contract items and safely open all roadways to traffic by 11:59 PM on, <u>June 30, 2019</u> except as specified herein.

The Contractor will be allowed to complete all clean-up work and punch list items within  $\underline{10}$  working days after the completion date for opening the roadway to traffic. Under extenuating circumstances the Engineer may direct that certain items of work, not affecting the safe opening of the roadway to traffic, may be completed within the working days allowed for clean up work and punch list items. Temporary lane closures for this work may be allowed at the discretion of the Engineer.

Article 108.09 or the Special Provision for "Failure to Complete the Work on Time", if included in this contract, shall apply to both the completion date and the number of working days.

## CONTRACTOR COOPERATION

The contractor shall comply with Section 105.08 of the Standard Specification. This construction will be concurrent with another IDOT roadway project located at Illinois 25 and Longmeadow Parkway in Carpentersville.

Contract Number 63955 - Work is currently anticipated to begin the spring of 2018.

The sequence and timing for execution of the work items will require close coordination between the contractors.

The contractor shall schedule his/her work to minimize conflicts between the contracts as specified in Article 105.08 of the Standard Specifications. No additional compensation will be allowed for delays or inconveniences resulting from activities of other contractors.

## STATUS OF UTILITIES (D-1)

Effective: June 1, 2016

Utility companies and/or municipal owners located within the construction limits of this project have provided the following information in regard to their facilities and the proposed improvements. The tables below contain a description of specific conflicts to be resolved and/or facilities which will require some action on the part of the Department's contractor to proceed with work. Each table entry includes an identification of the action necessary and, if applicable, the estimated duration required for the resolution.

## UTILTIES TO BE ADJUSTED

Conflicts noted below have been identified by following the suggested staging plan included in the contract. The company has been notified of all conflicts and will be required to obtain the necessary permits to complete their work; in some instances resolution will be a function of the construction staging. The responsible agency must relocate or complete new installations as noted in the action column; this work has been deemed necessary to be complete for the Department's contractor to then work in the stage under which the item has been listed.

Pre-Stage

| STAGE /<br>LOCATION                                      | TYPE     | DESCRIPTION  | RESPONSIBLE AGENCY | ACTION   |
|--|----------|--|--------------------|--|
| West side of IL 62<br>Station 803+00 to<br>830+00 50' RT | Gas      | Existing gas line is in conflict with the proposed roadway improvements.                           | Nicor Gas          | Nicor Contract will relocate the line to the East side of IL 62.  Anticipated construction Duration: 15 days   |
| East side of IL 62<br>Autumn Trail                       | Electric | 2" Line line service along Autumn Trail will is in conflict with the proposed roadway improvements | ComEd              | Relocation of service  Anticipated construction duration: 10 days  |
| East side of IL 62<br>Station 803+00 to<br>830+00 30' RT | Electric | Power Poles Are located to close to the roadway widening and will be relocated toward the ROW.     | ComEd              | ComEd Contractor to relocate the power poles.  Anticipated construction duration: 10 days  Existing poles to be removed after Comcast relocates wires. |
| East side of IL 62<br>Station 803+00 to<br>830+00 30' RT | Comm.    | Power Poles Are located to close to the roadway widening and will be relocated toward the ROW.     | Comcast            | Relocate after ComEd poles have been placed  Anticipated construction duration: 15 days  |
| East side of IL 62<br>Autumn Trail                       | Comm.    | Proposed conduit and cable relocations   | Comcast            | Relocation of service  Anticipated construction duration: 10 days  |
| East side of IL 62<br>Station 803+00 to<br>830+00 30' RT | Comm.    | Proposed conduit and cable relocations.  | AT&T               | AT&T Relocation to begin on 10/20/2017  Anticipated construction duration: 15 days   |

Pre-Stage: 75 Days Total Installation

The following contact information is what was used during the preparation of the plans as provided by the Agency/Company responsible for resolution of the conflict.

| Agency/<br>Company<br>Responsible<br>to Resolve<br>Conflict | Name of contact | Address              | Phone | e-mail address                   |
|---|-----------------|----------------------|-------|----------------------------------|
| Nicor   | Connie Lane     | Engineering          | 630-  | clane@aglresources.com           |
|   |                 | Department           | 338-  |                                  |
|   |                 | 1844 Ferry Road      | 3830  |                                  |
|   |                 | Naperville, IL 60563 |       |                                  |
| ComEd   | Christian       | Regional Engineering | 630-  | Christian.Mukania@exeloncorp.com |
|   | Mukania         | 1-N 423 Swift Road   | 424-  |                                  |
|   |                 | Lombard, IL 60148    | 5154  |                                  |
| AT&T  | Robert          | Osp Plng & Engrg     | 630-  | RP1393@att.com                   |
|   | Palumbo         | Design 1000          | 573-  |                                  |
|   |                 | Commerce Dr.         | 6414  |                                  |
|   |                 | Oak Brook, IL 60523  |       |                                  |
| Comcast   | Thomas Munar    | 668 Industrial Drive | 630-  | Thomas Munar@cable.comcast.com   |
|   |                 | Elmhurst, IL60126    | 600-  |                                  |
|   |                 |                      | 6316  |                                  |

## UTILITIES TO BE WATCHED AND PROTECTED

The areas of concern noted below have been identified by following the suggested staging plan included for the contract. The information provided is not a comprehensive list of all remaining utilities, but those which during coordination were identified as ones which might require the Department's contractor to take into consideration when making the determination of the means and methods that would be required to construct the proposed improvement. In some instances the contractor will be responsible to notify the owner in advance of the work to take place so necessary staffing on the owners part can be secured.

#### All Stages

| STAGE /<br>LOCATION                                      | TYPE     | DESCRIPTION           | OWNER     | ACTION   |
|--|----------|-----------------------|-----------|--|
| East side of IL 62<br>Station 803+00 to<br>830+00 50' RT | Gas      | Relocated gas<br>line | Nicor Gas | Care should be taken during excavation, location has been coordinated during the design. |
| East side of IL 62<br>Autumn Trail                       | Electric | Relocated service 2"  | ComEd     | Care should be taken during excavation, location has been coordinated during the design. |

| STAGE /<br>LOCATION                                      | TYPE     | DESCRIPTION                     | OWNER   | ACTION  |
|--|----------|---------------------------------|---------|---|
| East side of IL 62<br>Station 803+00 to<br>830+00 30' RT | Electric | Relocated power poles and wires | ComEd   | Care should be taken during excavation and construction near the overhead wires, location has moved to be adjacent to the proposed ROW. |
| East side of IL 62<br>Station 803+00 to<br>830+00 30' RT | Comm.    | Relocated pole mounted wires.   | AT&T    | Care should be taken during excavation and construction near the overhead wires, location has moved to be adjacent to the proposed ROW. |
| East side of IL 62<br>Station 803+00 to<br>830+00 30' RT | Comm.    | Relocated pole mounted wires.   | Comcast | Care should be taken during excavation and construction near the overhead wires, location has moved to be adjacent to the proposed ROW. |
| East side of IL 62<br>Autumn Trail                       | Comm.    | Relocated service               | Comcast | Care should be taken during excavation, location has been coordinated during the design.  |

The following contact information is what was used during the preparation of the plans as provided by the owner of the facility.

| Agency/<br>Company<br>Responsible<br>to Resolve<br>Conflict | Name of contact | Address  | Phone          | e-mail address                  |
|---|-----------------|--|----------------|---------------------------------|
| Nicor   | Connie<br>Lane  | Engineering<br>Department<br>1844 Ferry Road<br>Naperville, IL 60563   | 630-338-3830   | clane@aglresources.com          |
| ComEd   | Lisa<br>Argast  | Regional Engineering<br>1-N 423 Swift Road<br>Lombard, IL 60148        | (630) 437-3381 | Lisa.argast@comed.com           |
| AT&T  | Janet<br>Ahern  | Osp Plng & Engrg<br>Design 1000<br>Commerce Dr.<br>Oak Brook, IL 60523 | 630-573-6414   | ja1763@att.com                  |
| Comcast   | Thomas<br>Munar | 668 Industrial Drive<br>Elmhurst, IL60126                              | 630-600-6316   | Thomas Munar@cable.comcas t.com |

The above represents the best information available to the Department and is included for the convenience of the bidder. The days required for conflict resolution should be taken into account in the bid as this information has also been factored into the timeline identified for the project when setting the completion date. The applicable portions of the Standard Specifications for Road and Bridge Construction shall apply.

Estimated duration of time provided in the action column for the first conflicts identified will begin on the date of the executed contract regardless of the status of the utility relocations. The responsible agencies will be working toward resolving subsequent conflicts in conjunction with contractor activities in the number of days noted.

The estimated relocation dates must be part of the progress schedule submitted by the contractor. A utility kickoff meeting will be scheduled between the Department, the Department's contractor and the utility companies. The Department's contractor is responsible for contacting J.U.L.I.E. prior to any and all excavation work.

#### PUBLIC CONVENIENCE AND SAFETY (DIST 1)

Effective: May 1, 2012 Revised: July 15, 2012

Add the following to the end of the fourth paragraph of Article 107.09:

"If the holiday is on a Saturday or Sunday, and is legally observed on a Friday or Monday, the length of Holiday Period for Monday or Friday shall apply."

Add the following sentence after the Holiday Period table in the fourth paragraph of Article 107.09:

"The Length of Holiday Period for Thanksgiving shall be from 5:00 AM the Wednesday prior to 11:59 PM the Sunday After"

Delete the fifth paragraph of Article 107.09 of the Standard Specifications:

"On weekends, excluding holidays, roadways with Average Daily Traffic of 25,000 or greater, all lanes shall be open to traffic from 3:00 P.M. Friday to midnight Sunday except where structure construction or major rehabilitation makes it impractical."

#### **EMBANKMENT** I

Effective: March 1, 2011 Revised: November 1, 2013

<u>Description</u>. This work shall be according to Section 205 of the Standard Specifications except for the following.

<u>Material</u>. All material shall be approved by the District Geotechnical Engineer. The proposed material must meet the following requirements.

- a) The laboratory Standard Dry Density shall be a minimum of 90 lb/cu ft (1450 kg/cu m) when determined according to AASHTO T 99 (Method C).
- b) The organic content shall be less than ten percent determined according to AASHTO T 194 (Wet Combustion).
- c) Soils which demonstrate the following properties shall be restricted to the interior of the embankment and shall be covered on both the sides and top of the embankment by a minimum of 3 ft (900 mm) of soil not considered detrimental in terms of erosion potential or excess volume change.
  - 1) A grain size distribution with less than 35 percent passing the number 75 um (#200) sieve.
  - 2) A plasticity index (PI) of less than 12.
  - 3) A liquid limit (LL) in excess of 50.
- d) Reclaimed asphalt shall not be used within the ground water table or as a fill if ground water is present.
- e) The RAP used shall be according to the current Bureau of Materials and Physical Research Policy Memorandum, "Reclaimed Asphalt Pavement (RAP) for Aggregate Applications". Gradation deleterious count shall not exceed 10% of total RAP and 5% of other by total weight.

#### CONSTRUCTION REQUIREMENTS

<u>Samples</u>. Embankment material shall be sampled, tested, and approved before use. The contractor shall identify embankment sources, and provide equipment as the Engineer requires, for the collection of samples from those sources. Samples will be furnished to the Geotechnical Engineer a minimum of three weeks prior to use in order that laboratory tests for approval and compaction can be performed. Embankment material placement cannot begin until tests are completed and approval given.

<u>Placing Material</u>. In addition to Article 202.03, broken concrete, reclaimed asphalt with no expansive aggregate, or uncontaminated dirt and sand generated from construction or demolition activities shall be placed in 6 inches (150 mm) lifts and disked with the underlying lift

until a uniform homogenous material is formed. This process also applies to the overlaying lifts. The disk must have a minimum blade diameter of 24 inches (600 mm).

When embankments are to be constructed on hillsides or existing slopes that are steeper than 3H:1V, steps shall be keyed into the existing slope by stepping and benching as shown in the plans or as directed by the engineer.

<u>Compaction</u>. Soils classification for moisture content control will be determined by the Soils Inspector using visual field examination techniques and the IDH Textural Classification Chart.

When tested for density in place each lift shall have a maximum moisture content as follows.

- a) A maximum of 110 percent of the optimum moisture for all forms of clay soils.
- b) A maximum of 105 percent of the optimum moisture for all forms of clay loam soils.

<u>Stability.</u> The requirement for embankment stability in Article 205.04 will be measured with a Dynamic Cone Penetrometer (DCP) according to the test method in the IDOT Geotechnical Manual. The penetration rate must be equal or less than 1.5 inches (38 mm) per blow.

<u>Basis of Payment.</u> This work will not be paid separately but will be considered as included in the various items of excavation.

# COARSE AGGREGATE FOR BACKFILL, TRENCH BACKFILL AND BEDDING (D-1)

Effective: November 1, 2011 Revised: November 1, 2013

This work shall be according to Section 1004.05 of the Standard Specifications except for the following:

Reclaimed Asphalt Pavement (RAP) maybe blended with gravel, crushed gravel, crushed stone crushed concrete, crushed slag, chats, crushed sand stone or wet bottom boiler slag. The RAP used shall be according to the current Bureau of Materials and Physical Research Policy Memorandum, "Reclaimed Asphalt Pavement (RAP) for Aggregate Applications". The RAP shall be uniformly graded and shall pass the 1.0 in. (25 mm) screen. When RAP is blended with any of the coarse aggregate listed above, the blending shall be done mechanically with calibrated feeders. The feeders shall have an accuracy of  $\pm$  2.0 percent of the actual quantity of material delivered. The final blended product shall not contain more than 40 percent by weight RAP.

The coarse aggregate listed above shall meet CA 6 and CA 10 gradations prior to being blended with the processed and uniformly graded RAP. Gradation deleterious count shall not exceed 10% of total RAP and 5% of other by total weight.

#### TEMPORARY DITCH CHECKS

**Description:** This work shall consist of constructing, maintaining, and removing temporary ditch checks.

**General:** The work shall be performed according to Section 280 of the "Standard Specifications", the details shown in the plans, and the following:

The temporary ditch check shall be triangular shaped, urethane foam covered with a geotextile fabric. The temporary ditch check shall be installed on a geotextile fabric apron. The temporary ditch check shall have a triangle base 16"-20" wide and a minimum triangle height of 8"-10". The temporary ditch checks shall be installed at the locations specified on the Erosion Control Plan, and/or as directed by the Engineer. The temporary ditch check installation shall be according to the detail shown on the plans and the manufacturer's recommendations.

The geotextile fabric shall conform to Article 1080.05 of the "Standard Specifications", for Geotechnical Fabric for French Drains.

The temporary ditch checks shall remain in place until just before placing the final landscaping in the ditch area. The Contractor shall not remove the temporary ditch checks if it is raining and/or rain is in the immediate forecast.

The ditch checks shall become the property of the Contractor upon their removal.

**Method of Measurement:** TEMPORARY DITCH CHECKS will be measured in place and the length calculated in feet for each ditch check section actually installed.

**Basis of Payment:** This work will be paid for at the contract unit price per foot for TEMPORARY DITCH CHECKS. The unit price shall include all labor, equipment and materials necessary for their installation and removal. The maintenance of this item shall be included with and paid for as part of the contract total price for MAINTENANCE OF EROSION CONTROL SYSTEM.

## MAINTENANCE OF EROSION CONTROL SYSTEM

**Description:** This work shall consist of maintaining the temporary erosion control systems installed by the Contractor on the project. The maintenance shall be performed as directed by the Engineer, to control siltation at all times during the duration of the project.

**General:** The work shall be performed according to Section 280 of the "Standard Specifications" and the following:

The Maintenance of Erosion Control System work item shall include:

- > Any repairs to the various temporary erosion control systems.
- > The removal of entrapped sediment.

- Cleaning of any silt filter fabric.
- > Other items as specified in project special provisions relating to erosion control.

When a temporary erosion control system is in need of maintenance, the Engineer will give the Contractor written notice. If the Contractor fails to maintain the temporary erosion control systems within 48 hours of receiving the written notice, the Engineer may proceed to maintain the systems as deemed necessary. The cost of this maintenance will be deducted from any compensation due, or which may become due the Contractor under this contract.

Sediment basin(s) shall be cleaned out (accumulated silt removed) any time the basin(s) become 75% filled. Any additional materials and work required by the Engineer will be measured and paid for as specified.

Removed sediment and other materials shall be disposed of according to Article 202.03 of the "Standard Specifications".

**Method of Measurement/Basis of Payment:** Work performed under this item shall be performed to the special provision but not paid for separately, rather included in the cost of the pay items to be maintained.

#### SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE REMOVAL

**Description**: This work shall consist of the removal of a stabilized construction entrance and all items necessary for removal of the stabilized construction entrance. This includes (but not limited to) excess aggregate for mountable berms, aggregate radii abutting temporary, permanent, or existing pavement; cellular confinement grids; all unnecessary aggregate within 20 feet within the original lines and dimensions in which the original entrance was constructed. All methods of removal shall be approved by the engineer. Material shall be disposed of according to Article 202.03 or as directed by the Engineer.

Basis of Payment: This work shall be measured and paid for at the contract unit price per EACH for SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE REMOVAL and shall include all labor, excavation, and disposal of material used for the stabilized construction entrance.

#### SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE MAINTENANCE

**Description**: This work shall consist of maintaining stabilized construction entrances that have become ineffective as a result of standard operations and natural forces. This work will include the removal of proper disposal of excess materials and the delivery and placing of aggregate in the manner described in SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE.

This pay item shall not be paid for each time maintenance is required but shall consist of maintenance over the life of the project for which the entrance is needed.

**Basis of Payment**: This work shall be measured for payment to the outside dimensions of the material being removed and the area calculated in SQUARE YARDS. All excavation and grading necessary to remove and replace the sediment fill aggregate shall not be paid for separately but included in the cost of SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE MAINTENANCE.

#### HEAVY DUTY EROSION CONTROL BLANKET, SPECIAL

**Description:** This work shall consist of furnishing and placing heavy-duty erosion control blanket (turf reinforcement mat) over in anticipated heavy drainage flow ditch locations as indicated on the plans. The work shall be performed according to Article 251.04 of the "Standard Specifications".

**Materials:** The erosion control blanket shall meet the requirements of Article 1081.10 of the "Standard Specifications", except that:

The blanket material shall consist of polyolefin fibers positioned between two high-strength, biaxially oriented nets and mechanically bound together by parallel stitching with polyolefin thread. The matrix shall possess strength and elongation properties to limit stretching and shall be maintained in high-flow conditions.

List of Vendors & Product Name:

- Tensar/North American Green C350 TRM
- ADS Geosynthetics PP5-10 TRM
- Western Excelsior Corporation PP5-10 TRM
- Propex Landlok TRM 1051/1060
- East Coast Erosion Control ECC-3 Coconut TRM

Each blanket will be secured with a 12" degradable stake. Securing devices are not paid for separately but included in the cost of the pay item.

**Method of Measurement:** This work will be measured for payment in place in square yards of actual area covered.

Basis of Payment: This work will be paid for at the contract unit price per square yard for HEAVY DUTY EROSION CONTROL BLANKET, SPECIAL. The unit price shall include all equipment, materials and labor required to furnish and place the erosion control blanket

#### **EROSION CONTROL BLANKET (MODIFIED)**

**Description:** This work shall consist of furnishing and placing erosion control blanket over seeded areas on slopes 3:1 or flatter, anticipated in low-to-median flow in locations as indicated on the plans. The work shall be performed according to Article 251.04 of the "Standard Specifications".

**Materials:** The erosion control blanket shall meet the requirements of Article 1081.10 of the "Standard Specifications", except that:

Blanket shall consist of double net structure an integration of leno-woven coconut (coir) fiber in matrix of 70% agricultural straw / 30% coconut fiber.

List of Vendors & Product Name:

- Tensar/North American Green SC150BN
- ADS Geosynthetics 0CS2TT
- Western Excelsior Corporation Excel CS-3
- American Excelsior Company Premier Straw/Coconut
- East Coast Erosion Control ECSC-2
- Erosion Control Blanket.com SC32
- Propex Landlok ECB-CS2

Each blanket will be secured with a 12" degradable stake. Securing devices are not paid for separately but included in the cost of the pay item.

**Method of Measurement:** This work will be measured for payment in place in square yards of actual area covered.

Basis of Payment: This work will be paid for at the contract unit price per square yard for EROSION CONTROL BLANKET (MODIFIED). The unit price shall include all equipment, materials and labor required to furnish and place the erosion control blanket

#### PERIMETER EROSION BARRIER, SPECIAL

**Description:** This work shall consist of constructing, removing, and disposing of perimeter erosion barrier, special as part of the project's temporary erosion control system. Perimeter erosion control barrier, special shall be utilized adjacent to existing wetlands.

General: The work shall be performed according to Section 280 of the "Standard Specifications, and the following:

Materials:Geotextile Requirements: The geotextile used for the temporary silt fence shall be classified as supported (with a wire of polymeric mesh backing) or unsupporting (no backing). The temporary silt fence geotextile shall meet the requirements of the Table included below. All numeric values except Apparent Opening Size (AOS) represent Minimum Average Roll Values (MARV as defined in ASTM D4439). The values for AOS are the Maximum Average Roll Values.

Table – Temporary Silt Fence Requirements

| Requirements              | Test<br>Methods | Wire Backed Supported Silt Fence <sup>a</sup> |
|---------------------------|-----------------|---|
| Maximum Post              | Motriodo        | T CHOC  |
| Spacing                   |                 | 4 feet  |
|                           | ASTM            |   |
| Grab Strength             | D4632           |   |
| Machine Direction         |                 | 90 lbs  |
| X-Machine Direction       |                 | 90 lbs  |
|                           | ASTM            |   |
| Permittivity <sup>b</sup> | D4491           | 0.05 sec <sup>-1</sup>                        |
| Apparent Opening          | ASTM            | 0.024in maximum average roll                  |
| Size                      | D4751           | value   |
|                           | ASTM            |   |
| Ultraviolet Stability     | D4355           | 70% after 500 hours of exposure               |

#### Notes:

- 1. Silt fence support shall consist of 14-gauge steel wire with a mesh backing of 6"x6" or prefabricated polymeric mesh of equivalent strength.
- 2. These default filtration property values are based on empirical evidence with a variety of sediments. For environmentally sensitive areas, a review of previous experience and/or site or regionally specific geotextile tests should be performed to confirm the suitability of these requirements.

The wire support fence shall:

- 1) Be a minimum of 14-gauge
- 2) Have a minimum of six horizontal wires
- 3) The maximum vertical wire spacing shall be 6"

Method of Measurement: This work will be measured for payment in place by FOOT.

Basis of Payment: This work will be paid for at the contract unit price per FOOT for PERIMETER EROSION BARRIER, SPECIAL. The unit price shall include all work and materials necessary to properly install the barrier and to remove and dispose of the used materials at the completion of the project. Maintenance requirements shall be included and paid for according to Section 280 of the "Standard Specifications."

#### TEMPORARY AGGREGATE BERM

**Description:** This work shall consist of installing aggregate berms in locations as identified as "Rock Check Dams" on the plans for purposes of energy dissipation and water quality in proposed ditches. Both items are utilized together, along with filter fabric, in a single rock check dam. Installation shall follow Stormwater Pollution Prevention Plan Details IUM/NRCS Detail IL-605R as included in the plans.

Coarse Aggregate shall conform to CA-3 gradation. Riprap shall meet IDOT gradation RR-3 and meet Quality Designation A. Coarse aggregate and riprap shall be placed according to Article 281.04.

Filter fabric shall meet requirements of Article 1080.03 and shall not be paid for separately but considered included in the cost of TEMPORARY AGGREGATE BERM – COARSE AGGREGATE & TEMPORARY AGGREGATE BERM - RIPRAP.

**Basis of Measurement & Payment**: TEMPORARY AGGREGATE BERM — COARSE AGGREGATE & TEMPORARY AGGREGATE BERM — RIPRAP shall be measured for payment in place per TON of each placed.

#### CONCRETE TRUCK WASHOUT

**Description:** The CONCRETE TRUCK WASHOUT as identified on the plans is used to contain concrete liquids when the chutes of concrete trucks are rinsed out after the delivery of concrete to the construction site. These washout facilities function to consolidate soils for disposal and prevent runoff liquids associated with concrete. Details of the construction of the non-portable facilities are included within the plans as "temporary concrete washout facilities." Failure to comply with appropriate washout location requirements will result in monetary deficiency deduction against the Contractor.

#### General Requirements:

- The Contractor must submit a plan of his/her proposed temporary concrete washout facility to the Engineer for his/her approval at least 10 days prior to the first concrete pour.
- Temporary concrete washout facilities are to be in place prior to any delivery of concrete to the construction site.
- Temporary concrete washout facilities are to be located at least 50 feet from storm drain inlets, open drainage facilities, or water bodies. Each facility is to be located away from construction traffic or access areas to prevent disturbance or tracking.
- A sign is to be installed adjacent to each temporary concrete washout facility to inform concrete equipment operations of the designated washout facility.

#### Design:

Two types of concrete washout facilities are available for use on this project:

Prefabricated portable facilities (as approved by the Engineer)

#### Non-portable facilities:

- Above Grade: Constructed using barrier wall & polyethylene sheeting. Barrier walls are
  constructed to create a berm with a single sheet of 10-mil polyethylene sheeting which is
  free of holes, tears, or other defects which pay compromise the impermeability of the
  material. Sandbags are used to hold the sheeting in place on top of the berm. Sheeting
  must extend over the entire basin and berm to prevent escape of discharge.
- Below Grade: Constructed via excavation and the use of polyethylene sheeting and sandbags. A pit is first excavated in a designated location with a single sheet of 10-mil

polyethylene sheeting which is free of holes, tears, or other defects, which may compromise the impermeability of the material. Sandbags are then used to hold the sheeting in place.

#### Size of Washouts:

Number and size of washout facility is to be determined by the Contractor. It is his/her responsibility to provide enough storage for the excess concrete and water produced on the target. Non-portable facilities are to have a minimum length and width of 10'.

#### Inspection/Maintenance/Removal:

- Temporary concrete washout facilities are to be inspected by the Engineer during his/her weekly erosion and sediment control inspection per the requirements of the SWPPP. The inspector is to ensure there are no leaks, spills, and the capacity of the facility has not yet been compromised.
- Any overflowing of the washout facility onto the ground must be cleaned up and removed within 24 hours of discovery.
- If a rain or snow event is forecasted, a non-collapsing, non-water collecting cover shall be placed over the washout facility and secured to prevent accumulation and overflow of precipitation.
- Contents of each facility are not to exceed 75% of design capacity. If contents reach 75% capacity, discontinue pouring concrete into the facility until it has been cleaned out.
- Allow slurry to evaporate or remove the site in a safe manner (i.e. vacuum truck). All hardened material can then be removed or disposed of properly.
- If a lined basin is used, immediately replace the liner if it becomes damaged.
- Remove temporary concrete washout facilities when they are no longer required and restore the disturbed areas to their original condition.
- Note locations of these facilities and any changes to these locations on the SWPPP.

Basis of Payment: This work shall be paid for at the contract unit price LUMP SUM for CONCRETE TRUCK WASHOUT, which price shall be payment in full for all material, labor, excavation, and maintenance of <u>all temporary concrete washout facilities</u> on the project throughout the life of the project.

#### SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE

**Description:** This work shall consist of constructing a stabilized construction entrance, including furnishing, installing, maintaining and removing a stabilized pad of aggregate underlain with filter fabric, as shown on the plans or directed by the Engineer.

**Materials:** The materials used shall meet the requirements of the following:

Aggregate: The aggregate shall be limited to IDOT Coarse Aggregate Gradation CA-1.

Filter Fabric: The filter fabric shall be made of synthetic polymers composed of at least 85 percent by weight polypropylene, polyesters, polyamides, polyethylene, polyolefins, or polyvinylidene-chlorides. The geotextile shall be free of any chemical treatment or coating that

significantly reduces its porosity. Fibers shall contain stabilizers and/or inhibitors to enhance resistance to ultraviolet lights.

**Construction Requirements:** The aggregate shall be at least six inches thick. The aggregate shall not be placed until the entrance area has been inspected and approved by the Engineer.

The aggregate shall be dumped and spread into place in approximately horizontal layers. The layer(s) shall not exceed three feet in thickness. The aggregate shall be placed in such a manner as to produce a reasonably homogeneous stable fill that contains no segregated pockets of larger or smaller fragments or large unfilled space caused by bridging of larger fragments. No compaction shall be required beyond that resulting from the placing and spreading operations.

The construction entrance shall follow the dimensions shown on the plans and/or have a minimum width of 14 feet and a minimum length of 50 feet.

All surface water flowing or diverted toward the construction entrance shall be piped across the entrance. Any pipe used for this will be considered included in the unit price for SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE. The stabilized construction entrance shall have positive drainage away from the roadway.

The entrance shall remain in place and be maintained until the disturbed area is stabilized. Any sediment spilled onto public right-of-way(s) shall be removed immediately. All removed materials shall be disposed of outside the limits of the right-of-way according to Article 202.03 of the "Standard Specifications" and/or as directed by the Engineer.

**Method of Measurement:** The Stabilized Construction Entrance will be measured in place and the area computed in square yards.

Basis of Payment: The work will be paid for at the contract unit price per square yard for SEDIMENT CONTROL, STABILIZED CONSTRUCTION ENTRANCE. The unit price shall include all material, including filter fabric, labor, equipment and any other items required to complete the construction entrance.

## **DUST CONTROL WATERING**

**Description:** This work shall consist of furnishing and applying water to control dust and airborne dirt generated by construction activities.

**General:** This work shall be performed according to Article 107.36 of the "Standard Specifications" and the following:

Revise Article 107.36 of the "Standard Specifications" as follows:

Replace sub-paragraph (d) of under the third paragraph with the following:

(d) Dust shall be controlled by the uniform application of sprinkled water and shall be applied only when directed and in a manner approved by the Engineer. All equipment used for this work shall meet with the Engineer's approval and shall be equipped with adequate measuring devices for determining the exact amount of water discharged. All water used shall be properly documented by ticket or other approved means.

The Contractor is reminded of the provisions of Article 107.18 of the "Special Provisions" regarding the procurement of water from fire hydrants.

**Method of Measurement:** This work will be measured in units of gallons of water applied. One unit is equivalent to 1,000 gallons of water applied.

**Basis of Payment:** This work will be paid for at the contract unit price per unit for DUST CONTROL WATERING. The unit price shall include all equipment, materials and labor required to control dust.

## SEDIMENT CONTROL, DRAINAGE STRUCTURE INLET FILTER CLEANING

**Description:** This work shall consist of cleaning sediment out of a drainage structure inlet filter when directed by the Engineer. The Engineer will be the sole judge of the need for cleaning based on the rate that debris and silt is collected at each inlet filter cleaning.

Cleaning of the inlet filter shall consist of inspecting, cleaning (includes removal and proper disposal of debris and silt that has accumulated) by vactoring, removing and dumping, or any other method that has been approved by the engineer.

For purposes of this contract, it is anticipated that inlet filter cleaning will be performed one time for all inlet filters on the project. Some filters will require no cleaning, others will require multiple cleanings. The Contractor may use some or all quantity for this pay item.

**Basis of Payment:** This work shall be paid at the contract unit price for EACH for SEDIMENT CONTROL, DRAINAGE STRUCTURE INLET FILTER CLEANING.

# **DEWATERING**

## Description.

This work shall consist of furnishing sediment filter bags for use during dewatering operations at the excavation of the proposed detention basin along Longmeadow Parkway during the construction and/or as directed by the Engineer.

#### Materials

Sediment Filter Bag shall be ACF Environmental ERO-TEX dewatering filter bag, US Fabrics filter bag, or JMD Enviro-Protection filter bag.

#### Construction Requirements

Water shall be pumped directly to a Sediment Filter Bag. Sediment Filter Bags shall be used according to manufacturer's instructions and placed on suitable bedding and as directed by the Engineer. It will require that the intake hose be placed on stable surface with the discharge on a non-erodible, energy dissipating surface prior to discharge and will not cause erosion in the process. Water shall have sediment removed prior to being re-introduced to the downstream areas. Discharge water is considered clean if it does not result in a visually identifiable degradation of water clarity.

Sediment Filter Bag shall be sized based on the volume of water being pumped, quantity and type of sediment and the permittivity of the specific bag size. Multiple discharges into a single bag are not permitted. Sediment Filter Bag shall be oriented to direct flow away from construction area and discharge filtered water into approved receiving area or containment system. The bag shall be replaced when it becomes ½ full of sediment or when the sediment has reduced discharge flow rate below design requirements. Spare bags shall be kept available for replacement of those that have failed or are filled. Bags shall be located in well-vegetated (grassy) areas, and discharges onto stable, erosion resistant areas. Where this is not possible, a geotextile lined flow path shall be provided. Bags shall not be placed on slopes greater than 5%.

All captured sediment shall be disposed of per Section 205 of the Standard Specifications.

#### Method of Measurement

This work will be measured for payment in lump sum.

# Basis of Payment

This work will be paid for at the contract unit price per lump sum, for DEWATERING which price shall include sizing, bedding, maintaining, disposing of Sediment Filter Bag and all labor, equipment, tools and incidentals necessary to complete the work as specified.

# SEEDING, CLASS 3 (SPECIAL), SEEDING, CLASS 4 (SPECIAL), SEEDING, CLASS 4B (SPECIAL)

This work shall consist of Seeding of Class 3 (Special), 4 (Special) and 4B (Special) in areas as shown in the plans or a directed by the Engineer.

All work, materials, and equipment shall conform to Sections 250 and 1081 of the Standard Specifications except as modified herein.

Each Seeding Class (Special) seed mixture shall be supplied in separate bags of the three mixture components: Temporary Cover, Permanent Grasses, and Forbs. All native species will be local genotype and verified that original seed collection source will be from a radius of 150 miles from the project site. Fertilizer is not required.

Article 250.07 Seeding Mixtures – Delete sentence 4. Add the following to Table 1 – Seeding Mixtures:

| CLASS - TY  | PE SEEDS                |                     | PURE LIVE SEED LB/ACRE |
|-------------|-------------------------|---------------------|------------------------|
| 3 (Special) |                         |                     |                        |
|             | Native Grass            |                     | 25.0                   |
|             | Bouteloua curtipendula  |                     |                        |
|             | (Side-Oats Grama)       |                     | 10.0                   |
|             | Elymus canadensis       |                     |                        |
|             | (Canada Wild Rye)       |                     | 5.0                    |
|             | Schizachyrium scoprari  | um                  |                        |
|             | (Little Bluestem)       |                     | 10.0                   |
|             |                         |                     |                        |
|             | Temporary Cover         |                     | 30.0                   |
|             | Avena sativa (Novembe   | er 1 to May 31)     |                        |
|             | (Annual Oats)           |                     | 30.0                   |
|             | OR                      |                     |                        |
|             | Lolium multipflorum (Ju | ne 1 to October 31) |                        |
|             | (Annual Rye)            |                     | 30.0                   |
|             | Native Forbs            |                     | 2.80                   |
|             | Asclepias tuberosa      |                     |                        |
|             | (Butterfly Weed)        |                     | 0.10                   |
|             | Asclepias verticillata  |                     |                        |
|             | (Whorled Milkweed)      |                     | 0.25                   |
|             | Astragalus canadensis   |                     |                        |
|             | (Canada Milk Vetch)     | )                   | 0.25                   |
|             | Baptisia leucantha      |                     |                        |
|             | (White Wild Indigo)     |                     | 0.10                   |
|             | Coreopsis lanceolata    |                     |                        |
|             | (Sand Coreopsis)        |                     | 0.25                   |
|             | Dalea candida           |                     |                        |
|             | (White Prairie Clove    | r)                  | 0.25                   |
|             | Dalea purpurea          |                     |                        |
|             | (Purple Prairie Clove   | er)                 | 0.25                   |
|             | Monarda fistulosa       |                     |                        |
|             | (Wild Bergamot)         |                     | 0.25                   |
|             | Rudbeckia hirta         |                     |                        |
|             | (Black-Eyed Susan)      |                     | 0.50                   |
|             | Symphyotrichum oolent   | tangiensis          | 2 . 2                  |
|             | (Sky Blue Aster)        |                     | 0.10                   |

| Longmeadow Pa | arkway Section D |
|---------------|------------------|
| Section       | 13-00215-30-PV   |
|               | Kane County      |
|               | Contract 61D16   |
|               |                  |

|             | (Sky Blue Aster)                           | 0.25 |
|-------------|--|------|
|             | Verbena stricta                            |      |
|             | (Hoary Vervain)                            | 0.25 |
|             |  |      |
| 4 (Special) |  |      |
|             | Native Grass                               | 22.0 |
|             | Andropogon gerardii                        |      |
|             | (Big Bluestem)                             | 4.0  |
|             | Bouteloua curtipendula                     |      |
|             | (Side-Oats Grama)                          | 5.0  |
|             | Elymus canadensis                          |      |
|             | (Canada Wild Rye)                          | 3.0  |
|             | Panicum virgatum                           |      |
|             | (Switch Grass)                             | 3.0  |
|             | Schizachyrium scoparium                    |      |
|             | (Little Bluestem)                          | 5.0  |
|             | Sorghastrum nutans                         |      |
|             | (Indian Grass)                             | 2.0  |
|             | Temporary Cover                            | 30.0 |
|             | Avena sativa (November 1 to May 31)        |      |
|             | (Annual Oats)                              | 30.0 |
|             | OR   |      |
|             | Lolium multipflorum (June 1 to October 31) |      |
|             | (Annual Rye)                               | 30.0 |
|             | Native Forbs                               | 2.95 |
|             | Asclepias syriaca                          |      |
|             | (Common Milkweed)                          | 0.25 |
|             | Dalea candida                              |      |
|             | (White Prairie Clover)                     | 0.10 |
|             | Dalea purpurea                             |      |
|             | (Purple Prairie Clover)                    | 0.10 |
|             | Desmodium illinoensis                      |      |
|             | (Illinois Bundleflower)                    | 0.25 |
|             | Heliopsis helianthoides                    |      |
|             | (Ox-eye Sunflower)                         | 0.25 |
|             | Monarda fistulosa                          |      |
|             | (Bergamot)                                 | 0.25 |
|             | Penstemon digitalis                        |      |
|             |  |      |

Symphyotrichum oolentangiensis

|   | Section 13-00215-30-PV        |
|---|-------------------------------|
|   | Kane County<br>Contract 61D16 |
|   | Contract of Diffe             |
| (Foxglove Beardtongue)<br>Ratibida pinnata              | 0.25                          |
| (Yellow Coneflower)                                     | 0.50                          |
| Rudbeckia hirta   |                               |
| (Black-Eyed Susan)                                      | 0.50                          |
| Solidago rigida   | 0.25                          |
| (Stiff Goldenrod) Symphyotrichum novae-angliae          | 0.23                          |
| (New England Aster)                                     | 0.25                          |
| ,   |                               |
|   |                               |
| N. C  | 0.05                          |
| Native Grass and Sedges Andropogon gerardii             | 9.25                          |
| (Big Bluestem)  | 3.00                          |
| Carex vulpinoidea                                       |                               |
| (Brown Fox Sedge)                                       | 0.25                          |
| Elymus virginicus                                       | 0.00                          |
| (Virginia Wild Rye)<br>Glyceria striata                 | 2.00                          |
| (Fowl Manna Grass)                                      | 0.25                          |
| Juncus torreyi  |                               |
| (Torrey's Rush)   | 0.25                          |
| Leersia oryzoides                                       |                               |
| (Rice Cut Grass)  | 0.25                          |
| Panicum virgatum (Switch Grass)                         | 3.00                          |
| Scirpus atrovirens                                      | 0.00                          |
| (Dark Green Bulrush)                                    | 0.25                          |
| Temporary Cover   | 30.0                          |
| Avena sativa (November 1 to May 31)                     |                               |
| (Annual Oats)   | 30.0                          |
| OR  |                               |
| Lolium multipflorum (June 1 to October 31) (Annual Rye) | 30.0                          |
| (Allitual Tye)  | 50.0                          |
| Native Forbs  | 2.05                          |
| Asclepias incarnata                                     | 0.05                          |
| (Marsh Milkweed)<br>Eupatorium perfoliatum              | 0.25                          |
| сираюнин р <del>енонаш</del> н                          |                               |

4B (Special)

Longmeadow Parkway Section D

| (Common Boneset)<br>Lycopus americana | 0.25 |
|---------------------------------------|------|
| (Common Water Horehound)              | 0.15 |
| Penthorum sedoides                    |      |
| (Ditch Stonecrop)                     | 0.15 |
| Rudbeckia laciniata                   |      |
| (Wild Goldenglow)                     | 0.25 |
| Silphium perfoliatum                  |      |
| (Cup Plant)                           | 0.25 |
| Verbena hastata                       |      |
| (Blue Vervain)                        | 0.25 |
| Verbesina alternifolia                |      |
| (Wingstem)                            | 0.25 |
| Zizia aurea                           |      |
| (Golden Alexanders)                   | 0.25 |
|                                       |      |

#### Notes:

- The seeding time for this work shall be October 15 to June 1. Seeding done outside of this
  time frame will not be measured for payment. No seed shall be sown during high winds or
  when the ground is not in proper condition for seeding, such as when raining or when the
  ground is covered with snow.
- 2. Purity and germination tests no older than twelve months of the date of sowing must be submitted to verify all bulk seed required to achieve LB PLS specified.
- 3. The seedbed shall be prepared and approved by the Engineer prior to seeding. The Contractor shall delineate the perimeter of the seedbed with wooden lathe. The wooden lathe shall remain in place.
- 4. The Engineer must witness the delivery of seed with original labels attached in the field. Provide to the Engineer the seed labels from the bags in which the seed is delivered in.
- 5. Temporary cover seed shall be kept separate from the native seed mixture. It shall be mixed on site under the direction of the Engineer.
- 6. In order to eliminate potential introduction of invasive or exotic species, all equipment used on the planting site shall be free of mud and/or plant material. This includes tires, mower decks, undercarriage, etc.
- 7. The Temporary cover (Cover Crop) shall be thoroughly mixed with native grass seed mix of each class and seeded using a mechanical seeder that applies the seed uniformly at a depth of 1/4 inch. Second, the native forb seed shall be thoroughly mixed with 2 bushels of moistened horticultural grade vermiculite per acre and uniformly seeded at a depth of 1/8 inch. The seedbed shall be immediately mulched as specified.
- 8. Within two hours after the seeding and mulching are complete, water shall be applied at a rate of 5 gal/sq yd.
- 9. The Contractor shall have on hand enough equipment to completely water all seeded areas in two days at the watering rate specified above. The Engineer will make periodic checks of the Contractor's watering equipment to determine its adequacy and operating condition.

- 10. All watering described shall be done with a spray application. An open-end hose will not be acceptable. The method of watering shall meet the approval of the Engineer.
- 11. Supplemental Watering: During periods exceeding 26 degree C (80 degree F) or subnormal rainfall (less than 1" of rainfall per week) supplemental watering may be required after the initial watering and prior to acceptance of the work. Supplemental watering shall be performed when directed by the Engineer. Water shall be applied at the rate specified by the Engineer within 24-hour notice.

If specified seed material is unavailable, the Engineer shall approve the substitutes in writing. Adjustments will be made at no cost to the contract. Approval of substitutes shall in no way waive any requirements of the contract.

Article 250.09 - Add

Seeding, Class 3 (Special).

Seeding, Class 4 (Special).

Seeding, Class 4B (Special).

Seeding, watering will not be measured for payment.

Seeding, native forb mix horticultural grade vermiculite will not be measured for payment.

Supplemental watering will be measured for payment as specified in Special Provision for SUPPLEMENTAL WATERING.

Article 250.10 – Add Seeding, Class 3 (Special), Seeding, Class 4 (Special) and Seeding, Class 4B (Special).

## PERENNIAL PLANTS, WETLAND TYPES, 2" DIAMETER BY 4" DEEP PLUG

This work shall consist of furnishing and installing sedge meadow and/or wetland plugs and goose grid barrier as shown in the details on the plans and only at locations as directed by the Engineer.

Add the following to Article 254.02 Materials:

All plants shall be healthy, vigorous, and true to species and variety. All materials shall be provided by a certified nursery and shall be free of pests and disease. All plant materials shall comply with State and federal laws with respect to inspection for plant diseases and infestations. Written approval shall be necessary for substitutions.

Plugs shall be obtained as close to possible to the project site. Written approval will be required for substitutions and plant material purchased outside a 150 mile radius of the site.

Delete Article 254.04(b) Planting Time and substitute the following:

Plugs shall only be planted between May 1 and June 15. Approval from the Engineer must be received for all planting dates.

Add the following to Article 254.05 Transporting and Storing Plants:

Each species should be handled and packed in the manner approved for the plant, having regard for the soil climatic conditions at the time and place of digging and delivery, and for the time that will be consumed for transit and delivery.

Plant materials shall be packed to ensure adequate protection against damage during transit. The plants shall be protected with wet material to ensure that the plant materials are delivered in a moist and cool condition. The vehicle should be ventilated to prevent overheating.

Plant materials shall be stored in a shaded area. Watering shall occur to maintain plant vigor during on-site storage.

An on-site inspection will be made prior to the installation of plant material. Any plant material not meeting specification (that being of good health) must be moved off the site.

Delete Article 254.06 Layout of Planting and substitute the following:

When plants are specified to be planted in prepared soil planting beds, the planting bed shall be approved by the Engineer prior to planting. Bed limits shall be painted or flagged. Individual plants layout shall be marked prior to installation. The Engineer will contact the Roadside Development Unit at (847) 705-4171 for layout.

Delete Article 254.07 (b) Planting Procedures and substitute the following:

When planting plugs in areas as shown on the plans or as directed by the Engineer, the following work shall be performed prior to planting:

 Permanent Seeding and Erosion Control Blanket must be installed prior to planting plugs to avoid damage to plantings.

 Trees and shrubs must be installed first to establish proper layout and to avoid damage to other plantings.

Install plugs through erosion control blanket with planting bar. Planting holes shall be as deep or slightly deeper than the plug roots to allow placing the plant without bending roots. Plant shall be placed flush with the earth surface. Hole shall be filled with soil carefully to avoid damage to roots and to leave no voids and pressed to firm earth surface.

Contractor shall provide and maintain all equipment necessary for planting, including watering equipment, water, and hoses. Immediately after planting, thoroughly water plant beds. Do not wash soil onto crowns of plants. The soil surface should be damp for the first three weeks following planting.

Delete the first sentence of Article 254.08 Mulching and substitute the following:

The plugs are not required to be mulched.

Delete Article 254.09 (b) Period of Establishment and substitute the following:

Plugs must undergo a 30-day period of establishment. Additional watering shall be performed not less than three times a week for four weeks following installation. Water shall be applied at the rate of at least 2 gallons per square foot. Should excess moisture prevail, the Engineer may delete any or all of the additional watering cycles. In severe weather, the Engineer may require additional watering.

A spray nozzle that does not damage small plants must be used when watering native plant plugs. Water shall be applied at the base of the plant to keep as much water as possible off plant leaves. The plants to be watered and the method of application will be approved by the Engineer. The Contractor will not be relieved in any way from the responsibility for unsatisfactory plants due to the amount of watering.

Add the following to Article 254.10 Method of Measurement:

Disposal of debris (rock, stones, concrete, bottles, plastic bags, Goose Grid Barrier, etc.) removed from the plug plantings as specified in Article 202.03.

Delete Article 253.17 Basis of Payment and substitute the following:

a. The unit price shall include the cost of all materials, equipment, labor, plant care, removal, disposal and incidentals required to complete the work as specified herein and to the satisfaction of the Engineer.

#### PLANTING WOODY PLANTS

Add the following to Construction Requirements:

Delete the third sentence of Article 253.07 and substitute the following:

The Contractor shall be responsible for all plant layout. The layout must be performed by qualified personnel. The planting locations must be laid out as shown in the landscape plan.

This will require the use of an engineer's scale to determine some dimensions. Tree locations within each planting area shall be marked with a different color stake/flag and labeled to denote the different tree species. Shrub beds limits must be painted. The Engineer will contact the

Roadside Development Unit at (847) 705-4171 to approve the layout prior to installation. Allow a minimum of seven working (7) days prior to installation for approval.

Delete the first paragraph of Article 253.15 Plant Care and substitute the following:

The Contractor is responsible for plant care until receipt of the "Final Acceptance of Landscape Work" memorandum from the Bureau of Maintenance. The Contractor shall properly care for all plants including weeding, watering, adjusting of braces, repair of water saucers, or other work which is necessary to maintain the health, vigor, and satisfactory appearance of the plantings. This may require pruning, cultivating, tightening and repairing supports, repair of wrapping, and furnishing and applying sprays as necessary to keep the plants free of insects and disease. The Contractor shall provide plant care a minimum of every two weeks, or within 3 days following notification by the Engineer. All requirements for plant care shall be considered as included in the cost of the contract.

Delete the first paragraph of Article 253.15 Plant Care (a) and substitute the following:

During plant care watering shall be performed at least every two weeks beginning in May until receipt of the "Final Acceptance of Landscape Work" memorandum from the Bureau of Maintenance. The contractor shall apply a minimum of 35 gallons of water per tree, 25 gallons per large shrub, and 15 gallons per small shrub. The Engineer may direct the Contractor to adjust the watering rate and frequency depending upon weather conditions.

Revise Basis of Payment as follows:

**Basis of Payment:** This work will be paid for at the contract unit price per each for TREES and SHRUBS of the species, root type, and plant size specified. Payment will be made according to the following schedule.

- (a) Initial Payment. Upon completion of planting, mulch covering, wrapping, and bracing, 90 percent of the pay item(s) will be paid.
- (b) Final Payment. Upon inspection and acceptance of the plant material, or upon execution of a third party bond, the remaining ten percent of the pay item(s) will be paid.

#### SUPPLEMENTAL WATERING

**Description:** This work will include watering turf, trees, shrubs, vines and perennial plants at the rates specified and as directed by the Engineer.

**Schedule:** Watering will only begin after the successful completion of all period of establishment requirements and will continue through the construction year growing season as directed by the Engineer.

Watering must be completed in a timely manner. When the Engineer directs the Contractor to do supplemental watering, the Contractor must begin the watering operation within 24 hours of notice. A minimum of 10 units of water per day must be applied until the work is complete. Damage to plant material that is a result of the Contractor's failure to water in a timely way must be repaired or replaced at the Contractor's expense.

**Source of Water:** The Contractor shall notify the Engineer of the source of water used and provide written certification that the water does not contain chemicals harmful to plant growth.

**Rate of Application:** The normal rates of application for watering are as follows. The Engineer will adjust these rates as needed depending upon weather conditions.

Trees: 35 gallons per tree

Class 2A Seed: 10 gallons per square yard All Other Seeded Areas: 3 gallons per square yard

**Method of Application:** A spray nozzle that does not damage small plants must be used when watering perennial plants or turf. Water shall be applied at the base of the plant to keep as much water as possible off plant leaves. An open hose may be used to water trees, shrubs, and vines if mulch and soil are not displaced by watering. Water shall trickle slowly into soil and completely soak the root zone. The Contractor must supply metering equipment as needed to assure the specified application rate of water.

**Method of Measurement:** Supplemental watering will be measured in units of 1000 gallons (3,785 liters) of water applied as directed.

<u>Basis of Payment</u>: This work will be paid for at the contract unit price per unit of SUPPLEMENTAL WATERING, measured as specified. Payment will include the cost of all water, equipment and labor needed to complete the work specified herein and to the satisfaction of the Engineer.

#### MOWING (SPECIAL)

<u>Description:</u> This work shall consist of mowing all grassed, turfed, and/or temporary seeded areas within the project right-of-way limits to keep floral resources from blooming, or as directed by the Engineer. The equipment used shall be capable of adequately mowing all areas surrounding existing trees and shredding all regeneration of brush 2 inches in diameter or less

to the satisfaction of the Engineer. Mowing shall be completed weekly, between March 15th and October 14th. The mowed area(s) shall be no greater than approximately 3-inches in height or as approved by the Engineer.

Method of Measurement: Each mowing occurrence will be paid for separately.

<u>Basis of Payment:</u> This work shall be paid for at the contract unit price per ACRE for MOWING (SPECIAL), which price shall include all labor, material, and equipment necessary to complete the work described above.

# **GENERAL REQUIREMENTS FOR WEED CONTROL**

#### Experience:

The Contractor shall have previous experience with the use of weed control chemicals. He/she shall have had at least one (1) season's experience in the use of their chemicals in spraying highway right-of-way or at least three (3) season's experience in their use in farm or custom spraying. The Contractor shall observe and comply with all sections of the Illinois Custom Spray Law, including licensing.

# Equipment:

The equipment used shall consist of a vehicle-mounted tank, pump, spray bar and handgun, plus any other accessories needed to complete the specified work. Spraying shall be done through multiple low-pressure flooding or broad jet nozzles mounted on spray bars operated not more than 36" above the ground. If different sizes or types of nozzles are used to make up the spray pattern, the pressure, sizes and capacities shall be adjusted to provide a uniform rate of application for each segment of the spray pattern. Hand spray guns may be used for spraying areas around traffic control devices, lighting standard and similar inaccessible areas. Maximum speed of the spray vehicle during application of chemical shall be five (5) miles per hour.

Pumps used shall have a volume and pressure capacity range sufficient to deliver the mixture at a pressure to provide the required coverage and to keep the spray pattern full and steady without pulsation or excessive pressure as to cause fogging. Maximum pressure for application shall be 15 PSI. Quick acting shut-off valves and spring-loaded ball check valves shall be provided to stop the spray pattern with a minimum of nozzle drip. In areas where the spray vehicle must traverse the right-of-way, a four-wheel drive vehicle with flotation tires will be required to minimize damage to the ground surface.

Prior to beginning work, the Contractor shall obtain approval from the Engineer of the spraying equipment proposed for completing this work. The proposed equipment shall be in an operational condition and available for inspection by the Engineer at least two (2) weeks prior to the proposed starting time. If requested by the Engineer, the Contractor shall demonstrate the calibration of the equipment.

The equipment must provide consistently uniform coverage and keep the spray mixture sufficiently agitated or the work will be suspended until the equipment is repaired or replaced.

## Spraying Areas:

This work includes roadsides and other types of right-of-way of various widths and gradients. Spray areas often extend more than thirty (30) feet from the edge of the roadway, requiring both spray bar and hand gun applications.

When the description of work requires weed control of a stated species, such as teasel, the chemical shall be applied only to locations where the stated species is present. When the description of work requires general weed control within a bed or area, such as broadleaf weed control in turf, then the chemical shall be applied to the entire bed or area.

# **Exclusion of Spraying Areas:**

Areas where weed control spraying is inappropriate or detrimental to the environment, desirable planting, or private property shall be excluded from the spray area.

Spraying will not be permitted over any drainage swales or waterways, or other areas where the chemical label prohibits application. Spraying within 150 feet of a natural area or site where endangered or threatened species occur.

#### Responsibility for Prevention of Damage to Private Property:

The Contractor shall, at all times, exercise extreme caution to prevent damage to residential plantings, flower or vegetable gardens, vegetable crops, farm crops, orchard or desirable plants adjacent to the roadside.

The Contractor or Department receives a complaint, the Contractor shall contact a complaint within ten (10) days after receiving a claim for damages, either in person or by letter. The Contractor, or his authorized representative, shall make a personal contact with the complainant within twenty (20) days. The Engineer shall also be notified by the Contractor of all claims for damage he received and shall keep the Engineer informed as to the progress in arriving at a settlement for such claims.

#### Communication with the Engineer:

The Contractor is required to communicate with the Engineer to receive all required approvals in a timely way and to assure that the Engineer can accurately document the work performed.

It shall be the Contractor's responsibility to assure that all chemical containers are opened and added to the spray mixture in the presence of the Engineer.

The Contractor shall obtain approval from the Engineer to proceed with spraying at each location 24 hours prior to the proposed spray operations.

#### WEED CONTROL, TEASEL

<u>Description</u>: This work shall consist of the application of a broadleaf herbicide for control of teasel and controlling broadleaf weeds in turf.

Materials: The broadleaf herbicide shall have the following formulation:

Active Ingredient:

triclopyr: 3,5,6-trichloro-2-pyridinyloxyacetic acid,

triethylamine salt 44.4%

Inert Ingredients <u>55.6%</u>

TOTAL 100.00%

The Contractor shall submit a certificate, including the following, prior to starting work:

- 1. The chemical names of the compound and the percentage by weight of the ingredients which must match the above specified formulation.
- 2. A statement that the material is in a solution which will form a satisfactory emulsion for use when diluted with water for normal spraying conditions.
- 3. A statement that the herbicide, when mixed with water, will be completely soluble and dispersible and remain in suspension with continuous agitation.
- 4. A statement describing the products proposed for use when the manufacturer of the herbicide requires that surfactants, drift control agents, or other additives be used with the product. These tank mix additives shall be used as specified by the manufacturer. Required additives will not be paid for separately.

All material shall be brought to the spray area in the original, unopened containers supplied by the manufacturer.

<u>Schedule</u>: Spraying will not be allowed when temperatures exceed 90° F or under 45° F, when wind velocities exceed fifteen (15) miles per hour, when foliage is wet or rain is eminent, when visibility is poor or during legal holiday periods.

Application Rate: The broadleaf herbicide shall be applied at the rate of one (1) gallon per acre. Herbicide shall be diluted with a minimum of twenty-five gallons (25) of water and applied as a mixture. Water for dilution of the mixture will not be paid for separately.

Method of Measurement: Weed Control, Teasel will be measured for payment in gallons of undiluted herbicide or equal applied as specified.

<u>Basis of Payment:</u> Weed Control, Teasel will be paid for at the contract unit price per gallon. Water for dilution of the mixture and additives required for application will not be paid for as separate items, but the costs shall be considered as included in the contract unit price for Weed Control, Teasel and no additional compensation will be allowed.

# WEED CONTROL, PRE-EMERGENT GRANULAR HERBICIDE

<u>Description</u>: This work shall consist of spreading a pre-emergent granular herbicide in areas as shown on the plans or as directed by the Engineer. This item will be used in mulched plant beds and mulch rings.

<u>Materials</u>: The pre-emergent granular herbicide shall contain the chemicals Trifluralin 2% active ingredient and Isoxaben with 0.5% active ingredient. The herbicide label shall be submitted to the Engineer for approval at least seventy-two (72) hours prior to application.

<u>Method</u>: The pre-emergent granular herbicide shall be used in accordance with the manufacturer's directions on the package. The granules are to be applied prior to mulching.

Apply the granular herbicide using a drop or rotary-type designed to apply granular herbicide or insecticides. Calibrate application equipment to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or crop injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. Apply the granular herbicide at the rate of 100 lbs/acre (112 kg/ha) or 2.3 lbs/1000 sq. ft. (11.2 kg/1000 sq. meters).

Method of Measurement: Pre-emergent granular herbicide will be measured in place in Pounds (Kilograms) of Pre-emergent Granular Herbicide applied. Areas treated after mulch placement shall not be measured for payment.

Basis of Payment: This work will be paid for at the contract unit price per pound (kilogram) of WEED CONTROL, PRE-EMERGENT GRANULAR HERBICIDE which price shall include all materials, equipment, and labor necessary to complete the work as specified.

# WEED CONTROL, AQUATIC

Revised: January 17, 2016

<u>Description</u>: This work shall consist of the application of a non-selective and non-residual herbicide for weed control in wet areas. Applications may only be made for the control of undesirable vegetation in and around standing and flowing water. Equal formulation must be approved to use in or near water.

<u>Materials:</u> The herbicide shall have the following formulation and must be labeled for use in wetlands and over water:

# Active Ingredient:

\*Glyphosate, N-(phosphonomethyl) glycine,

in the form of its isopropylamine salt 53.80%

Inert Ingredients 46.20%

TOTAL 100.00%

The Contractor shall submit a certificate, including the following, prior to starting work:

- 1. The chemical names of the compound and the percentage by weight of the ingredients which must match the above specified formulation.
- 2. A statement that the material is in a solution which will form a satisfactory emulsion for use when diluted with water for normal spraying conditions.
- 3. A statement that the herbicide, when mixed with water, will be completely soluble and dispersible and remain in suspension with continuous agitation.
- 4. A statement describing the products proposed for use when the manufacturer requires that surfactants, drift control agents, or other additives be used with the product. These tank mix additives shall be used as specified by the manufacturer. Required additives will not be paid for separately.

All material shall be brought to the spray area in the original, unopened containers supplied by the manufacturer.

<u>Application Rate:</u> The herbicide shall be applied at the rate of 5 pints per acre. Formulation shall be diluted with a minimum of twenty- five (25) gallons of water and applied as a mixture. Water for dilution of the mixture will not be paid for separately.

<u>Method of Measurement:</u> Weed Control, Aquatic will be measured for payment in gallons of undiluted herbicide applied as specified. The gallons for payment will be determined based on the gallons specified on the label attached to the original container supplied by the manufacturer.

<u>Basis of Payment:</u> Weed Control, Aquatic will be paid for at the contract unit price per gallon for WEED CONTROL, AQUATIC. Water for dilution of the mixture and additives required for application will not be paid for as separate items, but the costs shall be considered as included in the contract price for WEED CONTROL, AQUATIC, and no additional compensation will be allowed.

# AGGREGATE SUBGRADE IMPROVEMENT (D-1)

Effective: February 22, 2012

Revised: April 1, 2016

Add the following Section to the Standard Specifications:

#### "SECTION 303. AGGREGATE SUBGRADE IMPROVEMENT

**303.01 Description**. This work shall consist of constructing an aggregate subgrade improvement.

303.02 Materials. Materials shall be according to the following.

| Item Article/Se   | ction |
|---|-------|
| (a) Coarse Aggregate100                                 | 04,07 |
| (b) Reclaimed Asphalt Pavement (RAP) (Notes 1, 2 and 3) | 1031  |

- Note 1. Crushed RAP, from either full depth or single lift removal, may be mechanically blended with aggregate gradation CS 01 but shall not exceed 40 percent by weight of the total product. The top size of the Coarse RAP shall be less than 4 in. (100 mm) and well graded.
- Note 2. RAP having 100 percent passing the 1 1/2 in (37.5 mm) sieve and being well graded, may be used as capping aggregate in the top 3 in. (75 mm) when aggregate gradation CS 01 is used in lower lifts. When RAP is blended with any of the coarse aggregates, the blending shall be done with mechanically calibrated feeders. The final product shall not contain more than 40 percent by weight of RAP.
- Note 3. The RAP used for aggregate subgrade improvement shall be according to the current Bureau of Materials and Physical Research Policy Memorandum, "Reclaimed Asphalt Pavement (RAP) for Aggregate Applications".

- **303.03 Equipment.** The vibratory machine shall be according to Article 1101.01, or as approved by the Engineer. The calibration for the mechanical feeders shall have an accuracy of  $\pm$  2.0 percent of the actual quantity of material delivered.
- **303.04 Soil Preparation.** The stability of the soil shall be according to the Department's Subgrade Stability Manual for the aggregate thickness specified.
- **303.05 Placing Aggregate.** The maximum nominal lift thickness of aggregate gradation CS 01 shall be 24 in. (600 mm).
- **303.06 Capping Aggregate.** The top surface of the aggregate subgrade shall consist of a minimum 3 in. (75 mm) of aggregate gradations CA 06 or CA 10. When Reclaimed Asphalt Pavement (RAP) is used, it shall be crushed and screened where 100 percent is passing the 1 1/2 in. (37.5 mm) sieve and being well graded. RAP that has been fractionated to size will not be permitted for use in capping. Capping aggregate will not be required when the aggregate subgrade improvement is used as a cubic yard pay item for undercut applications. When RAP is blended with any of the coarse aggregates, the blending shall be done with mechanically calibrated feeders.
- **303.07 Compaction.** All aggregate lifts shall be compacted to the satisfaction of the Engineer. If the moisture content of the material is such that compaction cannot be obtained, sufficient water shall be added so that satisfactory compaction can be obtained.
- **303.08 Finishing and Maintenance of Aggregate Subgrade Improvement.** The aggregate subgrade improvement shall be finished to the lines, grades, and cross sections shown on the plans, or as directed by the Engineer. The aggregate subgrade improvement shall be maintained in a smooth and compacted condition.
- **303.09 Method of Measurement.** This work will be measured for payment according to Article 311.08.
- **303.10** Basis of Payment. This work will be paid for at the contract unit price per cubic yard (cubic meter) for AGGREGATE SUBGRADE IMPROVEMENT or at the contract unit price per square yard (square meter) for AGGREGATE SUBGRADE IMPROVEMENT, of the thickness specified.

Add the following to Section 1004 of the Standard Specifications:

**"1004.06 Coarse Aggregate for Aggregate Subgrade Improvement.** The aggregate shall be according to Article 1004.01 and the following.

- (1) Description. The coarse aggregate shall be crushed gravel, crushed stone, or crushed concrete. The top 12 inches of the aggregate subgrade improvement shall be 3 inches of capping material and 9 inches of crushed gravel, crushed stone or crushed concrete. In applications where greater than 36 inches of subgrade material is required, rounded gravel, meeting the CS01 gradation, may be used beginning at a depth of 12 inches below the bottom of pavement.
- (2) Quality. The coarse aggregate shall consist of sound durable particles reasonably free of deleterious materials. Non-mechanically blended RAP may be allowed up to a maximum of 5.0 percent.
- (3) Gradation.
  - a. The coarse aggregate gradation for total subgrade thicknesses of 12 in. (300 mm) or greater shall be CS 01.

| Grad No. | COARSE AGGREGATE SUBGRADE GRADATIONS Sieve Size and Percent Passing |                |         |         |         |  |  |
|----------|---|----------------|---------|---------|---------|--|--|
|          | 8"  | 8" 6" 4" 2" #4 |         |         |         |  |  |
| CS 01    | 100   | 97 ± 3         | 90 ± 10 | 45 ± 25 | 20 ± 20 |  |  |

|          | COARSE AGGREGATE SUBGRADE GRADATIONS (Metric) |                                |         |         |         |  |
|----------|---|--------------------------------|---------|---------|---------|--|
| Grad No. |   | Sieve Size and Percent Passing |         |         |         |  |
| Orad No. | 200 mm  | 150 mm                         | 100 mm  | 50 mm   | 4.75 mm |  |
| CS 01    | 100   | 97 ± 3                         | 90 ± 10 | 45 ± 25 | 20 ± 20 |  |

b. The 3 in. (75 mm) capping aggregate shall be gradation CA 6 or CA 10.

#### SEPARATION JOINT WITH SLEEPER SLAB

<u>Description</u>. This work consists of constructing a pavement separation joint with sleeper slab in accordance with the applicable portions of Section 420 of the Standard Specifications, Bureau of Design Detail BD-52 and as shown on the plans.

<u>Materials</u>. Concrete shall be Class SI meeting the requirements of Section 1020. Reinforcement bars shall be Grade 60 and epoxy coated meeting the requirements of Section 1006.10.

<u>Method of Measurement</u>. This work will be measured in feet along the expansion joint. Reinforcement bars, polyethylene bond breaker and preformed joint filler shall not be paid for separately, but shall be included in the unit price for the sleeper slab.

Basis of Payment. This work will be paid for at the contract unit price per foot for SEPARATION JOINT WITH SLEEPER SLAB, which price shall be payment in full for all materials, labor, and equipment necessary to complete the work as specified.

# SLIPFORM PAVING (D-1)

Effective: November 1, 2014

Revise Article 1020.04 Table 1, Note (5) of Standard Specifications to read:

"The slump range for slipform construction shall be 1/2 to 1 1/2 in."

Revise Article 1020.04 Table 1 (metric), Note (5) of Standard Specifications to read:

"The slump range for slipform construction shall be 13 to 40 mm."

## HMA MIXTURE DESIGN REQUIREMENTS (D-1)

Effective: January 1, 2013 Revised: April 1, 2016

# 1) Design Composition and Volumetric Requirements

Revise the table in Article 406.06(d) of the Standard Specifications to read:

| "MINIMUM COMPACTED LIFT THICKNESS       |             |  |  |  |
|---|-------------|--|--|--|
| Mixture Composition Thickness, in. (mm) |             |  |  |  |
| IL-4.75                                 | 3/4 (19)    |  |  |  |
| SMA-9.5, IL-9.5, IL-9.5L                | 1 1/2 (38)  |  |  |  |
| SMA-12.5                                | 2 (50)      |  |  |  |
| IL-19.0, IL-19.0L                       | 2 1/4 (57)" |  |  |  |

Revise the table in Article 1004.03(c) of the Standard Specifications to read:

| "Use       | Size/Applicati | Gradation No.               |
|------------|----------------|-----------------------------|
|            | on             |                             |
| Class A-1, | 3/8 in. (10    | CA 16                       |
| 2, & 3     | mm) Seal       |                             |
| Class A-1  | 1/2 in. (13    | CA 15                       |
|            | mm) Seal       |                             |
| Class A-2  | Cover          | CA 14                       |
| & 3        |                |                             |
| HMA High   | IL-19.0        | CA 11 <sup>1/</sup>         |
| ESAL       | IL-9.5         | CA 16, CA 13 <sup>3</sup> / |

| HMA Low           | IL-19.0L     | CA 11 <sup>1/</sup>          |
|-------------------|--------------|------------------------------|
| ESAL              | IL-9.5L      | CA 16                        |
|                   | Stabilized   |                              |
|                   | Subbase      |                              |
|                   | or Shoulders |                              |
| SMA <sup>2/</sup> | 1/2 in.      | CA13 <sup>3</sup> /, CA14 or |
|                   | (12.5mm)     | CA16                         |
|                   | Binder &     |                              |
|                   | Surface      | CA16, CA 13 <sup>3/</sup>    |
|                   | IL 9.5       |                              |
|                   | Surface      |                              |

<sup>1/</sup> CA 16 or CA 13 may be blended with the gradations listed.

Revise Article 1004.03(e) of the Supplemental Specifications to read:

"(e) Absorption. For SMA the coarse aggregate shall also have water absorption ≤ 2.0 percent."

Revise the last paragraph of Article 1102.01 (a) (5) of the Standard Specifications to read:

"IL-4.75 and Stone Matrix Asphalt (SMA) mixtures which contain aggregate having absorptions greater than or equal to 2.0 percent, or which contain steal slag sand, shall have minimum surge bin storage plus haul time of 1.5 hours."

Revise the nomenclature table in Article 1030.01 of the Standard Specifications to read:

|            | IL-19.0 binder;                    |
|------------|------------------------------------|
| "High ESAL | IL-9.5 surface; IL-4.75; SMA-12.5, |
|            | SMA-9.5                            |
|            | IL-19.0L binder; IL-9.5L surface;  |
| Low ESAL   | Stabilized Subbase (HMA)1/;        |
|            | HMA Shoulders <sup>2/</sup>        |

- 1/ Uses 19.0L binder mix.
- 2/ Uses 19.0L for lower lifts and 9.5L for surface lift."

<sup>2/</sup> The coarse aggregates used shall be capable of being combined with stone sand, slag sand, or steel slag sand meeting the FA/FM 20 gradation and mineral filler to meet the approved mix design and the mix requirements noted herein.

3/ CA 13 shall be 100 percent passing the 1/2 in. (12.5mm) sieve.

Revise Article 1030.02 of the Standard Specifications and Supplemental Specifications to read

#### "1030.02 Materials. Materials shall be according to the following.

| Item   | Article/Section |
|--|-----------------|
| (a) Coarse Aggregate                             | 1004.03         |
| (b) Fine Aggregate                               | 1003.03         |
| (c) RAP Material                                 | 1031            |
| (d) Mineral Filler                               | 1011            |
| (e) Hydrated Lime                                | 1012.01         |
| (f) Slaked Quicklime (Note 1)                    |                 |
| (g) Performance Graded Asphalt Binder (Note 2)   | 1032            |
| (h) Fibers (Note 3)                              |                 |
| (i) Warm Mix Asphalt (WMA) Technologies (Note 4) |                 |

- Note 1. Slaked quicklime shall be according to ASTM C 5.
- Note 2. The asphalt binder shall be an SBS PG 76-28 when the SMA is used on a full depth asphalt pavement and SBS PG 76-22 when used as an overlay, except where modified herein. The asphalt binder shall be an Elvaloy or SBS PG 76-22 for IL-4.75, except where modified herein. The elastic recovery shall be a minimum of 80.
- Note 3. A stabilizing additive such as cellulose or mineral fiber shall be added to the SMA mixture according to Illinois Modified AASHTO M 325. The stabilizing additive shall meet the Fiber Quality Requirements listed in Illinois Modified AASHTO M 325. Prior to approval and use of fibers, the Contractor shall submit a notarized certification by the producer of these materials stating they meet these requirements. Reclaimed Asphalt Shingles (RAS) may be used in Stone Matrix Asphalt (SMA) mixtures designed with an SBA polymer modifier as a fiber additive if the mix design with RAS included meets AASHTO T305 requirements. The RAS shall be from a certified source that produces either Type I or Type 2. Material shall meet requirements noted herein and the actual dosage rate will be determined by the Engineer.
- Note 4. Warm mix additives or foaming processes shall be selected from the current Bureau of Materials and Physical Research Approved List, "Warm Mix Asphalt Technologies".

Revise Article 1030.04(a)(1) of the Standard Specifications and the Supplemental Specifications to read:

"(1) High ESAL Mixtures. The Job Mix Formula (JMF) shall fall within the following limits.

| High ESAL, MIXTURE COMPOSITION (% PASSING) 1/ |       |       |     |                  |     |                          |       |                  |        |       |
|---|-------|-------|-----|------------------|-----|--------------------------|-------|------------------|--------|-------|
| Sieve<br>Size                                 | IL-19 | .0 mm |     | /A 4/<br>.5 mm   |     | 1A <sup>4/</sup><br>5 mm | IL-9. | 5 mm             | IL-4.7 | '5 mm |
|   | min   | max   | min | max              | min | max                      | min   | max              | min    | max   |
| 1 1/2 in<br>(37.5 mm)                         |       |       |     |                  |     |                          |       |                  |        |       |
| 1 in.<br>(25 mm)                              |       | 100   |     |                  |     |                          |       |                  |        |       |
| 3/4 in.<br>(19 mm)                            | 90    | 100   |     | 100              |     |                          |       |                  |        |       |
| 1/2 in.<br>(12.5 mm)                          | 75    | 89    | 80  | 100              |     | 100                      |       | 100              |        | 100   |
| 3/8 in.<br>(9.5 mm)                           |       |       |     | 65               | 90  | 100                      | 90    | 100              |        | 100   |
| #4<br>(4.75 mm)                               | 40    | 60    | 20  | 30               | 36  | 50                       | 34    | 69               | 90     | 100   |
| #8<br>(2.36 mm)                               | 20    | 42    | 16  | 24 <sup>5/</sup> | 16  | 32 <sup>5/</sup>         | 34 6/ | 52 <sup>2/</sup> | 70     | 90    |
| #16<br>(1.18 mm)                              | 15    | 30    |     |                  |     |                          | 10    | 32               | 50     | 65    |
| #30<br>(600 µm)                               |       |       | 12  | 16               | 12  | 18                       |       |                  |        |       |
| #50<br>(300 µm)                               | 6     | 15    |     |                  |     |                          | 4     | 15               | 15     | 30    |
| #100<br>(150 μm)                              | 4     | 9     |     |                  |     |                          | 3     | 10               | 10     | 18    |
| #200<br>(75 μm)                               | 3     | 6     | 7.0 | 9.0 3/           | 7.5 | 9.5 <sup>3/</sup>        | 4     | 6                | 7      | 9 3/  |
| Ratio<br>Dust/Asphalt<br>Binder               |       | 1.0   |     | 1.5              |     | 1.5                      |       | 1.0              |        | 1.0   |

- 1/ Based on percent of total aggregate weight.
- 2/ The mixture composition shall not exceed 44 percent passing the #8 (2.36 mm) sieve for surface courses with Ndesign = 90.
- 3/ Additional minus No. 200 (0.075 mm) material required by the mix design shall be mineral filler, unless otherwise approved by the Engineer.
- 4/ The maximum percent passing the #635 (20  $\mu$ m) sieve shall be  $\leq$  3 percent.
- 5/ When establishing the Adjusted Job Mix Formula (AJMF) the percent passing the #8 (2.36 mm) sieve shall not be adjusted above the percentage stated on the table.
- 6/ When establishing the Adjusted Job Mix Formula (AJMF) the percent passing the #8 (2.36 mm) sieve shall not be adjusted below 34 percent.

Revise Article 1030.04(b)(1) of the Standard Specifications to read:

"(1) High ESAL Mixtures. The target value for the air voids of the HMA shall be 4.0 percent and for IL-4.75 it shall be 3.5 percent at the design number of gyrations. The VMA and VFA of the HMA design shall be based on the nominal maximum size of the aggregate in the mix, and shall conform to the following requirements.

|         | VOLUMETRIC REQUIREMENTS<br>High ESAL |                       |         |                       |  |  |
|---------|--------------------------------------|-----------------------|---------|-----------------------|--|--|
|         | Voids i                              | n the Mineral Age     | gregate | Voids Filled          |  |  |
|         |                                      | (VMA),                |         | with Asphalt          |  |  |
|         |                                      | Binder                |         |                       |  |  |
| Ndesign |                                      | IL-4.75 <sup>1/</sup> |         |                       |  |  |
|         | IL-19.0                              | IL-9.5                |         | %                     |  |  |
| 50      |                                      |                       | 18.5    | 65 – 78 <sup>2/</sup> |  |  |
| 70      |                                      |                       |         |                       |  |  |
| 90      | 13.5                                 | 15.0                  |         | 65 - 75               |  |  |

- 1/ Maximum Draindown for IL-4.75 shall be 0.3 percent
- 2/ VFA for IL-4.75 shall be 72-85 percent"

Replace Article 1030.04(b)(3) of the Standard Specifications with the following:

"(3) SMA Mixtures.

|         | Volumetric Requirements<br>SMA <sup>1/</sup>  |  |         |  |  |
|---------|---|--|---------|--|--|
| Ndesign | Ndesign Design Air Voids Voids in the Voids Filled Target % Mineral Aggregate with Asphalt (VMA), % min. (VFA), % |  |         |  |  |
| 80 4/   | 3.5   | 17.0 <sup>2/</sup><br>16.0 <sup>3/</sup> | 75 - 83 |  |  |

- 1/ Maximum draindown shall be 0.3 percent. The draindown shall be determined at the JMF asphalt binder content at the mixing temperature plus 30 °F.
- 2/ Applies when specific gravity of coarse aggregate is  $\geq$  2.760.

- 3/ Applies when specific gravity of coarse aggregate is < 2.760.
- 4/ Blending of different types of aggregate will not be permitted. For surface course, the coarse aggregate can be crushed steel slag, crystalline crushed stone or crushed sandstone. For binder course, coarse aggregate shall be crushed stone (dolomite), crushed gravel, crystalline crushed stone, or crushed sandstone

Add to the end of Article 1030.05 (d) (2) a. of the Standard Specifications:

"During production, the Contractor shall test SMA mixtures for draindown according to AASHTO T305 at a frequency of 1 per day of production."

Delete last sentence of the second paragraph of Article 1102.01(a) (4) b. 2.

Add to the end of Article 1102.01 (a) (4) b. 2.:

"As an option, collected dust (baghouse) may be used in lieu of manufactured mineral filler according to the following:

- (a.) Sufficient collected dust (baghouse) is available for production of the SMA mix for the entire project.
- (b.) A mix design was prepared based on collected dust (baghouse).

#### 2) Design Verification and Production

Revise Article 1030.04 (d) of the Standard Specifications to read:

"(d) Verification Testing. High ESAL, IL-4.75, and SMA mix designs submitted for verification will be tested to ensure that the resulting mix designs will pass the required criteria for the Hamburg Wheel Test (IL mod AASHTO T-324) and the Tensile Strength Test (IL mod AASHTO T-283). The Department will perform a verification test on gyratory specimens compacted by the Contractor. If the mix fails the Department's verification test, the Contractor shall make the necessary changes to the mix and resubmit compacted specimens to the Department for verification. If the mix fails again, the mix design will be rejected.

All new and renewal mix designs will be required to be tested, prior to submittal for Department verification and shall meet the following requirements:

(1)Hamburg Wheel Test criteria. The maximum allowable rut depth shall be 0.5 in. (12.5 mm). The minimum number of wheel passes at the 0.5 in. (12.5 mm) rut depth criteria shall be based on the high temperature binder grade of the mix as specified in the mix requirements table of the plans.

# Illinois Modified AASHTO T 324 Requirements 17

| Asphalt Binder Grade  | # Repetitions | Max Rut Depth (mm) |
|-----------------------|---------------|--------------------|
| PG 70 -XX (or higher) | 20,000        | 12.5               |
| PG 64 -XX (or lower)  | 10,000        | 12.5               |

1/ When produced at temperatures of 275 ± 5 °F (135 ± 3 °C) or less, loose Warm Mix Asphalt shall be oven aged at 270 ± 5 °F (132 ± 3 °C) for two hours prior to gyratory compaction of Hamburg Wheel specimens.

Note: For SMA Designs (N-80) the maximum rut depth is 6.0 mm at 20,000 repetitions.

For IL 4.75mm Designs (N-50) the maximum rut depth is 9.0mm at 15,000 repetitions.

(2) Tensile Strength Criteria. The minimum allowable conditioned tensile strength shall be 60 psi (415 kPa) for non-polymer modified performance graded (PG) asphalt binder and 80 psi (550 kPa) for polymer modified PG asphalt binder. The maximum allowable unconditioned tensile strength shall be 200 psi (1380 kPa)."

<u>Production Testing</u>. Revise first paragraph of Article 1030.06(a) of the Standard Specifications to read:

"(a) High ESAL, IL-4.75, WMA, and SMA Mixtures. For each contract, a 300 ton (275 metric tons) test strip, except for SMA mixtures it will be 400 ton (363 metric ton), will be required at the beginning of HMA production for each mixture with a quantity of 3000 tons (2750 metric tons) or more according to the Manual of Test Procedures for Materials "Hot Mix Asphalt Test Strip Procedures".

Add the following after the sixth paragraph in Article 1030.06 (a) of the Standard Specifications:

"The Hamburg Wheel test shall also be conducted on all HMA mixtures from a sample taken within the first 500 tons (450 metric tons) on the first day of production or during start up with a split reserved for the Department. The mix sample shall be tested according to the Illinois Modified AASHTO T 324 and shall meet the requirements specified herein. Mix production shall not exceed 1500 tons (1350 metric tons) or one day's production, whichever comes first, until the testing is completed and the mixture is found to be in conformance. The requirement to cease mix production may be waived if the plant produced mixture demonstrates conformance prior to start of mix production for a contract.

If the mixture fails to meet the Hamburg Wheel criteria, no further mixture will be accepted until the Contractor takes such action as is necessary to furnish a mixture meeting the criteria"

#### Method of Measurement:

Add the following after the fourth paragraph of Article 406.13 (b):

"The plan quantities of SMA mixtures shall be adjusted using the actual approved binder and surface Mix Design's Gmb."

## Basis of Payment.

Replace the fourth paragraph of Article 406.14 of the Standard Specifications with the following:

"Stone matrix asphalt will be paid for at the contract unit price per ton (metric ton) for POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, STONE MATRIX ASPHALT, of the mixture composition and Ndesign specified; and POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, STONE MATRIX ASPHALT, of the mixture composition and Ndesign specified."

# RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (D-1)

Effective: November 1, 2012

Revise: April 1, 2017

Revise Section 1031 of the Standard Specifications to read:

# "SECTION 1031. RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES

**1031.01 Description.** Reclaimed asphalt pavement and reclaimed asphalt shingles shall be according to the following.

(a) Reclaimed Asphalt Pavement (RAP). RAP is the material resulting from cold milling or crushing an existing hot-mix asphalt (HMA) pavement. RAP will be considered processed FRAP after completion of both crushing and screening to size. The Contractor shall supply written documentation that the RAP originated from routes or airfields under federal, state, or local agency jurisdiction.

- (b) Reclaimed Asphalt Shingles (RAS). Reclaimed asphalt shingles (RAS). RAS is from the processing and grinding of preconsumer or post-consumer shingles. RAS shall be a clean and uniform material with a maximum of 0.5 percent unacceptable material, as defined in Bureau of Materials and Physical Research Policy Memorandum, "Reclaimed Asphalt Shingle (RAS) Sources", by weight of RAS. All RAS used shall come from a Bureau of Materials and Physical Research approved processing facility where it shall be ground and processed to 100 percent passing the 3/8 in. (9.5 mm) sieve and 90 percent passing the #4 (4.75 mm) sieve. RAS shall meet the testing requirements specified herein. In addition, RAS shall meet the following Type 1 or Type 2 requirements.
  - (1) Type 1. Type 1 RAS shall be processed, preconsumer asphalt shingles salvaged from the manufacture of residential asphalt roofing shingles.
    - (2) Type 2. Type 2 RAS shall be processed post-consumer shingles only, salvaged from residential, or four unit or less dwellings not subject to the National Emission Standards for Hazardous Air Pollutants (NESHAP).
- **1031.02** Stockpiles. RAP and RAS stockpiles shall be according to the following.
- (a) RAP Stockpiles. The Contractor shall construct individual, sealed RAP stockpiles meeting one of the following definitions. Additional processed RAP (FRAP) shall be stockpiled in a separate working pile, as designated in the QC Plan, and only added to the sealed stockpile when test results for the working pile are complete and are found to meet tolerances specified herein for the original sealed FRAP stockpile. Stockpiles shall be sufficiently separated to prevent intermingling at the base. All stockpiles (including unprocessed RAP and FRAP) shall be identified by signs indicating the type as listed below (i.e. "Non- Quality, FRAP -#4 or Type 2 RAS", etc...).
  - (1) Fractionated RAP (FRAP). FRAP shall consist of RAP from Class I, Superpave HMA (High and Low ESAL) or equivalent mixtures. The coarse aggregate in FRAP shall be crushed aggregate and may represent more than one aggregate type and/or quality, but shall be at least C quality. All FRAP shall be processed prior to testing and sized into fractions with the separation occurring on or between the #4 (4.75 mm) and 1/2 in. (12.5 mm) sieves. Agglomerations shall be minimized such that 100 percent of the RAP in the coarse fraction shall pass the maximum sieve size specified for the mix the FRAP will be used in.
  - (2) Restricted FRAP (B quality) stockpiles shall consist of RAP from Class I, Superpave (High ESAL), or HMA (High ESAL). If approved by the Engineer, the aggregate from a maximum 3.0 in. (75 mm) single combined pass of surface/binder milling will be

classified as B quality. All millings from this application will be processed into FRAP as described previously.

- (3) Conglomerate. Conglomerate RAP stockpiles shall consist of RAP from Class I, Superpave HMA (High and Low ESAL) or equivalent mixtures. The coarse aggregate in this RAP shall be crushed aggregate and may represent more than one aggregate type and/or quality, but shall be at least C quality. This RAP may have an inconsistent gradation and/or asphalt binder content prior to processing. All conglomerate RAP shall be processed (FRAP) prior to testing. Conglomerate RAP stockpiles shall not contain steel slag or other expansive material as determined by the Department.
- (4) Conglomerate "D" Quality (DQ). Conglomerate DQ RAP stockpiles shall consist of RAP from HMA shoulders, bituminous stabilized subbases or Superpave (Low ESAL)/HMA (Low ESAL) IL-19.0L binder mixture. The coarse aggregate in this RAP may be crushed or round but shall be at least D quality. This RAP may have an inconsistent gradation and/or asphalt binder content. Conglomerate DQ RAP stockpiles shall not contain steel slag or other expansive material as determined by the Department.
- (5) Non-Quality. RAP stockpiles that do not meet the requirements of the stockpile categories listed above shall be classified as "Non-Quality".

RAP or FRAP containing contaminants, such as earth, brick, sand, concrete, sheet asphalt, bituminous surface treatment (i.e. chip seal), pavement fabric, joint sealants, plant cleanout etc., will be unacceptable unless the contaminants are removed to the satisfaction of the Engineer. Sheet asphalt shall be stockpiled separately.

(b) RAS Stockpiles. Type 1 and Type 2 RAS shall be stockpiled separately and shall be sufficiently separated to prevent intermingling at the base. Each stockpile shall be signed indicating what type of RAS is present.

However, a RAS source may submit a written request to the Department for approval to blend mechanically a specified ratio of Type 1 RAS with Type 2 RAS. The source will not be permitted to change the ratio of the blend without the Department prior written approval. The Engineer's written approval will be required, to mechanically blend RAS with any fine aggregate produced under the AGCS, up to an equal weight of RAS, to improve workability. The fine aggregate shall be "B Quality" or better from an approved Aggregate Gradation Control System source. The fine aggregate shall be one that is approved for use in the HMA mixture and accounted for in the mix design and during HMA production.

Records identifying the shingle processing facility supplying the RAS, RAS type, and lot number shall be maintained by project contract number and kept for a minimum of three years.

### **1031.03 Testing**. FRAP and RAS testing shall be according to the following.

- (a) FRAP Testing. When used in HMA, the FRAP shall be sampled and tested either during processing or after stockpiling. It shall also be sampled during HMA production.
  - (1) During Stockpiling. For testing during stockpiling, washed extraction samples shall be run at the minimum frequency of one sample per 500 tons (450 metric tons) for the first 2000 tons (1800 metric tons) and one sample per 2000 tons (1800 metric tons) thereafter. A minimum of five tests shall be required for stockpiles less than 4000 tons (3600 metric tons).
  - (2) Incoming Material. For testing as incoming material, washed extraction samples shall be run at a minimum frequency of one sample per 2000 tons (1800 metric tons) or once per week, whichever comes first.
  - (3) After Stockpiling. For testing after stockpiling, the Contractor shall submit a plan for approval to the District proposing a satisfactory method of sampling and testing the RAP/FRAP pile either in-situ or by restockpiling. The sampling plan shall meet the minimum frequency required above and detail the procedure used to obtain representative samples throughout the pile for testing.

Before extraction, each field sample of FRAP, shall be split to obtain two samples of test sample size. One of the two test samples from the final split shall be labeled and stored for Department use. The Contractor shall extract the other test sample according to Department procedure. The Engineer reserves the right to test any sample (split or Department-taken) to verify Contractor test results.

- (b) RAS Testing. RAS shall be sampled and tested during stockpiling according to Bureau of Materials and Physical Research Policy Memorandum, "Reclaimed Asphalt Shingle (RAS) Sources". The Contractor shall also sample as incoming material at the HMA plant.
  - (1) During Stockpiling. Washed extraction and testing for unacceptable materials shall be run at the minimum frequency of one sample per 200 tons (180 metric tons) for the first 1000 tons (900 metric tons) and one sample per 1000 tons (900 metric tons) thereafter. A minimum of five samples are required for stockpiles less than 1000 tons (900 metric tons). Once a ≤ 1000 ton (900 metric ton), five-sample/test stockpile has been established it shall be sealed. Additional incoming RAS shall be

in a separate working pile as designated in the Quality Control plan and only added to the sealed stockpile when the test results of the working pile are complete and are found to meet the tolerances specified herein for the original sealed RAS stockpile.

(2) Incoming Material. For testing as incoming material at the HMA plant, washed extraction shall be run at the minimum frequency of one sample per 250 tons (227 metric tons). A minimum of five samples are required for stockpiles less than 1000 tons (900 metric tons). The incoming material test results shall meet the tolerances specified herein.

The Contractor shall obtain and make available all test results from start of the initial stockpile sampled and tested at the shingle processing facility in accordance with the facility's QC Plan.

Before extraction, each field sample shall be split to obtain two samples of test sample size. One of the two test samples from the final split shall be labeled and stored for Department use. The Contractor shall extract the other test sample according to Department procedures. The Engineer reserves the right to test any sample (split or Department-taken) to verify Contractor test results.

- **1031.04 Evaluation of Tests.** Evaluation of test results shall be according to the following.
- (a) Evaluation of FRAP Test Results. All test results shall be compiled to include asphalt binder content, gradation and, when applicable (for slag), Gmm. A five test average of results from the original pile will be used in the mix designs. Individual extraction test results run thereafter, shall be compared to the average used for the mix design, and will be accepted if within the tolerances listed below.

| Parameter       | FRAP                 |  |
|-----------------|----------------------|--|
| No. 4 (4.75 mm) | ± 6 %                |  |
| No. 8 (2.36 mm) | ± 5 %                |  |
| No. 30 (600 μm) | ± 5 %                |  |
| No. 200 (75 μm) | ± 2.0 %              |  |
| Asphalt Binder  | ± 0.3 %              |  |
| G <sub>mm</sub> | ± 0.03 <sup>1/</sup> |  |

1/ For stockpile with slag or steel slag present as determined in the current Manual of Test Procedures Appendix B 21, "Determination of Reclaimed Asphalt Pavement Aggregate Bulk Specific Gravity".

For stockpile with slag or steel slag present as determined in the current Manual of Test Procedures Appendix B 21, "Determination of Reclaimed Asphalt Pavement Aggregate Bulk Specific Gravity".

If any individual sieve and/or asphalt binder content tests are out of the above tolerances when compared to the average used for the mix design, the FRAP stockpile shall not be used in Hot-Mix Asphalt unless the FRAP representing those tests is removed from the stockpile. All test data and acceptance ranges shall be sent to the District for evaluation.

The Contractor shall maintain a representative moving average of five tests to be used for Hot-Mix Asphalt production.

With the approval of the Engineer, the ignition oven may be substituted for extractions according to the ITP, "Calibration of the Ignition Oven for the Purpose of Characterizing Reclaimed Asphalt Pavement (RAP)" or Illinois Modified AASHTO T-164-11, Test Method A.

(b) Evaluation of RAS Test Results. All of the test results, with the exception of percent unacceptable materials, shall be compiled and averaged for asphalt binder content and gradation. A five test average of results from the original pile will be used in the mix designs. Individual test results run thereafter, when compared to the average used for the mix design, will be accepted if within the tolerances listed below.

| Parameter              | RAS     |
|------------------------|---------|
| No. 8 (2.36 mm)        | ± 5 %   |
| No. 16 (1.18 mm)       | ±5%     |
| No. 30 (600 μm)        | ± 4 %   |
| No. 200 (75 μm)        | ± 2.5 % |
| Asphalt Binder Content | ± 2.0 % |

If any individual sieve and/or asphalt binder content tests are out of the above tolerances when compared to the average used for the mix design, the RAS shall not be used in Hot-Mix Asphalt unless the RAS representing those tests is removed from the stockpile. All test data and acceptance ranges shall be sent to the District for evaluation.

(c) Quality Assurance by the Engineer. The Engineer may witness the sampling and splitting conduct assurance tests on split samples taken by the Contractor for quality control testing a minimum of once a month.

The overall testing frequency will be performed over the entire range of Contractor samples for asphalt binder content and gradation. The Engineer may select any or all split samples for assurance testing. The test results will be made available to the Contractor as soon as they become available.

The Engineer will notify the Contractor of observed deficiencies.

Differences between the Contractor's and the Engineer's split sample test results will be considered acceptable if within the following limits.

| Test Parameter         | Acceptable Limits of Precision |      |
|------------------------|--------------------------------|------|
| % Passing:1/           | FRAP                           | RAS  |
| 1/2 in.                | 5.0%                           |      |
| No. 4                  | 5.0%                           |      |
| No. 8                  | 3.0%                           | 4.0% |
| No. 30                 | 2.0%                           | 4.0% |
| No. 200                | 2.2%                           | 4.0% |
| Asphalt Binder Content | 0.3%                           | 3.0% |
| G <sub>mm</sub>        | 0.030                          |      |

<sup>1/</sup> Based on washed extraction.

In the event comparisons are outside the above acceptable limits of precision, the Engineer will immediately investigate.

(d) Acceptance by the Engineer. Acceptable of the material will be based on the validation of the Contractor's quality control by the assurance process.

# 1031.05 Quality Designation of Aggregate in RAP and FRAP.

- (a) RAP. The aggregate quality of the RAP for homogeneous, conglomerate, and conglomerate "D" quality stockpiles shall be set by the lowest quality of coarse aggregate in the RAP stockpile and are designated as follows.
  - (1) RAP from Class I, Superpave/HMA (High ESAL), or (Low ESAL) IL-9.5L surface mixtures are designated as containing Class B quality coarse aggregate.
  - (2) RAP from Superpave/HMA (Low ESAL) IL-19.0L binder mixture is designated as Class D quality coarse aggregate.

- (3) RAP from Class I, Superpave/HMA (High ESAL) binder mixtures, bituminous base course mixtures, and bituminous base course widening mixtures are designated as containing Class C quality coarse aggregate.
- (4) RAP from bituminous stabilized subbase and BAM shoulders are designated as containing Class D quality coarse aggregate.
- (b) FRAP. If the Engineer has documentation of the quality of the FRAP aggregate, the Contractor shall use the assigned quality provided by the Engineer.

If the quality is not known, the quality shall be determined as follows. Fractionated RAP stockpiles containing plus #4 (4.75 mm) sieve coarse aggregate shall have a maximum tonnage of 5,000 tons (4,500 metric tons). The Contractor shall obtain a representative sample witnessed by the Engineer. The sample shall be a minimum of 50 lb (25 kg). The sample shall be extracted according to Illinois Modified AASHTO T 164 by a consultant laboratory prequalified by the Department for the specified testing. The consultant laboratory shall submit the test results along with the recovered aggregate to the District Office. The cost for this testing shall be paid by the Contractor. The District will forward the sample to the Bureau of Materials and Physical Research Aggregate Lab for MicroDeval Testing, according to ITP 327. A maximum loss of 15.0 percent will be applied for all HMA applications. The fine aggregate portion of the fractionated RAP shall not be used in any HMA mixtures that require a minimum of "B" quality aggregate or better, until the coarse aggregate fraction has been determined to be acceptable thru a MicroDeval Testing.

- **1031.06** Use of FRAP and/or RAS in HMA. The use of FRAP and/or RAS shall be the Contractor's option when constructing HMA in all contracts.
- (a) FRAP. The use of FRAP in HMA shall be as follows.
  - (1) Coarse Aggregate Size (after extraction). The coarse aggregate in all FRAP shall be equal to or less than the nominal maximum size requirement for the HMA mixture to be produced.
  - (2) Steel Slag Stockpiles. FRAP stockpiles containing steel slag or other expansive material, as determined by the Department, shall be homogeneous and will be approved for use in HMA (High ESAL and Low ESAL) mixtures regardless of lift or mix type.
  - (3) Use in HMA Surface Mixtures (High and Low ESAL). FRAP stockpiles for use in HMA surface mixtures (High and Low ESAL) shall have coarse aggregate that is

Class B quality or better. FRAP shall be considered equivalent to limestone for frictional considerations unless produced/screened to minus 3/8 inch.

- (4) Use in HMA Binder Mixtures (High and Low ESAL), HMA Base Course, and HMA Base Course Widening. FRAP stockpiles for use in HMA binder mixtures (High and Low ESAL), HMA base course, and HMA base course widening shall be FRAP in which the coarse aggregate is Class C quality or better.
- (5) Use in Shoulders and Subbase. FRAP stockpiles for use in HMA shoulders and stabilized subbase (HMA) shall be FRAP, Restricted FRAP, conglomerate, or conglomerate DQ.
- (b) RAS. RAS meeting Type 1 or Type 2 requirements will be permitted in all HMA applications as specified herein.
- (c) FRAP and/or RAS Usage Limits. Type 1 or Type 2 RAS may be used alone or in conjunction with FRAP in HMA mixtures up to a maximum of 5.0 percent by weight of the total mix.

When FRAP is used alone or FRAP is used in conjunction with RAS, the percent of virgin asphalt binder replacement (ABR) shall not exceed the amounts indicated in the table below for a given N Design.

Max Asphalt Binder Replacement for FRAP with RAS Combination

| HMA Mixtures 1/2/4/ | Maximum % ABR             |         |                                   |
|---------------------|---------------------------|---------|-----------------------------------|
| Ndesign             | Binder/Leveling<br>Binder | Surface | Polymer<br>Modified <sup>3/</sup> |
| 30L                 | 50                        | 40      | 30                                |
| 50                  | 40                        | 35      | 30                                |
| 70                  | 40                        | 30      | 30                                |
| 90                  | 40                        | 30      | 30                                |
| 4.75 mm N-50        |                           |         | 40                                |
| SMA N-80            |                           |         | 30                                |

- 1/ For Low ESAL HMA shoulder and stabilized subbase, the percent asphalt binder replacement shall not exceed 50 % of the total asphalt binder in the mixture.
- 2/ When the binder replacement exceeds 15 % for all mixes, except for SMA and IL-4.75, the high and low virgin asphalt binder grades shall each be reduced by one grade (i.e. 25 % binder replacement using a virgin asphalt

binder grade of PG64-22 will be reduced to a PG58-28). When constructing full depth HMA and the ABR is less than 15 %, the required virgin asphalt binder grade shall be PG64-28.

- 3/ When the ABR for SMA or IL-4.75 is 15 % or less, the required virgin asphalt binder shall be SBS PG76-22 and the elastic recovery shall be a minimum of 80. When the ABR for SMA or IL-4.75 exceeds 15%, the virgin asphalt binder grade shall be SBS PG70-28 and the elastic recovery shall be a minimum of 80.
- 4/ When FRAP or RAS is used alone, the maximum percent asphalt binder replacement designated on the table shall be reduced by 10 %.
- **1031.07 HMA Mix Designs.** At the Contractor's option, HMA mixtures may be constructed utilizing RAP/FRAP and/or RAS material meeting the detailed requirements specified herein.
- a) FRAP and/or RAS. FRAP and /or RAS mix designs shall be submitted for verification. If additional FRAP or RAS stockpiles are tested and found to be within tolerance, as defined under "Evaluation of Tests" herein, and meet all requirements herein, the additional FRAP or RAS stockpiles may be used in the original design at the percent previously verified.
- b) RAS. Type 1 and Type 2 RAS are not interchangeable in a mix design. A RAS stone bulk specific gravity (Gsb) of 2.300 shall be used for mix design purposes.
- **1031.08 HMA Production**. HMA production utilizing FRAP and/or RAS shall be as follows.

To remove or reduce agglomerated material, a scalping screen, gator, crushing unit, or comparable sizing device approved by the Engineer shall be used in the RAS and FRAP feed system to remove or reduce oversized material. If material passing the sizing device adversely affects the mix production or quality of the mix, the sizing device shall be set at a size specified by the Engineer.

If during mix production, corrective actions fail to maintain FRAP, RAS or QC/QA test results within control tolerances or the requirements listed herein the Contractor shall cease production of the mixture containing FRAP or RAS and conduct an investigation that may require a new mix design.

(a) RAS. RAS shall be incorporated into the HMA mixture either by a separate weight depletion system or by using the RAP weigh belt. Either feed system shall be

interlocked with the aggregate feed or weigh system to maintain correct proportions for all rates of production and batch sizes. The portion of RAS shall be controlled accurately to within  $\pm$  0.5 percent of the amount of RAS utilized. When using the weight depletion system, flow indicators or sensing devices shall be provided and interlocked with the plant controls such that the mixture production is halted when RAS flow is interrupted.

- (b) HMA Plant Requirements. HMA plants utilizing FRAP and/or RAS shall be capable of automatically recording and printing the following information.
  - (1) Dryer Drum Plants.
    - a. Date, month, year, and time to the nearest minute for each print.
    - b. HMA mix number assigned by the Department.
    - c. Accumulated weight of dry aggregate (combined or individual) in tons (metric tons) to the nearest 0.1 ton (0.1 metric ton).
    - d. Accumulated dry weight of RAS and FRAP in tons (metric tons) to the nearest 0.1 ton (0.1 metric ton).
    - e. Accumulated mineral filler in revolutions, tons (metric tons), etc. to the nearest 0.1 unit.
    - f. Accumulated asphalt binder in gallons (liters), tons (metric tons), etc. to the nearest 0.1 unit.
    - g. Residual asphalt binder in the RAS and FRAP material as a percent of the total mix to the nearest 0.1 percent.
    - Aggregate RAS and FRAP moisture compensators in percent as set on the control panel. (Required when accumulated or individual aggregate and RAS and FRAP are printed in wet condition.)
    - i. When producing mixtures with FRAP and/or RAS, a positive dust control system shall be utilized.
    - j. Accumulated mixture tonnage.
    - k. Dust Removed (accumulated to the nearest 0.1 ton (0.1 metric ton))

- (2) Batch Plants.
  - Date, month, year, and time to the nearest minute for each print.
  - b. HMA mix number assigned by the Department.
  - c. Individual virgin aggregate hot bin batch weights to the nearest pound (kilogram).
  - d. Mineral filler weight to the nearest pound (kilogram).
  - f. RAS and FRAP weight to the nearest pound (kilogram).
  - g. Virgin asphalt binder weight to the nearest pound (kilogram).
  - h. Residual asphalt binder in the RAS and FRAP material as a percent of the total mix to the nearest 0.1 percent.

The printouts shall be maintained in a file at the plant for a minimum of one year or as directed by the Engineer and shall be made available upon request. The printing system will be inspected by the Engineer prior to production and verified at the beginning of each construction season thereafter.

**1031.09** RAP in Aggregate Surface Course and Aggregate Wedge Shoulders, Type B. The use of RAP or FRAP in aggregate surface course and aggregate shoulders shall be as follows.

- (a) Stockpiles and Testing. RAP stockpiles may be any of those listed in Article 1031.02, except "Non-Quality" and "FRAP". The testing requirements of Article 1031.03 shall not apply. RAP used shall be according to the current Bureau of Materials and Physical Research Policy Memorandum, "Reclaimed Asphalt Pavement (RAP) for Aggregate Applications".
- (b) Gradation. The RAP material shall meet the gradation requirements for CA 6 according to Article 1004.01(c), except the requirements for the minus No. 200 (75 μm) sieve shall not apply. The sample for the RAP material shall be air dried to constant weight prior to being tested for gradation."

# **GROUND TIRE RUBBER (GTR) MODIFIED ASPHALT BINDER (D-1)**

Effective: June 26, 2006 Revised: April 1, 2016

Add the following to the end of article 1032.05 of the Standard Specifications:

"(c) Ground Tire Rubber (GTR) Modified Asphalt Binder. A quantity of 10.0 to 14.0 percent GTR (Note 1) shall be blended by dry unit weight with a PG 64-28 to make a GTR 70-28 or a PG 58-28 to make a GTR 64-28. The base PG 64-28 and PG 58-28 asphalt binders shall meet the requirements of Article 1032.05(a). Compatible polymers may be added during production. The GTR modified asphalt binder shall meet the requirements of the following table.

| Test   | Asphalt Grade<br>GTR 70-28 | Asphalt Grade<br>GTR 64-28 |
|--|----------------------------|----------------------------|
| Flash Point (C.O.C.), AASHTO T 48, °F (°C), min.   | 450 (232)                  | 450 (232)                  |
| Rotational Viscosity, AASHTO T 316 @ 275 °F (135 °C), Poises, Pa·s, max.   | 30 (3)                     | 30 (3)                     |
| Softening Point, AASHTO T 53, °F (°C), min.  | 135 (57)                   | 130 (54)                   |
| Elastic Recovery, ASTM D 6084, Procedure A (sieve waived) @ 77 °F, (25 °C), aged, ss, 100 mm elongation, 5 cm/min., cut immediately, %, min. | 65                         | 65                         |

Note 1. GTR shall be produced from processing automobile and/or light truck tires by the ambient grinding method. GTR shall not exceed 1/16 in. (2 mm) in any dimension and shall contain no free metal particles or other materials. A mineral powder (such as talc) meeting the requirements of AASHTO M 17 may be added, up to a maximum of four percent by weight of GTR to reduce sticking and caking of the GTR particles. When tested in accordance with Illinois modified AASHTO T 27, a 50 g sample of the GTR shall conform to the following gradation requirements:

| Sieve Size       | Percent Passing |
|------------------|-----------------|
| No. 16 (1.18 mm) | 100             |
| No. 30 (600 μm)  | 95 ± 5          |
| No. 50 (300 μm)  | > 20            |

Add the following to the end of Note 1. of article 1030.03 of the Standard Specifications:

"A dedicated storage tank for the Ground Tire Rubber (GTR) modified asphalt binder shall be provided. This tank must be capable of providing continuous mechanical mixing

throughout by continuous agitation and recirculation of the asphalt binder to provide a uniform mixture. The tank shall be heated and capable of maintaining the temperature of the asphalt binder at 300  $\Box$ F to 350  $\Box$ F (149  $\Box$ C to 177  $\Box$ C). The asphalt binder metering systems of dryer drum plants shall be calibrated with the actual GTR modified asphalt binder material with an accuracy of  $\Box$  0.40 percent."

Revise 1030.02(c) of the Standard Specifications to read:

"(c) RAP Materials (Note 5) ......1031"

Add the following note to 1030.02 of the Standard Specifications:

Note 5. When using reclaimed asphalt pavement and/or reclaimed asphalt shingles, the maximum asphalt binder replacement percentage shall be according to the most recent special provision for recycled materials.

# FRICTION AGGREGATE (D1)

Effective: January 1, 2011 Revised: April 29, 2016

Revise Article 1004.03(a) of the Standard Specifications to read:

**"1004.03** Coarse Aggregate for Hot-Mix Asphalt (HMA). The aggregate shall be according to Article 1004.01 and the following.

(a) Description. The coarse aggregate for HMA shall be according to the following table.

| Use     | Mixture       | Aggregates Allowed                  |  |
|---------|---------------|-------------------------------------|--|
| Class A | Seal or Cover | Allowed Alone or in Combination 5/: |  |
|         |               | Gravel                              |  |
|         |               | Crushed Gravel                      |  |
|         |               | Carbonate Crushed Stone             |  |
|         |               | Crystalline Crushed Stone           |  |
|         |               | Crushed Sandstone                   |  |
|         |               | Crushed Slag (ACBF)                 |  |
|         |               | Crushed Steel Slag                  |  |
|         |               | Crushed Concrete                    |  |

| Use       | Mixture           | Aggregates Allowed                    |                             |
|-----------|-------------------|---------------------------------------|-----------------------------|
| HMA       | Stabilized        | Allowed Alone or in Combination 5/:   |                             |
| Low ESAL  | Subbase or        | Gravel                                |                             |
|           | Shoulders         | Crushed Gravel                        |                             |
|           |                   | Carbonate Crushed Stone               |                             |
|           |                   | Crystalline Crushed Stone             |                             |
|           |                   | Crushed Sandstone                     |                             |
|           |                   | Crushed Slag (ACBF)                   |                             |
|           |                   | Crushed Steel Slag <sup>1/</sup>      |                             |
|           |                   | Crushed Concrete                      |                             |
| НМА       | Binder            | Allowed Alone or in Co                | mbination <sup>5/6/</sup> : |
| High ESAL | IL-19.0           | Crushed Gravel                        |                             |
| Low ESAL  | or IL-19.0L       | Carbonate Crushed St                  | one <sup>2/</sup>           |
|           |                   | Crystalline Crushed St                | one                         |
|           | SMA Binder        | Crushed Sandstone                     |                             |
|           |                   | Crushed Slag (ACBF)                   |                             |
|           |                   | Crushed Concrete <sup>3/</sup>        |                             |
| НМА       | C Surface and     | Allowed Alone or in Co                | mbination <sup>5/</sup> :   |
| High ESAL | Leveling Binder   | Crushed Gravel                        |                             |
| Low ESAL  | IL-9.5 or IL-9.5L | Carbonate Crushed Stone <sup>2/</sup> |                             |
|           |                   | Crystalline Crushed Stone             |                             |
|           | SMA               | Crushed Sandstone                     |                             |
|           | Ndesign 50        | Crushed Slag (ACBF)                   |                             |
|           | Surface           | Crushed Steel Slag <sup>4/</sup>      |                             |
|           |                   | Crushed Concrete <sup>3/</sup>        |                             |
| HMA       | D Surface and     | Allowed Alone or in Combination 5/:   |                             |
| High ESAL | Leveling Binder   | Crushed Gravel                        |                             |
|           | IL-9.5            | Carbonate Crushed Stone (other than   |                             |
|           |                   | Limestone) <sup>2/</sup>              |                             |
|           | SMA               | Crystalline Crushed Stone             |                             |
|           | Ndesign 50        | Crushed Sandstone                     |                             |
|           | Surface           | Crushed Slag (ACBF)                   |                             |
|           |                   | Crushed Steel Slag <sup>4/</sup>      |                             |
|           |                   | Crushed Concrete <sup>3/</sup>        |                             |
|           |                   | Other Combinations Allowed:           |                             |
|           |                   | Up to                                 | With                        |
|           |                   | 25% Limestone                         | Dolomite                    |
|           |                   | 50% Limestone                         | Any Mixture D               |
|           |                   |                                       | aggregate other             |
|           |                   | •                                     | than Dolomite               |

| Use              | Mixture    | Aggregates Allowed                     |  |
|------------------|------------|--|--|
| 1                |            | 75% Limestone                          | Crushed Slag<br>(ACBF) or Crushed<br>Sandstone |
| HMA              | E Surface  | Allowed Alone or in Combination 5/6/:  |  |
| High ESAL        | IL-9.5     | Crystalline Crushed Stone              |  |
|                  | SMA        | Crushed Sandstone                      |  |
|                  | Ndesign 80 | Crushed Slag (ACBF) Crushed Steel Slag |  |
|                  | Surface    | No Limestone.                          |  |
|                  | Canacc     | Other Combinations A                   | llowed:  |
|                  |            |  |  |
|                  |            | Up to                                  | With   |
|                  |            | 50% Dolomite <sup>2/</sup>             | Any Mixture E                                  |
|                  |            | 75% Dolomite <sup>2/</sup>             | aggregate Crushed Sandstone,                   |
|                  |            | 73 % Doloitile                         | Crushed Slag                                   |
|                  |            |  | (ACBF), Crushed                                |
|                  |            |  | Steel Slag, or                                 |
|                  |            |  | Crystalline Crushed                            |
|                  |            |  | Stone  |
|                  |            | 75% Crushed                            | Crushed Sandstone,                             |
|                  |            | Gravel <sup>2</sup> or Crushed         | Crystalline Crushed                            |
|                  |            | Concrete <sup>3/</sup>                 | Stone, Crushed Slag                            |
|                  |            |  | (ACBF), or Crushed                             |
| LIBAA            | F Surface  | Allanca d Alama a mira Co              | Steel Slag                                     |
| HMA<br>High ESAL | IL-9.5     | Allowed Alone or in Co                 |  |
| I light LOAL     | 16-3.3     | Crushed Sandstone                      | ione   |
| :                | SMA        | Crushed Slag (ACBF)                    |  |
|                  | Ndesign 80 | Crushed Steel Slag                     |  |
|                  | Surface    | No Limestone.                          |  |
| t<br>            |            | Other Combinations Allowed:            |  |
| 1                | 1          | Up to                                  | With   |
|                  |            | 50% Crushed                            | Crushed Sandstone,                             |
|                  |            | Gravel <sup>2</sup> , Crushed          | Crushed Slag                                   |
|                  |            | Concrete <sup>3/</sup> , or            | (ACBF), Crushed                                |
|                  |            | Dolomite <sup>2/</sup>                 | Steel Slag, or                                 |
|                  |            |  | Crystalline Crushed                            |
|                  |            |  | Stone  |

<sup>1/</sup> Crushed steel slag allowed in shoulder surface only.

- 2/ Carbonate crushed stone (limestone) and/or crushed gravel shall not be used in SMA Ndesign 80. In SMA Ndesign 50, carbonate crushed stone shall not be blended with any of the other aggregates allowed alone in Ndesign 50 SMA binder or Ndesign 50 SMA surface.
- 3/ Crushed concrete will not be permitted in SMA mixes.
- 4/ Crushed steel slag shall not be used as leveling binder.
- 5/ When combinations of aggregates are used, the blend percent measurements shall be by volume."
- 6/ Combining different types of aggregate will not be permitted in SMA Ndesign 80."

## **DETECTABLE WARNINGS**

<u>Description:</u> This work shall consist of furnishing and installing detectable warnings in accessibility ramps.

<u>Materials:</u> The detectable warnings shall be cast iron panels of the sizes shown on the plans and shall meet the following material specification:

The detectable warning plate shall be constructed of gray iron meeting the requirements of Article 1006.14 of the "Standard Specifications" and ASTM A48, CLASS 35B; or cast ductile iron meeting the requirements of Article 1006.15 of the "Standard Specifications".

The coating system shall consist of a rust inhibiting epoxy primer and a finish coat.

The epoxy primer shall have the following properties:

| Property                          | Test Method | Performance        |
|-----------------------------------|-------------|--------------------|
| Humidity                          | ASTM D1735  | 1000 Hours Minimum |
| Water Immersion                   | ASTM D870   | 250 Hours Minimum  |
| Corrosion Resistance (Salt Spray) | ASTM B117   | 1000 Hours Minimum |

Cold Rolled Steel Lab Panels

The finish coat shall be a powder coat and shall have the following properties:

| Property                          | Test Method | Performance        |
|-----------------------------------|-------------|--------------------|
| Color                             |             | Grey               |
| Corrosion Resistance (Salt Spray) | ASTM B117   | 1000 Hours Minimun |

Cold Rolled Steel Lab Panels

<u>General:</u> The installation of detectable warnings shall meet the requirements of Article 424.09 of the "Standard Specifications". Grey iron plates shall be installed in concrete accessibility ramps only. Ductile iron plates may be installed in either concrete or hot-mix asphalt (HMA) accessibility ramps.

<u>Method of Measurement:</u> This work will be measured for payment in place installed, in square feet. The concrete area under the detectable warnings will be measured for payment as PORTLAND CEMENT CONCRETE SIDEWALK of the thickness specified, with no deductions made for the detectable warnings panels located within the ramp.

<u>Basis of Payment:</u> This work will be paid for at the contract unit price per square foot of DETECTABLE WARNINGS. The unit price shall include all equipment, materials and labor required to install the panels.

### FENCE REMOVAL

<u>Description</u>: This work consists of the removal and satisfactory disposal of existing fence at the locations shown on the plans or as directed by the Engineer. This work shall be performed in accordance with the applicable portions of Section 201 of the Standard Specifications and as herein specified.

<u>General</u>: Fence removal shall include posts, fittings, appurtenances, attachments and concrete foundation. Any holes created by removal of the foundation shall be filled with clean earth fill to eliminate any hazard to the public. The fence types located on this project are as follows:

- a. Woven wire fence approximately 4-feet in height.
- b. Chain link fence approximately 6-feet in height.
- c. Chain link fence with barbed wire approximately 6-feet in height.
- d. Wood fence approximately 4-feet in height.

Disposal of removed materials shall be in accordance with Article 202.03.

Method of Measurement: FENCE REMOVAL shall be measured in linear feet along the top of the fence.

Basis of Payment: This work will be paid for at the contract unit price per foot for FENCE REMOVAL, which price shall be payment in full for all labor, tools, equipment and materials necessary to remove and dispose of existing fence and restore the site as herein specified.

### FORM LINER TEXTURED SURFACE

**Description:** This work shall consist of the construction of form liner textured surfaces on designated surfaces in the contract plans. The same style of form liner shall be used on all surfaces to receive form liner textured surface within the project limits.

**Materials:** The materials shall be according to Article 503.02 of the Standard Specifications and the following:

Form liners shall duplicate closely the appearance of natural stone masonry and be non-repeating. Seam lines or match lines caused from two or more molds coming together will not be apparent when viewing final wall.

The molds shall not compress more than ¼ inch when concrete is poured at a rate of 10 vertical feet per hour. The molds shall be removable without causing deterioration of surface or underlying concrete.

Form liners shall be high quality, highly reusable, and capable of withstanding anticipated concrete pour pressures without causing leakage or causing physical defects. Form liners shall attach easily to pour-in-place forms and be removable without causing concrete surface damage or weakness in the substrate. Form release agents shall be non-staining, non-residual, non-reactive and shall not contribute to the degradation of the form liner material.

The forms shall be constructed so that the completed concrete structures conform to the shape, lines and dimensions of the members of the approved pattern. The forms shall be properly braced or tied together to maintain position and shape. The forms shall be made sufficiently tight to prevent leakage of the mortar. The formwork shall have the strength and stability to ensure finished concrete dimensions within the tolerances specified herein.

The following form liner suppliers and patterns have been pre-approved for Form Liner Textured Surface:

| Manufacturer   | Pattern Number     | Pattern Name           |
|--|--------------------|------------------------|
| Sika Greenstreak Inc.<br>3400 Tree Court Industrial<br>Blvd. St. Louis, Missouri<br>63122-6614 (800)325-9504<br>usa.sika.com | Pattern Number 477 | Meramec Drystack Stone |

Pre-approval of the form liner does not include material acceptance at the job site.

For Form Liner Textured Surface the Contractor shall use the form liner pattern from above or propose an equivalent form liner.

Form liners shall be according to Article 503.06(a) of the Standard Specifications and the requirements detailed in this specification.

The form ties shall be made of either metal or fiberglass. Metal ties, which result in a portion of the tie permanently embedded in the concrete, shall be designed to separate at least one inch back from finished surface, leaving only a neat hole that can be plugged with patching material. Contractor shall submit the type of form ties to the Engineer for approval prior to use in this work.

Concrete used for the cast-in-place concrete designated to receive form liner textured surfaces shall contain a high range water-reducing admixture according to Article 1021.03(c) of the Standard Specifications to obtain a 5" to 7" slump.

**Submittals:** For a proposed equivalent form liner the Contractor shall submit to the Engineer one (1) specification including bonding and releasing agents, catalog cut sheet and 36" x 36" liner sample for the style of architectural form liner proposed for use on Form Liner Textured Surfaces on the project. The submittal shall be made no later than 14 calendar days from the

date of notification to proceed with the contract. Upon receipt of the information, the Engineer, in consultation with Kane County, will approve and notify the Contractor of which style of form liner is to be used on the project.

Contractor shall submit to the Engineer for approval evidence of the selected subcontractor's five years' experience making stone masonry molds to create formed concrete surfaces to match natural stone shapes and surface textures.

Upon receipt of notification of the style of form liner to be used or if the Contractor is proposing a form liner from the pre-approved list, the Contractor shall submit a proposed procedure for obtaining the simulated finish. The procedure shall include plans and details for the form liner pattern and dimensions, and be submitted for the Engineer's approval no later than 14 calendar days from the date of notification of approval of the style type. If such plans and details are not satisfactory to the Engineer, the Contractor shall make any changes as may be required by the Engineer or Kane County at no additional cost to the Department.

Upon approval of the form liner plans and details, the Contractor shall submit three 6' by 6' (minimum) mock-up cast concrete panels of the simulated stone masonry finish of the Form Liner Textured Surface for approval by the Engineer. Include an area to demonstrate wall mold butt joint. The mock-up panels shall also include the concrete staining and anti-graffiti coating as indicated in the Special Provision for STAINING CONRETE STRUCTURES.

The sample panels shall be delivered and positioned on the job site at a location to be determined by the Engineer. The approved form liners shall be used throughout the project to replicate natural stone surfaces unless otherwise noted in the plans. The approved mock-ups shall be the standard for replicated natural stone surfaces where required throughout the project.

**General:** The work shall be performed according to Article 503.06 of the Standard Specifications and the following:

The form liners shall be installed according to the manufacturers' recommendations to achieve the highest quality concrete appearance possible. The form liners shall withstand the concrete placement pressures without leakage, physical or visual defects.

The Contractor shall clean the form liners, removing any buildup prior to each use. The Contractor shall inspect each form for blemishes or tears and make repairs as needed following manufacturer's recommendations.

The Contractor shall install the form liners with less than ¼ inch separation between them. The molds shall be attached securely to the forms following manufacturer's recommendations. The form liner panels shall be attached to each other with flush seams and seams filled as necessary to eliminate visible evidence of seams in the cast concrete.

The liner butt joints shall be blended into the pattern so as to eliminate visible vertical or horizontal seams and conspicuous form butt joint marks. The liner joints shall fall within pattern joints or reveals. The finished textures shall be continuous without visual disruption and properly aligned over adjacent and multiple liner panels. Continuous or single liner panels shall be used

where liner joints may interrupt the intended pattern. Panel remnants shall not be pieced together.

The Contractor shall notify the Engineer at least 48 hours prior to placing concrete. Concrete shall not be placed until the Engineer has inspected the formwork and the placement of reinforcing bars for compliance with the plans.

The Contractor shall apply the form release agent to all surfaces of the form liner which will come in contact with concrete, according to the manufacturer's recommendations.

The Contractor shall employ proper consolidation methods to ensure the highest quality finish. Internal vibration shall be achieved with a vibrator of appropriate size, the highest frequency and low to moderate amplitude. Concrete placement shall be in lifts not to exceed 1.5 feet. Internal vibrator operation shall be at appropriate intervals and depths and withdrawn slowly enough to assure a minimal amount of surface air voids and the best possible finish without causing segregation. An external form vibrator may be required to assure the proper results. The use of an external form vibrator must be approved by the form liner manufacturer and the Department. The Contractor shall coordinate concrete pours to prevent visible differences between individual pours or batches. Concrete pours shall be continuous between construction or expansion joints. Cold joints shall not occur within continuous form liner pattern fields.

The form liners shall be stripped between 12 and 24 hours as recommended by the manufacturer. When stripping the forms the Contractor shall avoid creating defects in finished surface.

Wall ties shall be coordinated with the liner and form to achieve the least visible result. Place form ties at thinnest points of molds (high points of finished wall). Neatly patch the remaining hole after disengaging the protruding portion of the tie so that it will not be visible after coloring the concrete surface.

Where an expansion joint must occur at a point other than rustication joints, such as at the face of concrete texture, which is to have the appearance of stone, consult manufacturer for proper treatment of expansion material.

Curing methods shall be according to Article 1020.13 of the Standard Specifications and compatible with the desired aesthetic result. The use of curing compounds will not be allowed. No rubbing of flat areas or other repairs should be required after form removal. The finished exposed formed concrete surfaces shall be free of visible vertical seams, horizontal seams, and butt joint marks. Grinding and chipping of finished formed surfaces shall be avoided.

Releasing Form Liners: Products and application procedures for form liner release agents shall be approved by the form liner manufacturer. Release agents shall not cause swelling of the form liner material or delamination of the form liner. Release agents shall not stain the concrete or react with the form liner material. Release agent shall coat form liner with a thin film. Following application of release agent, the form liner surface shall be cleaned of excess amounts of release agent using compressed air. Buildup of release agent caused by reuse of a form liner shall be removed at least every 5 uses.

Form liners shall release without leaving particles or pieces of form liner material on concrete and without pulling or breaking concrete from the textured surface. The concrete and textured surfaces exposed by removing form liners shall be protected from damage. Form stripping and related construction shall avoid creating defects in the concrete.

All concrete shall be cured in conformance with the Standard Specifications except that curing compounds will not be allowed.


**Method of Measurement:** This work will be measured for payment in place and the area computed in square feet. Measurement will include all costs associated with providing the aesthetic treatment on the walls including the furnishing, installing, stripping and reusing the form liner and providing the required submittals.

Cast concrete form liner mock-ups with finished stained and anti-graffiti coated surfaces will not be measured for payment, but shall be included in the square foot price for this item. Required adjustments or corrections needed to address mock-up form liner comments and the cost for additional mock-ups, if required, shall also be included in the square foot price for this item.

**Basic of Payment:** The work will be paid for at the contract unit price per square foot for FORM LINER TEXTURED SURFACE.

### STAINING CONCRETE STRUCTURES

**Description:** This work shall consist of staining the Form Liner Textured Surface as shown on the plans to replicate the look of actual stone masonry. The staining shall match the color variations present in natural limestone, accurately simulating the appearance of real stone including the multiple colors, shades, flecking, and veining that is apparent in real stone. It shall also simulate the colors that may be present from aging, such as staining from oxidation, rusting and/or organic staining from soil and vegetation. An example of the desired staining is shown below.



**Materials:** The stain shall create a surface finish that is breathable (allowing water vapor transmission), and that resists deterioration from water, acid, alkali, fungi, sunlight, and/or weathering. The stain shall be odor free and V.O.C. compliant. The stain shall meet the requirements for weathering resistance of 2000 hours accelerated exposure.

Store concrete stain materials in an area where temperatures will not be less than 50°F (10°C) or more than 100°F (38°C) and in accordance with OSHA and local Fire Code Requirements. Deliver materials in original and sealed containers, clearly marked with the manufacturer's name, brand name, type of material, batch number, and date of manufacture.

**Submittal:** Contractor shall submit to the Engineer for approval evidence of the selected subcontractor's five years of experience making color stains to match natural stone colors on concrete surfaces.

Upon receipt of notification of the style of form liner to be used the Contractor shall submit a proposed procedure for obtaining the simulated finish using the approved architectural form liner style and stain (see the Special Provision for FORM LINER TEXTURED SURFACE). The procedure shall include plans and details for the form liner pattern and dimensions, and be submitted for the Engineer's approval no later than 30 calendar days from the date of notification of approval of the style type. If such plans and details are not satisfactory to the Engineer and Kane County, the Contractor shall make any changes as may be required by the Engineer or Kane County at no additional cost to the Department.

Upon approval of the form liner plans and details, the Contractor shall submit three 6' by 6' (minimum) mock-up cast concrete panel of the simulated stone masonry finish including the staining. One of the strained panels shall also include Anti-Graffiti Coating (see the Special Provision for ANTI-GRAFFITI COATING). The sample panels shall be delivered and positioned on the job site at a location to be determined by the Engineer. The approved sample panel shall be the standard for concrete staining to replicate the look of actual stone masonry throughout the project (see the Special Provision for FORM LINER TEXTURED SURFACE).

**General**: The surfaces to be stained shall be structurally sound, clean, dry, and fully cured. The concrete shall be at least 30 days old prior to applying the stain. Curing agents must be removed a minimum of 14 days prior to staining to allow the concrete to dry out.

Temperature and relative humidity conditions shall meet the manufacturer's application instructions. Do not apply the stain under rainy conditions or within three (3) days after surfaces became wet from rainfall or other moisture. Do not apply when the weather is foggy or overcast.

The concrete surface shall be cleaned prior to the applying the stain materials. The methods and materials used for cleaning the substrate shall be as recommended by the manufacturer of the water-repellent stain. The Contractor shall insure that the surface is free of latency, dirt, dust, grease, efflorescence, paint, or other foreign material. The Contractor shall not use sandblasting as a cleaning method. The preferred method to remove latency is pressure washing with water, at a minimum 3000 psi (3-4 gal/min), using fan nozzle. The nozzle should be positioned perpendicular to and at a distance of 1-2 feet from the concrete surface. The cleaned surface shall be free of blemished, discoloration, surface voids and unnatural form marks.

The stain shall be thoroughly mixed according to the manufacturer's directions using an air-driven or other explosion-proof power mixer. Mix all containers thoroughly prior to application. Do not thin the material. Materials shall be applied at the rate as recommended by the manufacturer. Absorption rates may be increased or decreased depending upon the surface texture and porosity of the substrate so as to achieve even staining.

A test area of 10 square feet shall be prepared and the stain applied to the surface to verify the surface preparation, adhesion and color. Once the Engineer has approved the results from the test area the application of the stain to the rest of the exposed surfaces may be completed.

Take precautions to ensure that workman and work areas are adequately protected from fire and health hazards resulting from handling, mixing and application of materials. Furnish all the necessary equipment to complete the work. Provide drop cloths and other forms of protection necessary to protect all adjoining work and surfaces to render them completely free of overspray and splash from the concrete stain work. Any surfaces, which have been damaged or splattered, shall be cleaned, restored, or replaced to the satisfaction of the Engineer.

Schedule the color stain application with earthwork and back-filling of any wall areas making sure that all simulated stone texture that might fall below grade is colored prior to back-filling. Delay adjacent plantings until color application is completed. Coordinate work to permit coloring applications without interference from other trades. Where exposed soil or pavement is adjacent which may splatter dirt or soil from rainfall, or where surface may be subject to over-spray from other processes, provide temporary cover of completed work.

Anti-Graffiti Coating shall be applied to the final exposed surface (see the Special Provision for ANTI-GRAFFITI COATING).

**Method of Measurement**: The exposed surfaces will be measured in place and the area computed in square feet. Staining mock-ups will not be measured for payment.

**Basis of Payment**: This work will be paid for at the contract unit price per square foot for STAINING CONCRETE STRUCTURES.

### **ANTI-GRAFFITI PROTECTION SYSTEM**

**Description of Work:** This work shall consist of the furnishing and application of an anti-graffiti coating to exposed concrete surfaces designated on the plans.

**General Requirements:** The following anti-graffiti coating manufactures have been preapproved to provide the anti-graffiti coating system:

Monopole Incorporated 4661 Alger Street Los Angeles, CA 90039 (815) 500-8585

Product: Permashield Premium Graffiti Control System Item 5600

Product features shall include: Zero VOC, 10 year unlimited warranty for graffiti removals, binary prime coat, non-yellowing, non-chalking and breathable.

The anti-graffiti coating shall consist of a permanent, color stable, UV, stain, chemical and abrasion resistant coating. The removal of graffiti from the protected surfaces shall be accomplished by applying a separate removal agent as recommended by the manufacturer of the permanent coating. The removal agent shall have the capability of completely removing all types of paints and stains. After graffiti removal there shall be no damage to the anti-graffiti coating or the surface to which it is applied. Additionally, there shall be no evidence of ghosting, shadowing, or staining of the protected surface.

Qualifications: The anti-graffiti coating shall be a product that has been commercially available for a period of at least five (5) years. Samples of the proposed material shall be supplied to the Engineer for testing. The Contractor shall apply the material to a test patch following the manufacturer's recommendation. After the manufacturer's recommended curing period, the Engineer will apply various types of graffiti materials to the coating. After three (3) days the removal agent shall be used to remove the graffiti. If after graffiti removal the antigraffiti coating is clean and undamaged, with no evidence of ghosting, shadowing or staining, then the anti-graffiti coating is approved for use.

Surface Preparation: Prior to application of the anti-graffiti coating, all designated surfaces shall be cleaned of loose debris, previous coatings and all foreign matter by a method as recommended by the coating manufacturer and approved by the Engineer. All surfaces shall be thoroughly clean, dry and free of dust that might prevent penetration of the coating. New concrete should be thoroughly cured before application of the coating. Glossy, glazed and slick troweled surfaces should be lightly etched or abraded before application of the coating. Concrete surfaces shall be properly sealed according to the manufacturer's recommendations so the application of the system does not produce any noticeable long-term change in color of the surfaces being treated. A technical representative of the manufacturer shall be present to approve surface preparation and application of the anti-graffiti coating.

**Weather Conditions:** Coatings shall not be applied in the rain, snow, fog or mist, nor shall they be applied if these conditions are expected within twelve (12) hours of application. Coatings shall not be applied when the surface or air temperatures are less than 40° F nor greater than 100° F, or is expected to exceed these temperatures within twelve (12) hours of application.

**Application:** The manufacturer's product data sheets and application guides shall be submitted to the Engineer prior to coating application. All information contained in the data sheets and application guides shall be strictly followed. All coatings shall be applied in the presence of the Engineer. The wet film thickness will be measured by the Engineer and shall

be according to the manufacturer's recommendation. Application of the clear protective coating shall take place after the application and curing of the concrete staining as appropriate for the surface to be treated. See FORM LINER TEXTURED SURFACE Special Provision for details.

In a contrasting color of the same anti-graffiti system, the name of the system used and the date of application shall be stenciled in letters not to exceed 2 inches high. The location of the stencil shall be near one end of the work at the bottom of the surface to be protected. For projects greater than 3,000 sq. ft. the stencil shall be periodically repeated once for every 3,000 sq. ft. near the bottom at the locations designated by the Engineer.

Cleaning Agent: The Contractor shall supply the Engineer with an initial quantity of the removal agent and written instructions for its use, as recommended by the manufacturer for graffiti removal. The amount shall be furnished at a rate of one (1) gallon per 81 sq. yd. of treated surface.

**Method of Measurement:** This work will be measured in place per square feet of surface area upon which the anti-graffiti coating has been applied and accepted by the Engineer. No surface area will be measured for payment for areas below final grade.

**Basis of Payment:** This Work will be paid for at the contract unit price per square foot for ANTI-GRAFFITI PROTECTION SYSTEM which price shall be payment in full for the cleaning of designated surfaces, the application of the anti-graffiti coating, supplying the manufacturer's technical representative and supplying the initial quantity of cleaning agent.

## MANHOLES TYPE A, WITH 2 TYPE 1 FRAMES, OPEN LIDS, RESTRICTOR PLATE

This work shall consist of construction of drainage structures with restrictor plates, in accordance with Section 602 of the "Standard Specification for Road and Bridge Construction" and as detailed in the plans, and as directed by the Engineer.

Structures shall be constructed with two type 1 frames with closed lids. Cut steel plate to fit and mount to manhole walls as shown on the plans. Grind steel to remove burs and create as a sharp edge.

Basis of Payment: This work shall be paid for at the contract unit price per each installed for MANHOLES, TYPE A, 6'-DIAMETER, WITH 2 TYPE 1 FRAME, OPEN LIDS, RESTRICTOR PLATE.

## ADJUSTMENTS AND RECONSTRUCTIONS

Effective: March 15, 2011

Revise the first paragraph of Article 602.04 to read:

"602.04 Concrete. Cast-in-place concrete for structures shall be constructed of Class SI concrete according to the applicable portions of Section 503. Cast-in-place concrete for pavement patching around adjustments and reconstructions shall be constructed of Class PP-1 concrete, unless otherwise noted in the plans, according to the applicable portions of Section 1020."

Revise the third, fourth and fifth sentences of the second paragraph of Article 602.11(c) to read:

"Castings shall be set to the finished pavement elevation so that no subsequent adjustment will be necessary, and the space around the casting shall be filled with Class PP-1 concrete, unless otherwise noted in the plans, to the elevation of the surface of the base course or binder course. HMA surface or binder course material shall not be allowed. The pavement may be opened to traffic according to Article 701.17(e)(3)b."

Revise Article 603.05 to read:

"603.05 Replacement of Existing Flexible Pavement. After the castings have been adjusted, the surrounding space shall be filled with Class PP-1 concrete, unless otherwise noted in the plans, to the elevation of the surface of the base course or binder course. HMA surface or binder course material shall not be allowed. The pavement may be opened to traffic according to Article 701.17(e)(3)b."

Revise Article 603.06 to read:

"603.06 Replacement of Existing Rigid Pavement. After the castings have been adjusted, the pavement and HMA that was removed, shall be replaced with Class PP-1 concrete, unless otherwise noted in the plans, not less than 9 in. (225 mm) thick. The pavement may be opened to traffic according to Article 701.17(e)(3)b.

The surface of the Class PP concrete shall be constructed flush with the adjacent surface."

Revise the first sentence of Article 603.07 to read:

"603.07 Protection Under Traffic. After the casting has been adjusted and the Class PP concrete has been placed, the work shall be protected by a barricade and two lights according to Article 701.17(e)(3)b."

## DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (DISTRICT 1)

Effective: April 1, 2011 Revised: April 2, 2011

Add the following to Article 603.02 of the Standard Specifications:

- (j) Temporary Rubber Ramps (Note 2)

Note 1. The HMA shall have maximum aggregate size of 3/8 in. (95 mm).

Note 2. The rubber material shall be according to the following.

| Property                    | Test Method | Requirement    |
|-----------------------------|-------------|----------------|
| Durometer Hardness, Shore A | ASTM D 2240 | 75 ±15         |
| Tensile Strength, psi (kPa) | ASTM D 412  | 300 (2000) min |
| Elongation, percent         | ASTM D 412  | 90 min         |
| Specific Gravity            | ASTM D 792  | 1.0 - 1.3      |
| Brittleness, °F (°C)        | ASTM D 746  | -40 (-40)"     |

Revise Article 603.07 of the Standard Specifications to read:

"603.07 Protection Under Traffic. After the casting has been adjusted and the Class PP concrete has been placed, the work shall be protected by a barricade and two lights according to Article 701.17(e)(3)b.

When castings are under traffic before the final surfacing operation has been started, properly sized temporary ramps shall be placed around the drainage and/or utility castings according to the following methods.

- (a) Temporary Asphalt Ramps. Temporary hot-mix asphalt ramps shall be placed around the casting, flush with its surface and decreasing to a featheredge in a distance of 2 ft (600 mm) around the entire surface of the casting.
- (b) Temporary Rubber Ramps. Temporary rubber ramps shall only be used on roadways with permanent posted speeds of 40 mph or less and when the height of the casting to be protected meets the proper sizing requirements for the rubber ramps as shown below.

| Dimension           | Requirement                                   |
|---------------------|---|
| Inside Opening      | Outside dimensions of casting + 1 in. (25 mm) |
| Thickness at inside | Height of casting ± 1/4 in. (6 mm)            |
| edge                |   |
| Thickness at        | 1/4 in. (6 mm) max.                           |
| outside edge        |   |
| Width, measured     | 8 1/2 in. (215 mm) min                        |
| from inside opening |   |
| to outside edge     |   |

Placement shall be according to the manufacturer's specifications.

Temporary ramps for castings shall remain in place until surfacing operations are undertaken within the immediate area of the structure. Prior to placing the surface course, the temporary ramp shall be removed. Excess material shall be disposed of according to Article 202.03."

### PRECAST CONCRETE BOX CULVERTS 2'X2' (SPECIAL)

<u>Description</u>: This work shall consist of furnishing and installing a precast 2'x2' box culvert. The work shall be performed according to the Article 540 of the Standard Specifications, using thickness and reinforcement areas specified in ASTM C1577 for the 3 ft. by 3 ft by 4 in. culvert.

<u>Method of Measurement:</u> Precast box culverts will be measured for payment in feet except the length measured shall not exceed the length shown on the plans or as approved by the engineer. The overall length shall be measured along the centerline of each cell of the culvert.

The end sections will be measured for payment separately.

Basis of Payment: This work will be paid for at the contract unit price per foot for PRECAST CONCRETE BOX CULVERTS 2' X 2' (SPECIAL).

#### PIPE UNDERDRAINS

The work shall be performed according to the Article 601 of the Standard Specifications.

Additional underdrains shall be installed as detailed in the plans and as directed by the engineer at drainage structures along Longmeadow Parkway that encounter groundwater during excavation.

Basis of Payment: This work will be paid for at the contract unit price per foot for PIPE UNDERDRAINS, TYPE 2, 4"

# <u>LIGHTWEIGHT CELLULAR CONCRETE FILL (D-1)</u>

Effective: November 11, 2001 Revised: February 1, 2016

<u>General:</u> This work consists of providing lightweight cellular concrete fill (LCCF) at the locations(s) and according to the dimensions shown in the contract plans, and as directed by the Engineer.

<u>Submittals:</u> Within 45 calendar days prior to proposed installation, the Contractor shall submit the following:

- (a) The name of the subcontractor providing and installing the light weight cellular fill. The Contractor shall present an organization chart including names, telephone numbers, current certifications and/ or titles, and roles and responsibilities of all those involved in the manufacturing and installation of the lightweight cellular fill.
- (b) Manufacturer's specifications, catalog cuts, and other product data needed to demonstrate compliance with specified requirements. These shall include reports and test results from laboratories.
- (c) The subcontractor installing the lightweight fill shall be certified in writing by the Manufacturer of the lightweight fill. The certified applicator shall be regularly engaged in the placement of lightweight fill of a similar nature including the completion of mass fills having a minimum of 13,000 cu yd (9,950 cu m) in the past five years.
- (d) A description of the proposed installation procedure. The procedure shall address the following.
  - (1) Proposed construction sequence and schedule.
  - (2) Location of the equipment and batching areas.
  - (3) Type of equipment and tools to be used.

Materials. Materials shall be according to the following.

|     | ltem                     | Article/Section |
|-----|--------------------------|-----------------|
| (a) | Portland Cement (Note 1) | 1001            |
| (b) | Water                    | 1002            |
| (c) | Fine Aggregate           | 1003            |
| (d) | Concrete Admixtures      | 1021            |
| (e) | Foaming Agent (Note 2)   |                 |

Note 1. Pozzolans and finely divided minerals will not be permitted.

Note 2.The foaming agent shall be according to ASTM C 869, and shall be listed on the Department's Approved/Qualified Product List of Foaming Agents for Cellular Concrete. The manufacturer shall provide an infrared spectrophotometer trace no more than five years old. When the infrared spectrophotometer trace is more than seven years old, a new one shall be provided.

Equipment. Equipment shall be according to the following.

|     | Item  | Article/Section |
|-----|---|-----------------|
| (a) | Concrete Mixers and Trucks                      | 1103.01         |
| (b) | Batching and Weighing Equipment                 | 1103.02         |
| (c) | Automatic and Semi-Automatic Batching Equipment | 1103.03         |
| (d) | Water Supply Equipment                          | 1103.11         |
| (e) | Mobile Portland Cement Concrete Plants          | 1103.04         |
| (f) | Foam Generator (Notes 1 & 3)                    |                 |
| (g) | Mobile Site Batch Plant (Notes 2 & 3)           |                 |
|     |   |                 |

- Note 1. Foam generating equipment shall be calibrated daily to produce an accurate volume of foam.
- Note 2. Mobile site batch plants shall be capable of mixing and pumping cellular concrete, and shall have a minimum 1 cu yd (0.76 cu m) capacity. Mobile site plants shall be calibrated before the start of the project, and then during the project as determined by the Engineer.
- Note 3. Foam generators and mobile site batch plants shall be certified in writing by the manufacturer of the lightweight cellular concrete and approved by the Engineer.

**Lightweight Cellular Concrete Classes.** The two general classes of lightweight cellular concrete delineated by as-cast density and minimum compressive strength are given in Table 1. If the class of lightweight cellular concrete is not specified in the contract, the class to use shall be as directed by the Engineer.

| Table 1. CLASSES OF LIGHTWEIGHT CELLULAR CONCRETE |                           |                    |       |                    |
|---|---------------------------|--------------------|-------|--------------------|
| Class   | Maximum<br>Lift<br>Height | As-Cast<br>Density |       | ompressive<br>ngth |
|   |                           |                    | Р     | si                 |
|   |                           | lb/cu ft           | (kF   | Pa)                |
|   | ft                        | (kg/cu m)          | Da    | ıys                |
|   | (m)                       |                    | 7     | 28                 |
| II  | 4                         | 24 - 30            | 30    | 40                 |
|   | (1.2)                     | (384 - 481)        | (205) | (275)              |
| IV  | 2.5                       | 36 - 42            | 90    | 120                |
|   | (0.76)                    | (577 - 673)        | (620) | (825)              |

Other Lightweight Cellular Concrete Criteria. The lightweight cellular concrete shall be according to the following.

(a) Proportioning and Mix Design. For all Classes of lightweight cellular concrete, it shall be the Contractor's responsibility to determine the mix design material proportions and to proportion each batch. The Contractor shall provide the mix designs a minimum of 45 calendar days prior to production. The Engineer will verify the mix design submitted by the Contractor.

For a new mix design to be verified, the Engineer will require the Contractor to provide a trial batch at no cost to the Department. The trial batch shall be scheduled a minimum of 30 calendar days prior to anticipated use and shall be performed in the presence of the Engineer. A minimum of 1 cu yd (0.75 cu m) trial batch shall be produced and placed offsite. The trial batch shall be produced with the equipment, materials, and methods intended for construction. The trial batch will be evaluated and tested by the Contractor and Engineer via split samples for as-cast density and compressive strength according to the sampling and testing requirements specified herein. The lightweight cellular concrete will also be evaluated and tested by the Engineer according to Illinois Test Procedure 501, as applicable.

Verification of the mix design will include trial batch test results and other criteria as determined by the Engineer. The Contractor will be notified in writing of verification. Verification of a mix design shall in no manner be construed as acceptance of any mixture produced. Tests performed at the jobsite will determine if a mix design can meet specifications.

(b) Admixtures. Admixture use shall be according to Article 1020.05(b).

(c) Temperature. The air temperature at the time of placement and for 24 hours thereafter shall be a minimum of 35 °F (2 °C). The temperature of the lightweight cellular concrete at point of discharge shall be a minimum of 45 °F (7 °C) and a maximum of 95 °F (35 °C).

**Curing.** Curing may be required for applications with significant surface area exposed (least width dimension of minimum 80 ft (24 m)) to the elements if rapid drying conditions are expected during placement, as determined by the Engineer. When curing is required, each lift shall be cured with a method recommended by the manufacturer of the lightweight cellular concrete. If curing compound is used, it shall be compatible with other construction materials it may interact with, and shall not inhibit bond of subsequent lifts.

**Quality Control Sampling and Testing by the Contractor.** The Contractor shall sample and test the lightweight cellular concrete as follows:

- (a) As-Cast Density. The first batch placed each day and a minimum rate of one per hour thereafter shall be sampled and tested as described for "experimental density of the concrete after pumping" according to ASTM C 796, except the hose length shall be that used for jobsite placement. The as-cast density shall be the average of at least two tests. Additional tests shall be done if adjustments are made to the materials. These tests shall be documented.
  - If the average as-cast density is outside the specified tolerance from Table 1, the Contractor shall reject the batch or make an adjustment to the mix before placement. Adjustments to the mix shall be accomplished by either increasing or decreasing the foam only.
- (b) Compressive Strength. First batch placed each day and every 200 cu yd (155 cu m) thereafter shall be sampled according to ASTM C 495, except that samples shall not be oven dried at any time before testing. The minimum number of batches sampled per day shall be two. Eight 3 in. x 6 in. (75 mm x 150 mm) cylindrical test specimens shall be molded from each sample.

A compressive strength test is defined as the average of four cylinder breaks. For each sample, tests shall be conducted at 7 and 28 days.

Quality Assurance Sampling and Testing by the Engineer. The Engineer will sample and test the lightweight cellular concrete for quality assurance on independent and split samples. An independent sample is a field sample obtained and tested by only one party. A split sample is one of two equal portions of a field sample, where two parties each receive one portion for testing. The Engineer may request the Contractor to obtain a split sample. Any failing strength test specimen shall be retained until permission is

given by the Engineer for disposal. The results of all quality assurance tests by the Engineer will be made available to the Contractor. However, Contractor split sample test results shall be provided to the Engineer before Department test results are revealed. The Engineer's quality assurance independent sample and split sample testing for placement or acceptance will be as follows:

- (a) As-Cast Density. One independent or split sample test for the first batch placed each day and as determined by the Engineer thereafter.
- (b) Compressive Strength. One independent or split sample for the first batch placed each day and as determined by the Engineer thereafter.

**Comparing Test Results.** Differences between the Engineer's and the Contractor's split sample test results will be considered reasonable if within the following limits.

| Test Parameter       | Acceptable Limits of Precision |
|----------------------|--------------------------------|
| Compressive Strength | 5 psi (34.5 kPa)               |
| Density              | 1 lb/cu ft (16 kg/cu m)        |

Action shall be taken when either the Engineer's or the Contractor's test results are not within specification limits for strength or density. Action may include, but is not limited to, the Contractor being required to replace or repair test equipment as determined by the Engineer.

Placed material that fails in compressive strength will be considered unacceptable.

**Acceptance by the Engineer.** Final acceptance will be based on the Standard Specifications and the following:

- (a) Validation of Contractor quality control test results using split samples. Any quality control or quality assurance test determined to be flawed may be declared invalid only when reviewed and approved by the Engineer. The Engineer will declare a test result invalid only if it is proven that improper sampling or testing occurred. The test result is to be recorded and the reason for declaring the test invalid will be provided by the Engineer.
- (b) Comparison of the Engineer's quality assurance test results with specification limits using samples independently obtained by the Engineer.

The Engineer may suspend mixture production, reject materials, or take other appropriate action if the Contractor does not control the quality of lightweight cellular concrete. The decision will be determined according to (a) or (b).

<u>Installation.</u> Prior to installation, the ground surface shall be cleared of organic top soils, debris, sharp objects, and trees. Tree stumps shall be either removed or cut to the level of the ground surface. All wheel tracks or ruts in excess of 3 in. (75 mm) in depth shall be graded smooth or otherwise filled with soil to provide a reasonable smooth surface.

If a geotechnical fabric for ground stabilization or geomembrane is specified in conjunction with the LCCF, it shall be furnished and installed as specified elsewhere in the Contract and shall be in place prior to placing the LCCF.

The lightweight cellular concrete fill shall be placed according to the approved installation procedures provided by the manufacturer.

There shall be no standing water in the area to be filled. If necessary, dewatering shall be continuous during the time the lightweight cellular concrete fill is constructed. Lightweight cellular concrete fill shall not be placed during or when periods of precipitation are expected unless placed in an enclosed, covered area and the ground water is diverted away from the LCCF.

If any items are to be encased in the fill, the items shall be set to the final location both horizontally and vertically prior to installation of the LCCF.

Mixing and placement of the LCCF shall be done as follows:

- (a) After mixing, the materials shall be promptly placed in the final location.
- (b) No mechanical vibration of the LCCF shall be permitted.
- (c) The material shall be placed to prevent segregation. Intermediate lifts shall be placed horizontal while only the top lift shall be sloped to grade. The final surface elevation of the lightweight cellular concrete fill shall be within ±1.5 inches (±38 mm) of the plan elevation.
- (d) Limit the area of placement to the volume that can be placed within 1 hour, up to the maximum lift height. Stagger placements such that the vertical joints are at least 10 ft (3 m) apart.
- (e) The cellular concrete shall be placed with a hose. The discharge hose length shall not exceed 800 ft (244 m) in length. Discharge from the hose shall not be allowed to flow more than 30 ft (9 m) from where it is deposited to its final position.
- (f) Heavy construction equipment or other unusual loading of the lightweight cellular concrete fill shall not be permitted.

- (g) Construction activities on any recently placed lift will not be permitted until at least 12 hours has elapsed and when a penetration rate of 3 in/blow (76 mm/blow) for Class II or 2 in/blow (51 mm/blow) for Class IV or less has been obtained with the Dynamic Cone Penetrometer (DCP) test as described by Illinois Test Procedure 501. However, if any work on the recently placed LCCF results in cracking or indentations of more than an 0.125 inch (3 mm), the contractor shall discontinue construction, revise their wait time, mix strength or equipment used and submit to the Engineer for approval.
- (h) Sawing or ripping of the lightweight cellular concrete fill for utilities, drains or other conflicts will be by methods approved by the Engineer and lightweight cellular concrete fill Manufacturer.

<u>Method of Measurement</u>. Lightweight cellular fill shall be measured for payment in cubic yards (cubic meters) according to Article 202.07.

<u>Basis of Payment.</u> This work will be paid for at the contract unit price per cubic yards (cubic meter) for LIGHTWEIGHT CELLULAR CONCRETE FILL.

### REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES

This work shall be according to Article 669 of the Standard Specifications and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

<u>General.</u> This Special Provision will likely require the Contractor to subcontract for the execution of certain activities.

All contaminated materials shall be managed as either "uncontaminated soil" or non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances. The Environmental Firm shall continuously monitor all soil excavation for worker protection and soil contamination. Phase I Preliminary Engineering information is available through the District's Environmental Studies Unit. Soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less.

The Contractor shall manage any excavated soils and sediment within the following areas:

## Site 1586V/B-41 (Residential Land No. 11)

- Station 802+50 to Station 803+80 (CL IL Route 62), 0 to 50 feet LT (Residence, PESA Site 1586V/B-41, 2 Royal Way, Barrington Hills). This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Arsenic, and Manganese.
- Station 803+80 to Station 805+30 (CL IL Route 62), 0 to 80 feet LT (Residence, PESA Site 1586V/B-41, 2 Royal Way, Barrington Hills). This material meets the criteria of Article 669.09(b)(1) and shall be managed in accordance to Article 669.09.
- Station 805+30 to Station 806+80 (CL IL Route 62), 0 to 80 feet LT (Residence, PESA Site 1586V/B-41, 2 Royal Way, Barrington Hills). This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Benzo(a)pyrene.

## Site 1586V/B-42 (Barn and Vacant Land)

- Station 802+50 to Station 803+80 (CL IL Route 62), 0 to 50 feet RT (Barn and Vacant Land, PESA Site 1586V/B-42, 140-150 blocks of Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(2) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 803+80 to Station 806+80 (CL IL Route 62), 0 to 50 feet RT (Barn and Vacant Land, PESA Site 1586V/B-42, 140-150 blocks of Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(b)(1) and shall be managed in accordance to Article 669.09.

#### Site 1586V/B-39 (Residential Land No. 10)

- Station 806+80 to Station 808+30 (CL IL Route 62), 0 to 80 feet LT (, PESA Site 1586V/B-39, 7 Regan Boulevard, Barrington Hills). This material meets the criteria of Article 669.09(b)(1) and shall be managed in accordance to Article 669.09.
- Station 808+30 to Station 810+00 (CL IL Route 62), 0 to 80 feet LT (, PESA Site 1586V/B-39, 7 Regan Boulevard, Barrington Hills). This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.

#### Site 1586V/B-37 (Residential Land No. 9)

- Station 810+00 to Station 811+50 (CL IL Route 62), 0 to 80 feet LT (Residence, PESA Site 1586V/B-37, 2 Autumn Trail, Barrington Hills). This material meets the criteria of Article 669.09(a)(3) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Benzo(a)pyrene, and Manganese.
- Station 811+50 to Station 813+00 (CL IL Route 62), 0 to 50 feet LT (Residence, PESA Site 1586V/B-37, 2 Autumn Trail, Barrington Hills). This material meets the criteria of Article 669.09(a)(2) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.

- Station 813+00 to Station 814+20 (CL IL Route 62), 0 to 80 feet LT (Residence, PESA Site 1586V/B-37, 2 Autumn Trail, Barrington Hills). This material meets the criteria of Article 669.09(a)(2) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 814+20 to Station 817+30 (CL IL Route 62), 0 to 100 feet LT (Residence, PESA Site 1586V/B-37, 2 Autumn Trail, Barrington Hills). This material meets the criteria of Article 669.09(b)(1) and shall be managed in accordance to Article 669.09.
- Station 2304+15 to Station 2306+20 (CL Longmeadow Parkway), 0 to 155 feet RT (Residence, PESA Site 1586V/B-37, 2 Autumn Trail, Barrington Hills). This material meets the criteria of Article 669.09(b)(1) and shall be managed in accordance to Article 669.09.

### Site 1586V/B-38 (Woodlane Farm)

- Station 806+80 to Station 808+30 (CL IL Route 62), 0 to 50 feet RT (Woodlane Farm, PESA Site 1586V/B-38, 147 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(2) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 808+30 to Station 810+05 (CL IL Route 62), 0 to 50 feet RT (Woodlane Farm, PESA Site 1586V/B-38, 147 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 811+70 to Station 815+85 (CL IL Route 62), 0 to 50 feet RT (Woodlane Farm, PESA Site 1586V/B-38, 147 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(2) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.

## Site 1586V/B-35 (Vacant Land No. 6)

- Station 2304+15 to Station 2306+20 (CL Longmeadow Parkway), 0 to 55 feet LT (Vacant Land, PESA Site 1586V/B-35, 140 block of Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 817+30 to Station 819+00 (CL IL Route 62), 0 to 100 feet LT (Vacant Land, PESA Site 1586V/B-35, 140 block of Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 819+00 to Station 823+00 (CL IL Route 62), 0 to 80 feet LT (Vacant Land, PESA Site 1586V/B-35, 140 block of Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 823+00 to Station 824+25 (CL IL Route 62), 0 to 70 feet LT (Vacant Land, PESA Site 1586V/B-35, 140 block of Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Arsenic, and Manganese.

## Site 1586V/B-36 (Residential Land No. 8)

• Station 815+85 to Station 819+20 (CL Illinois Route 62), 0 to 50 feet RT (Residence, PESA Site 1586V/B-36, 149 Algonquin Road, Barrington Hills). This material meets the criteria of

- Article 669.09(a)(2) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 821+25 to Station 822+15 (CL Illinois Route 62), 0 to 65 feet RT (Residence, PESA Site 1586V/B-36, 149 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(b)(1) and shall be managed in accordance to Article 669.09.

### Site 1586V/B-33 (Fairhills Farm)

- Station 822+15 to Station 822+80 (CL Illinois Route 62), 0 to 65 feet RT (Fairhills Farm, PESA Site 1586V/B-33, 145 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(b)(1) and shall be managed in accordance to Article 669.09.
- Station 824+30 to Station 825+75 (CL Illinois Route 62), 0 to 50 feet RT (Fairhills Farm, PESA Site 1586V/B-33, 145 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(2) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 825+75 to Station 827+20 (CL Illinois Route 62), 0 to 55 feet RT (Fairhills Farm, PESA Site 1586V/B-33, 145 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(b)(1) and shall be managed in accordance to Article 669.09.
- Station 827+20 to Station 828+80 (CL Illinois Route 62), 0 to 50 feet RT (Fairhills Farm, PESA Site 1586V/B-33, 145 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 828+80 to Station 830+35 (CL Illinois Route 62), 0 to 50 feet RT (Fairhills Farm, PESA Site 1586V/B-33, 145 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(2) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.

### Site 1586V/B-34 (Residential Land No. 7)

- Station 824+25 to Station 825+00 (CL Illinois Route 62), 0 to 70 feet LT (Residence, PESA Site 1586V/B-34, 144 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Arsenic, and Manganese.
- Station 825+00 to Station 826+70 (CL Illinois Route 62), 0 to 70 feet LT (Residence, PESA Site 1586V/B-34, 144 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.
- Station 826+70 to Station 829+75 (CL Illinois Route 62), 0 to 55 feet LT (Residence, PESA Site 1586V/B-34, 144 Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(b)(1) and shall be managed in accordance to Article 669.09.

### Site 1586V/B-32 (Vacant Land No. 5)

 Station 829+75 to Station 830+80 (CL Illinois Route 62), 0 to 55 feet LT (Vacant Land, PESA Site 1586V/B-32, 140 block of Algonquin Road, Barrington Hills). This material meets the criteria of Article 669.09(a)(2) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Manganese.

#### TRAFFIC CONTROL PLAN

Effective: September 30, 1985 Revised: January 1, 2007

Traffic Control shall be according to the applicable sections of the Standard Specifications, the Supplemental Specifications, the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", any special details and Highway Standards contained in the plans, and the Special Provisions contained herein.

Special attention is called to Article 107.09 of the Standard Specifications and the following Highway Standards, Details, Quality Standard for Work Zone Traffic Control Devices, Recurring Special Provisions and Special Provisions contained herein, relating to traffic control.

The Contractor shall contact the District One Bureau of Traffic at least 72 hours in advance of beginning work.

## STANDARDS:

| 701001-02           | OFF-RD OPERATIONS, 2L, 2W MORE THAT 15' (4.5m) AWAY         |
|---------------------|---|
| 701006-05           | OFF-RD OPERATIONS, 2L, 2W, 15' (4.5 m) TO 24" (600 mm) FROM |
|                     | PAVEMENT EDGE   |
| 701011-04           | OFF-ROAD MOVING OPERATIONS 2L, 2W DAY ONLY                  |
| 701311-03           | LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY          |
| 701326-04           | LANE CLOSURE, 2L, 2W, PAVEMENT WIDENING, FOR SPEEDS ≥ 45    |
|                     | MPH   |
| 701426-0 <b>9</b>   | LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING             |
|                     | OPERATION, FOR SPEEDS ≥ 45 MPH                              |
| 701501-06           | URBAN LANE CLOSURE, 2L, 2W,                                 |
| 701502-0 <i>1</i> 7 | URBAN LANE CLOSURE, 2L, 2W, WITH BIODIRECTIONAL LEFT        |
|                     | TURN LANE   |
| 701602-07           | URBAN LANE CLOSURE, MULTILANE, 2W WITH BIDIRECTIONAL        |
|                     | LEFT TURN LANE  |
| 701701-10           | URBAN LANE CLOSURE, MULTILANE INTERSECTION                  |
| 701901-06           | TRAFFIC CONTROL DEVICES                                     |
| 704001-0 <b>%</b>   | TEMPORARY CONCRETE BARRIER                                  |
| 782006              | GUARDRAIL AND BARRIER WALL REFLECTOR MARKING DETAILS        |
|                     |   |

#### DETAILS:

| TC-10 | TRAFFIC  | CONTROL     | AND     | PROTECTION    | FOR | SIDE | ROADS, |
|-------|----------|-------------|---------|---------------|-----|------|--------|
|       | INTERSEC | TIONS AND I | DRIVEW  | AYS           |     |      |        |
| TC-13 | DISTRICT | ONE TYPICAL | . PAVEN | MENT MARKINGS |     |      |        |
| TC-22 | ARTERIAL | ROAD INFOR  | 10ITAM  | N SIGN        |     |      |        |
| TC-26 | DRIVEWAY | / ENTRANCE  | SIGNIN  | G             |     |      |        |

## **SPECIAL PROVISIONS:**

PUBLIC CONVEINENCE AND SAFETY MAINTENANCE OF ROADWAYS TRAFFIC CONTROL AND PROTECTION (ARTERIALS)

KEEPING ARTERIAL ROADWAYS OPEN TO TRAFFIC (LANE CLOSURES ONLY)
TEMPORARY INFORMATION SIGNING.
AGGREGATE SURFACE COURSE FOR TEMPORARY ACCESS
TEMPOARY PAVEMENT
PAVEMENT MARKING REMOVAL
TEMPORARY PAVEMENT MARKING (BDE)
PORTABLE CHANGEABLE MESSAGE SIGNS (BDE)

### TRAFFIC CONTROL AND PROTECTION (ARTERIALS)

Effective: February 1, 1996 Revised: March 1, 2011

Specific traffic control plan details and Special Provisions have been prepared for this contract. This work shall include all labor, materials, transportation, handling and incidental work necessary to furnish, install, maintain and remove all traffic control devices required as indicated in the plans and as approved by the Engineer.

When traffic is to be directed over a detour route, the Contractor shall furnish, erect, maintain and remove all applicable traffic control devices along the detour route according to the details shown in the plans.

Method of Measurement: All traffic control (except Traffic Control and Protection (Expressways)) and temporary pavement markings) indicated on the traffic control plan details and specified in the Special Provisions will be measured for payment on a lump sum basis.

Basis of Payment: All traffic control and protection will be paid for at the contract lump sum price for TRAFFIC CONTROL AND PROTECTION (SPECIAL).

Temporary pavement markings will be paid for separately unless shown on a Standard.

## KEEPING ARTERIAL ROADWAYS OPEN TO TRAFFIC (LANE CLOSURES ONLY)

Effective: January 22, 2003 Revised: August 10, 2017

The Contractor shall provide the necessary traffic control devices to warn the public and to delineate the work zone as required in these Special Provisions, the Standard Specifications, the State Standards, and the District Details.

Arterial lane closures shall be in accordance with the Standard Specifications, Highway Standards, District Details, and the direction of the Engineer. The Contractor shall request and gain approval from the Engineer seventy—two (72) hours in advance of all long-term (24 hrs. or longer) lane closures.

Arterial lane closures not shown in the staging plans will not be permitted during peak traffic volume hours.

Peak traffic volume hours are defined as weekdays (Monday through Friday) from 7:00 AM to 9:00 AM and 4:00 PM to 6:00 PM.

Private vehicles shall not be parked in the work zone. Contractor's equipment and/or vehicles shall not be parked on the shoulders or in the median during non-working hours. The parking of equipment and/or vehicles on State right-of-way will only be permitted at locations approved by the Engineer in accordance with Articles 701.08 and 701.11 of the Standard Specifications.

Should the Contractor fail to completely open and keep open all the traffic lanes to traffic in accordance with the limitations specified above, the Contractor shall be liable to the Department for the amount of:

One lane or ramp blocked = \$1,000

Not as a penalty but as liquidated and ascertained damages for each and every 15 minute interval or a portion thereof that a lane is blocked outside the allowable time limitations. Such damages may be deducted by the Department from any monies due the Contractor. These damages shall apply during the contract time and during any extensions of the contract time.

# AGGREGATE SURFACE COURSE FOR TEMPORARY ACCESS

Effective: April 1, 2001 Revised: January 2, 2007

Revise Article 402.10 of the Standard Specifications to read:

"402.10 For Temporary Access. The contractor shall construct and maintain aggregate surface course for temporary access to private entrances, commercial entrances and roads according to Article 402.07 and as directed by the Engineer.

The aggregate surface course shall be constructed to the dimensions and grades specified below, except as modified by the plans or as directed by the Engineer.

- (a) Private Entrance. The minimum width shall be 12 ft (3.6 m). The minimum compacted thickness shall be 6 in. (150 mm). The maximum grade shall be eight percent, except as required to match the existing grade.
- (b) Commercial Entrance. The minimum width shall be 24 ft (7.2 m). The minimum compacted thickness shall be 9 in. (230 mm). The maximum grade shall be six percent, except as required to match the existing grade.
- (c) Road. The minimum width shall be 24 ft (7.2 m). The minimum compacted thickness shall be 9 in. (230 mm). The grade and elevation shall be the same as the removed pavement, except as required to meet the grade of any new pavement constructed.

Maintaining the temporary access shall include relocating and/or regrading the aggregate surface coarse for any operation that may disturb or remove the temporary access. The same

type and gradation of material used to construct the temporary access shall be used to maintain it

When use of the temporary access is discontinued, the aggregate shall be removed and utilized in the permanent construction or disposed of according to Article 202.03."

Add the following to Article 402.12 of the Standard Specifications:

"Aggregate surface course for temporary access will be measured for payment as each for every private entrance, commercial entrance or road constructed for the purpose of temporary access. If a residential drive, commercial entrance, or road is to be constructed under multiple stages, the aggregate needed to construct the second or subsequent stages will not be measured for payment but shall be included in the cost per each of the type specified."

Revise the second paragraph of Article 402.13 of the Standard Specifications to read:

"Aggregate surface course for temporary access will be paid for at the contract unit price per each for TEMPORARY ACCESS (PRIVATE ENTRANCE), TEMPORARY ACCESS (COMMERCIAL ENTRANCE) or TEMPORARY ACCESS (ROAD).

Partial payment of the each amount bid for temporary access, of the type specified, will be paid according to the following schedule:

- (a) Upon construction of the temporary access, sixty percent of the contract unit price per each, of the type constructed, will be paid.
- (b) Subject to the approval of the Engineer for the adequate maintenance and removal of the temporary access, the remaining forty percent of the pay item will be paid upon the permanent removal of the temporary access."

## **TEMPORARY INFORMATION SIGNING**

Effective: November 13, 1996 Revised: January 2, 2007

#### Description.

This work shall consist of furnishing, installing, maintaining, relocating for various states of construction and eventually removing temporary informational signs. Included in this item may be ground mount signs, skid mount signs, truss mount signs, bridge mount signs, and overlay sign panels which cover portions of existing signs.

## Materials.

Materials shall be according to the following Articles of Section 1000 - Materials:

|     | <u>ltem</u>             | Article/Section |
|-----|-------------------------|-----------------|
| a.) | Sign Base (Notes 1 & 2) | 1090            |
| b.) | Sign Face (Note 3)      | 1091            |
| c.) | Sign Legends            | 1092            |
| d.) | Sign Supports           | 1093            |
| e.) | Overlay Panels (Note 4) | 1090.02         |

- Note 1. The Contractor may use 5/8 inch (16 mm) instead of 3/4 inch (19 mm) thick plywood.
- Note 2. Type A sheeting can be used on the plywood base.
- Note 3. All sign faces shall be Type A except all orange signs shall meet the requirements of Article 1106.01.
- Note 4. The overlay panels shall be 0.08 inch (2 mm) thick.

### **GENERAL CONSTRUCTION REQUIRMENTS**

#### Installation.

The sign sizes and legend sizes shall be verified by the Contractor prior to fabrication.

Signs which are placed along the roadway and/or within the construction zone shall be installed according to the requirements of Article 701.14 and Article 720.04. The signs shall be 7 ft (2.1 m) above the near edge of the pavement and shall be a minimum of 2 ft (600 mm) beyond the edge of the paved shoulder. A minimum of two (2) posts shall be used.

The attachment of temporary signs to existing sign structures or sign panels shall be approved by the Engineer. Any damage to the existing signs due to the Contractor's operations shall be repaired or signs replaced, as determined by the Engineer, at the Contractor's expense.

Signs which are placed on overhead bridge structures shall be fastened to the handrail with stainless steel bands. These signs shall rest on the concrete parapet where possible. The Contractor shall furnish mounting details for approval by the Engineer.

## Method of Measurement.

This work shall be measured for payment in square feet (square meters) edge to edge (horizontally and vertically).

All hardware, posts or skids, supports, bases for ground mounted signs, connections, which are required for mounting these signs will be included as part of this pay item.

### Basis of Payment.

This work shall be paid for at the contract unit price per square foot (square meter) for TEMPORARY INFORMATION SIGNING

#### TEMPORARY PAVEMENT

Effective: March 1, 2003 Revised: April 10, 2008

<u>Description.</u> This work shall consist of constructing a temporary pavement at the locations shown on the plans or as directed by the engineer.

The contractor shall use either Portland cement concrete according to Sections 353 and 354 of the Standard Specifications or HMA according to Sections 355, 356, 406 of the Standard Specifications, and other applicable HMA special provisions as contained herein. The HMA mixtures to be used shall be specified in the plans. The thickness of the Temporary Pavement shall be as described in the plans.

The contractor shall have the option of constructing either material type if both Portland cement concrete and HMA are shown in the plans.

Articles 355.08 and 406.11 of the Standard Specifications shall not apply.

The removal of the Temporary Pavement, if required, shall conform to Section 440 of the Standard Specification.

Method of Measurement. Temporary pavement will be measured in place and the area computed in square yards (square meters).

<u>Basis of Payment.</u> This work will be paid for at the contract unit price per square yard (square meter) for TEMPORARY PAVEMENT and TEMPORARY PAVEMENT (INTERSTATE).

Removal of temporary pavement will be paid for at the contract unit price per square yard (square meter) for PAVEMENT REMOVAL.

#### TRAFFIC SIGNAL GENERAL REQUIREMENTS

Effective: May 22, 2002 Revised: March 25, 2016

800,01TS

These Traffic Signal Special Provisions and the "District One Standard Traffic Signal Design Details" supplement the requirements of the State of Illinois "Standard Specifications for Road and Bridge Construction." The intent of these Special Provisions is to prescribe the materials and construction methods commonly used for traffic signal installations.

- All material furnished shall be new unless otherwise noted herein.
- Traffic signal construction and maintenance work shall be performed by personnel holding current IMSA Traffic Signal Technician Level II certification. A copy of the certification shall be immediately available upon request of the Engineer.
- The work to be done under this contract consists of furnishing, installing and maintaining
  all traffic signal work and items as specified in the Plans and as specified herein in a
  manner acceptable and approved by the Engineer.

### Definitions of Terms.

Add the following to Section 101 of the Standard Specifications:

101.56 Vendor. Company that sells a particular type of product directly to the contractor or the Equipment Supplier.

101.57 Equipment supplier. Company that supplies, represents and provides technical support for IDOT District One approved traffic signal controllers and other related equipment. The Equipment Supplier shall be located within IDOT District One and shall:

- Be full service with on-site facilities to assemble, test and trouble-shoot traffic signal controllers and cabinet assemblies.
- Maintain an inventory of IDOT District One approved controllers and cabinets.
- Be staffed with permanent sales and technical personnel able to provide traffic signal controller and cabinet expertise and support.
- Technical staff shall hold current IMSA Traffic Signal Technician Level III certification and shall attend traffic signal turn-ons and inspections with a minimum 14 calendar day notice.

### Submittals.

Revise Article 801.05 of the Standard Specifications to read:

All material approval requests shall be submitted electronically through the District's SharePoint System unless directed otherwise by the Engineer. Electronic material submittals shall follow the District's Traffic Operations Construction Submittals guidelines. General requirements include:

- 1. All material approval requests shall be made prior to or no later than the date of the preconstruction meeting. A list of major traffic signal items can be found in Article 801.05. Material or equipment which is similar or identical shall be the product of the same manufacturer, unless necessary for system continuity. Traffic signal materials and equipment shall bear the U.L. label whenever such labeling is available.
- 2. Product data and shop drawings shall be assembled by pay item. Only the top sheet of each pay item submittal will be stamped by the Department with the review status, except shop drawings for mast arm pole assemblies and the like will be stamped with the review status on each sheet.
- 3. Original manufacturer published product data and shop drawing sheets with legible dimensions and details shall be submitted for review.
- 4. When hard copy submittals are necessary, four complete copies of the manufacturer's descriptive literatures and technical data for the traffic signal materials shall be submitted. For hard copy or electronic submittals, the descriptive literature and technical data shall be adequate for determining whether the materials meet the requirements of the plans and specifications. If the literature contains more than one item, the Contractor shall indicate which item or items will be furnished.
- 5. When hard copy submittals are necessary for structural elements, four complete copies of the shop drawings for the mast arm assemblies and poles, and the combination mast arm assemblies and poles showing, in detail, the fabrication thereof and the certified mill

- analyses of the materials used in the fabrication, anchor rods, and reinforcing materials shall be submitted.
- 6. Partial or incomplete submittals will be returned without review.
- 7. Certain non-standard mast arm poles and special structural elements will require additional review from IDOT's Central Office. Examples include ornamental/decorative, non-standard length mast arm pole assemblies and monotube structures. The Contractor shall account for the additional review time in his schedule.
- 8. The contract number or permit number, project location/limits and corresponding pay code number must be on each sheet of correspondence, catalog cuts and mast arm poles and assemblies drawings.
- 9. Where certifications and/or warranties are specified, the information submitted for approval shall include certifications and warranties. Certifications involving inspections, and/or tests of material shall be complete with all test data, dates, and times.
- 10. After the Engineer reviews the submittals for conformance with the design concept of the project, the Engineer will stamp the drawings indicating their status as 'Approved', 'Approved-As-Noted', 'Disapproved', or 'Incomplete'. Since the Engineer's review is for conformance with the design concept only, it is the Contractor's responsibility to coordinate the various items into a working system as specified. The Contractor shall not be relieved from responsibility for errors or omissions in the shop, working, layout drawings, or other documents by the Department's approval thereof. The Contractor must still be in full compliance with contract and specification requirements.
- 11. The Contractor shall secure approved materials in a timely manner to assure construction schedules are not delayed.
- 12. All submitted items reviewed and marked 'APPROVED AS NOTED', 'DISAPPROVED', or 'INCOMPLETE' are to be resubmitted in their entirety, unless otherwise indicated within the submittal comments, with a disposition of previous comments to verify contract compliance at no additional cost to the contract.
- 13. Exceptions to and deviations from the requirements of the Contract Documents will not be allowed. It is the Contractor's responsibility to note any deviations from Contract requirements at the time of submittal and to make any requests for deviations in writing to the Engineer. In general, substitutions will not be acceptable. Requests for substitutions must demonstrate that the proposed substitution is superior to the material or equipment required by the Contract Documents. No exceptions, deviations or substitutions will be permitted without the approval of the Engineer.
- 14. Contractor shall not order major equipment such as mast arm assemblies prior to Engineer approval of the Contractor marked proposed traffic signal equipment locations to assure proper placement of contract required traffic signal displays, push buttons and other facilities. Field adjustments may require changes in proposed mast arm length and other coordination.

# Marking Proposed Locations.

Revise "Marking Proposed Locations for Highway Lighting System" of Article 801.09 to read "Marking Proposed Locations for Highway Lighting System and Traffic Signals."

Add the following to Article 801.09 of the Standard Specifications:

It shall be the contractor's responsibility to verify all dimensions and conditions existing in the field prior to ordering materials and beginning construction. This shall include locating the mast arm foundations and verifying the mast arms lengths.

### Inspection of Electrical Systems.

Add the following to Article 801.10 of the Standard Specifications:

(c) All cabinets including temporary traffic signal cabinets shall be assembled by an approved equipment supplier in District One. The Department reserves the right to request any controller and cabinet to be tested at the equipment supplier's facility prior to field installation, at no extra cost to this contract.

### Maintenance and Responsibility.

Revise Article 801.11 of the Standard Specifications to read:

- Existing traffic signal installations and/or any electrical facilities at all or various a. locations may be altered or reconstructed totally or partially as part of the work on this Contract. The Contractor is hereby advised that all traffic control equipment, presently installed at these locations, may be the property of the State of Illinois, Department of Transportation, Division of Highways, County, Private Developer, Municipality or Transit Agency in which they are located. Once the Contractor has begun any work on any portion of the project, all traffic signals within the limits of this contract or those which have the item "Maintenance of Existing Traffic Signal Installation," "Temporary Traffic Signal Installation(s)" and/or "Maintenance of Existing Flashing Beacon Installation," shall become the full responsibility of the Contractor. The Contractor shall supply the Engineer, Area Traffic Signal Maintenance and Operations Engineer, IDOT ComCenter and the Department's Electrical Maintenance Contractor with two 24hour emergency contact names and telephone numbers.
- b. Automatic Traffic Enforcement equipment such as red lighting running and railroad crossing camera systems are owned and operated by others and the Contractor shall not be responsible for maintaining this equipment.
- c. Regional transit, County and other agencies may also have equipment connected to existing traffic signal or peripheral equipment such as PTZ cameras, switches, transit signal priority (TSP and BRT) servers and other devices that shall be included with traffic signal maintenance at no additional cost to the contract.
- d. When the project has a pay item for "Maintenance of Existing Traffic Signal Installation," "Temporary Traffic Signal Installation(s)" and/or "Maintenance of Existing Flashing Beacon Installation," the Contractor must notify both the Area Traffic Signal Maintenance and Operations Engineer at (847) 705-4424 and the Department's Electrical Maintenance Contractor, of their intent to begin any physical construction work on the Contract or any portion thereof. This notification must be made a minimum of seven (7) working days prior to the start of construction to allow sufficient time for inspection of the existing traffic signal

installation(s) and transfer of maintenance to the Contractor. The Department will attempt to full-fill the Contractor's inspection date request(s), however workload and other conditions may prevent the Department from accommodating specific dates or times. The Contractor shall not be entitled to any other compensation if the requested inspection date(s) cannot be scheduled by the Department. If work is started prior to an inspection, maintenance of the traffic signal installation(s) will be transferred to the Contractor without an inspection. The Contractor will become responsible for repairing or replacing all equipment that is not operating properly or is damaged at no cost to the owner of the traffic signal. Final repairs or replacement of damaged equipment must meet the approval of the Engineer prior to or at the time of final inspection otherwise the traffic signal installation will not be accepted.

- e. The Contractor is advised that the existing and/or temporary traffic signal installation must remain in operation during all construction stages, except for the most essential down time. Any shutdown of the traffic signal installation, which exceeds fifteen (15) minutes, must have prior approval of the Engineer. Approval to shut down the traffic signal installation will only be granted during the period extending from 10:00 a.m. to 3:00 p.m. on weekdays. Shutdowns shall not be allowed during inclement weather or holiday periods.
- f. The Contractor shall be fully responsible for the safe and efficient operation of the traffic signals and other equipment noted herein. Any inquiry, complaint or request by the Department, the Department's Electrical Maintenance Contractor or the public, shall be investigated and repairs begun within one hour. Failure to provide this service will result in liquidated damages of \$1000 per day per occurrence. In addition, the Department reserves the right to assign any work not completed within this timeframe to the Electrical Maintenance Contractor. All costs associated to repair this uncompleted work shall be the responsibility of the Contractor. Failure to pay these costs to the Electrical Maintenance Contractor within one month after the incident will result in additional liquidated damages of \$1000 per month per occurrence. Unpaid bills will be deducted from the cost of the Contract. The Department may inspect any signalizing device on the Department's highway system at any time without notification.
- g. Any proposed activity in the vicinity of a highway-rail grade crossing must adhere to the guidelines set forth in the current edition of the Manual on Uniform Traffic Control Devices (MUTCD) regarding work in temporary traffic control zones in the vicinity of highway-rail grade crossings which states that lane restrictions, flagging, or other operations shall not create conditions where vehicles can be queued across the railroad tracks. If the queuing of vehicles across the tracks cannot be avoided, a uniformed law enforcement officer or flagger shall be provided at the crossing to prevent vehicles from stopping on the tracks, even if automatic warning devices are in place.
- h. The Contractor shall be responsible to clear snow, ice, dirt, debris or other condition that obstructs visibility of any traffic signal display or access to traffic signal equipment.

i. The Contractor shall maintain the traffic signal in normal operation during short or long term loss of utility or battery back-up power at critical locations designated by the Engineer. Critical locations may include traffic signals interconnected to railroad warning devices, expressway ramps, intersection with an SRA route, critical corridors or other locations identified by the Engineer. Temporary power to the traffic signal must meet applicable NEC and OSHA guidelines and may include portable generators and/or replacement batteries. Temporary power to critical locations shall not be for separately but shall be included in the contract.

## Damage to Traffic Signal System.

Add the following to Article 801.12(b) of the Standard Specifications to read:

Any traffic signal control equipment damaged or not operating properly from any cause shall be replaced with new equipment meeting current District One traffic signal specifications and provided by the Contractor at no additional cost to the Contract and/or owner of the traffic signal system, all as approved by the Engineer. Final replacement of damaged equipment must meet the approval of the Engineer prior to or at the time of final inspection otherwise the traffic signal installation will not be accepted. Cable splices are only allowed at the bases pf post and mast arms.

Temporary replacement of damaged or knockdown of a mast arm pole assembly shall require construction of a full or partial span wire signal installation or other method approved by the Engineer to assure signal heads are located overhead and over traveled pavement. Temporary replacement of mast arm mount signals with post mount signals will not be permitted.

Automatic Traffic Enforcement equipment, such as Red Light Enforcement cameras, detectors, and peripheral equipment, damaged or not operating properly from any cause, shall be the responsibility of the municipality or the Automatic Traffic Enforcement company per Permit agreement.

## Traffic Signal Inspection (TURN-ON).

Revise Article 801.15(b) of the Standard Specifications to read:

It is the intent to have all electric work completed and equipment field tested by the Equipment Supplier prior to the Department's "turn-on" field inspection. If in the event the Engineer determines work is not complete and the inspection will require more than two (2) hours to complete, the inspection shall be canceled and the Contractor will be required to reschedule at another date. The maintenance of the traffic signals will not be accepted until all punch list work is corrected and re-inspected.

When the road is open to traffic, except as otherwise provided in Section 850 of the Standard Specifications, the Contractor may request a turn-on and inspection of the completed traffic signal installation at each separate location. This request must be made to the Area Traffic Signal Maintenance and Operations Engineer at (847) 705-4424 a minimum of seven (7) working days prior to the time of the requested inspection. The Department will attempt to full-fill the Contractor's turn-on and inspection date request(s), however workload and other conditions may prevent the Department from accommodating specific dates or times. The

Contractor shall not be entitled to any other compensation if the requested turn-on and inspection date(s) cannot be scheduled by the Department. The Department will not grant a field inspection until written or electronic notification is provided from the Contractor that the equipment has been field tested and the intersection is operating according to Contract requirements. The Contractor must invite local fire department personnel to the turn-on when Emergency Vehicle Preemption (EVP) is included in the project. When the contract includes the item RE-OPTIMIZE TRAFFIC SIGNAL SYSTEM, OPTIMIZE TRAFFIC SIGNAL SYSTEM, or TEMPORARY TRAFFIC SIGNAL TIMINGS, the Contractor must notify the SCAT Consultant of the turn-on/detour implementation schedule, as well as stage changes and phase changes during construction.

The Contractor must have all traffic signal work completed and the electrical service installation connected by the utility company prior to requesting an inspection and turn-on of the traffic signal installation. The Contractor shall be responsible to provide a police officer to assist with traffic control at the time of testing.

The Contractor shall provide a representative from the control equipment vendor's office who is knowledgeable of the cabinet design and controller functions to attend the traffic signal inspection for both permanent and temporary traffic signal turn-ons.

Upon demonstration that the signals are operating and all work is completed in accordance with the Contract and to the satisfaction of the Engineer, the Engineer will then allow the signals to be placed in continuous operation. The Agency that is responsible for the maintenance of each traffic signal installation will assume the maintenance upon successful completion of this inspection.

The District requires the following Final Project Documentation from the Contractor at traffic signal turn-ons in electronic format in addition to hard copies where noted. A CD/DVD shall be submitted with separate folders corresponding to each numbered title below. The CD/DVD shall be labelled with date, project location, company and contract or permit number. Record Drawings, Inventory and Material Approvals shall be submitted prior to traffic signal turn-on for review by the Department as described here-in.

#### Final Project Documentation:

- 1. Record Drawings. Signal plans of record with field revisions marked in red ink. One hard copy set of 11"x17" record drawings shall also be provided.
- Inventory. Inventory of new and existing traffic signal equipment including cabinet types and devices within cabinets in an Excel spread sheet format. One hard copy shall also be provided.
- Pictures. Digital pictures of a minimum 12M pixels of each intersection approach showing all traffic signal displays and equipment. Pictures shall include controller cabinet equipment in enough detail to clearly identify manufacture and model of major equipment.
- 4. Field Testing. Written notification from the Contractor and the equipment vendor of satisfactory field testing with corresponding material performance measurements, such as for detector loops and fiber optic systems (see Article 801.13). One hard copy of all contract required performance measurement testing shall also be provided.

- 5. Materials Approval. The material approval letter. A hard copy shall also be provided.
- 6. Manuals. Operation and service manuals of the signal controller and associated control equipment. One hard copy shall also be provided.
- 7. Cabinet Wiring Diagram and Cable Logs. Five (5) hard copies 11" x 17" of the cabinet wiring diagrams shall be provided along with electronic pdf and dgn files of the cabinet wiring diagram. Five hard copies of the cable logs and electronic excel files shall be provided with cable #, number of conductors and spares, connected device/signal head and intersection location.
- 8. Controller Programming Settings. The traffic signal controller's timings; backup timings; coordination splits, offsets, and cycles; TBC Time of Day, Week and Year Programs; Traffic Responsive Program, Detector Phase Assignment, Type and Detector Switching; and any other functions programmable from the keyboard. The controller manufacturer shall also supply a printed form, not to exceed 11" x 17" for recording that data noted above. The form shall include a location, date, manufacturer's name, controller model and software version. The form shall be approved by the Engineer and a minimum of three (3) copies must be furnished at each turn-on. The manufacturer must provide all programming information used within the controller at the time of turn-on.
- 9. Warrantees and Guarantees. All manufacturer and contractor warrantees and guarantees required by Article 801.14.
- 10. GPS coordinate of traffic signal equipment as describe in the Record Drawings section herein.

Acceptance of the traffic signal equipment by the Department shall be based upon inspection results at the traffic signal "turn on", completeness of the required documentation and successful operation during a minimum 72 hour "burn-in" period following activation of the traffic signal. If approved, traffic signal acceptance shall be verbal at the "turn on" inspection followed by written correspondence from the Engineer. The Contractor shall be responsible for all traffic signal equipment and associated maintenance thereof until Departmental acceptance is granted.

All equipment and/or parts to keep the traffic signal installation operating shall be furnished by the Contractor. No spare traffic signal equipment is available from the Department.

All punch list work shall be completed within two (2) weeks after the final inspection. The Contractor shall notify the Electrical Maintenance Contractor to inspect all punch list work. Failure to meet these time constraints shall result in liquidated damage charges of \$500 per month per incident.

All cost of work and materials required to comply with the above requirements shall be included in the pay item bid prices, under which the subject materials and signal equipment are paid, and no additional compensation will be allowed. Materials and signal equipment not complying with the above requirements shall be subject to removal and disposal at the Contractor's expense.

# Record Drawings.

The requirements listed for Electrical Installation shall apply for Traffic Signal Installations in Article 801.16. Revise the 2<sup>nd</sup> paragraph of Article 801.16 of the Standard Specifications to read:

"When the work is complete, and seven days before the request for a final inspection, the reduced-size set of contract drawings, stamped "RECORD DRAWINGS", shall be submitted to the Engineer for review and approval and shall be stamped with the date and the signature of the Contractor's supervising Engineer or electrician. The record drawings shall be submitted in PDF format on CDROM as well as hardcopy for review and approval. If the contract consists of multiple intersections, each intersection shall be saved as an individual PDF file with TS# and location name in its file name.

In addition to the record drawings, copies of the final catalog cuts which have been Approved or Approved as Noted shall be submitted in PDF format along with the record drawings. The PDF files shall clearly indicate the pay item either by filename or PDF Table of Contents referencing the respective pay item number for multi-item PDF files. Specific part or model numbers of items which have been selected shall be clearly visible."

As part of the record drawings, the Contractor shall inventory all traffic signal equipment, new or existing, on the project and record information in an Excel spreadsheet. The inventory shall include equipment type, model numbers, software manufacturer and version and quantities.

Add the following to Article 801.16 of the Standard Specifications:

"In addition to the specified record drawings, the Contactor shall record GPS coordinates of the following traffic signal components being installed, modified or being affected in other ways by this contract:

- All Mast Arm Poles and Posts
- Traffic Signal Wood Poles
- Rail Road Bungalow
- UPS
- Handholes
- Conduit roadway crossings
- Controller Cabinets
- Communication Cabinets
- Electric Service Disconnect locations
- CCTV Camera installations
- Fiber Optic Splice Locations
- Conduit Crossings

Datum to be used shall be North American 1983.

Data shall be provided electronically and in print form. The electronic format shall be compatible with MS Excel. Latitude and Longitude shall be in decimal degrees with a minimum of 6 decimal places. Each coordinate shall have the following information:

- File shall be named: TSXXX-YY-MM-DD (i.e. TS22157 15-01-01)
- Each intersection shall have its own file
- Row 1 should have the location name (i.e. IL 31 @ Klausen)
- Row 2 is blank
- Row 3 is the headers for the columns
- Row 4 starts the data
- Column A (Date) should be in the following format: MM/DD/YYYY
- Column B (Item) as shown in the table below
- Column C (Description) as shown in the table below
- Column D and E (GPS Data) should be in decimal form, per the IDOT special provisions

## Examples:

| Date       | ltem                            | Description  | Latitude  | Longitude  |
|------------|---------------------------------|--|-----------|------------|
| 01/01/2015 | MP (Mast Arm Pole)              | NEQ, NB, Dual,<br>Combination Pole                         | 41.580493 | -87.793378 |
| 01/01/2015 | HH (Handhole)                   | Heavy Duty, Fiber,<br>Intersection, Double                 | 41.558532 | -87.792571 |
| 01/01/2015 | ES (Electrical Service)         | Ground mount, Pole mount                                   | 41.765532 | -87.543571 |
| 01/01/2015 | CC (Controller Cabinet)         |  | 41.602248 | -87.794053 |
| 01/01/2015 | RSC (Rigid Steel Crossing)      | IL 31 east side crossing south leg to center HH at Klausen | 41.611111 | -87.790222 |
| 01/01/2015 | PTZ (PTZ)                       | NEQ extension pole   | 41.593434 | -87.769876 |
| 01/01/2015 | POST (Post)                     |  | 41.651848 | -87.762053 |
| 01/01/2015 | MCC (Master Controller Cabinet) |  | 41.584593 | -87.793378 |
| 01/01/2015 | COMC (Communication Cabinet)    |  | 41.584600 | -87.793432 |
| 01/01/2015 | BBS (Battery Backup<br>System)  |  | 41.558532 | -87.792571 |
| 01/01/2015 | CNCR (Conduit Crossing)         | 4-inch IL 31 n/o of Klausen                                | 41.588888 | -87.794440 |

Prior to the collection of data, the contractor shall provide a sample data collection of at least six data points of known locations to be reviewed and verified by the Engineer to be accurate within 1 foot. Upon verification, data collection can begin. Data collection can be made as construction progresses, or can be collected after all items are installed. If the data is unacceptable the contractor shall make corrections to the data collection equipment and or process and submit the data for review and approval as specified.

Accuracy. Data collected is to be mapping grade. A handheld mapping grade GPS device shall be used for the data collection. The receiver shall support

differential correction and data shall have a minimum 1 foot accuracy after post processing.

GPS receivers integrated into cellular communication devices, recreational and automotive GPS devices are not acceptable.

The GPS shall be the product of an established major GPS manufacturer having been in the business for a minimum of 6 years."

Delete the last sentence of the 3<sup>rd</sup> paragraph of Article 801.16.

<u>IDOT traffic signal facilities are not part of any of the one-call locating service such as J.U.L.I.E or Digger.</u> If this Contract requires the services of an Electrical Contractor, the Contractor shall be responsible at his/her own expense for locating existing IDOT electrical facilities prior to performing any work. If this Contract does not require the services of an Electrical Contractor, the Contractor may request one free locate for existing IDOT electrical facilities from the District One Electrical Maintenance Contractor prior to the start of any work. Additional requests may be at the expense of the Contractor. The location of underground traffic facilities does not relieve the Contractor of their responsibility to repair any facilities damaged during construction at their expense.

The exact location of all utilities shall be field verified by the Contractor before the installation of any components of the traffic signal system. For locations of utilities, locally owned equipment, and leased enforcement camera system facilities, the local Counties or Municipalities may need to be contacted: in the City of Chicago contact Digger at (312) 744-7000 and for all other locations contact J.U.L.I.E. at 1-800-892-0123 or 811.

# Restoration of Work Area.

Add the following article to Section 801 of the Standard Specifications:

801.17 Restoration of work area. Restoration of the traffic signal work area shall be included in the related pay items such as foundation, conduit, handhole, underground raceways, etc. All roadway surfaces such as shoulders, medians, sidewalks, pavement, etc. shall be replaced in kind. All damage to mowed lawns shall be replaced with an approved sod, and all damage to unmowed fields shall be seeded. All brick pavers disturbed in the work area shall be restored to their original configuration as directed by the Engineer. All damaged brick pavers shall be replaced with a comparable material approved by the Engineer. Restoration of the work area shall be included in the contract without any extra compensation allowed to the Contractor.

## Bagging Signal Heads.

Light tan colored traffic and pedestrian signal reusable covers shall be used to cover dark/unenergized signal sections and visors. Covers shall be made of outdoor fabric with urethane coating for repelling water, have elastic fully sewn around the cover ends for a tight fit over the visor, and have a minimum of two straps with buckles to secure the cover to the backplate. A center mesh strip allows viewing without removal for signal status testing purposes. Covers shall include a message indicating the signal is not in service.

# SERVICE INSTALLATION (TRAFFIC SIGNALS)

Effective: May 22, 2002 Revised: June 15, 2016

805.01TS

Revise Section 805 of the Standard Specifications to read:

#### Description.

This work shall consist of all materials and labor required to install, modify, or extend the electric service installation. All installations shall meet the requirements of the "District One Standard Traffic Signal Design Details".

## General.

The electric service installation shall be the electric service disconnecting means and it shall be identified as suitable for use as service equipment.

The electric utility contact information is noted on the plans and represents the current information at the time of contract preparation. The Contractor must request in writing for service and/or service modification within 10 days of contract award and must follow-up with the electric utility to assure all necessary documents and payment are received by the utility. The Contractor shall forward copies of all correspondence between the contractor and utility company to the Engineer and Area Traffic Signal Maintenance and Operations Engineer. The service agreement and sketch shall be submitted for signature to the IDOT's Traffic Operations Programs Engineer.

#### Materials.

a. General. The completed control panel shall be constructed in accordance with UL Std. 508A, Industrial Control Panel, and carry the UL label. Wire terminations shall be UL listed.

#### b. Enclosures.

- 1. Pole Mounted Cabinet. The cabinet shall be UL 50, NEMA Type 4X, unfinished single door design, fabricated from minimum 0.080-inch (2.03 mm) thick Type 5052 H-32 aluminum. Seams shall be continuous welded and ground smooth. Stainless steel screws and clamps shall secure the cover and assure a watertight seal. The cover shall be removable by pulling the continuous stainless steel hinge pin. The cabinet shall have an oil-resistant gasket and a lock kit shall be provided with an internal O-ring in the locking mechanism assuring a watertight and dust-tight seal. The cabinet shall be sized to adequately house all required components with extra space for arrangement and termination of wiring. A minimum size of 14-inches (350 mm) high, 9-inches (225 mm) wide and 8-inches (200 mm) in depth is required. The cabinet shall be channel mounted to a wooden utility pole using assemblies recommended by the vendor.
- Ground Mounted Cabinet. The cabinet shall be UL 50, NEMA Type 3R unfinished single door design with back panel. The cabinet shall be fabricated from Type 5052 H-32 aluminum with the frame and door 0.125-inch (3.175 mm) thick, the top 0.250-inch (6.350 mm) thick and the bottom

0.500-inch (12.70 mm) thick. Seams shall be continuous welded and ground smooth. The door and door opening shall be double flanged. The door shall be approximately 80% of the front surface, with a full length tamperproof stainless steel .075-inch (1.91 mm) thick hinge bolted to the cabinet with stainless steel carriage bolts and nylocks nuts. The locking mechanism shall be slam-latch type with a keyhole cover. The cabinet shall be sized to adequately house all required components with extra space for arrangement and termination of wiring. A minimum size of 40-inches (1000 mm) high, 16-inches (400 mm) wide and 15-inches (375 mm) in depth is required. The cabinet shall be mounted upon a square Type A concrete foundation as indicated on the plans. The foundation is paid for separately.

- 3. All enclosures shall include a green external power indicator LED light with circuitry as shown in the Electrical Service-Panel Diagram detail sheet. For pole mounted service enclosures, the power indicator light shall be mounted as shown in the detail. For ground mounted enclosures, the power indicator light shall be mounted on the side of the enclosure most visible from the major roadway.
- c. Electric Utility Meter Housing and Riser. The electric meter housing and meter socket shall be supplied and installed by the contractor. The contractor is to coordinate the work to be performed and the materials required with the utility company to make the final connection at the power source. Electric utility required risers, weather/service head and any other materials necessary for connection shall also be included in the pay item. Materials shall be in accordance with the electric utility's requirements. For ground-mounted service, the electric utility meter housing shall be mounted to the enclosure. The meter shall be supplied by the utility company. Metered service shall not be used unless specified in the plans.
- d. Surge Protector. Overvoltage protection, with LED indicator, shall be provided for the 120 volt load circuit by the means MOV and thermal fusing technology. The response time shall be <5n seconds and operate within a range of -40C to +85C. The surge protector shall be UL 1449 Listed.
- e. Circuit Breakers. Circuit breakers shall be standard UL listed molded case, thermal-magnetic bolt-on type circuit breakers with trip free indicating handles. 120 volt circuit breakers shall have an interrupting rating of not less than 65,000 rms symmetrical amperes. Unless otherwise indicated, the main disconnect circuit breaker for the traffic signal controller shall be rated 60 amperes, 120 V and the auxiliary circuit breakers shall be rated 10 amperes, 120 V.
- f. Fuses, Fuseholders and Power Indicating Light. Fuses shall be small-dimensional cylindrical fuses of the dual element time-delay type. The fuses shall be rated for 600 V AC and shall have a UL listed interrupting rating of not less than 10,000 rms symmetrical amperes at rated voltage. The power indicating light shall be LED type with a green colored lens and shall be energized when electric utility power is present.

- g. Ground and Neutral Bus Bars. A single copper ground and neutral bus bar, mounted on the equipment panel shall be provided. Ground and neutral conductors shall be separated on the bus bar. Compression lugs, plus 2 spare lugs, shall be sized to accommodate the cables with the heads of the connector screws painted green for ground connections and white for neutral connections.
- h. Utility Services Connection. The Contractor shall notify the Utility Company marketing representative a minimum of 30 working days prior to the anticipated date of hook-up. This 30 day advance notification will begin only after the Utility Company marketing representative has received service charge payments from the Contractor. Prior to contacting the Utility Company marketing representative for service connection, the service installation controller cabinet and cable must be installed for inspection by the Utility Company.
- i. Ground Rod. Ground rods shall be copper-clad steel, a minimum of 10 feet (3.0m) in length, and 3/4 inch (20mm) in diameter. Ground rod resistance measurements to ground shall be 25 ohms or less. If necessary additional rods shall be installed to meet resistance requirements at no additional cost to the contract.

## Installation.

- a. General. The Contractor shall confirm the orientation of the traffic service installation and its door side with the engineer, prior to installation. All conduit entrances into the service installation shall be sealed with a pliable waterproof material.
- b. Pole Mounted. Brackets designed for pole mounting shall be used. All mounting hardware shall be stainless steel. Mounting height shall be as noted on the plans or as directed by the Engineer.
- c. Ground Mounted. The service installation shall be mounted plumb and level on the foundation and fastened to the anchor bolts with hot-dipped galvanized or stainless steel nuts and washers. The space between the bottom of the enclosure and the top of the foundation shall be caulked at the base with silicone.

### Basis of Payment.

The service installation shall be paid for at the contract unit price each for SERVICE INSTALLATION of the type specified which shall be payment in full for furnishing and installing the service installation complete. The CONCRETE FOUNDATION, TYPE A, which includes the ground rod, shall be paid for separately. SERVICE INSTALLATION, POLE MOUNTED shall include the 3/4 inch (20mm) grounding conduit, ground rod, and pole mount assembly. Any charges by the utility companies shall be approved by the engineer and paid for as an addition to the contract according to Article 109.05 of the Standard Specifications.

## **GROUNDING OF TRAFFIC SIGNAL SYSTEMS**

Effective: May 22, 2002 Revised: July 1, 2015

806.01TS

Revise Section 806 of the Standard Specifications to read:

#### General.

All traffic signal systems, equipment and appurtenances shall be properly grounded in strict conformance with the NEC. This work shall be in accordance with IDOT's District One Traffic Signal Design Details.

The grounding electrode system shall include a ground rod installed with each traffic signal controller concrete foundation and all mast arm and post concrete foundations. An additional ground rod will be required at locations were measured resistance exceeds 25 ohms. Ground rods are included in the applicable concrete foundation or service installation pay item and will not be paid for separately.

Testing shall be according to Article 801.13 (a) (4) and (5).

- (a) The grounded conductor (neutral conductor) shall be white color coded. This conductor shall be bonded to the equipment grounding conductor only at the Electric Service Installation. All power cables shall include one neutral conductor of the same size.
- (b) The equipment grounding conductor shall be green color coded. The following is in addition to Article 801.04 of the Standard Specifications.
  - Equipment grounding conductors shall be bonded to the grounded conductor (neutral conductor) only at the Electric Service Installation. The equipment grounding conductor is paid for separately and shall be continuous. The Earth shall not be used as the equipment grounding conductor.
  - 2. Equipment grounding conductors shall be bonded, using a UL Listed grounding connector, to all traffic signal mast arm poles, traffic signal posts, pedestrian posts, pull boxes, handhole frames and covers, conduits, and other metallic enclosures throughout the traffic signal wiring system, except where noted herein. Bonding shall be made with a splice and pigtail connection, using a sized compression type copper sleeve, sealant tape, and heat-shrinkable cap. A UL listed electrical joint compound shall be applied to all conductors' terminations, connector threads and contact points. Conduit grounding bushings shall be installed at all conduit terminations including spare or empty conduits.
  - All metallic and non-metallic raceways shall have a continuous equipment grounding conductor, except raceways containing only detector loop lead-in circuits, circuits under 50 volts and/or fiber optic cable will not be required to include an equipment grounding conductor.

- 4. Individual conductor splices in handholes shall be soldered and sealed with heat shrink. When necessary to maintain effective equipment grounding, a full cable heat shrink shall be provided over individual conductor heat shrinks.
- (c) The grounding electrode conductor shall be similar to the equipment grounding conductor in color coding (green) and size. The grounding electrode conductor is used to connect the ground rod to the equipment grounding conductor and is bonded to ground rods via exothermic welding, UL listed pressure connectors, and UL listed clamps.

# **UNDERGROUND RACEWAYS**

Effective: May 22, 2002 Revised: July 1, 2015

810.02TS

Revise Article 810.04 of the Standard Specifications to read:

"Installation. All underground conduits shall have a minimum depth of 30-inches (700 mm) below the finished grade."

Add the following to Article 810.04 of the Standard Specifications:

"All metal conduit installed underground shall be Rigid Steel Conduit unless otherwise indicated on the plans."

Add the following to Article 810.04 of the Standard Specifications:

"All raceways which extend outside of a structure or duct bank but are not terminated in a cabinet, junction box, pull box, handhole, post, pole, or pedestal shall extend a minimum or 300 mm (12") or the length shown on the plans beyond the structure or duct bank. The end of this extension shall be capped and sealed with a cap designed for the conduit to be capped.

The ends of rigid metal conduit to be capped shall be threaded, the threads protected with full galvanizing, and capped with a threaded galvanized steel cap.

The ends of rigid nonmetallic conduit and coilable nonmetallic conduit shall be capped with a rigid PVC cap of not less than 3 mm (0.125") thick. The cap shall be sealed to the conduit using a room-temperature-vulcanizing (RTV) sealant compatible with the material of both the cap and the conduit. A washer or similar metal ring shall be glued to the inside center of the cap with epoxy, and the pull cord shall be tied to this ring."

## **HANDHOLES**

Effective: January 01, 2002 Revised: July 1, 2015 814.01TS

#### Description.

Add the following to Section 814 of the Standard Specifications:

All conduits shall enter the handhole at a depth of 30 inches (762 mm) except for the conduits for detector loops when the handhole is less than 5 feet (1.52 m) from the detector loop. All conduit ends should be sealed with a waterproof sealant to prevent the entrance of contaminants into the handhole.

Steel cable hooks shall be coated with hot-dipped galvanization in accordance with AASHTO Specification M111. Hooks shall be a minimum of 1/2 inch (13 mm) diameter with two 90 degree bends and extend into the handhole at least 6 inches (152 mm). Hooks shall be placed a minimum of 12 inches (305 mm) below the lid or lower if additional space is required.

Precast round handholes shall not be used unless called out on the plans.

The cover of the handhole frame shall be labeled "Traffic Signals" with legible raised letters.

Revise the third paragraph of Article 814.03 of the Standard Specifications to read:

"Handholes shall be constructed as shown on the plans and shall be cast-in-place, or precast concrete units. Heavy duty handholes shall be either cast-in-place or precast concrete units."

Add the following to Article 814.03 of the Standard Specifications:

"(c) Precast Concrete. Precast concrete handholes shall be fabricated according to Article 1042.17. Where a handhole is contiguous to a sidewalk, preformed joint filler of 1/2 inch (13 mm) thickness shall be placed between the handhole and the sidewalk."

# Cast-In-Place Handholes.

All cast-in-place handholes shall be concrete, with inside dimensions of 21-1/2 inches (546 mm) minimum. Frames and lid openings shall match this dimension.

For grounding purposes the handhole frame shall have provisions for a 7/16 inch (11 mm) diameter stainless steel bolt cast into the frame. The covers shall have a stainless steel threaded stint extended from the eye hook assembly for the purpose of attaching the grounding conductor to the handhole cover.

The minimum wall thickness for heavy duty hand holes shall be 12 inches (305mm).

# Precast Round Handholes.

All precast handholes shall be concrete, with inside dimensions of 30 inches (762mm) diameter. Frames and covers shall have a minimum opening of 26 inches (660mm) and no larger than the inside diameter of the handhole.

For grounding purposes the handhole frame shall have provisions for a 7/16 inch (11 mm) diameter stainless steel bolt cast into the frame. For the purpose of attaching the grounding conductor to the handhole cover, the covers shall either have a 7/16 inch (11 mm) diameter stainless steel bolt cast into the cover or a stainless steel threaded stint extended from an eye hook assembly. A hole may be drilled for the bolt if one cannot be cast into the frame or cover. The head of the bolt shall be flush or lower than the top surface of the cover.

The minimum wall thickness for precast heavy duty hand holes shall be 6 inches (152 mm).

Precast round handholes shall be only produced by an approved precast vendor.

# Materials.

Add the following to Section 1042 of the Standard Specifications:

"1042.17 Precast Concrete Handholes. Precast concrete handholes shall be according to Articles 1042.03(a)(c)(d)(e)."

# FULL-ACTUATED CONTROLLER AND CABINET

Effective: January 1, 2002 Revised: July 1, 2015 857.02TS

#### Description.

This work shall consist of furnishing and installing a traffic actuated solid state digital controller in the controller cabinet of the type specified, meeting the requirements of Section 857 of the Standard Specifications, as modified herein, including malfunction management unit, load switches and flasher relays, with all necessary connections for proper operation.

If the intersection is part of an existing system and/or when specified in the plans, this work shall consist of furnishing and installing a(n) " brand traffic actuated solid state controller.

# Materials.

Add the following to Article 857.02 of the Standard Specifications:

For installation as a stand-alone traffic signal, connected to a closed loop system or integrated into an advance traffic management system (ATMS), controllers shall be Econolite ASC/3S-1000 or Eagle/Siemens M52 unless specified otherwise on the plans or elsewhere on these specifications. Only controllers supplied by one of the District One approved closed loop equipment suppliers will be allowed. Unless specified otherwise on the plans or these specifications, the controller shall be of the most recent model and software version supplied by the equipment supplier at the time of the traffic signal TURN-ON. A removable controller data key shall also be provided. Individual load switches shall be provided for each vehicle,

pedestrian, and right turn over lap phase. The controller shall prevent phases from being skipped during program changes and after all preemption events and shall inhibit simultaneous display of circular yellow and yellow arrow indications.

For integration into an ATMS such as Centracs, Tactics, or TransSuite, the controller shall have the latest version of NTCIP software installed. For operation prior to integration into an ATMS, the controller shall maintain existing close loop management communications.

Add the following to Article 1074.03 of the Standard Specifications:

- (a) (6) Cabinets shall be designed for NEMA TS2 Type 1 operation. All cabinets shall be pre-wired for a minimum of eight (8) phases of vehicular, four (4) phases of pedestrian and four (4) phases of overlap operation.
- (b) (1) Revise "conflict monitor" to read "Malfunction Management Unit"
- (b) (5) Cabinets Provide 1/8" (3.2 mm) thick unpainted aluminum alloy 5052-H32. The surface shall be smooth, free of marks and scratches. All external hardware shall be stainless steel.
- (b) (6) Controller Harness Provide a TS2 Type 2 "A" wired harness in addition to the TS2 Type 1 harness.
- (b) (7) Surge Protection Shall be a 120VAC Single phase Modular filter Plug-in type, supplied from an approved vendor.
- (b) (8) BIU shall be secured by mechanical means.
- (b) (9) Transfer Relays Solid state or mechanical flash relays are acceptable.
- (b) (10) Switch Guards All switches shall be guarded.
- (b) (11) Heating One (1) 200 watt, thermostatically-controlled, electric heater.
- (b) (12) Lighting One (1) LED Panel shall be placed inside the cabinet top panel and one (1) LED Panel shall be placed on each side of the pull-out drawer/shelf assembly located beneath the controller support shelf. The LED Panels shall be controlled by a door switch. The LED Panels shall be provided from an approved vendor.
- (b) (13) The cabinet shall be equipped with a pull-out drawer/shelf assembly. A 1 ½ inch (38mm) deep drawer shall be provided in the cabinet, mounted directly beneath the controller support shelf. The drawer shall have a hinged top cover and shall be capable of accommodating one (1) complete set of cabinet prints and manuals. This drawer shall support 50 lbs. (23 kg) in weight when fully extended. The drawer shall open and close smoothly. Drawer dimensions shall make maximum use of available depth offered by the controller shelf and be a minimum of 18 inches (610mm) wide.
- (b) (14) Plan & Wiring Diagrams 12" x 15" (305mm x 406mm) moisture sealed container attached to door.
- (b) (15) Detector Racks Fully wired and labeled for four (4) channels of emergency vehicle pre-emption and sixteen channels (16) of vehicular operation.
- (b) (16) Field Wiring Labels All field wiring shall be labeled.
- (b) (17) Field Wiring Termination Approved channel lugs required.
- (b) (18) Power Panel Provide a nonconductive shield.
- (b) (19) Circuit Breaker The circuit breaker shall be sized for the proposed load but shall not be rated less than 30 amps.

(b) (20) Police Door – Provide wiring and termination for plug in manual phase advance switch.

#### Basis of Payment.

This work will be paid for at the contract unit price each for FULL-ACTUATED CONTROLLER AND TYPE IV CABINET; FULL-ACTUATED CONTROLLER AND TYPE V CABINET; FULL-ACTUATED CONTROLLER AND TYPE SUPER P CABINET; FULL-ACTUATED CONTROLLER AND TYPE SUPER R CABINET; FULL-ACTUATED CONTROLLER AND TYPE IV CABINET, SPECIAL; FULL-ACTUATED CONTROLLER AND TYPE SUPER P CABINET (SPECIAL); FULL-ACTUATED CONTROLLER AND TYPE SUPER P CABINET (SPECIAL).

#### **ELECTRIC CABLE**

Effective: May 22, 2002 Revised: July 1, 2015

873.01TS

Delete "or stranded, and No. 12 or" from the last sentence of Article 1076.04 (a) of the Standard Specifications.

Add the following to the Article 1076.04(d) of the Standard Specifications:

Service cable may be single or multiple conductor cable.

#### **GROUNDING CABLE**

Effective: May 22, 2002 Revised: July 1, 2015

817.01TS

The cable shall meet the requirements of Section 817 of the "Standard Specifications," except for the following:

Add the following to Article 817.02 (b) of the Standard Specifications:

Unless otherwise noted on the Plans, traffic signal grounding conductor shall be one conductor, #6 gauge copper, with a green color coded XLP jacket.

The traffic signal grounding conductor shall be bonded, using a UL Listed grounding connector to all proposed and existing traffic signal mast arm poles and traffic/pedestrian signal posts, including push button posts. The grounding conductor shall be bonded to all proposed and existing pull boxes, handhole frames and covers and other metallic enclosures throughout the traffic signal wiring system and noted herein and detailed on the plans. The grounding conductor shall be bonded to conduit terminations using rated grounding bushings. Bonding to existing handhole frames and covers shall be paid for separately.

Add the following to Article 817.05 of the Standard Specifications:

# Basis of Payment.

Grounding cable shall be measured in place for payment in foot (meter). Payment shall be at the contract unit price for ELECTRIC CABLE IN CONDUIT, EQUIPMENT GROUNDING CONDUCTOR, NO. 6 1C, which price includes all associated labor and material including grounding clamps, splicing, exothermic welds, grounding connectors, conduit grounding bushings, and other hardware.

# TRAFFIC SIGNAL POST

Effective: May 22, 2002 Revised: July 01, 2015

875.01TS

Add the following to Article 1077.01 (c) of the Standard Specifications:

Washers for post bases shall be the same size or larger than the nut.

Revise the first sentence of Article 1077.01 (d) of the Standard Specifications to read:

All posts and bases shall be steel and hot dipped galvanized according to AASHTO M 111. If the Department approves painting, powder coating by the manufacturer will be required over the galvanization in accordance with 851.01TS TRAFFIC SIGNAL PAINTING Special Provisions.

## MAST ARM ASSEMBLY AND POLE

Effective: May 22, 2002 Revised: July 01, 2015

877.01TS

Revise the second sentence of Article 1077.03 (a)(3) of the Standard Specifications to read:

Traffic signal mast arms shall be one piece construction, unless otherwise approved by the Engineer.

Add the following to Article 1077.03 (a)(3) of the Standard Specifications:

If the Department approves painting, powder coating by the manufacturer will be required over the galvanization in accordance with 851.01TS TRAFFIC SIGNAL PAINTING Special Provisions.

# **CONCRETE FOUNDATIONS**

Effective: May 22, 2002 Revised: July 01, 2015

878.01TS

Add the following to Article 878.03 of the Standard Specifications:

All anchor bolts shall be according to Article 1006.09, with all anchor bolts hot dipped galvanized a minimum of 12 in. (300 mm) at the threaded end.

Foundations used for Combination Mast Arm Poles shall provide an extra 2-1/2 inch (65 mm) raceway.

No foundation is to be poured until the Resident Engineer gives his/her approval as to the depth of the foundation.

Add the following to the first paragraph of Article 878.05 of the Standard Specifications:

The price shall include a concrete apron in front of the cabinet and UPS as shown in the plans or as directed by the engineer.

# <u>LIGHT EMITTING DIODE (LED) SIGNAL HEAD AND OPTICALLY PROGRAMMED LED SIGNAL HEAD</u>

Effective: May 22, 2002 Revised: July 1, 2015

880.01TS

## Materials.

Add the following to Section 1078 of the Standard Specifications:

- LED modules proposed for use and not previously approved by IDOT District One will require independent testing for compliance to current VTCSH-ITE standards for the product and be Intertek ETL Verified. This would include modules from new vendors and new models from IDOT District One approved vendors.
- 2. The proposed independent testing facility shall be approved by IDOT District One. Independent testing must include a minimum of two (2) randomly selected modules of each type of module (i.e. ball, arrow, pedestrian, etc.) used in the District and include as a minimum Luminous Intensity and Chromaticity tests. However, complete module performance verification testing may be required by the Engineer to assure the accuracy of the vendor's published data and previous test results. An IDOT representative will select sample modules from the local warehouse and mark the modules for testing. Independent test results shall meet current ITE standards and vendor's published data. Any module failures shall require retesting of the module type. All costs associated with the selection of sample modules, testing, reporting, and retesting, if applicable, shall be the responsibility of the LED module vendor and not be a cost to this contract.

- 3. All signal heads shall provide 12" (300 mm) displays with glossy yellow or black polycarbonate housings. All head housings shall be the same color (yellow or black) at the intersection. For new signalized intersections and existing signalized intersections where all signals heads are being replaced, the proposed head housings shall be black. Where only selected heads are being replaced, the proposed head housing color (yellow or black) shall match existing head housings. Connecting hardware and mounting brackets shall be polycarbonate (black). A corrosion resistant anti-seize lubricant shall be applied to all metallic mounting bracket joints, and shall be visible to the inspector at the signal turn-on. Post top mounting collars are required on all posts, and shall be constructed of the same material as the brackets.
- 4. The LED signal modules shall be replaced or repaired if an LED signal module fails to function as intended due to workmanship or material defects within the first 7 years from the date of traffic signal TURN-ON. LED signal modules which exhibit luminous intensities less than the minimum values specified in Table 1 of the ITE Vehicle Traffic Control Signal Heads: Light Emitting Diode (LED) Circular Signal Supplement (June 27, 2005) [VTSCH], or applicable successor ITE specifications, or show signs of entrance of moisture or contaminants within the first 7 years of the date of traffic signal TURN-ON shall be replaced or repaired. The vendor's written warranty for the LED signal modules shall be dated, signed by a vendor's representative and included in the product submittal to the State.

# (a) Physical and Mechanical Requirements

- 1. Modules can be manufactured under this specification for the following faces:
  - a. 12 inch (300 mm) circular, multi-section
  - b. 12 inch (300 mm) arrow, multi-section
- 2. The maximum weight of a module shall be 4 lbs. (1.8 kg).
- Each module shall be a sealed unit to include all parts necessary for operation (a printed circuit board, power supply, a lens and gasket, etc.), and shall be weather proof after installation and connection.
- 5. The lens of the module shall be tinted with a wavelength-matched color to reduce sun phantom effect and enhance on/off contrast. The tinting shall be uniform across the lens face. Polymeric lens shall provide a surface coating or chemical surface treatment applied to provide abrasion resistance. The lens of the module shall be integral to the unit, convex with a smooth outer surface and made of plastic. The lens shall have a textured surface to reduce glare.
- 6. The use of tinting or other materials to enhance ON/OFF contrasts shall not affect chromaticity and shall be uniform across the face of the lens.

7. Each module shall have a symbol of the type of module (i.e. circle, arrow, etc.) in the color of the module. The symbol shall be 1 inch (25.4 mm) in diameter. Additionally, the color shall be written out in 1/2 inch (12.7mm) letters next to the symbol.

# (b) Photometric Requirements

4. The LEDs utilized in the modules shall be AllnGaP technology for red and InGaN for green and amber indications, and shall be the ultra bright type rated for 100,000 hours of continuous operation from -40 °C to +74 °C.

# (c) Electrical

- 1. Maximum power consumption for LED modules is per Table 2.
- 2. Operating voltage of the modules shall be 120 VAC. All parameters shall be measured at this voltage.
- 3. The modules shall be operationally compatible with currently used controller assemblies (solid state load switches, flashers, and conflict monitors).
- 4. When a current of 20 mA AC (or less) is applied to the unit, the voltage read across the two leads shall be 15 VAC or less.
- 5. The LED modules shall provide constant light output under power. Modules with dimming capabilities shall have the option disabled or set on a non-dimming operation.
- 6. LED arrows shall be wired such that a catastrophic loss or the failure of one or more LED will not result in the loss of the entire module.

### (d) Retrofit Traffic Signal Module

- 1. The following specification requirements apply to the Retrofit module only. All general specifications apply unless specifically superseded in this section.
- 2. Retrofit modules can be manufactured under this specification for the following faces:
  - a. 12 inch (300 mm) circular, multi-section
  - b. 12 inch (300 mm) arrow, multi-section
- 3. Each Retrofit module shall be designed to be installed in the doorframe of a standard traffic signal housing. The Retrofit module shall be sealed in the doorframe with a one-piece EPDM (ethylene propylene rubber) gasket.
- 4. The maximum weight of a Retrofit module shall be 4 lbs. (1.8 kg).
- Each Retrofit module shall be a sealed unit to include all parts necessary for operation (a printed circuit board, power supply, a lens and gasket, etc.), and shall be weather proof after installation and connection.

- 6. Electrical conductors for modules, including Retrofit modules, shall be 39.4 inches (1m) in length, with quick disconnect terminals attached.
- 7. The lens of the Retrofit module shall be integral to the unit, shall be convex with a smooth outer surface and made of plastic or of glass.
- (e) The following specification requirements apply to the 12 inch (300 mm) arrow module only. All general specifications apply unless specifically superseded in this section.
  - The arrow module shall meet specifications stated in Section 9.01 of the Equipment and Material Standards of the Institute of Transportation Engineers (November 1998) [ITE Standards], Chapter 2 (Vehicle Traffic Control Signal Heads) or applicable successor ITE specifications for arrow indications.
  - 2. The LEDs arrow indication shall be a solid display with a minimum of three (3) outlining rows of LEDs and at least one (1) fill row of LEDs.
- (f) The following specification requirement applies to the 12 inch (300 mm) programmed visibility (PV) module only. All general specifications apply unless specifically superseded in this section.
  - 1. The LED module shall be a module designed and constructed to be installed in a programmed visibility (PV) signal housing without modification to the housing.

#### Basis of Payment.

Add the following to the first paragraph of Article 880.04 of the Standard Specifications:

The price shall include furnishing the equipment described above, all mounting hardware and installing them in satisfactory operating condition.

Revise the second paragraph of Article 880.04 of the Standard Specifications to read:

If the work consists of retrofitting an existing polycarbonate traffic signal head with light emitting diodes (LEDs), it will be paid for as a SIGNAL HEAD, LED, RETROFIT, of the type specified, and of the particular kind of material, when specified. Price shall be payment in full for removal of the existing module, furnishing the equipment described above including LED modules, all mounting hardware, and installing them in satisfactory operating condition. The type specified will indicate the number of signal faces, the number of signal sections in each signal face and the method of mounting.

#### TRAFFIC SIGNAL BACKPLATE

Effective: May 22, 2002 Revised: July 1, 2015

882.01TS

Delete 1st sentence of Article 1078.03 of the Standard Specifications and add "All backplates shall be louvered, formed ABS plastic".

Add the following to the third paragraph of Article 1078.03 of the Standard Specifications. The retroreflective backplate shall not contain louvers.

Delete second sentence of the fourth paragraph of Article 1078.03 the Standard Specifications.

Add the following to the fourth paragraph of Article 1078.03 of the Standard Specifications:

When retro reflective sheeting is specified, it shall be Type ZZ sheeting according to Article 1091.03 and applied in preferred orientation for the maximum angularity according to the vendor's recommendations. The retroreflective sheeting shall be installed under a controlled environment at the vendor/equipment supplier before shipment to the contractor. The formed plastic backplate shall be prepared and cleaned, following recommendations of the retroreflective sheeting manufacturer.

## DETECTOR LOOP

Effective: May 22, 2002 Revised: January 5, 2016

886.01TS

# Procedure.

A minimum of seven (7) working days prior to the Contractor cutting loops, the Contractor shall mark the proposed loop locations and contact the Area Traffic Signal Maintenance and Operations Engineer (847) 705-4424 to inspect and approve the layout. When preformed detector loops are installed, the Contractor shall have them inspected and approved prior to the pouring of the Portland cement concrete surface, using the same notification process as above.

#### Installation.

Revise Article 886.04 of the Standard Specifications to read:

Loop detectors shall be installed according to the requirements of the "District One Standard Traffic Signal Design Details." Saw-cuts (homeruns on preformed detector loops) from the loop to the edge of pavement shall be made perpendicular to the edge of pavement when possible in order to minimize the length of the saw-cut (homerun on preformed detector loops) unless directed otherwise by the Engineer or as shown on the plan.

The detector loop cable insulation shall be labeled with the cable specifications.

Each loop detector lead-in wire shall be labeled in the handhole using a water proof tag, from an approved vendor, secured to each wire with nylon ties.

Resistance to ground shall be a minimum of 100 mega-ohms under any conditions of weather or moisture. Inductance shall be more than 50 and less than 700 microhenries. Quality readings shall be more than 5.

- (a) Type I. All loops installed in new asphalt pavement shall be installed in the binder course and not in the surface course. The edge of pavement, curb and handhole shall be cut with a 1/4 inch (6.3 mm) deep x 4 inches (100 mm) saw cut to mark location of each loop cable.
- (b) Loop sealant shall be two-component thixotropic chemically cured polyurethane from an approved vendor. The sealant shall be installed 1/8 inch (3 mm) below the pavement surface. If installed above the surface the excess shall be removed immediately.
- (c) Preformed. This work shall consist of furnishing and installing a rubberized or cross linked polyethylene heat resistant preformed traffic signal loop in accordance with the Standard Specifications, except for the following:
- (d) Preformed detector loops shall be installed in new pavement constructed of Portland cement concrete using mounting chairs or tied to re-bar or the preformed detector loops may be placed in the sub-base. Loop lead-ins shall be extended to a temporary protective enclosure near the proposed handhole location. The protective enclosure shall provide sufficient protection from other construction activities and may be buried for additional protection.
- (e) Handholes shall be placed next to the shoulder or back of curb when preformed detector loops enter the handhole. CNC, included in this pay item, shall be used to protect the preformed lead-ins from back of curb to the handhole.
- (f) Preformed detector loops shall be factory assembled with ends capped and sealed against moisture and other contaminants. The loop configurations and homerun lengths shall be assembled for the specific application. The loop and homerun shall be constructed using 11/16 inch (17.2 mm) outside diameter (minimum), 3/8 inch (9.5 mm) inside diameter (minimum) Class A oil resistant synthetic cord reinforced hydraulic hose with 250 psi (1,720 kPa) internal pressure rating or a similarly sized XLPE cable jacket. Hose for the loop and homerun assembly shall be one continuous piece. No joints or splices shall be allowed in the hose except where necessary to connect homeruns to the loops. This will provide maximum wire protection and loop system strength. Hose tee connections shall be heavy duty high temperature synthetic rubber. The tee shall be of proper size to attach directly to the hose, minimizing glue joints. The tee shall have the same flexible properties as the hose to insure that the whole assembly can conform to pavement movement and shifting without cracking or breaking. For XLPE jacketed preformed loops, all splice connections shall be soldered, sealed, and tested before being sealed in a high impact glass impregnated plastic splice enclosure. The wire used shall be #16 THWN stranded copper. The number of turns in the loop shall be application specific. Homerun wire pairs shall be twisted a minimum of four turns per foot. No wire splices will be allowed in the preformed loop assembly. The loop and homeruns shall be filled and sealed with a flexible sealant to insure complete moisture blockage and further protect the wire. The preformed loops shall be constructed to allow a minimum of 6.5 feet of extra cable in the handhole.

#### Method of Measurement.

Add the following to Article 886.05 of the Standard Specifications:

Preformed detector loops will be measured along the detector loop embedded in the pavement, rather than the actual length of the wire. Detector loop measurements shall include the saw cut and the length of the detector loop wire to the edge of pavement. The detector loop wire, including all necessary connections for proper operations, from the edge of pavement to the handhole, shall be included in the price of the detector loop. CNC, trench and backfill, and drilling of pavement or handholes shall be included in detector loop quantities.

#### Basis of Payment.

This work shall be paid for at the contract unit price per foot (meter) for DETECTOR LOOP, TYPE I or PREFORMED DETECTOR LOOP as specified in the plans, which price shall be payment in full for furnishing and installing the detector loop and all related connections for proper operation.

## **EMERGENCY VEHICLE PRIORITY SYSTEM**

Effective: May 22, 2002 Revised: July 1, 2015

887.01TS

Revise Section 887 of the Standard Specifications to read:

It shall be the Contractor's responsibility to contact the municipality or fire district to verify the brand of emergency vehicle pre-emption equipment to be installed prior to the contract bidding. The equipment must be completely compatible with all components of the equipment currently in use by the Agency.

All new installations shall be equipped with Confirmation Beacons as shown on the "District One Standard Traffic Signal Design Details." The Confirmation Beacon shall consist of a 6 watt Par 38 LED flood lamp with a 30 degree light spread, or a 7 watt Par 30 LED flood lamp with a 15 degree or greater spread, maximum 7 watt energy consumption at 120V, and a 2,000 hour warranty for each direction of pre-emption. The lamp shall have an adjustable mount with a weatherproof enclosure for cable splicing. All hardware shall be cast aluminum or stainless steel. Holes drilled into signal poles, mast arms, or posts shall require rubber grommets. In order to maintain uniformity between communities, the confirmation beacons shall indicate when the control equipment receives the pre-emption signal. The pre-emption movement shall be signalized by a flashing indication at the rate specified by Section 4L.01 of the "Manual on Uniform Traffic Control Devices," and other applicable sections of future editions. The stopped pre-empted movements shall be signalized by a continuous indication.

All light operated systems shall include security and transit preemption software and operate at a uniform rate of 14.035 Hz ±0.002, or as otherwise required by the Engineer, and provide compatible operation with other light systems currently being operated in the District.

This item shall include any required modifications to an existing traffic signal controller as a result of the addition of the EMERGENCY VEHICLE PRIORITY SYSTEM.

# Basis of Payment.

The work shall be paid for at the contract unit price each for furnishing and installing LIGHT DETECTOR and LIGHT DETECTOR AMPLIFIER. Furnishing and installing the confirmation beacon shall be included in the cost of the Light Detector. Any required modifications to the traffic signal controller shall be included in the cost of the LIGHT DETECTOR AMPLIFIER. The preemption detector amplifier shall be paid for on a basis of (1) one each per intersection controller and shall provide operation for all movements required in the pre-emption phase sequence.

# EMERGENCY VEHICLE PRIORITY SYSTEM LINE SENSOR CABLE, NO. 20 3/C

Effective: January 1, 2013 Revised: July 1, 2015

873.03TS

This work shall consist of furnishing and installing lead-in cable for light detectors installed at existing and/or proposed traffic signal installations as part of an emergency vehicle priority system. The work includes installation of the lead-in cables in existing and/or new conduit. The electric cable shall be shielded and have (3) stranded conductors, colored blue, orange, and yellow with a stranded tinned copper drain wire. The cable shall meet the requirements of the vendor of the Emergency Vehicle Priority System Equipment.

# Basis of Payment.

This work will be paid for at the contract unit price per foot for EMERGENCY VEHICLE PRIORITY SYSTEM LINE SENSOR CABLE, NO. 20 3/C, which price shall be payment in full for furnishing, installing and making all electrical connections necessary for proper operations.

## UNINTERRUPTABLE POWER SUPPLY, SPECIAL

Effective: January 1, 2013 Revised: January 5, 2016

862.01TS

This work shall be in accordance with section 862 of the Standard Specification except as modified herein

Add the following to Article 862.01 of the Standard Specifications:

The UPS shall have the power capacity to provide normal operation of a signalized intersection that utilizes all LED type signal head optics, for a minimum of 10 (ten) hours.

Add the following to Article 862.02 of the Standard Specifications:

Materials shall be according to Article 1074.04 as modified in UNINTERRUPTABLE POWER SUPPLY, SPECIAL.

Add the following to Article 862.03 of the Standard Specifications:

The UPS shall additionally include, but not be limited to, a battery cabinet, where applicable. For Super-P (Type IV) and Super-R (Type V) cabinets, the battery cabinet is integrated to the traffic signal cabinet, and shall be included in the cost for the traffic signal cabinet of the size and type indicated on the plans.

The UPS shall provide reliable emergency power to the traffic signals in the event of a power failure or interruption.

Revise Article 862.04 of the Standard Specifications to read:

#### Installation.

When a UPS is installed at an existing traffic signal cabinet, the UPS cabinet shall partially rest on the lip of the existing controller cabinet foundation and be secured to the existing controller cabinet by means of at least four (4) stainless steel bolts. The UPS cabinet shall be completely enclosed with the bottom and back constructed of the same material as the cabinet.

When a UPS is installed at a new signal cabinet and foundation, it shall be mounted as shown on the plans.

At locations where UPS is installed and an Emergency Vehicle Priority System is in use, any existing incandescent confirmation beacons shall be replaced with LED lamps in accordance with the District One Emergency Vehicle Priority System specification at no additional cost to the contract. A concrete apron shall be provided and be in accordance with Articles 424 and 202 of the Standard Specifications. The concrete apron shall also, follow the District 1 Standard Traffic Signal Design Detail, Type D for Ground Mounted Controller Cabinet and UPS Battery Cabinet.

This item shall include any required modifications to an existing traffic signal controller as a result of the addition of the UPS including the addition of alarms.

#### Materials.

Revise Article 1074.04(a)(1) of the Standard Specifications to read:

The UPS shall be line interactive or double conversion and provide voltage regulation and power conditioning when utilizing utility power. The UPS shall be sized appropriately for the intersection(s) normal traffic signal operating load. The UPS must be able to maintain the intersection's normal operating load plus 20 percent (20%) of the intersection's normal operating load. When installed at a railroad-interconnected intersection the UPS must maintain the railroad pre-emption load, plus 20 percent (20%) of the railroad pre-emption-operating load. The total connected traffic signal load shall not exceed the published ratings for the UPS.

The UPS shall provide a minimum of 10 (ten) hours of normal operation run-time for signalized intersections with LED type signal head optics at 77 °F (25 °C) (minimum 1000 W active output capacity, with 86 percent minimum inverter efficiency).

Revise the first paragraph of Article 1074.04(a)(3) of the Standard Specifications to read:

The UPS shall have a minimum of four (4) sets of normally open (NO) and normally closed (NC) single-pole double-throw (SPDT) relay contact closures, available on a panel mounted terminal block or locking circular connectors, rated at a minimum 120 V/1 A, and labeled so as to identify each contact according to the plans.

Revise Article 1074.04(a)(10) of the Standard Specifications to read:

The UPS shall be compatible with the District's approved traffic controller assemblies utilizing NEMA TS 1 or NEMA TS 2 controllers and cabinet components for full time operation.

Revise Article 1074.04(a)(17) of the Standard Specifications to read:

When the intersection is in battery backup mode, the UPS shall bypass all internal cabinet lights, ventilation fans, cabinet heaters, service receptacles, luminaires, any lighted street name signs, any automated enforcement equipment and any other devices directed by the Engineer.

Revise Article 1074.04(b)(2)b of the Standard Specifications to read:

Batteries, inverter/charger and power transfer relay shall be housed in a separate NEMA Type 3R cabinet. The cabinet shall be Aluminum alloy, 5052-H32, 0.125-inch thick and have a natural mill finish.

Revise Article 1074.04(b)(2)c of the Standard Specifications to read:

No more than three batteries shall be mounted on individual shelves for a cabinet housing six batteries and no more than four batteries per shelf for a cabinet housing eight batteries.

Revise Article 1074.04(b)(2)e of the Standard Specifications to read:

The battery cabinet housing shall have the following nominal outside dimensions: a width of 25 in. (785 mm), a depth of 16 in. (440 mm), and a height of 41 to 48 in. (1.1 to 1.3 m). Clearance between shelves shall be a minimum of 10 in. (250 mm).

End of paragraph 1074.04(b)(2)e

The door shall be equipped with a two position doorstop, one a 90° and one at 120°.

Revise Article 1074.04(b)(2)g of the Standard Specifications to read:

The door shall open to the entire cabinet, have a neoprene gasket, an Aluminum continuous piano hinge with stainless steel pin, and a three point locking system. The cabinet shall be provided with a main door lock which shall operate with a traffic industry conventional No. 2 key. Provisions for padlocking the door shall be provided.

Add the following to Article 1074.04(b)(2) of the Standard Specifications:

j. The battery cabinet shall have provisions for an external generator connection.

Add the following to Article 1074.04(c) of the Standard Specifications:

- (8) The UPS shall include a tip or kill switch installed in the battery cabinet, which shall completely disconnect power from the UPS when the switch is manually activated.
- (9) The UPS shall include standard RS-232 and internal Ethernet interface.
- (10) The UPS shall incorporate a flanged electric generator inlet for charging the batteries and operating the UPS. The generator connector shall be male type, twist-lock, rated as 15A, 125VAC with a NEMA L5-15P configuration and weatherproof lift cover plate. Access to the generator inlet shall be from a secured weatherproof lift cover plate or behind a locked battery cabinet police panel.
- (11) The bypass switch shall include an internal power transfer relay that allows removal of the battery back-up unit, while the traffic signal is connected to utility power, without impacting normal traffic signal operation.

Revise Article 1074.04(d)(3) of the Standard Specifications to read:

All batteries supplied in the UPS shall be either gel cell or AGM type, deep cycle, completely sealed, prismatic lead calcium based, silver alloy, valve regulated lead acid (VRLA) requiring no maintenance. All batteries in a UPS installation shall be the same type; mixing of gel cell and AGM types within a UPS installation is not permitted.

Revise Article 1074.04(d)(4) of the Standard Specifications to read:

Batteries shall be certified by the manufacturer to operate over a temperature range of -13 to 160 °F (-25 to + 71 °C) for gel cell batteries and -40 to 140 °F (-40 to + 60 °C) for AGM type batteries.

Add the following to Article 1074.04(d) of the Standard Specifications:

- (9) The UPS shall consist of an even number of batteries that are capable of maintaining normal operation of the signalized intersection for a minimum of 10 (ten) hours. Calculations shall be provided showing the number of batteries of the type supplied that are needed to satisfy this requirement. A minimum of four batteries shall be provided.
- (10) Battery Heater mats shall be provided, when gel cell type batteries are supplied.

Add the following to the Article 1074.04 of the Standard Specifications:

- (e) Warranty. The warranty for an uninterruptable power supply (UPS) and batteries (full replacement) shall cover a minimum of 5 years from date the equipment is placed in operation.
- (f) Installation. Bypass switch shall completely disconnect the traffic signal cabinet from the utility provider.

(g) The UPS shall be set-up to run the traffic signal continuously, without going to a red flashing condition, when switched to battery power unless otherwise directed by the Engineer. The Contractor shall confirm set-up with the Engineer. The continuous operation mode when switched to battery may require modification to unit connections and these modifications are included in the unit price for this item.

Revise Article 862.05 of the Standard Specifications to read:

# Basis of Payment.

This work will be paid for at the contract unit price per each for UNINTERRUPTABLE POWER SUPPLY, SPECIAL or UNINTERRUPTABLE POWER SUPPLY AND CABINET, SPECIAL. Replacement of Emergency Vehicle Priority System confirmation beacons and any required modifications to the traffic signal controller shall be included in the cost of the UNINTERRUPTABLE POWER SUPPLY, SPECIAL or UNINTERRUPTABLE POWER SUPPLY AND CABINET, SPECIAL item. The concrete apron and earth excavation required shall be included in the cost of the UNINTERRUPTABLE POWER SUPPLY AND CABINET, SPECIAL item.

# MAST ARM SIGN PANELS

Effective: May 22, 2002 Revised: July 1, 2015

720.01TS

Add the following to Article 720.02 of the Standard Specifications:

Sign stiffening channel systems shall be aluminum and meet the requirements of ASTM 6261-T5. Sign mounting banding, buckles and buckle straps shall be manufactured from AISI 201 stainless steel.

# **OPTIMIZE TRAFFIC SIGNAL SYSTEM**

Effective: May 22, 2002 Revised: July 1, 2015

800.02TS

## Description.

This work shall consist of optimizing a closed loop traffic signal system.

OPTIMIZE TRAFFIC SIGNAL SYSTEM applies when a new or existing closed loop traffic signal system is to be optimized and a formal Signal Coordination and Timing (SCAT) Report is to be prepared. The purpose of this work is to improve system performance by optimizing traffic signal timings, developing a time of day program and a traffic responsive program.

After the signal improvements are completed, the signal system shall be optimized as specified by an approved Consultant who has previous experience in optimizing Closed Loop Traffic Signal Systems for District One of the Illinois Department of Transportation. The Contractor shall contact the Traffic Signal Engineer at (847) 705-4424 for a listing of approved Consultants.

Traffic signal system optimization work, including fine-tuning adjustments of the optimized system, shall follow the requirements stated in the most recent IDOT District 1 SCAT Guidelines, except as noted herein.

A listing of existing signal equipment, interconnect information, phasing data, and timing patterns may be obtained from the Department, if available and as appropriate. The existing SCAT Report is available for review at the District One office and if the Consultant provides blank a CD, copies of computer simulation files for the existing optimized system and a timing database that includes intersection displays will be made for the Consultant. The Consultant shall confer with the Traffic Signal Engineer prior to optimizing the system to determine if any extraordinary conditions exist that would affect traffic flows in the vicinity of the system, in which case, the Consultant may be instructed to wait until the conditions return to normal or to follow specific instructions regarding the optimization.

- (a) The following tasks are associated with OPTIMIZE TRAFFIC SIGNAL SYSTEM.
  - 1. Appropriate signal timings and offsets shall be developed for each intersection and appropriate cycle lengths shall be developed for the closed loop signal system.
  - 2. Traffic counts shall be taken at all intersections after the permanent traffic signals are approved for operation by the Area Traffic Signal Operations Engineer. Manual turning movement counts shall be conducted from 6:30 a.m. to 9:30 a.m., 11:00 a.m. to 1:00 p.m., and 3:30 p.m. to 6:30 p.m. on a typical weekday from midday Monday to midday Friday and on a Saturday or Sunday, as directed by the Engineer, to account for special traffic generators such as shopping centers, educational institutes and special event facilities. The turning movement counts shall identify cars, and single-unit and multi-unit heavy vehicles.
  - 3. As necessary, the intersections shall be re-addressed and all system detectors reassigned in the master controller according to the current standard of District One.
  - 4. A traffic responsive program shall be developed, which considers both volume and occupancy. A time-of-day program shall be developed for used as a back-up system.
  - 5. Proposed signal timing plan for the new or modified intersection shall be forwarded to IDOT for review prior to implementation.
  - 6. Consultant shall conduct on-site implementation of the timings and make fine-tuning adjustments to the timings in the field to alleviate observed adverse operating conditions and to enhance operations. The consultant shall respond to IDOT comments and public complaints for a minimum period of 90 days from date of timing plan implementation.
  - 7. Speed and delay studies shall be conducted during each of the count periods along the system corridor in the field before and after implementation of the proposed timing plans for comparative evaluations. These studies should utilize specialized electronic timing and measuring devices.
- (b) The following deliverables shall be provided for OPTIMIZE TRAFFIC SIGNAL SYSTEM.

1. Consultant shall furnish to IDOT one (1) copy of a SCAT Report for the optimized system. The SCAT Report shall include the following elements:

# Cover Page in color showing a System Map

#### **Figures**

- 1. System overview map showing system number, system schematic map with numbered system detectors, oversaturated movements, master location, system phone number, cycle lengths, and date of completion.
- 2. General location map in color showing signal system location in the metropolitan area.
- 3. Detail system location map in color showing cross street names and local controller addresses.
- 4. Controller sequence showing controller phase sequence diagrams.

## **Table of Contents**

# Tab 1: Final Report

- 1. Project Overview
- 2. System and Location Description (Project specific)
- 3. Methodology
- 4. Data Collection
- 5. Data Analysis and Timing Plan Development
- 6. Implementation
  - a. Traffic Responsive Programming (Table of TRP vs. TOD Operation) with am, md, and pm cycle lengths
- 7. Evaluation
  - a. Speed and Delay runs

#### Tab 2. Turning Movement Counts

1. Turning Movement Counts (Showing turning movement counts in the intersection diagram for each period, including truck percentage)

## Tab 3. Synchro Analysis

- 1. AM: Time-Space diagram in color, followed by intersection Synchro report (Timing report) summarizing the implemented timings.
- 2. Midday: same as AM
- 3. PM: same as AM
- 4. Special weekend or off-peak traffic generators (shopping centers, educational facilities, arenas, etc.): same as AM

#### Tab 4: Speed, Delay Studies

- 1. Summary of before and after runs results in two (2) tables showing travel time and delay time.
- 2. Plot of the before and after runs diagram for each direction and time period.

# Tab 5: Environmental Report

1. Environmental impact report including gas consumption, NO2, HCCO, improvements.

# Tab 6: Electronic Files

- 1. Two (2) CDs for the optimized system. The CDs shall include the following elements:
  - a. Electronic copy of the SCAT Report in PDF format
  - b. Copies of the Synchro files for the optimized system
  - c. Traffic counts for the optimized system
  - d. New or updated intersection graphic display files for each of the system intersections and the system graphic display file including system detector locations and addresses.

# Basis of Payment.

The work shall be paid for at the contract unit each for OPTIMIZE TRAFFIC SIGNAL SYSTEM, which price shall be payment in full for performing all work described herein for the entire traffic signal system. Following the completion of traffic counts, 25 percent of the bid price will be paid. Following the completion of the Synchro analysis, 25 percent of the bid price will be paid. Following the setup and fine tuning of the timings, the speed-delay study, and the TRP programming, 25 percent of the bid price will be paid. The remaining 25 percent will be paid when the system is working to the satisfaction of the engineer and an approved report and CD have been submitted.

# COILABLE NON-METALLIC CONDUIT

Effective: May 22, 2002 Revised: July 1, 2015

810.01TS

# Description.

This work shall consist of furnishing and installing empty coilable non-metallic conduit (CNC).

#### General.

The CNC installation shall be in accordance with Sections 810 and 811 of the Standard Specifications except for the following:

Add the following to Article 810.03 of the Standard Specifications:

CNC meeting the requirements of NEC Article 353 shall be used for detector loop raceways to the handholes.

Add the following to Article 811.03 of the Standard Specifications:

On temporary traffic signal installations with detector loops, CNC meeting the requirements of NEC Article 353 shall be used for detector loop raceways from the saw-cut to 10 feet (3m) up the wood pole, unless otherwise shown on the plans

### Basis of Payment.

All installations of CNC for loop detection shall be included in the contract and not paid for separately.

# **AVAILABLE REPORTS**

| □ No project : | specific reports were prepared.   |
|----------------|---|
| • •            | ble, the following checked reports and record information is available for ence upon request: |
|                | Record structural plans   |
| Ø              | Preliminary Site Investigation (PSI)  |
| $\square$      | Preliminary Environmental Site Assessment   |
| Ø              | Soils/Geotechnical Report   |
| $\square$      | Boring Logs   |
| Ø              | Pavement Cores  |
| Ø              | Location Drainage Study   |
| Ø              | Hydraulic Report  |
| $\square$      | Noise Analysis  |

Those seeking these reports should request access from:

☑ Other: Soil Analytical Report

Mike Zakosek, P.E. – Chief of Design Kane County Division of Transportation (630) 406-7346 zakosekmike@co.kane.il.us

# IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION (TPG)

Effective: August 1, 2012 Revised: February 1, 2014

In addition to the Contractor's equal employment opportunity affirmative action efforts undertaken as elsewhere required by this Contract, the Contractor is encouraged to participate in the incentive program to provide additional on-the-job training to certified graduates of IDOT funded preapprenticeship training programs outlined by this Special Provision.

It is the policy of IDOT to fund IDOT pre-apprenticeship training programs throughout Illinois to provide training and skill-improvement opportunities to assure the increased participation of minority groups, disadvantaged persons and women in all phases of the highway construction industry. The intent of this IDOT Training Program Graduate (TPG) Special Provision is to place certified graduates of these IDOT funded pre-apprentice training programs on IDOT project sites when feasible, and provide the graduates with meaningful on-the-job training intended to lead to journey-level employment. IDOT and its sub-recipients, in carrying out the responsibilities of a state contract, shall determine which construction contracts shall include "Training Program Graduate Special Provisions." To benefit from the incentives to encourage the participation in the additional on-the-job training under this Training Program Graduate Special Provision, the Contractor shall make every reasonable effort to employ certified graduates of IDOT funded Preapprenticeship Training Programs to the extent such persons are available within a reasonable recruitment area.

Participation pursuant to IDOT's requirements by the Contractor or subcontractor in this Training Program Graduate (TPG) Special Provision entitles the Contractor or subcontractor to be reimbursed at \$15.00 per hour for training given a certified TPG on this contract. As approved by the Department, reimbursement will be made for training persons as specified herein. This reimbursement will be made even though the Contractor or subcontractor may receive additional training program funds from other sources for other trainees, provided such other source does not specifically prohibit the Contractor or subcontractor from receiving other reimbursement. For purposes of this Special Provision the Contractor is not relieved of requirements under applicable federal law, the Illinois Prevailing Wage Act, and is not eligible for other training fund reimbursements in addition to the Training Program Graduate (TPG) Special Provision reimbursement.

No payment shall be made to the Contractor if the Contractor or subcontractor fails to provide the required training. It is normally expected that a TPG will begin training on the project as soon as feasible after start of work utilizing the skill involved and remain on the project through completion of the contract, so long as training opportunities exist in his work classification or until he has completed his training program. Should the TPG's employment end in advance of the completion of the contract, the Contractor shall promptly notify the designated IDOT staff member under this Special Provision that the TPG's involvement in the contract has ended and supply a written report

of the reason for the end of the involvement, the hours completed by the TPG under the Contract and the number of hours for which the incentive payment provided under this Special Provision will be or has been claimed for the TPG.

The Contractor will provide for the maintenance of records and furnish periodic reports documenting its performance under this Special Provision.

METHOD OF MEASUREMENT: The unit of measurement is in hours.

BASIS OF PAYMENT: This work will be paid for at the contract unit price of \$15.00 per hour for certified TRAINEES TRAINING PROGRAM GRADUATE. The estimated total number of hours, unit price and total price have been included in the schedule of prices.

The Contractor shall provide training opportunities aimed at developing full journeyworker in the type of trade or job classification involved. The initial number of TPGs for which the incentive is available under this contract is two (2). During the course of performance of the Contract the Contractor may seek approval from the Department for additional incentive eligible TPGs. In the event the Contractor subcontracts a portion of the contract work, it shall determine how many, if any, of the TPGs are to be trained by the subcontractor, provided however, that the Contractor shall retain the primary responsibility for meeting the training requirements imposed by this Special Provision. The Contractor shall also insure that this Training Program Graduate Special Provision is made applicable to such subcontract if the TPGs are to be trained by a subcontractor and that the incentive payment is passed on to each subcontractor.

For the Contractor to meet the obligations for participation in this TPG incentive program under this Special Provision, the Department has contracted with several entities to provide screening, tutoring and pre-training to individuals interested in working in the applicable construction classification and has certified those students who have successfully completed the program and are eligible to be TPGs. A designated IDOT staff member, the Director of the Office of Business and Workforce Diversity (OBWD), will be responsible for providing assistance and referrals to the Contractor for the applicable TPGs. For this contract, the Director of OBWD is designated as the responsible IDOT staff member to provide the assistance and referral services related to the placement for this Special Provision. For purposes of this Contract, contacting the Director of OBWD and interviewing each candidate he/she recommends constitutes reasonable recruitment.

Prior to commencing construction, the Contractor shall submit to the Department for approval the TPGs to be trained in each selected classification. Furthermore, the Contractor shall specify the starting time for training in each of the classifications. No employee shall be employed as a TPG in any classification in which he/she has successfully completed a training course leading to journeyman status or in which he/she has been employed as a journeyman. Notwithstanding the on-the-job training purpose of this TPG Special Provision, some offsite training is permissible as long as the offsite training is an integral part of the work of the contract and does not comprise a significant part of the overall training.

Training and upgrading of TPGs of IDOT pre-apprentice training programs is intended to move said TPGs toward journeyman status and is the primary objective of this Training Program Graduate Special Provision. Accordingly, the Contractor shall make every effort to enroll TPGs by recruitment through the IDOT funded TPG programs to the extent such persons are available within a reasonable area of recruitment. The Contractor will be responsible for demonstrating the steps that it has taken in pursuance thereof, prior to a determination as to whether the Contractor is in compliance and entitled to the Training Program Graduate Special Provision \$15.00 an hour incentive.

The Contractor or subcontractor shall provide each TPG with a certificate showing the type and length of training satisfactorily completed.




## Storm Water Pollution Prevention Plan



| Route          | Marked Route       | Section         |
|----------------|--------------------|-----------------|
| FAU2298        | Longmeadow Parkway | 13-00215-30-PV  |
| Project Number | County             | Contract Number |
| C-91-066-15    | Kane County        | 61D16           |

This plan has been prepared to comply with the provisions of the National Pollutant Discharge Elimination System (NPDES) Permit No. ILR10 (Permit ILR10), issues by the Illinois Environmental Protection Agency (IEPA) for storm water discharges from construction site activities.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



A. Provide a description of the project location (include latitude and longitude):

Longmeadow Parkway Section D is a new arterial roadway in Kane County that will extend from IL Route 62 to approximately 0.2 miles east of IL Route 25, where it will join with Longmeadow Parkway Section C. Improvements will also be made to IL Route 62, extending 0.24 miles northwest of the proposed Longmeadow Parkway intersection and 0.28 miles southeast of the proposed Longmeadow Parkway intersection. Section 1, T42N, R8E (N42d8'29.00" W88d14'41")

B. Provide a description of the construction activity which is subject of this plan:

Construction includes the construction of Longmeadow Parkway, a 4-lane section divided by a median, and IL reconstruction and widening of IL Route 62, from a 2-lane section to a 4-lane section. The improvements include a soldier pile wall and a cast-in-place wall on IL Route 62. Drainage improvements include a combination of enclosed drainage with curb and gutter and open swale drainage system. There will be a detention basin constructed at the west end of the job. Erosion and Sediment Control will be established prior to beginning any construction work, maintained throughout construction and removed upon completion of construction.

Contractor is responsible for submission, maintaining, and updating NOI, SWPPP and NOT. Electronic NOI submission shall be coordinated such that it is submitted a minimum of 30 days prior to the start of construction.

C. Provide the estimated duration of this project:

February 1, 2018 - December 31, 2018

D. The total area of the construction site is estimated to be 21.6 acres.

The total area of the site estimated to be disturbed by excavation, grading or other activities is 21.6 acres.

Printed 9/29/17

Page 1 of 10

BDE 2342 (Rev. 09/29/15)

E. The following is a weighted average of the runoff coefficient for this project after construction activities are completed:

| EXISTING A                    | Ccoefficient | C*A     | CN | CN*A     |  |
|-------------------------------|--------------|---------|----|----------|--|
| Grass 7600042.5 (174.47)      | 0.45         | 78.51   | 61 | 10642.85 |  |
| Impervious 701866 (16.11)     | 0.98         | 15.79   | 98 | 1579.04  |  |
| 190.59 =                      |              | 94.30 = |    | 12221.89 |  |
| Ccomposite= 94.30/190.59 = 0. | 4948         |         |    |          |  |
| PROPOSED A                    | Ccoefficient | C*A     | CN | CN*A     |  |
| Grass 7350086 (168.73)        | 0.45         | 75.93   | 61 | 10292.82 |  |
| Impervious 970282 (22.72)     | 0.98         | 21.83   | 98 | 2182.91  |  |
| 191.01 =                      |              | 97.76 = |    | 12475.73 |  |

Ccomposite= 97.76/191.01 = 0.5118

Weighted Average (EXISTING) =0.49 Weighted Average (PROPOSED) = 0.51

F. List all soils found within project boundaries. Include map unit name, slope information and erosivity:

361B Kidder Loam, 2 to 4 percent slopes (Erosivity K Factor Rating 0.24)

361C2 Kidder Loam, 4 to 6 percent slopes, eroded (Erosivity K Factor Rating 0.28)

361B Kidder Loam, 2 to 4 percent slopes (Erosivity K Factor Rating 0.28)

361D2 Kidder Loam, 6 to 12 percent slopes, eroded (Erosivity K Factor Rating 0.28)

361E2 Kidder Loam, 12 to 20 percent slopes, eroded (Erosivity K Factor Rating 0.28)

G. Provide an aerial extent of wetland acreage at the site:

0.00 acres of wetlands located WITHIN project site

WOUS 1 (2x2 Box Culvert)
0.01 acres/0.01 acres impact

WOUS 2 (North Outlets)
0.01 acres/0.0 acres impact

H. Provide a description of potentially erosive areas associated with this project:

Potentially erosive soils are present throughout the majority of the corridor of Longmeadow Parkway and the north leg of IL Route 62. This is likely a result of steeper slopes and existing drainage patterns in the forest area.

The design, installation, and maintenance of BMPs at these locations are within an area where annual erosivity (R value) is less than or equal to 160. Erosivity is less than 5 in all two-week periods between October 12 and April 15, which would qualify for a construction rainfall erosivity waiver under the US Construction General Permit Requirements. At these locations, erosivity is highest in Spring to Autumn, April 16 - October 11.

I. The following is a description of soil disturbing activities by stages, their locations, and their erosive factors (e.g. steepness of slopes, length of scopes, etc.):

#### Stage 1 Construction

Work Performed

- 1. Construct temporary pavement adjacent to the northwest bound lane of IL Route 62 and temporary MSE wall at the location shown on the plans.
- 2. Construct drainage structures, storm sewers and re-grade the ditch on the east side of IL Route 62 per the proposed cross sections and drainage plan. All slopes will be 3:1 or flatter, except for behind the temporary MSE retaining wall.
- 3. Grade detention basin.

#### Stage 2 Construction

Work Performed

- 1. Construct new pavement of Longmeadow Parkway and widening/reconstruction of the west side of IL Route 62.
- 2. Construct soldier pile wall, drainage structures, storm sewers, and grade ditches along Longmeadow Parkway and the west side of IL Route 62. Typically, slopes will be 3:1 or flatter, except for behind the soldier pile wall. There are a few spot locations along Longmeadow where a 2.5:1 backslope will be used outside of the clear zone to tie into existing ground within the ROW.

#### Stage 3 Construction

Work Performed

- 1. Remove temporary pavement and construct widening/reconstruction of the east side of IL Route 62.
- 2. Construct CIP wall and any remaining drainage structures and storm sewers that could not previously be installed. Re-grade ditches if needed. Slopes will be 3:1 or flatter, except for behind the CIP wall.

# Stage 4 Permanent Stabilization

Work Performed

- 1. Landscaping & Trees Installed
- 2. All exposed soil must be stabilized
- Geosynthetics + riprap installed where identified
- 4. Outlet treatments installed
- Paved Surfaces Cleaned
- 6. Inlet Filters Removed
- 7. Temp Erosion Control Measures Removed
- J. See the erosion control plans and/or drainage plans for this contract for information regarding drainage patterns, approximate slopes anticipated before and after major grading activities, locations where vehicles enter or exit the site and controls to prevent off site sediment tracking (to be added after contractor identifies locations), areas of soil disturbance, the location of major structural and non-structural controls identified in the plan, the location of areas where stabilization practices are expected to occur, surface waters (including wetlands) and locations where storm water is discharged to surface water including wetlands.
- K. Identify who owns the drainage system (municipality or agency) this project will drain into:

Longmeadow Parkway - Kane County Division of Transportation II Route 62 - Illinois Department of Transportation

L. The following is a list of General NPDES ILR40 permittees within whose reporting jurisdiction this project is located.

Kane County, Village of Barrington Hills, and Carpentersville

M. The following is a list of receiving water(s) and the ultimate receiving water(s) for this site. The location of the receiving waters can be found on the erosion and sediment control plans:

|   | He   | adı   | aters to Spring Creek/Lake.<br>aters located located 4,900 ft to the northeast<br>Lake located 8,700 ft to the northeast.   |  |  |  |  |  |
|---|--|---|---|--|--|--|--|--|
|   | Afc  | orer  | mentioned receiving waters are NOT listed as biologically significant streams by IDNR.  |  |  |  |  |  |
| N.  |  | escribe areas of the site that are to be protected or remain undisturbed. These areas may include steep slopes, ghly erodible soils, streams, stream buffers, specimen trees, natural vegetation, nature preserves, etc.  Il areas outside of the grading limits of the proposed roadways shall be protected and remain ndisturbed. |   |  |  |  |  |  |
|   | All  |   |   |  |  |  |  |  |
| Ο.  |  | act   | lowing sensitive environmental resources are associated with this project, and may have the potential to be ed by the proposed development:   |  |  |  |  |  |
|   |  | ☐ Floodplain<br>☐ Wetland Riparian  |   |  |  |  |  |  |
|   | ☐ Threatened and Endangered Species  |   |   |  |  |  |  |  |
|   |  |   | storic Preservation   |  |  |  |  |  |
|   | 303(d) Listed receiving waters for suspended solids, turbidity, or siltation |   |   |  |  |  |  |  |
|   |  | Re  | ceiving waters with Total Maximum Daily Load (TMDL) for sediment, total suspended solids, turbidity, or siltation   |  |  |  |  |  |
|   |  | Ар  | plicable Federal, Tribal, State or Local Programs   |  |  |  |  |  |
|   |  | Otl   | ner   |  |  |  |  |  |
|   | 1.   | 303   | s(d) Listed receiving waters (fill out this section if checked above):  |  |  |  |  |  |
|   | [  |   | (a) Lotor Tooliving Water (iii) out the coolisis is should above)   |  |  |  |  |  |
|   | L  | _   | The name(s) of the listed water body, and identification of all pollutants causing impairment:  |  |  |  |  |  |
|   |  | a.  | The hame(s) of the listed water body, and identification of all politicants causing impairment.   |  |  |  |  |  |
|   |  | b.  | Provide a description of how erosion and sediment control practices will prevent a discharge of sediment resulting from a storm event equal to or greater than a twenty-five (25) year, twenty-four (24) hour rainfall event: |  |  |  |  |  |
|   |  |   |   |  |  |  |  |  |
|   |  | c.  | Provide a description of the location(s) of direct discharge from the project site to the 303(d) water body:  |  |  |  |  |  |
|   |  |   |   |  |  |  |  |  |
|   |  | d.  | Provide a description of the location(s) of any dewatering discharges to the MS4 and/or water body:   |  |  |  |  |  |
|   |  |   |   |  |  |  |  |  |
|   | 2.   |   | DL (fill out this section if checked above)   |  |  |  |  |  |
|   |  | a.  | The name(s) of the listed water body:   |  |  |  |  |  |
|   |  | b.  | Provide a description of the erosion and sediment control strategy that will be incorporated into the site design that is consistent with the assumptions and requirements of the TMDL:                                       |  |  |  |  |  |
|   |  |   |   |  |  |  |  |  |
|   |  | C.  | If a specific numeric waste load allocation has been established that would apply to the project's discharges, provide a description of the necessary steps to meet the allocation:   |  |  |  |  |  |
|   |  |   |   |  |  |  |  |  |
| P. The following pollutants of concern will be associated with this construction project: |  |   |   |  |  |  |  |  |
|   | $\boxtimes$  | S   | oil Sediment   Petroleum (gas, diesel, oil, kerosene, hydraulic oil / fluids)   |  |  |  |  |  |
|   | $\boxtimes$  | C   | oncrete   Antifreeze / Coolants   |  |  |  |  |  |

Printed 9/29/17 Page 4 of 10 BDE 2342 (Rev. 09/29/15)

|     | Concrete Truck   | waste  | X                         | Waste water from cleaning construction equipment   |  |  |
|-----|--|--|---------------------------|--|--|--|
|     |  | Compounds  |                           | Other (specify)  |  |  |
|     | ☐ Solid waste Deb  | oris   |                           | Other (specify)  |  |  |
|     | Paints   | İ  |                           | Other (specify)  |  |  |
|     | Solvents   |  |                           | Other (specify)  |  |  |
|     | Fertilizers / Pest   | icides (   |                           | Other (specify)  |  |  |
| II. | Controls   |  |                           |  |  |  |
|     | described in I.C. above a will be responsible for its the implementation of the any proposed changes, n  | nd for all use areas, borrov<br>implementation as indicate<br>measures indicated. The<br>naintenance, or modificatio | v si<br>ed.<br>Coi<br>ons | rill be implemented for each of the major construction activities sites, and waste sites. For each measure discussed, the Contractor. The Contractor shall provide to the Resident Engineer a plan for ontractor and subcontractors, will notify the Resident Engineer of s to keep construction activities compliant with the Permit ILR10. ation on forms which are attached to, and are a part of, this plan: |  |  |
|     | <ol> <li>Minimize the amo</li> <li>Minimize the dist</li> </ol>  | ount of soil exposed during<br>urbance of steep slopes;  | СО                        |  |  |  |
|     | removal and max  | buffers around surface wat<br>timize storm water infiltration<br>paction and, unless infeas                          | on,                       |  |  |  |
|     | B. Stabilization Practices: Provided below is a description of interim and permanent stabilization practices, includin site- specific scheduling of the implementation of the practices. Site plans will ensure that existing vegetation is preserved where attainable and disturbed portions of the site will be stabilized. Stabilization practices may include but are not limited to: temporary seeding, permanent seeding, mulching, geotextiles, sodding, vegetative buffer strips, protection of trees, preservation of mature vegetation, and other appropriate measures. Except as provided below in II(B)(1) and II(B)(2), stabilization measures shall be initiated immediately where construction activities have temporarily or permanently ceased, but in no case more than one (1) day after the construction activity in that portion of the site has temporarily or permanently ceases on all disturbed portions of the site where construction we not occur for a period of fourteen (14) or more calendar days. |  |                           |  |  |  |
|     | initiated as soon 2. On areas where  | as practicable.  | mp                        | is precluded by snow cover, stabilization measures shall be appropriately ceased and will resume after fourteen (14) days, a   |  |  |
|     | The following stabiliz   | ation practices will be used   | l fo                      | or this project:   |  |  |
|     | Preservation   | of Mature Vegetation   | $\boxtimes$               | Erosion Control Blanket / Mulching   |  |  |
|     | ☐ Vegetated Bu   | ıffer Strips   |                           | ] Sodding  |  |  |
|     | Protection of  | Trees [  | X                         | ] Geotextiles  |  |  |
|     |  | rosion Control Seeding [   | $\boxtimes$               | Other (specify) Temp Erosion Control Blanket   |  |  |
|     | Temporary To   | urf (Seeding, Class 7)   | $\boxtimes$               | Other (specify) Mulch Method 2   |  |  |
|     | Temporary M  | ulching [  | $\boxtimes$               | Other (specify) Stabilized Flow Line   |  |  |
|     | Permanent S  | eeding [   |                           | Other (specify)  |  |  |
|     | Describe how the sta   | bilization practices listed a  | bov                       | ove will be utilized during construction:  |  |  |
|     | See Sheet 5a of 10   |  |                           |  |  |  |

Printed 9/29/17 Page 5 of 10 BDE 2342 (Rev. 09/29/15)

Describe how the stabilization practices listed above will be utilized after construction activities have been

completed:

Describe how the stabilization practices listed above will be utilized during construction:

Stabilization controls runoff volume and velocity, peak runoff rates and volumes of discharge to minimize exposed soil, disturbed slopes, sediment discharges from construction, and provides for natural buffers and minimization of soil compaction. Existing vegetated areas where disturbance can be avoided will not require stabilization."

Where possible, stabilization of the initial Stage should be completed before work is moved to subsequent stages. Four (4) major construction stages have been included with descriptions contained herein.

The above identified stabilization practices are described as follows:

Temporary Erosion Control Seeding-Temporary Seeding shall be placed as shown in the plans or as directed by the Engineer to stabilize disturbed areas that will be inactive for an extended period. All Temporary Seeding shall be performed in accordance to Section 280 of the IDOT Standard Specifications for Road and Bridge Construction. All exposed areas are to be seeded using temporary erosion control seeding every 7 days. Light disking shall be necessary if soils are hard packed or caked.

Permanent Seeding- Permanent Seeding shall be used to stabilize areas at final grade that would not be otherwise stabilized. Permanent Seeding shall be placed as contained in the plans or as directed by the Engineer. All Permanent Seeding shall be in accordance with Section 250 of the IDOT Standard Specifications for Road and Bridge Construction. All exposed areas are to be seeded shall not be seeded during high winds or when the ground is not in proper condition for seeding. Ground bed preparation shall be in accordance with Section 250 prior to seeding, Fertilizing, or placing Erosion Control Blanket or Mulch. Seeded areas shall be monitored frequently with bare areas to be re-seeded immediately to allow for germination. Notice of Termination is dependent upon 70% established vegetation so monitoring the progress of the permanent seeding is necessary.

Erosion Control Blanket/Mulching- Erosion control blankets will be used both in the temporary and permanent state where natural vegetation alone will not provide sufficient permanent erosion protection. It will be installed over fill or disturbed slopes and in areas with higher velocities such as ditches that have been brought to final grade and seeded to protect slopes from erosion and allow seeds to germinate. Mulch will be applied in all permanently seeded areas to protect the disturbed areas, allow seeds to germinate to prevent further erosion. Blanket shall be checked periodically for dislodged staples, improper spacing, tenting and under blanket erosion. Sediment build-up shall be addressed which indicates water is blowing beneath the blanket rather than over. Blanket shall be repaired immediately due to water running beneath. Displaced blanket shall be replaced and re-stapled.

Geotextiles - Geotextiles will be utilized for perimeter erosion barrier, inlet filters and other various uses. Geotextiles should be monitored and maintained. Tears, rips and separations at joints shall be addresses immediately with torn or ripped geotexile replaced and separated joints repaired properly. Sediment build-up should be monitored with removal dependent upon the use.

Mulch Method 2 - Mulch Method 2 should be applied to slopes for temporary stabilization prior to seasons when Temporary seed will not germinate, for example in mid-July or in winter." Mulch with or without stabilizing emulsion is applied to disturbed soil areas. Avoid overspray of hydraulic mulch onto existing vegetation, sidewalks, travel ways, sound walls and channels. Walking and moving equipment should be avoided on mulched areas. Mulch should not be used in areas where concentrated or swift moving water as it will be washed away. Mulch is considered a short-term soil stabilization practice generally lasting through a portion of the growing season. Re-application of mulch may be necessary to effectively stabilize the soil throughout the season.

Stabilized Flow Line - The Contractor should provide to the RE a plan to ensure that a stabilized flow line will be provided during storm sewer construction. The use of a stabilized flow line between installed storm sewer and open disturbance will reduce the potential for the offsite discharge of sediment bearing waters, particularly when rain is forecasted so that flow will not erode. Lack of an approved plan or failure to comply will result in an ESC Deficiency Deduction.

Printed 9/29/17 Page 5a of 10 BDE 2342 (Rev. 09/29/15)

Erosion and Sediment Control items will remain in place until vegetation has been established and erosion or the transport of sedment has been minimized to the greatest extent possible. C. Structural Practices; Provided below is a description of structural practices that will be implemented, to the degree attainable, to divert flows from exposed soils, store flows or otherwise limit runoff and the discharge of pollutants from exposed areas of the site. Such practices may include but are not limited to: perimeter erosion barrier, earth dikes, drainage swales, sediment traps, ditch checks, subsurface drains, pipe slope drains, level spreaders, storm drain inlet protection, rock outlet protection, reinforced soil retaining systems, gabions, and temporary or permanent sediment basins. The installation of these devices may be subject to Section 404 of the Clean Water Act. The following stabilization practices will be used for this project: Rock Outlet Protection Perimeter Erosion Barrier ▼ Temporary Ditch Check Storm Drain Inlet Protection Gabions ☐ Sediment Trap ☐ Slope Mattress

Temporary Pipe Slope Drain Retaining Walls ☐ Temporary Sediment Basin Slope Walls Temporary Stream Crossing Concrete Revetment Mats Level Spreaders □ Turf Reinforcement Mats Other (specify) Permanent Check Dams Other (specify) Permanent Sediment Basin Other (specify) Aggregate Ditch Other (specify) Paved Ditch Other (specify) Describe how the structural practices listed above will be utilized during construction: See Sheets 6a and 6b for descriptions. Describe how the structural practices listed above will be utilized after construction activities have been completed: All of the above structural practices will be removed upon the completion of construction with the exception of the Riprap, Turf Reinforcement Mats, and Retaining Walls. The items to be removed will not be utilized after construction activities have been completed. D. Treatment Chemicals Will polymer flocculents or treatment chemicals be utilized on this project: Yes X No If yes above, identify where and how polymer flocculents or treatment chemicals will be utilized on this project.

- E. Permanent Storm Water Management Controls: Provided below is a description of measures that will be installed during the construction process to control volume and pollutants in storm water discharges that will occur after construction operations have been completed. The installation of these devices may be subject to Section 404 of the Clean Water act.
  - 1. Such practices may include but are not limited to: storm water detention structures (including wet ponds), storm water retention structures, flow attenuation by use of open vegetated swales and natural depressions, infiltration of runoff on site, and sequential systems (which combine several practices).

The practices selected for implementation were determined on the basis of the technical guidance in Chapter 41 (Construction Site Storm Water Pollution Control) of the IDOT Bureau of Design & Environment Manual. If practices other than those discussed in Chapter 41 are selected for implementation or if practices are applied to situations different from those covered in Chapter 41, the technical basis for such decisions will be explained below.

This project requires a US Army Corp of Engineers (USACE) 404 Permit that will be secured by the Department. All conditions of the 404 permit, found in the Special Provisions, must be followed. As a condition of this permit, the Contractor will need to submit a work plan for work within wetlands and WOUS to KDSWCD for approval. Guidelines on acceptable work techniques for work in wetlands and WOUS can be found on the USACE Website. The USACE defines and determines the work. The cost of all materials and labor necessary to comply with the above provisions to prepare and implement a work plan for work in wetlands and WOUS will not be paid for separately, but shall be considered as included in the unit bid prices of the contract and no additional compensation will be allowed.

Describe how the structural practices listed above will be utilized during construction:

Perimeter Erosion Barrier is used as a sediment barrier to intercept sheet flow runoff from disturbed areas. It shall be installed initially prior to beginning any other proposed work. It shall be placed adjacent to areas of construction to prevent and intercept waterborne silt in sheet flow from exiting the site. Perimeter Erosion Barrier or otherwise known as silt fence shall be placed around temporary stockpiles, downslope or below the toe of exposed or erodible soil areas. It can be also used adjacent to high quality resources for added protection. Silt fence shall be installed prior to ANY earth moving activities where it is installed on level horizontal contour with ends turned upslope. Maximum drainage for sheet flow runoff to a silt fence shall not exceed 0.5 acres per 100 feet of fence. Silt fence shall be embedded into soil 6 inches with stakes on the downhill side. Where necessary silt fence shall be spliced to overlap fabric at a support post with a minimum 6-inch overlap. Silt fence shall not be installed in or across concentrated flow paths. If erosion is present under the silt fence then it is necessary to look for correct trenching depth, backfilling and compaction. Tears, gaps or undermining shall be repaired immediately. Missing or broken stakes shall be replaced immediately. Clean out and properly dispose of buildup sediment when it reaches one-third the height of the barrier. Repair if undermining occurs anywhere along its entire reach. Silt fence should only be used as Perimeter Erosion Barrier in areas where the work area is higher than the perimeter. The use of silt fence at the top of a slope/elevation higher than the work area should always be avoided. If necessary, temporary fence should be utilized in these locations (where the top of slope/elevation is higher than the work area) in lieu of silt fence.

Temporary Ditch Checks shall be provided along newly graded ditches. They are temporary grade control structures placed in drainage channels to limit the erosivity of stormwater by reducing flow velocity. Ditch checks are to be maintained throughout construction and shall be spaced according to Figure 41-3B in Chapter 41 of the IDOT BDE Manual. The top of the downstream check shall be at the same elevation as the bottom of the upstream check. The check shall be long enough to ensure center of structure is at least 6 inches lower than outside edges of check to allow water to flow over middle of ditch check and not around edges. Ditch checks shall be either Aggregate, Urethane or Geotextile. Urethane Foam/Geotextile shall have the apron pinned into the soil. Urethane Foam/Geotextile Temp ditch check shall be from the IDOT approved product list. Areas of concern during inspection may consist of floating ditch checks which are due to incorrect installation, sediment accumulation which requires removal, flow around or through the device at joints and undermining. Sediment shall be removed from the upstream side once sediment has reached 50% of height structure. Ditch checks shall be replaced once lears, splits unraveling or compression of excelsior is apparent. Torn fabric mat may allow water to undermine the ditch check. Debris shall be removed when observed on the check. Flow over the center of the check shall be re-established once it has been identified as circumventing the check. Check shall be re-installed correctly and may need lengthening if insufficient to properly function. Ditch checks shall be removed once all upslope areas are stabilized, seeded or otherwise stabilized. Aggregate ditch checks shall be constructed perpendicular to flow path in drainage swales with filter fabric placed below and between the rip-rap and course aggregate. Low point shall be in the center and if not, it shall be re-graded. High waterline shall be noted for discharges across the BMP. If the current quantity of ditch checks is compromised then additional ditch checks or other BMPs may be necessary. Sediment accumulation shall be removed once it reaches 50% of the height of the aggregate ditch check. Course Aggregate and fabric shall be replaced when sediment has filled all voids in the stone allowing sediment to be filtered. Repair or replace fabric whenever tears, splits or unraveling is apparent. Outside slopes shall be restored to 1V:2H to allow for proper interlock. Fabric shall be re-trenched if undercutting occurs.

Storm Drain Inlet Protection shall be installed in all structures with open grates. Inlet filters consist of a permeable barrier installed around or in an inlet to filter runoff and remove sediment prior to entering a storm drain inlet. Inlet filters will be checked on a regular basis and maintained throughout construction. Inlet protection shall be install prior to any-earth disturbing activities. Filters shall be installed directly on the drainage structures or under grates of drainage structure resting on lip of frame. Fabric bag shall hang down into structure. Inlet Filters shall be checked periodically for standing water in filter for more than one hour after an event. Trash and sediment shall be removed when filter basket has reach 25% of capacity or 50% of the fabric pores are covered with silt. Ponded water on road surfaces shall be removed immediately. Torn filters shall be replaced immediately with a new inlet filter.

Stabilized Construction Exits shall be used by all construction traffic entering or exiting the construction site. Stabilized Construction Exits provide tracking controls where vehicles exit the site onto paved public roads as it is an effective vehicle tracking control to help remove sediment, mud, or dirt from vehicles, reducing tracking onto paved surfaces. Stabilized Construction Exits shall be maintained through construction and designed for the heaviest anticipated load. It should be installed prior to land-disturbing activities and graded away from the roadway to prevent runoff from leaving the construction site. Stone shall be replenished as needed and deposition on the roadway shall be swept at the end of each day. Culverts beneath stabilized construction exits shall be operational at all times allowing drainage patterns to be maintained. Culverts damaged or not operational shall be replaced as soon as possible as not to interfere with drainage patterns. All work associated with installation and maintenance of Stabilized Construction Entrances, concrete washouts, and in-stream work (including work within wetlands) are included in the cost of Sediment Control, Stabilized Construction Entrance Maintenance.

Riprap - shall be placed to prevent erosion and scouring at locations shown on the plans. This outlet protection helps reduce erosion immediately downstream of a pipe, culvert, slope drain, rundown or other conveyance with concentrated, high velocity flows. Riprap shall be used as protection at the discharge end of the culvert end sections and as outlet/slope protection to prevent scouring at the end of pipes and prevent downstream erosion. Rip rap shall be sized and placed to resist movement and migration downstream. Migration shall be address immediately upon inspection and if necessary upsized to prevent further migration.

Printed 9/29/17 Page 6a of 10 BDE 2342 (Rev. 09/29/15)

Turf Reinforcement Mats will be used at the outlet area surrounding Outlet 51 to prevent erosion and scouring at the steep grades. TRM shall be placed on steep sloped below pipe or water discharge or in the case of Outlet 51 where the area is inaccessible for the implementation of other BMPs. TRM shall be reviewed to ensure TRM meets material specifications for flow conditions, degradation and soil type. TRM shall be toed into the soil, installed and stapled per the manufacturer's staple pattern. Inspections shall note areas where TRM may be displaced where ditch flow exceeds the shear capacity of the BMP. TRM shall be properly toes in with lap joints installed correctly and adequate stapling. Vehicles shall be prohibited from driving over TRMs. If mowing is needed over the TRM then mowing height shall be adjusted to avoid damage to the TRM. Improper toe entrenching of TRM shall be repaired immediately. Undermining, gaps, displacement or storm water flowing around or under the TRM shall be corrected immediately.

Rock Outlet Protection shall be used at the outlet end of culverts, channels or conduits. Rock Outlet Protection will assist in preventing scour at stormwater outlets. Outlet protection shall be applied to culvert outlets of all types, pipe conduits to/from detention basins or storm water ponds, new channel outlets for culverts and conduits and outflows less than 10ft/s. No bends shall be found in the outlet apron. Material used shall consist of rock riprap, concrete block or gabions. Maximum thickness shall be 1.5 times the max stone diameter for d50 of 15 inches or less; and 1.2 times the max stone size for d50 greater than 15 inches. Stone shall consist of field stone or rough unhewn quarry stone that is angular and will not disintegrate with exposure to water. Specific gravity shall be at least 2.5. Rock Outlet Protection shall be checked on a regular basis and maintained throughout construction. In all cases, filter fabric shall be placed between the riprap and underlying soil to protect soil movement through the riprap. Geotextile fabric shall be in accordance with IDOT Specifications. Inspections shall identify locations where geotextile fabric has been moved, pulled up or has deteriorated and not functioning as intended. Riprap shall be inspected to determine if any movement downstream has been detected. Geotextile fabric shall be replaced in kind where deficiencies have been identified. Riprap movement downstream shall require replacement of stone of a larger gradation to prevent migration.

Retaining Walls shall be constructed as indicated on the structural plans to minimize the total area of excavation. Retaining walls shall be permanent and assist as a measure to minimize land disturbance area. Areas of disturbance will be temporarily restored during construction of retaining wall or permanently restored upon completion of the wall.

Avoid using INLET AND PIPE PROTECTION shown on the Highway Standard Sheets 280001. Straw bales and silt fence should not be used as inlet and pipe protection. Inlet and pipe protection should be comprised of ditch checks, temporary seeding and temporary erosion control blanket and will be installed at all storm sewer and culverts. Inlet Filters, as specified in Article 1081.15(h) of the Standard Specification (current edition) will be installed at all inlets, catch basins, and manholes for the duration of construction. Inlet filters will be cleaned on a regular basis. Ensure proper quantities of inlet filters, ditch checks, temporary seeding and temporary erosion control blanket are included in the contract.

Stabilized Flow Line – The Contractor should provide to the RE a plan to ensure that a stabilized flow line will be provided during storm sewer construction. The use of a stabilized flow line between installed storm sewer and open disturbance will reduce the potential for the offsite discharge of sediment bearing waters, particularly when rain is forecasted so that flow will not erode. Lack of an approved plan or failure to comply will result in an ESC Deficiency Deduction.

Printed 9/29/17 Page 6b of 10 BDE 2342 (Rev. 09/29/15)

2. Velocity dissipation devices will be placed at discharge locations and along the length of any outfall channel as necessary to provide a non-erosive velocity flow from the structure to a water course so that the natural physical and biological characteristics and functions are maintained and protected (e.g. maintenance of hydrologic conditions such as the hydroperiod and hydrodynamics present prior to the initiation of construction activities).

Description of permanent storm water management controls:

The detention basin will have a wet bottom and vegetated swales will be constructed at the outlets along IL Route 62.

F. Approved State or Local Laws: The management practices, controls, and provisions contained in this plan will be in accordance with IDOT specifications, which are at least as protective as the requirements contained in the Illinois Environmental Protection Agency's Illinois Urban Manual. Procedures and requirements specified in applicable sediment and erosion site plans or storm water management plans approved by local officials shall be described or incorporated by reference in the space provided below. Requirements specified in sediment and erosion site plans, site permits, storm water management site plans or site permits approved by local officials that are applicable to protecting surface water resources are, upon submittal of an NOI, to be authorized to discharge under the Permit ILR10 incorporated by reference and are enforceable under this permit even if they are not specifically included in the plan.

Description of procedures and requirements specified in applicable sediment and erosion site plans or storm water management plans approved by local officials:

- G. Contractor Required Submittals: Prior to conducting any professional services at the site covered by this plan, the Contractor and each subcontractor responsible for compliance with the permit shall submit to the Resident Engineer a Contractor Certification Statement, BDE 2342a.
  - 1. The Contractor shall provide a construction schedule containing an adequate level of detail to show major activities with implementation of pollution prevention BMPs, including the following items:
    - · Approximate duration of the project, including each stage of the project
    - · Rainy season, dry season, and winter shutdown dates
    - · Temporary stabilization measures to be employed by contract phases
    - · Mobilization time frame
    - · Mass clearing and grubbing/roadside clearing dates
    - Deployment of Erosion Control Practices
    - Deployment of Sediment Control Practices (including stabilized construction entrances/exits)
    - Deployment of Construction Site Management Practices (including concrete washout facilities, chemical storage, refueling locations, etc.)
    - · Paving, saw-cutting, and any other pavement related operations
    - · Major planned stockpiling operations
    - Time frame for other significant long-term operations or activities that may plan non-storm water discharges such as dewatering, grinding, etc.
    - Permanent stabilization activities for each area of the project
  - 2. The Contractor and each subcontractor shall provide, as an attachment to their signed Contractor Certification Statement, a discussion of how they will comply with the requirements of the permit in regard to the following items and provide a graphical representation showing location and type of BMPs to be used when applicable:

- Vehicle Entrances and Exits Identify type and location of stabilized construction entrances and exits to be used and how they will be maintained.
- Material delivery, Storage, and Use Discuss where and how materials including chemicals, concrete curing compounds, petroleum products, etc. will be stored for this project.
- Stockpile Management Identify the location of both on-site and off-site stockpiles. Discuss what BMPs will be used to prevent pollution of storm water from stockpiles.
- Waste Disposal Discuss methods of waste disposal that will be used for this project.
- Spill Prevention and Control Discuss steps that will be taken in the event of a material spill (chemicals, concrete curing compounds, petroleum, etc.).
- Concrete Residuals and Washout Wastes Discuss the location and type of concrete washout facilities to be used on this project and how they will be signed and maintained.
- Litter Management Discuss how litter will be maintained for this project (education of employees, number of dumpsters, frequency of dumpster pick-up, etc.).
- Vehicle and Equipment Cleaning and Maintenance Identify where equipment cleaning and maintenance locations for this project and what BMPs will be used to ensure containment and spill prevention.
- Dewatering Activities Identify the controls which will be used during dewatering operations to ensure sediments will not leave the construction site.
- Polymer Flocculants and Treatment Chemicals Identify the use and dosage of treatment chemicals and
  provide the Resident Engineer with Material Safety Data Sheets. Describe procedures on how the
  chemicals will be used and identify who will be responsible for the use and application of these
  chemicals. The selected individual must be trained on the established procedures.
- Additional measures indicated in the plan.

### III. Maintenance

When requested by the Contractor, the Resident Engineer will provide general maintenance guides to the Contractor for the practices associated with this project. The following additional procedures will be used to maintain, in good and effective operating conditions, the vegetation, erosion and sediment control measures and other protective measures identified in this plan. It will be Contractor's responsibility to attain maintenance guidelines for any manufactured BMPs which are to be installed and maintained per manufacture's specifications.

IDOT Erosion and Sediment Control Field Guild for Construction Inspection can be found online at: http://www.idot.illinois.gov/transportation-system/environment/erosion-and-sediment-control

### IV. Inspections

Qualified personnel shall inspect disturbed areas of the construction site which have not yet been finally stabilized, structural control measures, and locations where vehicles and equipment enter and exit the site using IDOT Storm Water Pollution Prevention Plan Erosion Control Inspection Report (BC 2259). Such inspections shall be conducted at least once every seven (7) calendar days and within twenty-four (24) hours of the end of a storm or by the end of the following business or work day that is 0.5 inch or greater or equivalent snowfall.

Inspections may be reduced to once per month when construction activities have ceased due to frozen conditions. Weekly inspections will recommence when construction activities are conducted, or if there is 0.5" or greater rain event, or a discharge due to snowmelt occurs.

If any violation of the provisions of this plan is identified during the conduct of the construction work covered by this plan, the Resident Engineer shall notify the appropriate IEPA Field Operations Section office by e-mail at: <a href="mailto:epa.swnoncomp@illinois.gov">epa.swnoncomp@illinois.gov</a>, telephone or fax within twenty-four (24) hours of the incident. The Resident Engineer shall then complete and submit an "Incidence of Non-Compliance" (ION) report for the identified violation within five (5) days of the incident. The Resident Engineer shall use forms provided by IEPA and shall include specific information on the cause of noncompliance, actions which were taken to prevent any further causes of noncompliance, and a statement detailing any environmental impact which may have resulted from the noncompliance. All reports of non-compliance shall be signed by a responsible authority in accordance with Part VI. G of the Permit ILR10.

The Incidence of Non-Compliance shall be mailed to the following address:

Illinois Environmental Protection Agency Division of Water Pollution Control Attn: Compliance Assurance Section 1021 North Grand East Post Office Box 19276 Springfield, Illinois 62794-9276

### Additional Inspections Required:

Erosion control measures to be inspected may consist of the following: Perimeter Erosion Barrier, Inlet Protection, rip-rap, erosion control blanked/temporary mulching, permanent seeding, temporary erosion control seeding, temporary dtich checks, and stabilized construction entrance. See Stabilization and Structural Practices contained herein for checking structural integrity, sediment accumulation and functionality.

All offsite Borrow, Waste and Use areas are part of the construction site and are to be inspected according to the language in the section.

### V. Failure to Comply

Failure to comply with any provisions of this Storm Water Pollution Prevention Plan will result in the implementation of a National Pollutant Discharge Elimination System/Erosion and Sediment Control Deficiency Deduction against the Contractor and/or penalties under the Permit ILR10 which could be passed on to the Contractor.



### **Contractor Certification Statement**



Prior to conducting any professional services at the site covered by this contract, the Contractor and every subcontractor must complete and return to the Resident Engineer the following certification. A separate certification must be submitted by each firm. Attach to this certification all items required by Section II.G of the Storm Water Pollution Prevention Plan (SWPPP) which will be handled by the Contractors/subcontractor completing this form.

| Route  | Marked Route                 |                     | Section                                |  |
|--|------------------------------|---------------------|--|--|
| FAU2298  | Longmeadow Parkway           |                     | 13-00215-30-PV                         |  |
| Project Number   | County                       |                     | Contract Number                        |  |
| C-91-066-15  | Kane County                  |                     | 61D16                                  |  |
| This certification statement is a part of Permit No. ILR10 issued by the Illinois E  |                              |                     | accordance with the General NPDES      |  |
| I certify under penalty of law that I under associated with industrial activity from th  |                              |                     |  |  |
| In addition, I have read and understand project; I have received copies of all app to be in compliance with the Permit ILR1  | propriate maintenance pro    | cedures; and, I ha  | ve provided all documentation required |  |
| ☐ Contractor   |                              |                     |  |  |
| Sub-Contractor   |                              |                     |  |  |
| Print Name   |                              | ignature            |  |  |
|  |                              |                     |  |  |
| Title  |                              | ate                 |  |  |
|  |                              |                     |  |  |
| Name of Firm   |                              | elephone            |  |  |
|  |                              |                     |  |  |
| Street Address   | C                            | ity/State/Zip       | 1                                      |  |
| Market and the second |                              |                     |  |  |
| Items which the Contractor/subcontracto  | r will be responsible for as | required in Section | n II.G. of SWPPP:                      |  |
|  |                              |                     |  |  |
|  |                              |                     |  |  |



# Illinois Environmental Protection Agency

1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276 • (217) 782-3397

## **Division of Water Pollution Control** Notice of Intent (NOI) for General Permit to Discharge Storm Water Associated with Construction Site Activities

This fillable form may be completed online, a copy saved locally, printed and signed before it is submitted to the Permit Section at the above address. For Office Use Only

| OWNER INFORMATION   |                       |                        |                          |                   |   |                  |
|---|-----------------------|------------------------|--------------------------|-------------------|---|------------------|
| Company/Owner Name: Kane County                                   |                       |                        |                          | P6                | ermit No. ILR                           | 10               |
| Mailing Address: 41w011 Burlington Ro                             | 1.                    |                        | F                        | hone: <u>1.63</u> | 0.584.1170                              |                  |
| City: St. Charles   | State: IL             | Zip: <u>60175</u>      | F                        | ax: <u>1.630.</u> | 584.5265                                |                  |
| Contact Person: Carl Schoedel, PE                                 |                       |                        | E-mail: schoe            | edelcarl@co       | o.kane.il.us                            |                  |
| Owner Type (select one) County                                    |                       | ·                      |                          |                   |   |                  |
| CONTRACTOR INFORMATION  |                       |                        | MS4                      | 4 Communi         | ty: O Yes                               | No               |
| Contractor Name:  |                       |                        |                          |                   |   |                  |
| Mailing Address:  |                       |                        |                          | hone:             |   |                  |
| City:   | State:                | Zip:                   |                          |                   |   |                  |
| CONSTRUCTION SITE INFORMAT  | ION                   |                        |                          |                   |   |                  |
| Select One:   New  Change   | e of information      | on for: ILR10 _        |                          |                   |   |                  |
| Project Name: Longmeadow Parkway                                  |                       |                        | с                        | ounty: <u>K</u> a | ine                                     |                  |
| Street Address: Longmeadow Parkwa                                 | ay & IL 62            | City: <u>Barrin</u>    | gton Hills               | _  L Zi           | o: <u>60010</u>                         |                  |
| Latitude: <u>42</u> <u>8</u> <u>29</u>                            | Longitude:            | <u>88</u> <u>14</u>    | <u>41</u>                | 1                 | T42N                                    | 8E               |
| (Deg) (Min) (Sec)   |                       | (Deg) (M               | in) (Sec)                | Section           | Township                                | Range            |
| Approximate Construction Start Date _                             | Feb 1, 201            | 7 Approx               | imate Construction       | on End Dat        | e <u>Dec 31</u>                         | , 2017           |
| Total size of construction site in acres:                         | 21.6                  |                        |                          | Fee Sch           | edule for Con                           | struction Sites: |
| If less than 1 acre, is the site part of a la                     | arger common          | plan of develop        | ment?                    | Less tha          | n 5 acres - \$                          | \$250            |
|   |                       |                        |                          | o or mor          | e acres - \$7                           | 50               |
| STORM WATER POLLUTION PREV  |                       | AN (SWPPP)             |                          |                   |   |                  |
| las the SWPPP been submitted to the A                             | - •                   | - III                  | ✓ Yes                    | S O No            |   |                  |
| (Submit SWPPP electronically to: epa.c                            |                       | - ·                    |                          | 0"                | 5                                       |                  |
| Location of SWPPP for viewing: Address SWPPP contact information: | s. <u>Longmeado</u>   | w Parkway              |                          |                   | Barrington I                            |                  |
|   |                       |                        |                          | •                 | ector qualifica                         | ıtions:          |
| Contact Name: Carl Schoedel, PE                                   |                       |                        |                          | <u>P.E.</u>       |   |                  |
|   | x: <u>1.630.584.</u>  | 5265                   | E-mail: <u>sch</u>       |                   | co.kane.il.us                           |                  |
| Project inspector, if different from above                        |                       |                        |                          | Insp              | ector qualifica                         | itions:          |
| Inspector's Name:   |                       |                        | <del></del>              | <del></del>       | _                                       | ·                |
| Phone: Fax  | æ                     |                        | E-mail:                  |                   | *************************************** |                  |
| This Agency is putherized to                                      | raquira this informat | ion under Coeilen 4 an | d Tido V of the Environm | manial Dari       | - 4-1/445 11 00 61                      | 4 Eloo) = 2      |

IL 532 2104 WPC 623

Rev 6/2016

disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42) and may also prevent this form from being processed and could result in your application being denied. This form has been approved by the Forms Management Center. Page 1 of 3

| TYPE OF CONSTRUCTION (select one) Construction Type Transportation   |
|--|
| SIC Code:  |
| Type a detailed description of the project:  |
| Longmeadow Parkway Section D is a new arterial roadway in Kane County that will extend from IL Route 62 to   |
| approximately 0.2 miles east of IL Route 25, where it will join with Longmeadow Parkway Section C. Improvements  |
| will also be made to IL Route 62, extending 0.24 miles northwest of the proposed Longmeadow Parkway intersection   |
| and 0.28 miles southeast of the proposed Longmeadow Parkway intersection. Section 1, T42N, R8E (N42d8'29.00"   |
| W88d14'41")  |
|  |
| HISTORIC PRESERVATION AND ENDANGERED SPECIES COMPLIANCE  Has the project been submitted to the following state agencies to satisfy applicable requirements for compliance with Illinois law on:  |
| Historic Preservation Agency    Yes    No  |
| Endangered Species   |
| RECEIVING WATER INFORMATION  |
| Does your storm water discharge directly to: Waters of the State or 🗸 Storm Sewer  |
| Owner of storm sewer system: Kane County, IDOT, and Village of Carpentersville   |
| Name of closest receiving water body to which you discharge: Headwaters of Spring Creek (1/2 mile away)  |
| Mail completed form to: Illinois Environmental Protection Agency Division of Water Pollution Control Attn: Permit Section Post Office Box 19276 Springfield, Illinois 62794-9276 or call (217) 782-0610 FAX: (217) 782-9891  |
| Or submit electronically to: <u>epa.constilr10swppp@illinois.gov</u>   |
| I certify under penalty of law that this document and all attachments were prepared under my direction and supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage this system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. In addition, I certify that the provisions of the permit, including the development and implementation of a storm water pollution prevention plan and a monitoring program plan, will be complied with. |
| Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))  Owner Signature:  Date:   |
| COUNTY ENGINEER Printed Name:  COUNTY ENGINEER Title:  |

# INSTRUCTIONS FOR COMPLETION OF CONSTRUCTION ACTIVITY NOTICE OF INTENT (NOI) FORM

Submit original, electronic or facsimile copies. Facsimile and/or electronic copies should be followed-up with submission of an original signature copy as soon as possible. Please write "copy" under the "For Office Use Only" box in the upper right hand corner of the first page.

This fillable form may be completed online, a copy saved locally, printed and signed before it is submitted to the Permit Section at:

Illinois Environmental Protection Agency Division of Water Pollution Control Permit Section Post Office Box 19276 Springfield, Illinois 62794-9276 or call (217) 782-0610

FAX: (217) 782-9891

Or submit electronically to: epa.constilr10swppp@illinois.gov

## Reports must be typed or printed legibly and signed.

Any facility that is not presently covered by the General NPDES Permit for Storm Water Discharges From Construction Site Activities is considered a new facility.

If this is a change in your facility information, renewal, etc., please fill in your permit number on the appropriate line, changes of information or permit renewal notifications do not require a fee.

# NOTE: FACILITY LOCATION IS NOT NECESSARILY THE FACILITY MAILING ADDRESS, BUT SHOULD DESCRIBE WHERE THE FACILITY IS LOCATED.

Use the formats given in the following examples for correct form completion.

|          | Example | Format   |
|----------|---------|--|
| Section  | 12      | 1 or 2 numerical digits                        |
| Township | 12N     | 1 or 2 numerical digits followed by "N" or "S" |
| Range    | 12W     | 1 or 2 numerical digits followed by "E" or "W" |

For the Name of Closest Receiving Waters, do not use terms such as ditch or channel. For unnamed tributaries, use terms which include at least a named main tributary such as "Unnamed Tributary to Sugar Creek to Sangamon River."

Submission of initial fee and an electronic submission of Storm Water Pollution Prevention Plan (SWPPP) for Initial Permit prior to the Notice of Intent being considered complete for coverage by the ILR10 General Permits. Please make checks payable to: Illinois EPA at the above address.

Construction sites with less than 5 acres of land disturbance - fee is \$250.

Construction sites with 5 or more acres of land disturbance - fee is \$750.

SWPPP should be submitted electronically to: <a href="mailto:epa.constilr10swppp@illinois.gov">epa.constilr10swppp@illinois.gov</a>. When submitting electronically, use Project Name and City as indicated on NOI form.

# ILLINOIS ENVIRONMENTAL PROTECTION AGENCY



1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-3397

BRUCE RAUNER, GOVERNOR

ALEC MESSINA, ACTING DIRECTOR

217/782-3362

# JAN 18 2017

U.S. Army Corps of Engineers, Chicago District Regulatory Branch 231 South LaSalle Street, Suite 1500 Chicago, IL 60604

Re: Kane County Division of Transportation (Kane County)

Longmeadow Parkway – Fox River, Tributaries to the Fox River and Unnamed Wetlands

Log # C-0396-14 [CoE appl. # 2013-00839]

### Gentlemen:

This Agency received a request on September 15, 2014 from the Kane County Division of Transportation requesting necessary comments concerning the Longmeadow Parkway impacting the Fox River, tributaries to the Fox River and unnamed wetlands. We offer the following comments.

Based on the information included in this submittal, it is our engineering judgment that the proposed project may be completed without causing water pollution as defined in the Illinois Environmental Protection Act, provided the project is carefully planned and supervised.

These comments are directed at the effect on water quality of the construction procedures involved in the above described project and are <u>not</u> an approval of any discharge resulting from the completed facility, nor an approval of the design of the facility. These comments do <u>not</u> supplant any permit responsibilities of the applicant toward the Agency.

This Agency hereby issues certification under Section 401 of the Clean Water Act (PL 95-217), subject to the applicant's compliance with the following conditions:

- I. The applicant shall not cause:
  - a. violation of applicable water quality standards of the Illinois Pollution Control Board, Title 35, Subtitle C: Water Pollution Rules and Regulations;
  - b. water pollution defined and prohibited by the Illinois Environmental Protection Act; or
  - c. interference with water use practices near public recreation areas or water supply intakes.
- 2. The applicant shall provide adequate planning and supervision during the project construction period for implementing construction methods, processes and cleanup procedures necessary to prevent water pollution and control erosion.
- 3. Any spoil material excavated, dredged or otherwise produced must not be returned to the waterway but must be deposited in a self-contained area in compliance with all state statutes, regulations and permit requirements with no discharge to waters of the State unless a permit has been issued by this Agency. Any backfilling must be done with clean material and placed in a manner to prevent violation of applicable water quality standards. Contaminated soils shall not be placed in waterways.

4302 N. Main St., Rockford, IL 61103 (815)987-7760 595 S. State, Bgin, IL 60123 (847)608-3131 2125 S. First St., Champaign, IL 61820 (217)278-5800 2009 Mall St., Collinsville, IL 62234 (618)346-5120

9511 Harrison St., Det Plainez, il. 60016 (847)294-4000 412 SW Washington St., Suite D, Peoria, il. 61602 (309)671-3022 2309 W. Main St., Suite 116, Marion, il. 62959 (618)993-7200 100 W. Randolph, Suite 10-300, Chicago, il. 60601

- 4. All areas affected by construction shall be mulched and seeded as soon after construction as possible. The applicant shall undertake necessary measures and procedures to reduce erosion during construction. Interim measures to prevent erosion during construction shall be taken and may include the installation of staked straw bales, sedimentation basins and temporary mulching. All construction within the waterway shall be constructed during zero or low flow conditions. The applicant shall be responsible for obtaining an NPDES Storm Water Permit prior to initiating construction if the construction activity associated with the project will result in the disturbance of 1 (one) or more acres, total land area. An NPDES Storm Water Permit may be obtained by submitting a properly completed Notice of Intent (NOI) form by certified mail to the Agency's Division of Water Pollution Control, Permit Section.
- 5. The applicant shall implement erosion control measures consistent with the "Illinois Urban Manual" (IEPA/USDA, NRCS; 2016).
- 6. The proposed work shall be constructed with adequate erosion control measures (i.e., silt fences, straw bales, etc.) to prevent transport of sediment and materials to the adjoining wetlands and downstream.
- 7. Asphalt, bituminous material and concrete with protruding material such as reinforcing bar or mesh shall not be 1) used for backfill, 2) placed on shorelines/streambanks, or 3) placed in waters of the State.
- 8. The mitigation plan received by the Agency on January 4, 2017 in an email entitled "Longmeadow Parkway - Wetland Mitigation Questions" shall be implemented. Modifications to the mitigation plan must be submitted to the Agency for approval. The permittee shall submit annual reports by July 1 of each calendar year on the status of the mitigation. The first annual report shall include a hydric soils determination that represents the soils at the completion of initial construction for the wetland mitigation site(s). The permittee shall monitor the mitigation for 5 years after the completion of initial construction. A final report shall be submitted within 90 days after completion of a 5-year monitoring period. Each annual report and the final report shall include the following: IEPA Log No., date of completion of initial construction, representative photographs, floristic quality index, updated topographic maps, description of work in the past year, the performance standards for the mitigation as stated in the mitigation plan, and the activities remaining to complete the mitigation plan. For wetland mitigation sites containing non-hydric soils at the time of initial construction, the final report shall include a hydric soils determination that represents the soils at the end of the 5-year monitoring period. For mitigation provided by purchase of mitigation banking credits, in lieu of the above monitoring and reporting, the permittee shall submit written proof from the mitigation bank that the mitigation credits have been purchased within thirty (30) days of said purchase. The subject reports and proof of purchase of mitigation credits shall be submitted to:

Illinois Environmental Protection Agency Bureau of Water Permit Section 1021 North Grand Avenue East Post Office Box 19276 Springfield, Illinois 62794-9276

This certification becomes effective when the Department of the Army, Corps of Engineers, includes the above conditions # 1 through # 8 as conditions of the requested permit issued pursuant to Section 404 of PL 95-217.

This certification does not grant immunity from any enforcement action found necessary by this Agency to meet its responsibilities in prevention, abatement, and control of water pollution.

Sincerely

Alan Keller, P.E.

Manager, Permit Section

Division of Water Pollution Control

SAK:TJF:0396-14docx

cc: IEPA, Records Unit

IEPA, DWPC, FOS, Des Plaines

IDNR, OWR, Bartlett

USEPA, Region 5

Mr. Carl Schoedel, Kane County Division of Transportation, 41W011 Burlington Road, St. Charles, IL 60175

Ms. Nikki Pisula, Huff & Huff, Inc., 915 Harger Road, Suite 330, Oak Brook, IL 60523

Ms. Kelly Farley, Crawford Murphy and Tilly, 550 North Commons Drive, Suite 116, Aurora, IL 60504

Ms. Amy McSwane, Hampton, Lenzini and Renwick, 380 Shepard Drive, Elgin, IL 60123



# DEPARTMENT OF THE ARMY

### PERMIT

PERMITTEE:

Carl Schoedel, Kane County Division of Transportation

APPLICATION:

LRC-2013-839

ISSUING OFFICE: U.S. Army Corps of Engineers, Chicago District

DATE:

You are hereby authorized to perform work in accordance with the terms and conditions specified below.

Note: The term "you" and its derivatives, as used in this authorization, means the permittee or any future transferee. The term "this office" refers to the U.S. Army Corps of Engineers, Chicago District.

PROJECT DESCRIPTION: Proposed Longmeadow Parkway corridor, including 5.6 miles of roadway and a new bridge over the Fox River, as described in your notification and as shown on the five sets of plans titled:

Section A-1: "State of Illinois, Department of Transportation, Division of Highways, Volume I, Plans for Proposed Federal-Aid Highway, F.A.U. 2298 (Longmeadow Parkway), Section 13-00215-00-PV, Project RS-CMM-4003(396), Huntley Road to Randall Road, New Construction, Kane County, C-91-063-15", dated August 10, 2015, prepared by Hampton, Lenzini and Renwick, Inc., and Thomas Engineering Group.

Sections A2-B1: "State of Illinois, Department of Transportation, Plans for Proposed Federal-Aid Highway, FAU 2298 Longmeadow Parkway to Karen Drive, FAP 336 (Randall Road), Section 13-00215-10-PV, Project RS-M-4003(397), Roadway Widening and Reconstruction, Kane County, C-91-064-15", dated October 28, 2016, prepared by Bollinger, Lach & Associates, Inc.

Section B2: "State of Illinois, Department of Transportation, Plans for Proposed Federal-Aid Highway, FAP 361 (Longmeadow Parkway) & FAP 336 (Randall Road), Section 13-00215-10-PV, Roadway Widening and Reconstruction, Kane County, C-91-393-94", dated October 9, 2015, prepared by Bollinger, Lach & Associates, Inc.

Section C: "State of Illinois, Department of Transportation, Division of Highways, Volume 1, Plans for Proposed Federal-Aid Highway, FAP 361 (Longmeadow Parkway), Section 13-00215-20-BR, Project Number M-0019(008), Roadway Corridor Construction, Kane County, C-91-513-08", dated March 5, 2015, prepared by Crawford, Murphy & Tilly.

Section D: "State of Illinois, Department of Transportation, Division of Highways, Plans for Proposed Federal-Aid Highway, FAU 2298 (Longmeadow Parkway), Section 13-00215-30-PV, IL Route 25 to IL Route 62, Roadway Corridor Construction, Kane County, C-91-066-15", dated April 22, 2016, prepared by Burns McDonnell.

To offset project impacts to jurisdictional wetlands, approximately 12.052 acres of certified credits has been purchased from both Blackberry Creek Headwaters Mitigation Bank (9.45 credits) and Slough Creek Mitigation Bank (2.602 credits), as indicated in the correspondence from V3 (Blackberry Creek, dated September 7, 2016) and Ecologic Planning (Slough Creek, dated August 22, 2016).

**PROJECT LOCATION**: Longmeadow Parkway, From Approximately Huntley Road to Route 62, Located in Algonquin, Barrington Hills, Carpentersville, and unincorporated Kane County, IL, (Sections 1 and 12, T42N, R7E and Sections 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 T42N, R8E, 3<sup>rd</sup> PM)

### **GENERAL CONDITIONS:**

- 1. The time limit for completing the authorized work ends on December 1, 2023. If you find that you need more time to complete the authorized activity(s), submit your request for a time extension to this office for consideration at least 60 days before the above date is reached.
- 2. You must maintain the activity authorized by this permit in good condition and in conformance with the terms and conditions of this permit. You are not relieved of this requirement if you abandon the permitted activity, although you may make a good faith transfer to a third party in compliance with General Condition 4 below. Should you wish to cease to maintain the authorized activity or should you desire to abandon it without a good faith transfer, you must obtain a modification of this permit from this office, which may require restoration of the area.
- 3. If you discover any previously unknown historic or archaeological remains while accomplishing the activity authorized by this permit, you must immediately notify this office of what you have found. We will initiate the Federal and State coordination required to determine if the remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.
- 4. If you sell the property associated with this permit, you must obtain the signature of the new owner in the space provided and forward a copy of the permit to this office to validate the transfer of this authorization.
- 5. You shall comply with the water quality certification issued under Section 401 of the

Clean Water Act by the Illinois Environmental Protection Agency for the project. Conditions of the certification are conditions of this authorization. For your convenience, a copy of the certification is attached if it contains such conditions.

6. You must allow representatives from this office to inspect the authorized activity at any time deemed necessary to ensure that it is being accomplished in accordance with the terms and conditions of your permit.

The following special conditions are a requirement of your authorization:

- This authorization is based on the materials submitted as part of application number LRC-2013-839. Failure to comply with the terms and conditions of this authorization may result in suspension and revocation of your authorization.
- 2. You shall undertake and complete the project as described in the plans titled:

Section A-1: "State of Illinois, Department of Transportation, Division of Highways, Volume 1, Plans for Proposed Federal-Aid Highway, F.A.U. 2298 (Longmeadow Parkway), Section 13-00215-00-PV, Project RS-CMM-4003(396), Huntley Road to Randall Road, New Construction, Kane County, C-91-063-15", dated August 10, 2015, prepared by Hampton, Lenzini and Renwick, Inc., and Thomas Engineering Group.

Sections A2-B1: "State of Illinois, Department of Transportation, Plans for Proposed Federal-Aid Highway, FAU 2298 Longmeadow Parkway to Karen Drive, FAP 336 (Randall Road), Section 13-00215-10-PV, Project RS-M-4003(397), Roadway Widening and Reconstruction, Kane County, C-91-064-15", dated October 28, 2016, prepared by Bollinger, Lach & Associates, Inc.

Section B2: "State of Illinois, Department of Transportation, Plans for Proposed Federal-Aid Highway, FAP 361 (Longmeadow Parkway) & FAP 336 (Randall Road), Section 13-00215-10-PV, Roadway Widening and Reconstruction, Kane County, C-91-393-94", dated October 9, 2015, prepared by Bollinger, Lach & Associates, Inc.

Section C: "State of Illinois, Department of Transportation, Division of Highways, Volume 1, Plans for Proposed Federal-Aid Highway, FAP 361 (Longmeadow Parkway), Section 13-00215-20-BR, Project Number M-0019(008), Roadway Corridor Construction, Kane County, C-91-513-08", dated March 5, 2015, prepared by Crawford, Murphy & Tilly.

Section D: "State of Illinois, Department of Transportation, Division of Highways, Plans for Proposed Federal-Aid Highway, FAU 2298 (Longmeadow Parkway), Section 13-00215-30-PV, IL Route 25 to IL Route 62, Roadway Corridor Construction, Kane County, C-91-066-15", dated April 22, 2016, prepared by Burns McDonnell.

3. This site is within the aboriginal homelands of several American Indian Tribes. If any human remains, Native American cultural items or archaeological evidence are

discovered during any phase of this project, interested Tribes request immediate consultation with the entity of jurisdiction for the location of discovery. In such case, please contact Ms. Kimberly Kubiak of my staff by telephone at 312-846-5541, or email at kimberly.j.kubiak@usace.army.mil.

- 4. To avoid potential impacts to the northern long-eared bat (*Myotis septentrionalis*), tree clearing (trees 3" DBH or greater) shall only occur between October 1 and March 31 of any construction year.
- 5. To avoid any potential impacts to smallmouth bass (*Micropterus dolomieu*) and other fishes, no in-stream work shall occur between April 1 and June 30. Once the causeway is in place, all work in the Fox River shall be contained within the causeway.
- 6. To mitigate for the removal of approximately 5,765 trees, you shall replace the trees at a 2:1 ratio for a total of 11,530 trees, in accordance with the memo dated March 3, 2016, prepared by Hampton, Lenzini, and Renwick, Inc.
  - a. Trees are to be planted within the road right-of-way and on other nearby public land;
  - b. Any tree plantings on Forest Preserve land shall be coordinated with and approved by the Forest Preserve District of Kane County;
  - c. The final tree mitigation plan must be reviewed and approved by the U.S. Fish and Wildlife Service;
  - d. Planted trees that do not survive shall be replaced according to contract requirements and any agreements with both the Forest Preserve District of Kane County and the U.S. Fish and Wildlife Service.
- 7. You shall educate construction crews and all on-site personnel about Blanding's turtles (*Emydoidea blandingii*), and discuss the site management plan for responding to turtle encounters. If a turtle is encountered on site, crews must immediately stop construction in the surrounding area and contact appropriate staff at the Illinois Department of Natural Resources.
- 8. At Sleepy Hollow Road and Highmeadow Lane, work will be limited to late October to late March, when Blanding's turtles are hibernating, to prevent injuring turtles. If work is necessary outside of this window, exclusionary fencing will be installed along the construction limits to prevent turtles from entering the area. Daily inspections will occur daily for the first two weeks and be maintained weekly throughout the construction period, to confirm that fencing is properly installed and to check for the presence of any turtles. Trenches shall be covered at the end of each work day. At the beginning of each day, trenches and excavations shall be inspected to ensure no turtles or other herpetofauna have become trapped within.
- 9. Prior to the installation of any causeway, the stream substrate shall be inspected for the presence of any mussel species. These animals shall be collected and relocated to a suitable nearby location in accordance with any guidance from the Illinois Department of

- Natural Resources (IDNR). If any state threatened or endangered species are encountered, stop work and contact the IDNR.
- 10. After project construction any disturbed Fox River substrate will be restored to preconstruction conditions.
- 11. This authorization is contingent upon implementing and maintaining soil erosion and sediment controls in a serviceable condition throughout the duration of the project. You shall comply with the Kane/DuPage Soil and Water Conservation District's (SWCD) written and verbal recommendations regarding the soil erosion and sediment control (SESC) plan and the installation and maintenance requirements of the SESC practices on-site.
  - a. You shall schedule a preconstruction meeting with the SWCD to discuss the SESC plan and the installation and maintenance requirements of the SESC practices on the site.
  - b. You shall notify the SWCD of any changes or modifications to the approved plan set. Field conditions during project construction may require the implementation of additional SESC measures. If you fail to implement corrective measures, this office may require more frequent site inspections to ensure the installed SESC measures are acceptable.
  - c. Prior to commencement of any in-stream work, you shall submit construction plans and a detailed narrative to the SWCD that disclose the contractor's preferred method of cofferdam and dewatering method. Work in the waterway shall NOT commence until the SWCD notifies you, in writing, that the plans have been approved.
- 12. Ditches near Route 31 shall be lined with clay to reduce the amount of chlorides reaching nearby shallow groundwater and sensitive wetland areas. You shall notify the SWCD prior to backfilling these ditches to field-confirm the presence of cut-off walls within the trench.
- 13. You shall fully implement the practices identified in the Best Management Practices (BMP) Three-Year Maintenance and Monitoring (M&M) Plan titled, "Best Management Practices (BMP), Management and Monitoring Plan, USACE # LRC-2013-839, Longmeadow Parkway, Algonquin, Barrington Hills, Carpentersville, & Unincorporated Kane County, Illinois" dated December 2016, prepared by Kane County Division of Transportation and Huff & Huff, Inc., within the first year of project construction. All BMP's shall meet performance criteria in accordance with the approved document. Your responsibility to complete the plan will not be considered fulfilled until you have demonstrated BMP success and have received written verification of that success from the U.S. Army Corps of Engineers.
- 14. You shall provide written notification to this office and to the SWCD at least ten (10) days prior to the commencement of work indicating the start date and estimated end date of construction.

- 15. You are responsible for all work authorized herein and for ensuring that all contractors are aware of the terms and conditions of this authorization.
- 16. A copy of this authorization must be present at the project site during all phases of construction.
- 17. You shall notify this office of any proposed modifications to the project, including revisions to any of the plans or documents cited in this authorization. You must receive approval from this office before work affected by the proposed modification is performed.
- 18. You shall notify this office prior to the transfer of this authorization and liabilities associated with compliance with its terms and conditions. The transferee must sign the authorization in the space provided and forward a copy of the authorization to this office.
- 19. The permittee understands and agrees that, if future operations by the United States require removal, relocation, or other alteration of the structure or work authorized herein, or if, in the opinion of the Secretary of the Army or his authorized representative said structure or work shall cause unreasonable obstruction to the free navigation of the navigable water, the permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.
- 20. Work in the waterway should be timed to take place during low or no-flow conditions. Low flow conditions are flow at or below the normal water elevation.
- 21. The plan will be designed to allow for the conveyance of the 2-year peak flow past the work area without overtopping the causeway. The Corps has the discretion to reduce this requirement if documented by the applicant to be infeasible or unnecessary.
- 22. Water shall be isolated from the in-stream work area using a causeway constructed of non-erodible materials (steel sheets, aqua barriers, rip rap and geotextile liner, etc.). Earthen cofferdams or causeways are not permissible.
- 23. The causeway must be constructed from the upland area and no equipment may enter flowing water at any time. If the installation of the causeway cannot be completed from shore and access is needed to reach the area of the causeway, other measures, such as the construction of a causeway, will be necessary to ensure that equipment does not enter the water.
- 24. If bypass pumping is necessary, the intake hose shall be placed on a stable surface or floated to prevent sediment from entering the hose. The bypass discharge shall be placed on a non-erodible, energy dissipating surface prior to rejoining the stream flow and shall not cause erosion. Filtering of bypass water is not necessary unless the bypass water has

become sediment-laden as a result of the current construction activities.

- 25. During dewatering of the coffered work area, all sediment-laden water must be filtered to remove sediment. Possible options for sediment removal include baffle systems, anionic polymers systems, dewatering bags, or other appropriate methods. Water shall have sediment removed prior to being re-introduced to the downstream waterway. A stabilized conveyance from the dewatering device to the waterway must be identified in the plan. Discharge water is considered clean if it does not result in a visually identifiable degradation of water clarity.
- 26. The portion of the side slope that is above the observed water elevation shall be stabilized as specified in the plans prior to accepting flows. The substrate and toe of slope that has been disturbed due to construction activities shall be restored to proposed or preconstruction conditions and fully stabilized prior to accepting flows.

### Further Information:

- 1. Congressional Authorities. You have been authorized to undertake the activity described above pursuant to:
  - (X) Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403).
  - (X) Section 404 of the Clean Water Act (33 U.S.C. 1344).
- () Section 103 of the Marine Protection, Research and Sanctuaries Act of 1972 (33 U.S.C. 1413).
- 2. Limits of this Authorization.
- a. This permit does not obviate the need to obtain other federal, state, or local authorizations required by law.
  - b. This permit does not grant any property rights or exclusive privileges.
  - c. This permit does not authorize any injury to the property or rights of others.
  - d. This permit does not authorize interference with any existing or proposed Federal project.
- 3. Limits of Federal Liability. The Federal Government does not assume any liability for the following:
- a. Damages to the permitted project or uses thereof as a result of other permitted or unpermitted activities or from natural causes.
  - b. Damages to the permitted project or uses thereof as a result of current or future activities

undertaken by or on the behalf of the United States in the public interest.

- c. Damages to persons, property, or to other permitted or unpermitted activities or structures caused by the activity authorized by this permit.
  - d. Design or construction deficiencies associated with the permitted work.
- e. Damage claims associated with any future modifications, suspension, or revocation of this permit.
- 4. Reliance on Applicant's Data: The determination of this office that issuance of this permit is not contrary to the public interest was made in the reliance on the information you provided.
- 5. Reevaluation of Permit Decision. The office may reevaluate its decision on this permit at any time the circumstances warrant. Circumstances that could require a reevaluation include, but are not limited to, the following:
  - a. You fail to comply with the terms and conditions of this permit.
- b. The information provided by you in support of your permit application proves to have been false, incomplete, or inaccurate (see 4 above).
- c. Significant new information surfaces which this office did not consider in reaching the original public interest decision.

Such a reevaluation may result in a determination that it is appropriate to use the suspension, modification, and revocation procedures contained in 33 CFR 325.7 or enforcement procedures such as those contained in 33 CFR 326.4 and 326.5. The referenced enforcement procedures provide for the issuance of an administrative order requiring you to comply with the terms and conditions of your permit and for the initiation of legal action where appropriate. You will be required to pay for any corrective measures ordered by this office, and if you fail to comply with such directive, this office may in certain situations (such as those specified in 33 CFR 209.170) accomplish the corrective measures by contract or otherwise and bill you for the cost.

6. Extensions. General Condition 1 established a time limit for the completion of the activity authorized by this permit. Unless there are circumstances requiring either a prompt completion of the authorized activity or a reevaluation of the public interest decision, the Corps will normally give favorable consideration to a request for an extension of this time limit.

| Your signature below, as permittee, indicates that  | you accept and agree to comply with the terms   |
|---|---|
| and conditions of this authorization.   |   |
| $\lambda  \lambda  \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad $  |   |
|   | 2.6.2017  |
| PERMITTEE   | DATE  |
| Carl Schoedel   |   |
| Kane County Division of Transportation  |   |
| * <del></del>   |   |
| LRC-2013-839  |   |
| Corps Authorization Number  | •   |
| This authorization becomes effective when the Fe  | ideral official designated to not for the   |
| Secretary of the Army, has signed below.  | defail official, designated to act for the  |
|   |   |
| Jene Lynne  | 2-7-2017  |
| / / June  | ·   |
| For and on behalf of  | DATE  |
| Christopher T. Drew   |   |
| Colonel, U.S. Army  |   |
| District Commander  |   |
| If the structures or work authorized by this authorized property is transferred, the terms and conditions of on the new owner(s) of the property. To validate associated liabilities associated with compliance with transferee sign and date below. The document sha submitted to the Corps. | f this authorization will continue to be binding<br>the transfer of this authorization and the<br>with its terms and conditions, have the |
| TRANSFEREE  | DATE  |
| ADDRESS   |   |
| DOL EDVO  |   |
| TELEPHONE   |   |





Source Location Information

# Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

### Uncontaminated Soil Certification

# by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

# Revised in accordance with 35 III. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 ill. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

| i. Source Location information   |                |                                       |  |  |
|--|----------------|---------------------------------------|--|--|
| (Describe the location of the source of the uncontamination)   | nated soil)    |                                       |  |  |
| Project Name: Longmeadow Pkwy from Huntley Rd to   | o IL 62 Office | Phone Number, if available:           |  |  |
| Physical Site Location (address, inclduding number at 140 Block of Algonquin Road (ISGS Site No. 1586V/E | nd street):    |                                       |  |  |
| City: Barrington Hills State: IL   | Zip Code:      |                                       |  |  |
| County: Kane   | Township:      |                                       |  |  |
| Lat/Long of approximate center of site in decimal degr   |                |                                       |  |  |
| Latitude: 42.144453459 Longitude: -88.2472   | 269501         |                                       |  |  |
| (Decimal Degrees) (-Decim  | nal Degrees)   | •                                     |  |  |
| Identify how the lat/long data were determined:  |                |                                       |  |  |
|  | erpolation     | ☐ Other                               |  |  |
|  |                |                                       |  |  |
| IEPA Site Number(s), if assigned: BOL:   | BOW:           | BOA:                                  |  |  |
| II. Owner/Operator Information for Source  | e Site         |                                       |  |  |
| Site Owner   |                | Site Operator                         |  |  |
| Name: Illinois Department of Transportation  | Name:          | Illinois Department of Transportation |  |  |
| Street Address: 201 West Center Court  | Street Addre   | ss: 201 West Center Court             |  |  |
| PO Box:  | PO Box:        |                                       |  |  |
| City: Schaumburg State: I  | L City:        | Schaumburg State: IL                  |  |  |
| Zip Code: 60196-1096 Phone: 847-705-4  | •              | 60196-1096 Phone: 847-705-4101        |  |  |
| Contact: Sam Mead  | Contact:       | Sam Mead                              |  |  |
| Email, if available: Sam.Mead@illinois.gov   | Email, if avai | lable: Sam.Mead@illinois.gov          |  |  |

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms IL 532-2922

LPC 663 Rev. 8/2012 Management Center.

| Project Name: | Longmeadow | Pkwy from | Huntley | Rd to IL 62 |
|---------------|------------|-----------|---------|-------------|
|               |            |           |         |             |

Longitude: -88.247269501 Latitude: 42,144453459

## **Uncontaminated Site Certification**

### III. Basis for Certification and Attachments

For each item listed below, reference the attachments to this form that provide the required information.

A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located 35 III. Adm. Code 1100.610(a)]:

LOCATION VL5-1 WAS SAMPLED ADJACENT TO ISGS SITE No. 1586V/B-32. SEE FIGURE 3-2 AND TABLE 4-1 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT FOR SAMPLING DETAILS.

Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 III. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 III. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

TESTAMERICA ANALYTICAL REPORT - JOB ID: 500-103746-1. ALSO SEE FIGURE 4-2 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT.

## IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed **Professional Geologist**

 William F. Karlovitz, P.E. (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act J415 ILCS 5/22.51 or 22.51a] and 35 III. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

| Company Name:              | Weston Solutions, Inc.      |        |           |                        |
|----------------------------|-----------------------------|--------|-----------|------------------------|
| Street Address:            | 300 Circle Plaza; Suite 202 |        |           |                        |
| City:                      | Mundelein                   | State: | <u>IL</u> | Zip Code: 60060        |
| Phone:                     | (224) 864-7200              |        |           | Dr.                    |
| William F. Karlovitz, P.E. |                             |        |           | 300 PIOTES             |
| Printed Nam                | ner /                       |        |           | WILLIAM F. O KARLOVITZ |

Licensed Professional Engineer or

Licensed Professional Geologist Signature:

Date:

23 MAX 2016

P.E. or L.P.G. Seal:

### Summary Table of ISGS Site No. 1586V/B-32

### Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

### Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

| Field Sample ID                  | VL5-1(0-4)-110915   |                             |
|----------------------------------|---------------------|-----------------------------|
| Sample Date                      |                     |                             |
| Location ID                      |                     | Soil Reference              |
| Depth                            |                     | Concentrations <sup>A</sup> |
| ISGS Site No.                    |                     |                             |
| Parameter                        |                     |                             |
| Laboratory pH (s.u.)             | 8.15                | <6.25,>9.0                  |
| VOCs                             | None Detected       | -5125,- 0.0                 |
| SVOCs                            | None Detected       |                             |
| Total Metals (mg/kg)             |                     |                             |
| Arsenic, Total                   | 4.9 J-              | 11.3 / 13                   |
| Barium, Total                    | 63 J-               | 1500                        |
| Beryllium, Total                 | 0.47 J-             | 22                          |
| Cadmium, Total                   | ND                  | 5.2                         |
| Calcium, Total                   | 15000 J             |                             |
| Chromium, Total                  | 11 J-               | 21                          |
| Cobalt, Total                    | 8.9 J               | 20                          |
| Copper, Total                    | 9.9 J-              | 2900                        |
| Iron, Total                      | 12000 J-            | 15000 / 15900               |
| Lead, Total                      | 11 J                | 107                         |
| Magnesium, Total                 | 9700 J              | 325000                      |
| Manganese, Total                 | 600 J+              | 630 / 636                   |
| Mercury, Total                   | 0.015 J             | 0.89                        |
| Nickel, Total                    | 15                  | 100                         |
| Potassium, Total                 | 650                 | T                           |
| Sodium, Total                    | 3300 J-             |                             |
| Vanadium, Total                  | 22                  | 550                         |
| Zinc, Total                      | 44 J+               | 5100                        |
| TCLP Metals (mg/l)               |                     |                             |
| Arsenic, TCLP                    | ND ND               | 0.05                        |
| Barium, TCLP                     | 0.45 J              | 2                           |
| Beryllium, TCLP                  | ND                  | 0.004                       |
| Cadmium, TCLP                    | 0.0024 J            | 0.005                       |
| Chromium, TCLP                   | ND                  | 0.1                         |
| Cobalt, TCLP                     | ND                  | 1                           |
| Copper, TCLP                     | 0.01 J              | 0.65                        |
| Iron, TCLP                       | ND                  | 5                           |
| Lead, TCLP                       | ND                  | 0.0075                      |
| Manganese, TCLP                  | 0.35                | 0.15                        |
| Mercury, TCLP                    | ND ND               | 0.15                        |
| Nickel, TCLP                     | ND                  | 0.1                         |
| Zinc, TCLP<br>SPLP Metals (mg/l) | 0.27                | 5                           |
| Arsenic, SPLP                    | 0.035 /             |                             |
| Barium, SPLP                     | 0.035 J             | 0.05                        |
| Beryllium, SPLP                  | 0.53                | 2                           |
| Cadmium, SPLP                    | 0.0056              | 0.004                       |
| Chromium, SPLP                   | 0.0029 J            | 0.005                       |
| Cobalt, SPLP                     | 0.13                | 0.1                         |
| Copper, SPLP                     | 0.019 J             | 1                           |
| Iron, SPLP                       | 0.098               | 0.65                        |
| Lead, SPLP                       | 130 J-<br>0.071 I-  | 5                           |
|                                  | 0.07.1 U=<br>1,2 U- | 0.0075                      |
| Mercury, SPLP                    |                     | 0.15                        |
| Nickel, SPLP                     | ND 0.1              | 0.002                       |
| Zinc, SPLP                       | 0.1<br>ND           | 0.1                         |
|                                  |                     | 5                           |

### Notes:

- --- not applicable or value not available.
- <sup>A</sup> Soil reference concentrations from MAC Table. Background values for Chicago corporate limits and MSA counties are included, as applicable.
- ND Constituent not detected above the reporting limit.
- J Estimated concentration.
- J- Estimated concentration, biased low.
- J+ Estimated concentration, biased high.
- Shaded values indicate concentration exceeds Reference Concentration.





# Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

### **Uncontaminated Soil Certification**

# by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

Revised in accordance with 35 III. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 III. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

| i. Source Location information   |                     |                                       |
|--|---------------------|---------------------------------------|
| (Describe the location of the source of the uncontam   | inated soil)        |                                       |
| Project Name: Longmeadow Pkwy from Huntley Rd  |                     | hone Number, if available:            |
| Physical Site Location (address, inclduding number a 145 Algonquin Road (ISGS Site No. 1586V/B-33) | and street):        |                                       |
| City: Barrington Hills State: IL   | Zip Code:           |                                       |
| County: Kane   | Township:           |                                       |
| Lat/Long of approximate center of site in decimal dec  |                     |                                       |
| Latitude: 42.143412790 Longitude: +88.245  | 5903792             |                                       |
| (Decimal Degrees) (-Deci   | mal Degrees)        |                                       |
| Identify how the lat/long data were determined:  |                     |                                       |
|  | erpolation 🔲 Survey | ☐ Other                               |
|  |                     |                                       |
| IEPA Site Number(s), if assigned: BOL:   | BOW:                | BOA:                                  |
| II. Owner/Operator Information for Sourc   | o Sito              |                                       |
| Site Owner   | e dite              | Site Operator                         |
| Name: Illinois Department of Transportation  | Name;               | Illinois Department of Transportation |
| Street Address: 201 West Center Court  | Street Address      | 201 West Center Court                 |
| PO Box:  | PO Box:             |                                       |
| City: Schaumburg State:  | IL City:            | Schaumburg State: IL                  |
| Zip Code: 60196-1096 Phone: 847-705-4  | 1101 Zip Code:      | 60196-1096 Phone: 847-705-4101        |
| Contact: Sam Mead  | Contact:            | Sam Mead                              |
| Email, if available: Sam.Mead@illinois.gov   | Email if availa     | ble: Sam.Mead@illinois.gov            |

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39).

Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms

LPC 663 Rev. 8/2012

Management Center.

Project Name: Longmeadow Pkwy from Huntley Rd to IL 62

Latitude: <u>42.143412790</u> Longitude: -88.245903792

Uncontaminated Site Certification

### III. Basis for Certification and Attachments

For each item listed below, reference the attachments to this form that provide the required information.

A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located
 35 III. Adm. Code 1100.610(a)]:

LOCATIONS FF-1, FF-2, AND FF-5 WERE SAMPLED ADJACENT TO ISGS SITE No. 1586V/B-33. SEE FIGURE 3-2 AND TABLE 4-1 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT FOR SAMPLING DETAILS.

b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 III. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 III. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

TESTAMERICA ANALYTICAL REPORT - JOB IDs: 500-103746-1 AND 500-103748-1. ALSO SEE FIGURE 4-2 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT.

# IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist

I, William F. Karlovitz, P.E. (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 III. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

| Company Name:                                | Weston Solutions, Inc.      |           |     |                |                 |
|--|-----------------------------|-----------|-----|----------------|-----------------|
| Street Address:                              | 300 Circle Plaza; Suite 202 |           |     |                |                 |
| City:  | Mundelein                   | State: IL |     | Zip Code: 6006 | 0               |
| Phone:                                       | (224) 864-7200              | <u></u>   |     | •              | sed Profess     |
| William F. Karlovitz, P.E.                   |                             |           |     |                |                 |
| Printed Nam                                  | er J                        | 23        | MAY | 2016           | KARLOVITZ       |
| Licensed Professiona<br>Licensed Professiona | / -                         |           |     | Date:          | 062-052500 . 65 |

P.E. or L.P.G. Seal:

### Summary Table of ISGS Site No. 1586V/B-33

### Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

### Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

| Field Sample ID                  |                   | FF-2(0-5)-110915  | FF-5(0-5)-110915    |                             |
|----------------------------------|-------------------|-------------------|---------------------|-----------------------------|
| Sample Date<br>Location ID       |                   | 11/9/2015         | 11/9/2015           | Cail Deference              |
| Location IL<br>Depth             |                   | FF-2<br>0 - 5     | FF-5                | Soil Reference              |
| ISGS Site No.                    | . 1586V/B-33      | 1586V/B-33        | 0 - 5<br>1586V/B-33 | Concentrations <sup>A</sup> |
| Parameter                        | 10000/15-33       | 1300V/D-33        | 1000V/B-33          |                             |
| Laboratory pH (s.u.)             | 8.55              | 7.94              | 8.94                | <6.25,>9,0                  |
| VOCs                             | 0.00              | None Detected     | 0.34                | <b>\0.25,&gt;9.0</b>        |
| SVOCs (ug/kg)                    |                   | TACINO DOLGGISG   | 1                   |                             |
| 2-Methylnaphthalene              | 9.4 J             | ND                | ND                  |                             |
| Anthracene                       | 12 J              | ND                | ND                  | 1.20E+07                    |
| Benzo(a)anthracene               | 52                | ND                | ND                  | 900                         |
| Benzo(a)pyrene                   | 55                | ND                | ND                  | 90                          |
| Benzo(b)fluoranthene             | 89                | ND ND             | ND                  | 900                         |
| Benzo(k)fluoranthene<br>Chrysene | 39<br>59          | ND ND             | ND ND               | 9000                        |
| Fluoranthene                     | 130               | ND<br>ND          | ND<br>ND            | 88000                       |
| Phenanthrene                     | 61                | ND ND             | ND<br>ND            | 3100000                     |
| Pyrene                           | 130               | ND ND             | ND ND               | 2300000                     |
| Total Metals (mg/kg)             | 100               | IND.              | ND                  | 2300000                     |
| Arsenic, Total                   | 6 J               | 7.6 J             | 5.4 J-              | 11.3 / 13                   |
| Barium, Total                    | 33                | 81                | 61 J-               | 1500                        |
| Beryllium, Total                 | 0.37 J-           | 0.65 J-           | 0.49 J-             | 22                          |
| Cadmium, Total                   | ND                | ND                | ND                  | 5.2                         |
| Calcium, Total                   | 27000 J           | 4300 J            | 24000 J             |                             |
| Chromium, Total<br>Cobalt, Total | 9.3 B             | 15 B              | 12 J-               | 21                          |
| Copper, Total                    | 6.8<br>12 J-      | 9.4<br>17 J-      | 7.6 J               | 20                          |
| Iron, Total                      | 12 J-<br>11000 J+ | 17 J-<br>20000 J+ | 10 J-<br>13000 J-   | 2900                        |
| Lead, Total                      | 37 J              | 20000 3+<br>14 J  | 9.9 J               | 15000 / 15900               |
| Magnesium, Total                 | 15000 J           | 4700 J            | 16000 J             | 107<br>325000               |
| Manganese, Total                 | 420 J             | 510 J             | 530 J+              | 630 / 636                   |
| Mercury, Total                   | 0.012 J           | 0.04              | 0.041               | 0.89                        |
| Nickel, Total                    | 20                | 19                | 14                  | 100                         |
| Potassium, Total                 | 590 J+            | 880 J+            | 730                 |                             |
| Selenium, Total                  | 0.38 J            | 0.38 J            | ND ND               | 1.3                         |
| Sodium, Total<br>Vanadium, Total | 930 J+            | 1400 J+           | 1400 J-             |                             |
| Zinc, Total                      | 15<br>48 B        | 27                | 22                  | 550                         |
| TCLP Metals (mg/l)               | 40 0              | 56 B              | 39 J÷               | 5100                        |
| Arsenic, TCLP                    | ND                | ND                | ND                  | 0.05                        |
| Barium, TCLP                     | 0.52              | 0.66              | 0.58                | 2                           |
| Beryilium, TCLP                  | ND                | ND                | ND                  | 0.004                       |
| Cadmium, TCLP                    | ND                | ND                | 0.0023 J            | 0.005                       |
| Chromium, TCLP                   | ND                | ND                | ND                  | 0.1                         |
| Cobalt, TCLP                     | ND ND             | ND                | ND                  | 1                           |
| Copper, TCLP<br>fron, TCLP       | ND                | ND                | ND ND               | 0.65                        |
| Lead, TCLP                       | ND<br>ND          | ND<br>ND          | ND ND               | 5                           |
| Manganese, TCLP                  | 0.15              | 0.59              | ND ND               | 0.0075                      |
| Mercury, TCLP                    | ND                | ND                | 0:29<br>ND          | 0.15<br>0.002               |
| Nickel, TCLP                     | ND                | ND ND             | ND ND               | 0.002                       |
| Selenium, TCLP                   | ND                | 0.02 J            | ND                  | 0.05                        |
| Zinc, TCLP                       | 0.24 B            | 0.12 B            | 0.07 J              | 5                           |
| SPLP Metals (mg/l)               |                   |                   |                     |                             |
| Arsenic, SPLP                    | 0.063             | 0.08              | 0.034 J             | 0.05                        |
| Barium, SPLP<br>Beryllium, SPLP  | 0.52              | 0.7               | 0.59                | 2                           |
| Cadmium, SPLP                    | 0.0056<br>ND      | 0.0072            | 0.0048              | 0.004                       |
| Chromium, SPLP                   | 0.15              | ND<br>0.2         | 0.0022 J<br>0.13    | 0.005                       |
| Cobalt, SPLP                     | 0.029             | 0.044             | 0.13<br>0.02 J      | 0.1                         |
| Copper, SPLP                     | 0.16 B            | 0.044<br>0.2 B    | 0.02 3              | 1<br>0.65                   |
| Iron, SPLP                       | 150 J+            | 220 J+            | 130 J-              | <u>0.65</u>                 |
| Lead, SPLP                       | 0.14              | 0.1               | 0.064 J-            | 0.0075                      |
| Manganese, SPLP                  | 1.1               | 1.7               | 1.2 J-              | 0.15                        |
| Mercury, SPLP                    | ND                | 0.00062           | ND I                | 0.002                       |
| Nickel, SPLP                     | 0.17              | 0.19              | 0.089               | 0.1                         |
| Selenium, SPLP                   | ND                | ND                | ND                  | 0.05                        |
| Zinc, SPLP                       | ND                | ND                | ND                  | 5                           |

### Summary Table of ISGS Site No. 1586V/B-33 Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

### Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

### Notes:

- -- not applicable or value not available.
- <sup>A</sup> Soil reference concentrations from MAC Table. Background values for Chicago corporate limits and MSA counties are included, as applicable.
- ND Constituent not detected above the reporting limit.
- B Constituent detected in the blank and investigative sample.
- J Estimated concentration.
- J- Estimated concentration, biased low.
- J+ Estimated concentration, biased high.

| N. 107 (1975) | Shaded values indicate concentration ex | xceeds Reference Concentration |
|---------------|---|--------------------------------|
|               |   |                                |



I. Source Location Information

# Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

### Uncontaminated Soil Certification

# by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

# Revised in accordance with 35 III. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 III. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

| (Describe the lo                  | cation of the source of the unc  | contaminated soil) |                   |                    |             |                    |      |
|-----------------------------------|----------------------------------|--------------------|-------------------|--------------------|-------------|--------------------|------|
| Project Name: I                   | Longmeadow Pkwy from Hunt        | ley Rd to IL 62    | Office Pho        | one Number, if av  | /ailable: _ |                    |      |
| Physical Site Lo                  | cation (address, inclduding กเ   | ımber and street): |                   |                    |             |                    |      |
| 149 Algonquin I                   | Road (ISGS Site No. 1586V/B      | -36)               |                   |                    |             |                    |      |
| City: Barringtor                  | n Hillis State:                  | <u>IL</u>          | Zip Code:         |                    |             |                    |      |
| County: <u>Kane</u>               |                                  | Т                  | ownship:          |                    |             |                    |      |
| Lat/Long of app                   | roximate center of site in decir | mal degrees (DD.d  | dddd) to five dec | imal places (e.g., | 40.67890    | 0, <b>-</b> 90.123 | 45): |
| Latitude: 42.                     | .141600713 Longitude:            | 88.244761993       |                   |                    |             |                    |      |
| (De                               | ecimal Degrees)                  | (-Decimal Degrees  | <u> </u>          |                    |             |                    |      |
| Identify how the                  | he lat/long data were determir   | ned:               |                   |                    |             |                    |      |
| ⊠ GPS [                           | ☐ Map Interpolation ☐ PI         | hoto Interpolation | Survey [          | Other              |             |                    |      |
| •                                 |                                  | •                  |                   |                    |             |                    |      |
| IEPA Site Numb                    | per(s), if assigned: BOL         | •                  | BOW:              |                    | BOA: _      |                    |      |
| II. Owner/Or                      | perator Information for          | Source Site        |                   |                    |             |                    |      |
| · · · · · · · · · · · · · · · · · | Site Owner                       |                    |                   | Si                 | te Operate  | or                 |      |
| Name:                             | Illinois Department of Transp    | ortation           | Name:             | Illinois Departme  | ent of Trai | nsportatio         | n    |
| Street Address:                   | 201 West Center Court            |                    | Street Address:   | 201 West Cente     | r Court     |                    | ·    |
| PO Box:                           |                                  |                    | PO Box:           |                    |             |                    |      |
| City:                             | Schaumburg S                     | State: <u>IL</u>   | City:             | Schaumburg         |             | State:             | IL   |
| Zip Code:                         | 60196-1096 Phone: 84             | 7-705-4101         | Zip Code:         | 60196-1096         | Phone:      | 847-705            | 4101 |
| Contact:                          | Sam Mead                         |                    | Contact:          | Sam Mead           |             |                    |      |
| Email, if availabl                | le: Sam.Mead@illinois.gov        |                    | Email, if availab | le: Sam.Mead@i     | llinois.gov | /                  |      |

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms LPC 663 Rev. 8/2012 Management Center,

Project Name: Longmeadow Pkwy from Huntley Rd to IL 62

Latitude: <u>42.141600713</u> Longitude: -<u>88.244761993</u>

### **Uncontaminated Site Certification**

### III. Basis for Certification and Attachments

For each item listed below, reference the attachments to this form that provide the required information.

a. A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located 35 Ill. Adm. Code 1100.610(a)]:

LOCATIONS RL8-1, RL8-2, AND RL8-4 WERE SAMPLED ADJACENT TO ISGS SITE No. 1586V/B-36. SEE FIGURES 3-1 AND 3-2 AND TABLE 4-1 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT FOR SAMPLING DETAILS.

b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 III. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6,25 to 9,0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 III. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

TESTAMERICA ANALYTICAL REPORT - JOB ID: 500-103748-1.
ALSO SEE FIGURES 4-1 AND 4-2 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT.

# IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist

In the line of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 III. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

| Company Name:             | Weston Solutions, Inc.                  |                           |               |
|---------------------------|---|---------------------------|---------------|
| Street Address:           | 300 Circle Plaza; Suite 2               | )2                        |               |
| City:                     | Mundelein                               | State: IL Zip Code: 60060 |               |
| hone:                     | (224) 864-7200                          |                           | •             |
| William F. Karlovitz, P.E |   |                           | $\mathcal{C}$ |
| Printed Nan               | ne:                                     | WILLIAM F. KARLOVITZ      | 181           |
| Cull F.K.                 |   | . 23 May 2016 No.         | al &          |
| Licensed Professiona      | l Engineer or<br>d Geologist Signature: | Date: 062-052500          | 5/            |

P.E. or L.P.G. Seal:

### Summary Table of ISGS Site No. 1586V/B-36 Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

## Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

| Field Sample ID                              | RL8-1(0-5)-110915 | RL8-2(0-5)-110915 | RL8-4(0-5)-110915                       | **                          |
|--|-------------------|-------------------|---|-----------------------------|
| Sample Date                                  | 11/9/2015         | 11/9/2015         | 11/9/2015                               |                             |
| Location ID                                  | RL8-1             | RL8-2             | RL8-4                                   | Soil Reference              |
| Depth  | 0 - 5             | 0-5               | 0 - 5                                   | Concentrations <sup>A</sup> |
| ISGS Site No.                                | 1586V/B-36        | 1586V/B-36        | 1586V/B-36                              |                             |
| Parameter                                    |                   |                   |   |                             |
| Laboratory pH (s.u.)                         | 8.71              | 8.89              | 7.79                                    | <6.25,>9.0                  |
| VOCs   |                   | None Detected     |   |                             |
| SVOCs (ug/kg)                                |                   |                   |   |                             |
| Benzo(a)anthracene                           | 5.7 J             | 47                | ND                                      | 900                         |
| Benzo(a)pyrene                               | ND<br>8.8 J       | 69                | ND ND                                   | 90                          |
| Benzo(b)fluoranthene<br>Benzo(g,h,i)perylene | ND                | 120               | ND ND                                   | 900                         |
| Benzo(k)fluoranthene                         | ND ND             | 55<br>57          | ND<br>ND                                |                             |
| Chrysene                                     | ND<br>ND          | 64                | ND<br>ND                                | 9000                        |
| Fluoranthene                                 | 8 J               | 110               | ND ND                                   | 88000<br>3100000            |
| Indeno(1,2,3-cd)pyrene                       | DO                | 55 J+             | ND ND                                   | 900                         |
| Phenanthrene                                 | ND                | 39                | ND                                      | 900                         |
| Pyrene                                       | 8.8 J             | 110               | ND                                      | 2300000                     |
| Total Metals (mg/kg)                         |                   |                   |   |                             |
| Antimony, Total                              | ND                | 0.28 J            | ND                                      | 5                           |
| Arsenic, Total                               | 6 J               | 5 J               | 6.8 J                                   | 11.3 / 13                   |
| Barium, Total                                | 59                | 53                | 87                                      | 1500                        |
| Beryllium, Total                             | 0.52 J-           | 0.38 J-           | 0.63 J-                                 | 22                          |
| Calcium, Total                               | 19000 J           | 46000 J           | 1600 J                                  |                             |
| Chromium, Total                              | 12 B              | 10 B              | 14 B                                    | 21                          |
| Cobalt, Total                                | 8.2               | 7.4               | 19                                      | 20                          |
| Copper, Total<br>Iron, Total                 | 13 J-<br>15000 J+ | 11 J-             | 14 J-                                   | 2900                        |
| Lead, Total                                  | 15000 J∓<br>16 J  | 11000 J+<br>20 J  | 18000 J+                                | 15000 / 15900               |
| Magnesium, Total                             | 14000 J           | 23000 J           | 14 J<br>2700 J                          | 107<br>325000               |
| Manganese, Total                             | 540 J             | 460 J             | 660 J                                   | 630 / 636                   |
| Mercury, Total                               | 0.025             | 0.02              | 0.027                                   | 0.89                        |
| Nickel, Total                                | 17                | 12                | 19                                      | 100                         |
| Potassium, Total                             | 710 J+            | 650 J+            | 810 J+                                  |                             |
| Selenium, Total                              | 0.42 J            | 0.28 J            | 0.31 J                                  | 1.3                         |
| Sodium, Total                                | 2900 J+           | 1100 J+           | 1900 J+                                 | ***                         |
| Vanadium, Total                              | . 21              | 18                | 26                                      | 550                         |
| Zinc, Total                                  | 46 B              | 39 B              | 56 B                                    | 5100                        |
| TCLP Metals (mg/l)                           |                   |                   |   |                             |
| Arsenic, TCLP                                | ND                | ND ND             | ND ND                                   | 0.05                        |
| Barium, TCLP Beryllium, TCLP                 | 0.38 J<br>ND      | 0.48 j            | 0.49 J                                  | 2                           |
| Chromium, TCLP                               | DD                | ND                | ND ND                                   | 0.004                       |
| Cobalt, TCLP                                 | ND ND             | ND<br>ND          | ND ND                                   | 0.1                         |
| Copper, TCLP                                 | ND ND             | ND ND             | ND ND                                   | 1<br>0.65                   |
| Iron, TCLP                                   | ND ND             | ND ND             | ND ND                                   | <u>0.65</u>                 |
| Lead, TCLP                                   | ND                | ND                | ND                                      | 0.0075                      |
| Manganese, TCLP                              | 0.16              | 0.53              | 0.047                                   | 0.15                        |
| Mercury, TCLP                                | ND                | ND                | ND                                      | 0.002                       |
| Nickel, TCLP                                 | МĎ                | ND                | ND                                      | 0.1                         |
| Selenium, TCLP                               | ND                | DM                | ND                                      | 0.05                        |
| Zinc, TCLP                                   | 0.21 B            | ND                | 0.23 B                                  | 5                           |
| SPLP Metals (mg/l)                           |                   |                   |   |                             |
| Arsenic, SPLP                                | 0.076             | 0.041 J           | 0.029 J                                 | 0.05                        |
| Barium, SPLP<br>Beryllium, SPLP              | 0.63<br>0.007     | 0.41 J            | 0.5                                     | 2                           |
| Chromium, SPLP                               | 0.007             | ND<br>0.12        | ND ND                                   | 0.004                       |
| Cobalt, SPLP                                 | 0.036             | 0.02 J            | 0.11                                    | 0.1                         |
| Copper, SPLP                                 | 0.036<br>0.18 B   | 0.02 J<br>0.11 B  | 0.017 J<br>0.093 B                      | 1<br>0.65                   |
| Iron, SPLP                                   | 190 J+            | 110 J+            | 0.093 B<br>100 J+                       | <u> </u>                    |
| Lead, SPLP                                   | 0.17              | 0.083             | 0.061                                   | 0.0075                      |
| Manganese, SPLP                              | 1.9               | 0.000             | 1.1                                     | 0.0075                      |
|  | 0.00053           | ND                | ND                                      | 0.002                       |
| Mercury, SPLP                                |                   |                   |   | 0.002                       |
| Mercury, SPLP<br>Nickel, SPLP                | 0.17              | 0.085             | *************************************** |                             |
|  |                   |                   | 0.081<br>ND                             | 0.1<br>0.05                 |

### Summary Table of ISGS Site No. 1586V/B-36 Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

### Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

### Notes:

- --- not applicable or value not available.
- <sup>A</sup> Soil reference concentrations from MAC Table. Background values for Chicago corporate limits and MSA counties are included, as applicable.
- ND Constituent not detected above the reporting limit.
- B Constituent detected in the blank and investigative sample.
- J Estimated concentration.
- J- Estimated concentration, biased low.
- J+ Estimated concentration, biased high.

| 16009 | Shaded values indicate concentration | exceeds Reference | Concentration |
|-------|--------------------------------------|-------------------|---------------|
|-------|--------------------------------------|-------------------|---------------|





Course Leastion Information

# Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

## **Uncontaminated Soil Certification**

## by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

## Revised in accordance with 35 III. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 III. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

| i. Source                             | Location information  |                      |                                       |  |
|---------------------------------------|---|----------------------|---------------------------------------|--|
| (Describe the                         | e location of the source of the uncontaminate                                   | d soil)              |                                       |  |
| Project Nam                           | e: Longmeadow Pkwy from Huntley Rd to IL  | 62 Office P          | Phone Number, if available:           |  |
| =                                     | e Location (address, inclduding number and s<br>rail (ISGS Site No. 1586V/B-37) |                      |                                       |  |
| City: Barring                         | gton Hills State: IL  | Zip Code:            |                                       |  |
| County: <u>Kan</u>                    | <u>e</u> .  | Township:            |                                       |  |
| Lat/Long of a                         | approximate center of site in decimal degrees                                   | (DD.ddddd) to five d |                                       |  |
| Latitude:                             | 42.140432991 Longitude: -88.2443230   | 099                  |                                       |  |
|                                       | (Decimal Degrees) (-Decimal I   | Degrees)             |                                       |  |
| Identify ho                           | ow the lat/long data were determined:   |                      |                                       |  |
| ⊠ GPS                                 | ☐ Map Interpolation ☐ Photo Interpo   | lation Survey        | ☐ Other                               |  |
|                                       |   |                      |                                       |  |
|                                       |   |                      |                                       |  |
| EPA Site No                           | umber(s), if assigned: BOL:   | BOW:                 | BOA:                                  |  |
| II. Owner                             | Operator Information for Source Si<br>Site Owner                                | ite                  | Site Operator                         |  |
| Name:                                 | Illinois Department of Transportation   | Name:                | Illinois Department of Transportation |  |
| Street Address: 201 West Center Court |   | Street Addres        | Street Address: 201 West Center Court |  |
| PO Box:                               |   | PO Box:              |                                       |  |
| City:                                 | Schaumburg State: IL  | City:                | Schaumburg State: IL                  |  |
| Zip Code:                             | 60196-1096 Phone: 847-705-4101  | Zip Code:            | 60196-1096 Phone: 847-705-4101        |  |
| Contact:                              | Sam Mead  | Contact:             | Sam Mead                              |  |
| Email if avai                         | ilable: Sam.Mead@illinois.gov   | Fmail if avail       | able: Sam Mead@illinois gov           |  |

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms LPC 663 Rev. 8/2012 Management Center.

| Project Name: | Longmeadow Pkw | y from Huntle | ey Rd to IL 62        | _ |
|---------------|----------------|---------------|-----------------------|---|
| Latitude:     | 42.140432991   | Longitude:    | <b>-</b> 88.244323099 |   |

#### Uncontaminated Site Certification

#### III. Basis for Certification and Attachments

For each item listed below, reference the attachments to this form that provide the required information.

a. A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located 35 Ill. Adm. Code 1100.610(a)]:

LOCATIONS RL9-3 AND RL9-4 WERE SAMPLED ADJACENT TO ISGS SITE No. 1586V/B-37. SEE FIGURE 3-2 AND TABLE 4-1 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT FOR SAMPLING DETAILS.

b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 Ill. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 Ill. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

TESTAMERICA ANALYTICAL REPORT - JOB IDs: 500-103747-1 and 500-103748-1.
ALSO SEE FIGURE 4-2 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT.

# IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist

I, William F. Karlovitz, P.E. (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 III. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

| Company Name:                            | Weston Solutions, Inc.                      |                           |
|--|---|---------------------------|
| Street Address:                          | 300 Circle Plaza; Suite                     | 202                       |
| Dity:                                    | Mundelein                                   | State: IL Zip Code: 60060 |
| Phone:                                   | (224) 864-7200                              |                           |
| William F. Karlovitz, P.                 | E   | sed Profess               |
| Printed No.                              | Lolly                                       | 23 MAY 2016 KARLOVITZ     |
| Licensed Professio<br>Licensed Professio | nal Engineer or<br>nal Geologist Signature: | Date: No. 062-052500      |

P.E. or L.P.G. Seal:

**Seer of** 则

#### Summary Table of ISGS Site No. 1586V/B-37 Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

#### Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

| Field Sample ID               | RL9-3(0-5)-110915 | RL9-4(0-5)-110915 |                             |  |  |  |
|-------------------------------|-------------------|-------------------|-----------------------------|--|--|--|
| Sample Date                   |                   | 11/9/2015         | Soil Reference              |  |  |  |
| Location ID                   |                   | RL9-4             | Soil Reference              |  |  |  |
| Depth                         |                   | 0-5               | Concentrations <sup>A</sup> |  |  |  |
| ISGS Site No.                 |                   | 1586V/B-37        | Concentiations              |  |  |  |
| Parameter                     |                   | (0007/207         |                             |  |  |  |
| Laboratory pH (s.u.)          | 8.28              | 8.57              | <6.25,>9.0                  |  |  |  |
| VOCs                          |                   | Detected          | \0.23,>9.0                  |  |  |  |
| SVOCs (ug/kg)                 | Tronce            | - Ctcolod         |                             |  |  |  |
| Anthracene                    | 6.2 J             | 14 J              | 1.20E+07                    |  |  |  |
| Benzo(a)anthracene            | 23 J              | 90                | 900                         |  |  |  |
| Benzo(a)pyrene                | ND                | 120 J+            | 90                          |  |  |  |
| Benzo(b)fluoranthene          | ND                | 190 J÷            | 900                         |  |  |  |
| Benzo(g,h,i)perylene          | ND                | 87                | 300                         |  |  |  |
| Benzo(k)fluoranthene          | ND                | 82 J+             | 9000                        |  |  |  |
| bis(2-Ethylhexyl)phthalate    | ND                | 1000              | 46000                       |  |  |  |
| Chrysene                      | 31 J              | 110               | 88000                       |  |  |  |
| Fluoranthene                  | 41                | 220               | 3100000                     |  |  |  |
| Indeno(1,2,3-cd)pyrene        | ND                | 88 J+             | 900                         |  |  |  |
| Phenanthrene                  | 33 J              | 76                | 900                         |  |  |  |
| Pyrene                        | 70                | 240 J+            | 2300000                     |  |  |  |
| Total Metals (mg/kg)          | 7.0               | 240 JT            | 2300000                     |  |  |  |
| Antimony, Total               | 0.33 J            | 0.34 J            | 5                           |  |  |  |
| Arsenic, Total                | 5.5 J-            | 5.3 J             |                             |  |  |  |
| Barium, Total                 | 56                | 40                | 11.3 / 13                   |  |  |  |
| Beryllium, Total              | 0.4 J-            | 0.42 J-           | 1500                        |  |  |  |
| Cadmium, Total                | 0.21 J-           | 0.42 3-<br>ND     | 22                          |  |  |  |
| Calcium, Total                | 23000 J           | 57000 J           | 5.2                         |  |  |  |
| Chromium, Total               | 11 J-             | 12 B              | 21                          |  |  |  |
| Cobalt, Total                 | 7                 | 6.8               |                             |  |  |  |
| Copper, Total                 | 12 J-             | 18 J-             | 20<br>2900                  |  |  |  |
| Iron, Total                   | 13000 J           | 14000 J+          |                             |  |  |  |
| Lead, Total                   | 9.5 J             | 21 J              | 15000 / 15900               |  |  |  |
| Magnesium, Total              | 15000 J           | 28000 J           | 107                         |  |  |  |
| Manganese, Total              | 450 J+            | 370 J             | 325000                      |  |  |  |
| Mercury, Total                | 0.024             | 0.018             | 630 / 636                   |  |  |  |
| Nickel, Total                 | 16                | 16                | 0.89                        |  |  |  |
| Potassium, Total              | 580 J+            | 640 J÷            | 100                         |  |  |  |
| Selenium, Total               | 0.38 J            | 040 JŦ<br>ND      |                             |  |  |  |
| Sodium, Total                 | 2000 J            | 1500 J+           | 1.3                         |  |  |  |
| Vanadium, Total               | 2000 J            |                   |                             |  |  |  |
| Zinc, Total                   | 37                | 18<br>52 B        | 550                         |  |  |  |
| TCLP Metals (mg/l)            | 37                | 32 B              | 5100                        |  |  |  |
| Arsenic, TCLP                 | ND                | ND                | 0.00                        |  |  |  |
| Barium, TCLP                  | 0.56              |                   | 0.05                        |  |  |  |
| Beryllium, TCLP               | U.36<br>ND        | 0.43 J            | 2                           |  |  |  |
| Cadmium, TCLP                 | ND ND             | ND ND             | 0.004                       |  |  |  |
| Chromium, TCLP                | ND I              | ND<br>ND          | 0.005                       |  |  |  |
| Cobalt, TCLP                  | ND ND             |                   | 0.1                         |  |  |  |
| Copper, TCLP                  | ND ND             | ND                | 11                          |  |  |  |
| Iron, TCLP                    | ND ND             | ND                | 0.65                        |  |  |  |
| Lead, TCLP                    | ND ND             | ND                | 5                           |  |  |  |
|                               |                   | ND ND             | 0.0075                      |  |  |  |
| Manganese, TCLP Mercury, TCLP |                   | 0.55              | 0.15                        |  |  |  |
|                               | ND ND             | ND<br>ND          | 0.002                       |  |  |  |
| Nickel, TCLP                  | ND ND             | ND                | 0.1                         |  |  |  |
| Selenium, TCLP                | ND ND             | ND                | 0.05                        |  |  |  |
| Zinc, TCLP                    | 0.12 J-           | ND ND             | 5                           |  |  |  |

#### Summary Table of ISGS Site No. 1586V/B-37 Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

#### Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

| Field Sample ID    | RL9-3(0-5)-110915 | RL9-4(0-5)-110915 |                             |
|--------------------|-------------------|-------------------|-----------------------------|
| Sample Date        | 11/9/2015         | 11/9/2015         | PATRICIA                    |
| Location ID        | RL9-3             | RL9-4             | Soil Reference              |
| Depth              | 0 - 5             | 0-5               | Concentrations <sup>A</sup> |
| ISGS Site No.      | 1586V/B-37        | 1586V/B-37        |                             |
| Parameter          |                   |                   |                             |
| SPLP Metals (mg/l) |                   |                   |                             |
| Arsenic, SPLP      | 0.059             | 0.077             | 0.05                        |
| Barium, SPLP       | 0.7               | 0.65              | 2                           |
| Beryllium, SPLP    | 0.0064            | 0.0065            | 0.004                       |
| Cadmium, SPLP      | 0.0026 J          | ND                | 0.005                       |
| Chromium, SPLP     | 0.15              | 0.17              | 0.1                         |
| Cobalt, SPLP       | 0.026             | 0.035             | 1                           |
| Copper, SPLP       | 0.13              | 0.2 B             | 0.65                        |
| Iron, SPLP         | 160 J+            | 190 J+            | 5                           |
| Lead, SPLP         | 0.1               | 0.11              | 0.0075                      |
| Manganese, SPLP    | 1.2               | 1.6               | 0.15                        |
| Mercury, SPLP      | ND                | 0.00037           | 0.002                       |
| Nickel, SPLP       | 0.14              | 0.2               | 0.1                         |
| Selenium, SPLP     | ND                | ND                | 0.05                        |
| Zinc, SPLP         | 0.63 B            | ND                | 5                           |

#### Notes:

- --- not applicable or value not available.
- <sup>A</sup> Soil reference concentrations from MAC Table. Background values for Chicago corporate limits and MSA counties are included, as applicable.
- ND Constituent not detected above the reporting limit.
- B Constituent detected in the blank and investigative sample.
- J Estimated concentration.
- J- Estimated concentration, biased low.
- J+ Estimated concentration, biased high.
- Shaded values indicate concentration exceeds Reference Concentration.



## Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

#### Uncontaminated Soil Certification

#### by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

Revised in accordance with 35 III. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 III. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

| I. Source Location Information   |                         |                                       |
|--|-------------------------|---------------------------------------|
| (Describe the location of the source of the uncontaminal   | ted soil)               |                                       |
| Project Name: Longmeadow Pkwy from Huntley Rd to I   | L 62 Office             | Phone Number, if available:           |
| Physical Site Location (address, inclduding number and 147 Algonquin Road (ISGS Site No. 1586V/B-38) |                         |                                       |
| City: Barrington Hills State: IL   | Zip Code:               |                                       |
| County: Kane   | Township:               |                                       |
| Lat/Long of approximate center of site in decimal degree   | es (DD.ddddd) to five o |                                       |
| Latitude: 42.139827127 Longitude: -88.24377  | 2613                    |                                       |
| (Decimal Degrees) (-Decimal  | Degrees)                |                                       |
| Identify how the lat/long data were determined:  |                         |                                       |
| ⊠ GPS  | oolation  Survey        | ☐ Other                               |
|  |                         |                                       |
|  |                         |                                       |
| IEPA Site Number(s), if assigned: BOL:   | BOW;_                   | BOA;                                  |
| II. Compation and a lateral of the second  | •                       |                                       |
| II. Owner/Operator Information for Source Source Source Source                                       | Site                    | C"- 0 1                               |
| 1111   |                         | Site Operator                         |
| Name: Illinois Department of Transportation  | Name:                   | Illinois Department of Transportation |
| Street Address: 201 West Center Court  | Street Addres           | ss: 201 West Center Court             |
| PO Box:  | PO Box:                 |                                       |
| City: Schaumburg State: IL   | City:                   | Schaumburg State: IL                  |
| Zip Code: 60196-1096 Phone: 847-705-410  | 1 Zip Code:             | 60196-1096 Phone: 847-705-4101        |
| Contact: Sam Mead  | Contact:                | Sam Mead                              |
| Email, if available: Sam.Mead@illinois.gov   | Email, if avail         | lable: Sam.Mead@illinois.gov          |
|  |                         |                                       |

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms LPC 663 Rev. 8/2012 Management Center.

IL 532-2922

Project Name: Longmeadow Pkwy from Huntley Rd to IL 62

Latitude: <u>42.139827127</u> Longitude: -88.243772613

#### **Uncontaminated Site Certification**

#### III. Basis for Certification and Attachments

For each item listed below, reference the attachments to this form that provide the required information.

A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located
 35 III. Adm. Code 1100.610(a)]:

LOCATIONS WF-1, WF-3, WF-4, AND WF-5 WERE SAMPLED ADJACENT TO ISGS SITE No. 1586V/B-38. SEE FIGURE 3-2 AND TABLE 4-1 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT FOR SAMPLING DETAILS.

b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 III. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 III. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

TESTAMERICA ANALYTICAL REPORT - JOB ID: 500-103748-1 and 500-103750-1. ALSO SEE FIGURE 4-2 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT.

# IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist

I, William F. Karlovitz, P.E. (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 III. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

| Company Name:              | vveston Solutions, Inc.  |        |    |            |                 |      |                                |      |
|----------------------------|--|--------|----|------------|-----------------|------|--------------------------------|------|
| Street Address:            | 300 Circle Plaza; Suite 202  |        |    |            |                 |      |                                |      |
| City:                      | Mundelein  | State: | IL | _ Zip Code | e: <u>60060</u> |      | <del></del>                    |      |
| Phone:                     | (224) 864-7200   |        |    |            |                 | ,    | d Profe                        |      |
| William F. Karlovitz, P.E. |  |        |    |            |                 |      | ~ ` ` ~ ' / ^ '                | 3.00 |
| Printed Name:              |  |        | 23 | Max 2      | 016             |      | WILLIAM F.<br>KARLOVITZ<br>No. | 100  |
| Licensed Professional C    | The state of the s |        |    | Date:      |                 | _a// | 062-052500                     | 5)/  |

P.E. or L.P.G. Seal:

Summary Table of ISGS Site No. 1586V/B-38
Comparison of Detected Constituents to Applicable Reference Concentrations
Soil Analytical Results
Illinois Department of Transportation
Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62
Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

|                      |            |            |               |  |            | The state of the s |
|----------------------|------------|------------|---------------|--|------------|--|
| Sample Date          | 11/9/2015  | 11/9/2015  | 11/9/2015     | 11/9/2015  | 11/9/2015  |  |
| Location ID          | WF-1       | WF-3       | WF-4          | WF-4   | WF-5       | Soil Reference   |
| Depth                | 0-4        | 0-4        | 0-4           | 0-4  | 0 - 4      | Concentrations <sup>A</sup>  |
|                      | 1586V/B-38 | 1586V/B-38 | 1586V/B-38    | 1586V/B-38   | 1586V/B-38 |  |
| Parameter            |            |            |               |  |            |  |
| Laboratory pH (s.u.) | 8.51       | 8.91       | 8             | 8.32   | 8          | <6.25,>9.0   |
| VOCs                 |            |            | None Detected | The state of the s |            |  |
| SVOCs (ug/kg)        |            |            |               |  |            |  |
| Anthracene           | ND         | ND         | N             | L 8  | ND.        | 1.20E+07   |
| Benzo(a)anthracene   | ND         | ND         | ND            | 26 J   | ND         | 900  |
| Benzo(a)pyrene       | ND         | ND         | ND            | 29 J   | NB         | 90   |
| Benzo(b)fluoranthene | ND         | ND         | 8.7 J         | 40   | ND         | 900  |
| Benzo(k)fluoranthene | ND         | ND         | ND            | 18 J   | NB         | 9000   |
| Chrysene             | ND         | ND         | ND            | 38 J   | ND         | 88000  |
| Fluoranthene         | ND         | ND         | 9.3 J         | 52   | ND         | 3100000  |
| Phenanthrene         | ND         | N          | 5.7 J         | 38 J   | ND         | -  |
| Pyrene               | ND         | ND         | 9.2 J         | 54   | ND         | 2300000  |
| Total Metals (mg/kg) |            |            |               |  |            |  |
| Antimony, Total      | 0.3 J      | 0.23 J     | ND            | ND   | No         | 5  |
| Arsenic, Total       | 6.6        | 7.8 J      | 7.3 J         | 6.3 J  | 6 J        | 11.3 / 13  |
| Barium, Total        | 42         | 40         | 87            | 65   | 75         | 1500   |
| Beryllium, Total     | 0.44       | 0.47 J-    | 0.73 J-       | 0.55 J-  | 0.51 J-    | 22   |
| Cadmium, Total       | ND         | 0.42 J-    | ND            | ND   | ND         | 5.2  |
| Calcium, Total       | 90000      | 50000 J    | L 0061        | 19000 J  | 17000 J    |  |
| Chromium, Total      | 9.9 B      | 12 B       | 17 B          | 12 B   | 13 B       | 21   |
| Cobalt, Total        | 6.8        | 8.4        | 10            | 9.7  | 8.1        | 20   |
| Copper, Total        | 15         | 15 J-      | 15 J-         | 14 J-  | 12 J-      | 2900   |
| Iron, Total          | 13000      | 15000 J+   | 19000 J+      | 16000 J+   | 14000 J+   | 15000 / 15900  |
| Lead, Total          | 13         | 28 J       | 14 J          | 18 J   | 11 J       | 107  |
| Magnesium, Total     | 35000      | 22000 J    | 3100 ป        | 14000 J  | 11000 J    | 325000   |
| Manganese, Total     | 400        | 460 J      | 480 ป         | 530 J  | 450 J      | 630 / 636  |
| Mercury, Total       | 0.021      | 0.032      | 0.039         | 0.034  | 0.025      | 0.89   |
| Nickel, Total        | 17         | 17         | 22            | 18   | 16         | 100  |
| Potassium, Total     | 770        | 740 J+     | 920 J÷        | 830 J+   | 710 J+     |  |
| Selenium, Total      | 0.55 J     | 0.48 J     | 0.52 J        | ND   | 0.33 J     | 1.3  |
| Sodium, Total        | 1900       | 2000 J+    | 4500 J+       |  | 3000 J÷    |  |
| Vanadium, Total      | 18         | 21         | 29            | 23   | 24         | 550  |
| Zinc, Total          | 41         | 50 B       | 60 B          | 51 B   | 44 B       | 5100   |

# Summary Table of ISGS Site No. 1586V/B-38 Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

| ZING, OFLF | טפופחומה, טדבד | Solonia Spiri | Nickel SDI D | Mercury, SPLP | Manganese, SPLP | Lead, SPLP | Iron, SPLP | Copper, SPLP | Cobalt, SPLP | Chromium, SPLP | Cadmium, SPLP | Beryllium, SPLP | Barium, SPLP | Arsenic, SPLP | SPLP Metals (mg/l) | Zinc, TCLP | Selenium, TCLP | Nickel, TCLP | Mercury, TCLP | Manganese, TCLP | Lead, TCLP | Iron, TCLP | Copper, TCLP | Cobalt, TCLP | Chromium, TCLP | Cadmium, TCLP | Beryllium, TCLP | Barium, TCLP | Arsenic, TCLP | TCLP Metals (mg/l) | Parameter | ISGS Site No  | Depth                       | Location II    | Sample Date | Field Sample ID   |
|------------|----------------|---------------|--------------|---------------|-----------------|------------|------------|--------------|--------------|----------------|---------------|-----------------|--------------|---------------|--------------------|------------|----------------|--------------|---------------|-----------------|------------|------------|--------------|--------------|----------------|---------------|-----------------|--------------|---------------|--------------------|-----------|---------------|-----------------------------|----------------|-------------|-------------------|
| U.54 B     | NO             | 0.10          | 0.0000       | 0.00037       | 15              | 0.11       | 160        | 0.15         | 0.032        | 0.14           | ND            | 0.0053          | 0.53         | 0.064         |                    | 0.11       | 0.02 J         | ND           | ND            | 0.43            | ND         | ND         | 0.015 J      | ND           | 0.013 J        | ND            | NO              | 0.41 J       | N             |                    |           | ). 1586V/B-38 |                             |                | _           | WF-               |
| ND         | NO             | 0.17          | 0.00021      | 0 00027       | 7.7             | 0.094      | 190 J÷     | 0.17 B       | 0.036        | 0.17           | ND            | 0.0061          | 0.51         | 0.067         |                    | 0.14 B     | ND             | ND           | N             | 0.023 J         | ND         | ND         | ND           | ND           | NB.            | ND            | ND              | 0.26 J       | ND            |                    |           | 1586V/B-38    | 0-4                         | WF-3           | 11/9/2015   | WF-3(0-4)-110915  |
| ND         | NO             | 0.19          | 0.000.0      | 0.000%        | 7 7             | 0.16 J     | 210 J+     | 0.19 B       | 0.036        | 0.19           | ND            | 0.0069          | 0.86         | 0.076         |                    | ND         | ND             | ND           |               | 0.39            | ND         | ND         | ND           | ND           | ND             | NO            | ND              | 0.6          | ND            |                    |           | 1586V/B-38    | 0-4                         | WF-4           | 11/9/2015   | WF-4(0-4)-110915  |
| ND         | ND             | 0.2           | 0.00040      | 0.00048       | 1 8             | 0.28 ป     | 210 J+     | 0.21 B       | 0.041        | 0.2            | 0.0022 J      | 0.0071          | 0.76         | 0.079         |                    | 0.37 B     | ND             | ND           | ND            | 0.37            | ND         | NO         | GN           | ND           | ND             | ND            | ND              | 0.65         | ND            |                    |           | 1586V/B-38    | 0-4                         | WF-4           | 11/9/2015   | WF-4(0-4)-110915D |
| ND ND      | NO             | 0.13          |              |               | 4 n             | 0.082      | 140 J+     | 0.12 B       | 0.031        | 0.14           | ND            | 0.0046          | 0.63         | 0.047 J       |                    | N N        | S              | ND           | ND            | 0.96            | ND         | N          | ND           | ND           | NO             | S             | ND              | 0.6          | ND            |                    |           | 1586V/B-38    | 0-4                         | WF-5           | 11/9/2015   | WF-5(0-4)-110915  |
| O1         | 0.05           | 0.1           | 0.002        | 0.10          | 0.46            | 0.0075     | ហ          | 0.65         |              | 0.1            | 0.005         | 0.004           | 2            | 0.05          |                    | 51         | 0.05           | 0.1          | 0.002         | 0.15            | 0.0075     | თ          | 0.65         |              | 0.1            | 0.005         | 0.004           | 2            | 0.05          | 1444444            |           |               | Concentrations <sup>A</sup> | Soil Reference |             |                   |

# Notes:

- not applicable or value not available.
- A Soil reference concentrations from MAC Table. Background values for Chicago corporate limits and MSA counties are included, as applicable.
- ND Constituent not detected above the reporting limit.
- B Constituent detected in the blank and investigative sample. J Estimated concentration.
- J- Estimated concentration, biased low.
- J+ Estimated concentration, biased high.
- Shaded values indicate concentration exceeds Reference Concentration.



## Illinois Environmental Protection Agency

Bureau of Land • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

#### **Uncontaminated Soil Certification**

# by Licensed Professional Engineer or Licensed Professional Geologist for Use of Uncontaminated Soil as Fill in a CCDD or Uncontaminated Soil Fill Operation LPC-663

Revised in accordance with 35 III. Adm. Code 1100, as amended by PCB R2012-009 (eff. Aug. 27, 2012)

This certification form is to be used by professional engineers and professional geologists to certify, pursuant to 35 Ill. Adm. Code 1100.205(a)(1)(B), that soil (i) is uncontaminated soil and (ii) is within a pH range of 6.26 to 9.0. If you have questions about this form, please telephone the Bureau of Land Permit Section at 217/524-3300.

This form may be completed online, saved locally, printed and signed, and submitted to prospective clean construction or demolition debris (CCDD) fill operations or uncontaminated soil fill operations.

| I. Source Lo        | ocation Information              |                    |                 |   |
|---------------------|----------------------------------|--------------------|-----------------|---|
| (Describe the lo    | ocation of the source of the un  | contaminated soil) |                 |   |
| Project Name:       | Longmeadow Pkwy from Hun         | tley Rd to IL 62   | Office Pho      | one Number, if available:                 |
| Physical Site Lo    | ocation (address, inclduding n   | umber and street): |                 |   |
| 140 to 150 Bloc     | cks of Algonquin Road (ISGS      | Site No. 1586V/B-4 | 2)              |   |
| City: Barrington    | n Hills State:                   | <u>IL</u>          | Zip Code:       |   |
| County: <u>Kane</u> |                                  | Т                  | ownship:        |   |
| Lat/Long of app     | proximate center of site in deci | imal degrees (DD.d |                 | simal places (e.g., 40.67890, -90.12345): |
| Latitude: 42        | .138184505 Longitude:            | -88.242041423      |                 |   |
| (D                  | ecimal Degrees)                  | (-Decimal Degree   | s)              |   |
| Identify how t      | he lat/long data were determi    | ned:               |                 |   |
| ⊠ GPS [             | ☐ Map Interpolation ☐ P          | hoto Interpolation | Survey          | ☐ Other                                   |
|                     | _                                | ·                  | , ,             |   |
| EPA Site Numb       | per(s), if assigned: BOL         | •                  | BOW:            | BOA:                                      |
| li Owner/Oz         | perator Information for          | Source Site        |                 |   |
| ii. Owner.or        | Site Owner                       | Source Site        |                 | Site Operator                             |
| Name:               | Illinois Department of Transp    | ortation           | Name:           | Illinois Department of Transportation     |
| Street Address:     | 201 West Center Court            |                    | Street Address: | 004111                                    |
| PO Box:             |                                  |                    | PO Box:         |   |
| City:               | Schaumburg                       | State: <u>IL</u>   | City:           | Schaumburg State: IL                      |
| Zip Code:           | 60196-1096 Phone: 84             | 7-705-4101         | Zip Code:       | 60196-1096 Phone: 847-705-4101            |
| Contact:            | Sam Mead                         |                    | Contact:        | Sam Mead                                  |
| Email, if availabl  | le: Sam.Mead@illinois.gov        | - 100              |                 | ole: Sam.Mead@illinois.gov                |
|                     |                                  |                    |                 |   |

This Agency is authorized to require this information under Section 4 and Title X of the Environmental Protection Act (415 ILCS 5/4, 5/39). Failure to disclose this information may result in: a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This form has been approved by the Forms

IL 532-2922 not to exceed \$10,000 LPC 663 Rev. 8/2012 Management Center.

Project Name: Longmeadow Pkwy from Huntley Rd to IL 62

Latitude: <u>42.138184505</u> Longitude: <u>-88.242041423</u>

#### **Uncontaminated Site Certification**

#### III. Basis for Certification and Attachments

For each item listed below, reference the attachments to this form that provide the required information.

A Description of the soil sample points and how they were determined to be sufficient in number and appropriately located
 35 III. Adm. Code 1100.610(a)]:

LOCATION BLV-1 WAS SAMPLED ADJACENT TO ISGS SITE No. 1586V/B-42. SEE FIGURE 3-2 AND TABLE 4-1 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT FOR SAMPLING DETAILS.

b. Analytical soil testing results to show that soil chemical constituents comply with the maximum allowable concentrations established pursuant to 35 III. Adm. Code Part 1100, Subpart F and that the soil pH is within the range of 6.25 to 9.0, including the documentation of chain of custody control, a copy of the lab analysis; the accreditation status of the laboratory performing the analysis; and certification by an authorized agent of the laboratory that the analysis has been performed in accordance with the Agency's rules for the accreditation of environmental and the scope of the accreditation [35 III. Adm. Code 1100.201(g), 1100.205(a), 1100.610]:

TESTAMERICA ANALYTICAL REPORT - JOB ID: 500-103750-1.
ALSO SEE FIGURE 4-2 OF THE FINAL PRELIMINARY SITE INVESTIGATION REPORT.

# IV. Certification Statement, Signature and Seal of Licensed Professional Engineer or Licensed Professional Geologist

I, William F. Karlovitz, P.E. (name of licensed professional engineer or geologist) certify under penalty of law that the information submitted, including but not limited to, all attachments and other information, is to the best of my knowledge and belief, true, accurate and complete. In accordance with the Environmental Protection Act [415 ILCS 5/22.51 or 22.51a] and 35 Iii. Adm. Code 1100.205(a), I certify that the soil from this site is uncontaminated soil. I also certify that the soil pH is within the range of 6.25 to 9.0. In addition, I certify that the soil has not been removed from the site as part of a cleanup or removal of contaminants. All necessary documentation is attached.

Any person who knowingly makes a false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony. (415 ILCS 5/44(h))

| Company Name:              | Weston Solutions, Inc.      |        |           |              |       |                  |            |
|----------------------------|-----------------------------|--------|-----------|--------------|-------|------------------|------------|
| Street Address:            | 300 Circle Plaza; Suite 202 |        |           |              |       |                  |            |
| City:                      | Mundelein                   | State: | <u>IL</u> | Zip Code:    | 60060 |                  |            |
| Phone:                     | (224) 864-7200              |        |           | •            |       | ed Profess       | <b>.</b> . |
| William F. Karlovitz, P.E. |                             |        |           |              | /_\$  | 300              | $\delta$   |
| Printed Name  William F.K. |                             |        | 23 M      | ,<br>4y 2014 |       | KARLOVITZ<br>No. | onal &     |

Licensed Professional Engineer or

Licensed Professional Geologist Signature:

P.E. or L.P.G. Seal:

Date:

#### Summary Table of ISGS Site No. 1586V/B-42 Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

#### Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

| Field Sample ID                  | BLV-1(0-4)-110915 | BLV-1(0-4)-110915D |   |  |  |  |
|----------------------------------|-------------------|--------------------|---|--|--|--|
| Sample Date                      |                   | 11/9/2015          | Soil Reference                          |  |  |  |
| Location II                      |                   | BLV-1              | Soil Reference                          |  |  |  |
| Depth                            |                   | 0-4                | Concentrations <sup>A</sup>             |  |  |  |
| ISGS Site No                     | . 1586V/B-42      | 1586V/B-42         | 000000000000000000000000000000000000000 |  |  |  |
| Parameter                        |                   |                    |   |  |  |  |
| Laboratory pH (s.u.)             | 8.4               | 8.23               | <6.25,>9,0                              |  |  |  |
| VOCs                             | None D            | Detected           | 0.20, 0.0                               |  |  |  |
| SVOCs (ug/kg)                    |                   |                    |   |  |  |  |
| Acenaphthylene                   | ND                | 7.8 J              |   |  |  |  |
| Benzo(a)anthracene               | 8.6 J             | 38 J               | 900                                     |  |  |  |
| Benzo(a)pyrene                   | ND                | 29 J               | 90                                      |  |  |  |
| Benzo(b)fluoranthene             | ND                | 48                 | 900                                     |  |  |  |
| Chrysene                         | 11 J              | 43                 | 88000                                   |  |  |  |
| Fluoranthene                     | 13 J              | 34 J               | 3100000                                 |  |  |  |
| Indeno(1,2,3-cd)pyrene           | ND                | 13 J               | 900                                     |  |  |  |
| Phenanthrene                     | 8.2 J             | ND                 |   |  |  |  |
| Pyrene                           | 15 J              | 34 J               | 2300000                                 |  |  |  |
| Total Metals (mg/kg)             | 0.4               |                    |   |  |  |  |
| Arsenic, Total<br>Barium, Total  | 8.1               | 7.8                | 11.3 / 13                               |  |  |  |
| Beryllium, Total                 | 0.69              | 86                 | 1500                                    |  |  |  |
| Calcium, Total                   | 3400 J            | 0.65               | 22                                      |  |  |  |
| Chromium, Total                  | 3400 J<br>16 B    | 8300 J             |   |  |  |  |
| Cobalt, Total                    | 10 B              | 18 B<br>10         | 21                                      |  |  |  |
| Copper, Total                    | 18                | 17                 | 20                                      |  |  |  |
| Iron, Total                      | 19000             | 20000              | 2900                                    |  |  |  |
| Lead, Total                      | 18                | 12                 | 15000 / 15900                           |  |  |  |
| Magnesium, Total                 | 3600 J            | 6900 J             | 107<br>325000                           |  |  |  |
| Manganese, Total                 | 530               | 490                | 630 / 636                               |  |  |  |
| Mercury, Total                   | 0.024             | 0.02 J             | 0.89                                    |  |  |  |
| Nickel, Total                    | 23                | 20                 | 100                                     |  |  |  |
| Potassium, Total                 | 650               | 640                | 100                                     |  |  |  |
| Selenium, Total                  | 0.74              | 0.68               | 1.3                                     |  |  |  |
| Sodium, Total                    | 3100              | 3100               | 1.0                                     |  |  |  |
| Vanadium, Total                  | 24                | 26                 | 550                                     |  |  |  |
| Zinc, Total                      | 59                | 52                 | 5100                                    |  |  |  |
| TCLP Metals (mg/l)               |                   |                    | 3130                                    |  |  |  |
| Arsenic, TCLP                    | ND                | 0.01 J             | 0.05                                    |  |  |  |
| Barium, TCLP                     | 0.64              | 0.67               | 2                                       |  |  |  |
| Beryllium TCLP                   | ND                | ND                 | 0.004                                   |  |  |  |
| Chromium, TCLP                   | 0.021 J           | 0.012 J            | 0.1                                     |  |  |  |
| Cobalt, TCLP                     | 0.031             | 0.046              | 1                                       |  |  |  |
| Copper, TCLP                     | 0.014 J           | 0.015 J            | 0.65                                    |  |  |  |
| Iron, TCLP                       | 0.2               | ND                 | 5                                       |  |  |  |
| Lead, TCLP                       | ND                | ND                 | 0.0075                                  |  |  |  |
| Manganese, TCLP                  |                   | 7.6                | 0.15                                    |  |  |  |
| Mercury, TCLP                    | ND                | ND                 | 0.002                                   |  |  |  |
| Nickel, TCLP                     | 0.039             | 0.068              | 0.1                                     |  |  |  |
| Selenium, TCLP                   | 0.023 J           | ND                 | 0.05                                    |  |  |  |
| Zinc, TCLP<br>SPLP Metals (mg/l) | 0.12              | 0.14               | 5                                       |  |  |  |
| Arsenic, SPLP                    | 0.078             |                    |   |  |  |  |
| Barium, SPLP                     |                   | 0.077              | 0.05                                    |  |  |  |
| Beryllium, SPLP                  | 0.82              | 0.82               | 2                                       |  |  |  |
| Chromium, SPLP                   | 0.0065<br>0.18    | 0.0073<br>0.18     | 0.004                                   |  |  |  |
| Cobalt, SPLP                     | 0.18              |                    | 0.1                                     |  |  |  |
| Copper, SPLP                     | 0.037             | 0.039              | 1                                       |  |  |  |
| Iron, SPLP                       | 200               | 0.2                | 0.65                                    |  |  |  |
| Lead, SPLP                       | 200<br>0.16       | 210                | 5 0 0075                                |  |  |  |
| Manganese, SPLP                  | 1.7               | 0.1                | 0.0075                                  |  |  |  |
| Mercury, SPLP                    | 0.00045           | 1.6                | 0.15                                    |  |  |  |
| Nickel, SPLP                     | 0.00045           | 0.00057<br>0.21    | 0.002                                   |  |  |  |
| Selenium, SPLP                   | 0.16<br>ND        | 0.21<br>ND         | 0.1                                     |  |  |  |
|                                  |                   |                    | 0.05                                    |  |  |  |
| Zinc, SPLP                       | 0.63 B            | 0.71 B             | 5                                       |  |  |  |

#### Summary Table of ISGS Site No. 1586V/B-42 Comparison of Detected Constituents to Applicable Reference Concentrations Soil Analytical Results

#### Illinois Department of Transportation

Longmeadow Parkway from west of Huntley/Boyer Road to Illinois Route 62 Algonquin, Barrington Hills, and Carpentersville, Kane County, Illinois

#### Notes:

- --- not applicable or value not available.
- <sup>A</sup> Soil reference concentrations from MAC Table. Background values for Chicago corporate limits and MSA counties are included, as applicable.
- ND Constituent not detected above the reporting limit.
- B Constituent detected in the blank and investigative sample.
- J Estimated concentration.
- Shaded values indicate concentration exceeds Reference Concentration.

# State of Illinois Department of Transportation Bureau of Local Roads and Streets

#### SPECIAL PROVISION FOR INSURANCE

Effective: February 1, 2007 Revised: August 1, 2007

All references to Sections or Articles in this specification shall be construed to mean specific Section or Article of the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation.

The Contractor shall name the following entities as additional insured under the Contractor's

general liability insurance policy in accordance with Article 107.27:

Kane County

The entities listed above and their officers, employees, and agents shall be indemnified and held harmless in accordance with Article 107.26.

#### BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE)

Effective: November 2, 2006 Revised: August 1, 2017

<u>Description</u>. Bituminous material cost adjustments will be made to provide additional compensation to the Contractor, or credit to the Department, for fluctuations in the cost of bituminous materials when optioned by the Contractor. The bidder shall indicate with their bid whether or not this special provision will be part of the contract.

The adjustments shall apply to permanent and temporary hot-mix asphalt (HMA) mixtures, bituminous surface treatments (cover and seal coats), and preventative maintenance type surface treatments that are part of the original proposed construction, or added as extra work and paid for by agreed unit prices. The adjustments shall not apply to bituminous prime coats, tack coats, crack filling/sealing, joint filling/sealing, or extra work paid for at a lump sum price or by force account.

Method of Adjustment. Bituminous materials cost adjustments will be computed as follows.

 $CA = (BPI_P - BPI_L) \times (\%AC_V / 100) \times Q$ 

Where: CA = Cost Adjustment, \$.

BPI<sub>P</sub> = Bituminous Price Index, as published by the Department for the month the work is performed, \$/ton (\$/metric ton).

BPI<sub>L</sub> = Bituminous Price Index, as published by the Department for the month prior to the letting for work paid for at the contract price; or for the month the agreed unit price letter is submitted by the Contractor for extra work paid for by agreed unit price, \$/ton (\$/metric ton).

%AC<sub>V</sub> = Percent of virgin Asphalt Cement in the Quantity being adjusted. For HMA mixtures, the % AC<sub>V</sub> will be determined from the adjusted job mix formula. For bituminous materials applied, a performance graded or cutback asphalt will be considered to be 100% AC<sub>V</sub> and undiluted emulsified asphalt will be considered to be 65% AC<sub>V</sub>.

Q = Authorized construction Quantity, tons (metric tons) (see below).

For HMA mixtures measured in square yards: Q, tons = A x D x ( $G_{mb}$  x 46.8) / 2000. For HMA mixtures measured in square meters: Q, metric tons = A x D x ( $G_{mb}$  x 1) / 1000. When computing adjustments for full-depth HMA pavement, separate calculations will be made for the binder and surface courses to account for their different  $G_{mb}$  and %  $AC_{V.}$ 

For bituminous materials measured in gallons: Q, tons =  $V \times 8.33$  lb/gal x SG / 2000 For bituminous materials measured in liters: Q, metric tons =  $V \times 1.0$  kg/L x SG / 1000

Where: A = Area of the HMA mixture, sq yd (sq m).

D = Depth of the HMA mixture, in. (mm).

 $G_{mb}$  = Average bulk specific gravity of the mixture, from the approved mix design.

V = Volume of the bituminous material, gal (L).

SG = Specific Gravity of bituminous material as shown on the bill of lading.

<u>Basis of Payment</u>. Bituminous materials cost adjustments may be positive or negative but will only be made when there is a difference between the BPI<sub>L</sub> and BPI<sub>P</sub> in excess of five percent, as calculated by:

Percent Difference =  $\{(BPI_L - BPI_P) \div BPI_I\} \times 100$ 

Bituminous materials cost adjustments will be calculated for each calendar month in which applicable bituminous material is placed; and will be paid or deducted when all other contract requirements for the work placed during the month are satisfied. The adjustments shall not apply during contract time subject to liquidated damages for completion of the entire contract.

80173

#### CALCIUM ALUMINATE CEMENT FOR CLASS PP-5 CONCRETE PATCHING (BDE)

Effective: November 1, 2017

Revise the third sentence of the first paragraph of Article 1001.01(e) of the Standard Specifications to read:

"The chemical requirements shall be determined according to AASHTO T 105 and shall be as follows: minimum 37 percent aluminum oxide (AL<sub>2</sub>O<sub>3</sub>), maximum 42 percent calcium oxide (CaO), maximum 1 percent magnesium oxide (MgO), maximum 0.4 percent sulfur trioxide (SO<sub>3</sub>), maximum 1.75 percent loss on ignition, and maximum 7 percent insoluble residue."

80386

#### COMPENSABLE DELAY COSTS (BDE)

Effective: June 2, 2017

Revise Article 107.40(b) of the Standard Specifications to read:

- "(b) Compensation. Compensation will not be allowed for delays, inconveniences, or damages sustained by the Contractor from conflicts with facilities not meeting the above definition; or if a conflict with a utility in an unanticipated location does not cause a shutdown of the work or a documentable reduction in the rate of progress exceeding the limits set herein. The provisions of Article 104.03 notwithstanding, compensation for delays caused by a utility in an unanticipated location will be paid according to the provisions of this Article governing minor and major delays or reduced rate of production which are defined as follows.
  - (1) Minor Delay. A minor delay occurs when the work in conflict with the utility in an unanticipated location is completely stopped for more than two hours, but not to exceed two weeks.
  - (2) Major Delay. A major delay occurs when the work in conflict with the utility in an unanticipated location is completely stopped for more than two weeks.
  - (3) Reduced Rate of Production Delay. A reduced rate of production delay occurs when the rate of production on the work in conflict with the utility in an unanticipated location decreases by more than 25 percent and lasts longer than seven calendar days."

Revise Article 107.40(c) of the Standard Specifications to read:

- "(c) Payment. Payment for Minor, Major, and Reduced Rate of Production Delays will be made as follows.
  - (1) Minor Delay. Labor idled which cannot be used on other work will be paid for according to Article 109.04(b)(1) and (2) for the time between start of the delay and the minimum remaining hours in the work shift required by the prevailing practice in the area.
    - Equipment idled which cannot be used on other work, and which is authorized to standby on the project site by the Engineer, will be paid for according to Article 109.04(b)(4).
  - (2) Major Delay. Labor will be the same as for a minor delay.

Equipment will be the same as for a minor delay, except Contractor-owned equipment will be limited to two weeks plus the cost of move-out to either the Contractor's yard or another job and the cost to re-mobilize, whichever is less.

Rental equipment may be paid for longer than two weeks provided the Contractor presents adequate support to the Department (including lease agreement) to show retaining equipment on the job is the most economical course to follow and in the public interest.

(3) Reduced Rate of Production Delay. The Contractor will be compensated for the reduced productivity for labor and equipment time in excess of the 25 percent threshold for that portion of the delay in excess of seven calendar days. Determination of compensation will be in accordance with Article 104.02, except labor and material additives will not be permitted.

Payment for escalated material costs, escalated labor costs, extended project overhead, and extended traffic control will be determined according to Article 109.13."

Revise Article 108.04(b) of the Standard Specifications to read:

- "(b) No working day will be charged under the following conditions.
  - (1) When adverse weather prevents work on the controlling item.
  - (2) When job conditions due to recent weather prevent work on the controlling item.
  - (3) When conduct or lack of conduct by the Department or its consultants, representatives, officers, agents, or employees; delay by the Department in making the site available; or delay in furnishing any items required to be furnished to the Contractor by the Department prevents work on the controlling item.
  - (4) When delays caused by utility or railroad adjustments prevent work on the controlling item.
  - (5) When strikes, lock-outs, extraordinary delays in transportation, or inability to procure critical materials prevent work on the controlling item, as long as these delays are not due to any fault of the Contractor.
  - (6) When any condition over which the Contractor has no control prevents work on the controlling item."

Revise Article 109.09(f) of the Standard Specifications to read:

"(f) Basis of Payment. After resolution of a claim in favor of the Contractor, any adjustment in time required for the work will be made according to Section 108. Any adjustment in the costs to be paid will be made for direct labor, direct materials, direct equipment, direct jobsite overhead, direct offsite overhead, and other direct costs allowed by the resolution. Adjustments in costs will not be made for interest charges, loss of anticipated profit, undocumented loss of efficiency, home office overhead and unabsorbed overhead

other than as allowed by Article 109.13, lost opportunity, preparation of claim expenses and other consequential indirect costs regardless of method of calculation.

The above Basis of Payment is an essential element of the contract and the claim cost recovery of the Contractor shall be so limited."

Add the following to Section 109 of the Standard Specifications.

"109.13 Payment for Contract Delay. Compensation for escalated material costs, escalated labor costs, extended project overhead, and extended traffic control will be allowed when such costs result from a delay meeting the criteria in the following table.

| Contract Type      | Cause of Delay                               | Length of Delay   |
|--------------------|--|---|
| Working Days       | Article 108.04(b)(3) or Article 108.04(b)(4) | No working days have been charged for two consecutive weeks.  |
| Completion<br>Date | Article 108.08(b)(1) or Article 108.08(b)(7) | The Contractor has been granted a minimum two week extension of contract time, according to Article 108.08. |

Payment for each of the various costs will be according to the following.

- (a) Escalated Material and/or Labor Costs. When the delay causes work, which would have otherwise been completed, to be done after material and/or labor costs have increased, such increases will be paid. Payment for escalated material costs will be limited to the increased costs substantiated by documentation furnished by the Contractor. Payment for escalated labor costs will be limited to those items in Article 109.04(b)(1) and (2), except the 35 percent and 10 percent additives will not be permitted.
- (b) Extended Project Overhead. For the duration of the delay, payment for extended project overhead will be paid as follows.
  - (1) Direct Jobsite and Offsite Overhead. Payment for documented direct jobsite overhead and documented direct offsite overhead, including onsite supervisory and administrative personnel, will be allowed according to the following table.

| Original Contract<br>Amount               | Supervisory and Administrative Personnel                                   |  |
|---|--|--|
| Up to \$5,000,000                         | One Project Superintendent   |  |
| Over \$ 5,000,000 -<br>up to \$25,000,000 | One Project Manager, One Project Superintendent or Engineer, and One Clerk |  |
| Over \$25,000,000 -<br>up to \$50,000,000 | One Project Manager,<br>One Project Superintendent,<br>One Engineer, and   |  |

|                   | One Clerk  |  |
|-------------------|--|--|
| Over \$50,000,000 | One Project Manager,<br>Two Project Superintendents,<br>One Engineer, and<br>One Clerk |  |

- (2) Home Office and Unabsorbed Overhead. Payment for home office and unabsorbed overhead will be calculated as 8 percent of the total delay cost.
- (c) Extended Traffic Control. Traffic control required for an extended period of time due to the delay will be paid. For working day contracts the payment will be made according to Article 109.04. For completion date contracts, an adjustment will be determined as follows.

Extended Traffic Control occurs between April 1 and November 30:

ETCP Adjustment (\$) = TE x ( $\%/100 \times CUP / OCT$ )

Extended Traffic Control occurs between December 1 and March 31:

ETCP Adjustment (\$) = TE x 1.5 (%/100 x CUP / OCT)

Where:TE = Duration of approved time extension in calendar days.

% = Percent maintenance for the traffic control, % (see table below).

CUP = Contract unit price for the traffic control pay item in place during the delay.

OCT = Original contract time in calendar days.

| Original Contract Amount     | Percent Maintenance |  |
|------------------------------|---------------------|--|
| Up to \$2,000,000            | 65%                 |  |
| \$2,000,000 to \$10,000,000  | 75%                 |  |
| \$10,000,000 to \$20,000,000 | 85%                 |  |
| Over \$20,000,000            | 90%                 |  |

When an ETCP adjustment is paid under this provision, an adjusted unit price as provided for in Article 701.20(a) for increase or decrease in the value of work by more than ten percent will not be paid.

Upon payment for a contract delay under this provision, the Contractor shall assign subrogation rights to the Department for the Department's efforts of recovery from any other party for monies paid by the Department as a result of any claim under this provision. The Contractor shall fully cooperate with the Department in its efforts to recover from another party any money paid to the Contractor for delay damages under this provision."

80384

#### CONSTRUCTION AIR QUALITY - DIESEL RETROFIT (BDE)

Effective: June 1, 2010 Revised: November 1, 2014

The reduction of emissions of particulate matter (PM) for off-road equipment shall be accomplished by installing retrofit emission control devices. The term "equipment" refers to diesel fuel powered devices rated at 50 hp and above, to be used on the jobsite in excess of seven calendar days over the course of the construction period on the jobsite (including rental equipment).

Contractor and subcontractor diesel powered off-road equipment assigned to the contract shall be retrofitted using the phased in approach shown below. Equipment that is of a model year older than the year given for that equipment's respective horsepower range shall be retrofitted:

| Effective Dates            | Horsepower Range | Model Year |
|----------------------------|------------------|------------|
|                            |                  |            |
| June 1, 2010 <sup>1/</sup> | 600-749          | 2002       |
|                            | 750 and up       | 2006       |
| June 1, 2011 <sup>2/</sup> | 100-299          | 2003       |
|                            | 300-599          | 2001       |
|                            | 600-749          | 2002       |
|                            | 750 and up       | 2006       |
| June 1, 2012 2/            | 50-99            | 2004       |
|                            | 100-299          | 2003       |
|                            | 300-599          | 2001       |
|                            | 600-749          | 2002       |
|                            | 750 and up       | 2006       |

<sup>1/</sup> Effective dates apply to Contractor diesel powered off-road equipment assigned to the contract.

The retrofit emission control devices shall achieve a minimum PM emission reduction of 50 percent and shall be:

- a) Included on the U.S. Environmental Protection Agency (USEPA) Verified Retrofit Technology List (<a href="http://www.epa.gov/cleandiesel/verification/verif-list.htm">http://www.epa.gov/cleandiesel/verification/verif-list.htm</a>), or verified by the California Air Resources Board (CARB) (<a href="http://www.arb.ca.gov/diesel/verdev/vt/cvt.htm">http://www.arb.ca.gov/diesel/verdev/vt/cvt.htm</a>); or
- b) Retrofitted with a non-verified diesel retrofit emission control device if verified retrofit emission control devices are not available for equipment proposed to be used on the project, and if the Contractor has obtained a performance certification from the retrofit

<sup>2/</sup> Effective dates apply to Contractor and subcontractor diesel powered off-road equipment assigned to the contract.

device manufacturer that the emission control device provides a minimum PM emission reduction of 50 percent.

Note: Large cranes (Crawler mounted cranes) which are responsible for critical lift operations are exempt from installing retrofit emission control devices if such devices adversely affect equipment operation.

Diesel powered off-road equipment with engine ratings of 50 hp and above, which are unable to be retrofitted with verified emission control devices or if performance certifications are not available which will achieve a minimum 50 percent PM reduction, may be granted a waiver by the Department if documentation is provided showing good faith efforts were made by the Contractor to retrofit the equipment.

Construction shall not proceed until the Contractor submits a certified list of the diesel powered off-road equipment that will be used, and as necessary, retrofitted with emission control devices. The list(s) shall include (1) the equipment number, type, make, Contractor/rental company name; and (2) the emission control devices make, model, USEPA or CARB verification number, or performance certification from the retrofit device manufacturer. Equipment reported as fitted with emissions control devices shall be made available to the Engineer for visual inspection of the device installation, prior to being used on the jobsite.

The Contractor shall submit an updated list of retrofitted off-road construction equipment as retrofitted equipment changes or comes on to the jobsite. The addition or deletion of any diesel powered equipment shall be included on the updated list.

If any diesel powered off-road equipment is found to be in non-compliance with any portion of this special provision, the Engineer will issue the Contractor a diesel retrofit deficiency deduction.

Any costs associated with retrofitting any diesel powered off-road equipment with emission control devices shall be considered as included in the contract unit prices bid for the various items of work involved and no additional compensation will be allowed. The Contractor's compliance with this notice and any associated regulations shall not be grounds for a claim.

#### **Diesel Retrofit Deficiency Deduction**

When the Engineer determines that a diesel retrofit deficiency exists, a daily monetary deduction will be imposed for each calendar day or fraction thereof the deficiency continues to exist. The calendar day(s) will begin when the time period for correction is exceeded and end with the Engineer's written acceptance of the correction. The daily monetary deduction will be \$1,000.00 for each deficiency identified.

The deficiency will be based on lack of diesel retrofit emissions control.

If a Contractor accumulates three diesel retrofit deficiency deductions for the same piece of equipment in a contract period, the Contractor will be shutdown until the deficiency is corrected.

Such a shutdown will not be grounds for any extension of the contract time, waiver of penalties, or be grounds for any claim.

#### DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)

Effective: September 1, 2000

Revised: July 2, 2016

<u>FEDERAL OBLIGATION</u>. The Department of Transportation, as a recipient of federal financial assistance, is required to take all necessary and reasonable steps to ensure nondiscrimination in the award and administration of contracts. Consequently, the federal regulatory provisions of 49 CFR Part 26 apply to this contract concerning the utilization of disadvantaged business enterprises. For the purposes of this Special Provision, a disadvantaged business enterprise (DBE) means a business certified by the Department in accordance with the requirements of 49 CFR Part 26 and listed in the Illinois Unified Certification Program (IL UCP) DBE Directory.

STATE OBLIGATION. This Special Provision will also be used by the Department to satisfy the requirements of the Business Enterprise for Minorities, Females, and Persons with Disabilities Act, 30 ILCS 575. When this Special Provision is used to satisfy state law requirements on 100 percent state-funded contracts, the federal government has no involvement in such contracts (not a federal-aid contract) and no responsibility to oversee the implementation of this Special Provision by the Department on those contracts. DBE participation on 100 percent state-funded contracts will not be credited toward fulfilling the Department's annual overall DBE goal required by the US Department of Transportation to comply with the federal DBE program requirements.

<u>CONTRACTOR ASSURANCE</u>. The Contractor makes the following assurance and agrees to include the assurance in each subcontract that the Contractor signs with a subcontractor.

The Contractor, subrecipient, or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The Contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of contracts funded in whole or in part with federal or state funds. Failure by the Contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate, which may include, but is not limited to:

- (a) Withholding progress payments;
- (b) Assessing sanctions;
- (c) Liquidated damages; and/or
- (d) Disqualifying the Contractor from future bidding as non-responsible.

OVERALL GOAL SET FOR THE DEPARTMENT. As a requirement of compliance with 49 CFR Part 26, the Department has set an overall goal for DBE participation in its federally assisted contracts. That goal applies to all federal-aid funds the Department will expend in its federally assisted contracts for the subject reporting fiscal year. The Department is required to make a

good faith effort to achieve the overall goal. The dollar amount paid to all approved DBE companies performing work called for in this contract is eligible to be credited toward fulfillment of the Department's overall goal.

CONTRACT GOAL TO BE ACHIEVED BY THE CONTRACTOR. This contract includes a specific DBE utilization goal established by the Department. The goal has been included because the Department has determined that the work of this contract has subcontracting opportunities that may be suitable for performance by DBE companies. The determination is based on an assessment of the type of work, the location of the work, and the availability of DBE companies to do a part of the work. The assessment indicates that, in the absence of unlawful discrimination, and in an arena of fair and open competition, DBE companies can be expected to perform 21.00% of the work. This percentage is set as the DBE participation goal for this contract. Consequently, in addition to the other award criteria established for this contract, the Department will only award this contract to a bidder who makes a good faith effort to meet this goal of DBE participation in the performance of the work. A bidder makes a good faith effort for award consideration if either of the following is done in accordance with the procedures set for in this Special Provision:

- (a) The bidder documents that enough DBE participation has been obtained to meet the goal or,
- (b) The bidder documents that a good faith effort has been made to meet the goal, even though the effort did not succeed in obtaining enough DBE participation to meet the goal.

DBE LOCATOR REFERENCES. Bidders shall consult the IL UCP DBE Directory as a reference source for DBE-certified companies. In addition, the Department maintains a letting and item specific DBE locator information system whereby DBE companies can register their interest in providing quotes on particular bid items advertised for letting. Information concerning DBE companies willing to quote work for particular contracts may be obtained by contacting the Department's Bureau of Small Business Enterprises at telephone number (217) 785-4611, or by visiting the Department's website at:

http://www.idot.illinois.gov/doing-business/certifications/disadvantaged-business-enterprise-certification/il-ucp-directory/index.

BIDDING PROCEDURES. Compliance with this Special Provision is required prior to the award of the contract and the failure of the low bidder to comply will render the bid not responsive.

In order to assure the timely award of the contract, the low bidder shall submit:

- (a) The bidder shall submit a DBE Utilization Plan on completed Department forms SBE 2025 and 2026.
  - (1) The final Utilization Plan must be submitted within five calendar days after the date of the letting in accordance with subsection (a)(2) of Bidding Procedures herein.

(2) To meet the five day requirement, the bidder may send the Utilization Plan electronically by scanning and sending to <a href="DOT.DBE.UP@illinois.gov">DOT.DBE.UP@illinois.gov</a> or faxing to (217) 785-1524. The subject line must include the bid Item Number and the Letting date. The Utilization Plan should be sent as one .pdf file, rather than multiple files and emails for the same Item Number. It is the responsibility of the bidder to obtain confirmation of email or fax delivery.

Alternatively, the Utilization Plan may be sent by certified mail or delivery service within the five calendar day period. If a question arises concerning the mailing date of a Utilization Plan, the mailing date will be established by the U.S. Postal Service postmark on the certified mail receipt from the U.S. Postal Service or the receipt issued by a delivery service when the Utilization Plan is received by the Department. It is the responsibility of the bidder to ensure the postmark or receipt date is affixed within the five days if the bidder intends to rely upon mailing or delivery to satisfy the submission day requirement. The Utilization Plan is to be submitted to:

Illinois Department of Transportation Bureau of Small Business Enterprises Contract Compliance Section 2300 South Dirksen Parkway, Room 319 Springfield, Illinois 62764

The Department will not accept a Utilization Plan if it does not meet the five day submittal requirement and the bid will be declared not responsive. In the event the bid is declared not responsive due to a failure to submit a Utilization Plan or failure to comply with the bidding procedures set forth herein, the Department may elect to cause the forfeiture of the penal sum of the bidder's proposal guaranty, and may deny authorization to bid the project if re-advertised for bids. The Department reserves the right to invite any other bidder to submit a Utilization Plan at any time for award consideration.

- (b) The Utilization Plan shall indicate that the bidder either has obtained sufficient DBE participation commitments to meet the contract goal or has not obtained enough DBE participation commitments in spite of a good faith effort to meet the goal. The Utilization Plan shall further provide the name, telephone number, and telefax number of a responsible official of the bidder designated for purposes of notification of Utilization Plan approval or disapproval under the procedures of this Special Provision.
- (c) The Utilization Plan shall include a DBE Participation Commitment Statement, Department form SBE 2025, for each DBE proposed for the performance of work to achieve the contract goal. For bidding purposes, submission of the completed SBE 2025 forms, signed by the DBEs and scanned or faxed to the bidder will be acceptable as long as the original is available and provided upon request. All elements of information indicated on the said form shall be provided, including but not limited to the following:

- (1) The names and addresses of DBE firms that will participate in the contract;
- (2) A description, including pay item numbers, of the work each DBE will perform:
- (3) The dollar amount of the participation of each DBE firm participating. The dollar amount of participation for identified work shall specifically state the quantity, unit price, and total subcontract price for the work to be completed by the DBE. If partial pay items are to be performed by the DBE, indicate the portion of each item, a unit price where appropriate and the subcontract price amount;
- (4) DBE Participation Commitment Statements, form SBE 2025, signed by the bidder and each participating DBE firm documenting the commitment to use the DBE subcontractors whose participation is submitted to meet the contract goal;
- (5) If the bidder is a joint venture comprised of DBE companies and non-DBE companies, the Utilization Plan must also include a clear identification of the portion of the work to be performed by the DBE partner(s); and,
- (6) If the contract goal is not met, evidence of good faith efforts; the documentation of good faith efforts must include copies of each DBE and non-DBE subcontractor quote submitted to the bidder when a non-DBE subcontractor is selected over a DBE for work on the contract.

GOOD FAITH EFFORT PROCEDURES. The contract will not be awarded until the Utilization Plan submitted by the apparent successful bidder is approved. All information submitted by the bidder must be complete, accurate and adequately document that enough DBE participation has been obtained or document that good faith efforts of the bidder, in the event enough DBE participation has not been obtained, before the Department will commit to the performance of the contract by the bidder. The Utilization Plan will be approved by the Department if the Utilization Plan documents sufficient commercially useful DBE work to meet the contract goal or the bidder submits sufficient documentation of a good faith effort to meet the contract goal pursuant to 49 CFR Part 26, Appendix A. The Utilization Plan will not be approved by the Department if the Utilization Plan does not document sufficient DBE participation to meet the contract goal unless the apparent successful bidder documented in the Utilization Plan that it made a good faith effort to meet the goal. This means that the bidder must show that all necessary and reasonable steps were taken to achieve the contract goal. Necessary and reasonable steps are those which, by their scope, intensity and appropriateness to the objective, could reasonably be expected to obtain sufficient DBE participation, even if they were not successful. The Department will consider the quality, quantity, and intensity of the kinds of efforts that the bidder has made. Mere pro forma efforts, in other words, efforts done as a matter of form, are not good faith efforts; rather, the bidder is expected to have taken genuine efforts that would be reasonably expected of a bidder actively and aggressively trying to obtain DBE participation sufficient to meet the contract goal.

(a) The following is a list of types of action that the Department will consider as part of the evaluation of the bidder's good faith efforts to obtain participation. These listed factors

are not intended to be a mandatory checklist and are not intended to be exhaustive. Other factors or efforts brought to the attention of the Department may be relevant in appropriate cases, and will be considered by the Department.

- (1) Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBE companies that have the capability to perform the work of the contract. The bidder must solicit this interest within sufficient time to allow the DBE companies to respond to the solicitation. The bidder must determine with certainty if the DBE companies are interested by taking appropriate steps to follow up initial solicitations.
- (2) Selecting portions of the work to be performed by DBE companies in order to increase the likelihood that the DBE goals will be achieved. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime Contractor might otherwise prefer to perform these work items with its own forces.
- (3) Providing interested DBE companies with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
- (4) a. Negotiating in good faith with interested DBE companies. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBE companies that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBE companies to perform the work.
  - b. A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBE companies is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also the ability or desire of a bidder to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Bidders are not, however, required to accept higher quotes from DBE companies if the price difference is excessive or unreasonable. In accordance with subsection (c)(6) of the above Bidding Procedures, the documentation of good faith efforts must include copies of each DBE and non-DBE subcontractor quote submitted to the bidder when a non-DBE subcontractor was selected over a DBE for work on the contract.

- (5) Not rejecting DBE companies as being unqualified without sound reasons based on a thorough investigation of their capabilities. The bidder's standing within its industry, membership in specific groups, organizations, or associations and political or social affiliations (for example union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the bidder's efforts to meet the project goal.
- (6) Making efforts to assist interested DBE companies in obtaining bonding, lines of credit, or insurance as required by the recipient or Contractor.
- (7) Making efforts to assist interested DBE companies in obtaining necessary equipment, supplies, materials, or related assistance or services.
- (8) Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBE companies.
- (b) If the Department determines that the apparent successful bidder has made a good faith effort to secure the work commitment of DBE companies to meet the contract goal, the Department will award the contract provided that it is otherwise eligible for award. If the Department determines that the bidder has failed to meet the requirements of this Special Provision or that a good faith effort has not been made, the Department will notify the responsible company official designated in the Utilization Plan that the bid is not responsive. The notification shall include a statement of reasons for the determination. If the Utilization Plan is not approved because it is deficient as a technical matter, unless waived by the Department, the bidder will be notified and will be allowed no more than a five calendar day period in order to cure the deficiency.
- (c) The bidder may request administrative reconsideration of a determination adverse to the bidder within the five working days after the receipt of the notification date of the determination by delivering the request to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764 (Telefax: (217) 785-1524). Deposit of the request in the United States mail on or before the fifth business day shall not be deemed delivery. The determination shall become final if a request is not made and A request may provide additional written documentation or argument concerning the issues raised in the determination statement of reasons, provided the documentation and arguments address efforts made prior to submitting the bid. The request will be forwarded to the Department's Reconsideration Officer. Reconsideration Officer will extend an opportunity to the bidder to meet in person in order to consider all issues of documentation and whether the bidder made a good faith effort to meet the goal. After the review by the Reconsideration Officer, the bidder will be sent a written decision within ten working days after receipt of the request for consideration, explaining the basis for finding that the bidder did or did not meet the goal or make adequate good faith efforts to do so. A final decision by the Reconsideration

Officer that a good faith effort was made shall approve the Utilization Plan submitted by the bidder and shall clear the contract for award. A final decision that a good faith effort was not made shall render the bid not responsive.

<u>CALCULATING DBE PARTICIPATION</u>. The Utilization Plan values represent work anticipated to be performed and paid for upon satisfactory completion. The Department is only able to count toward the achievement of the overall goal and the contract goal the value of payments made for the work actually performed by DBE companies. In addition, a DBE must perform a commercially useful function on the contract to be counted. A commercially useful function is generally performed when the DBE is responsible for the work and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. The Department and Contractor are governed by the provisions of 49 CFR Part 26.55(c) on questions of commercially useful functions as it affects the work. Specific counting guidelines are provided in 49 CFR Part 26.55, the provisions of which govern over the summary contained herein.

- (a) DBE as the Contractor: 100 percent goal credit for that portion of the work performed by the DBE's own forces, including the cost of materials and supplies. Work that a DBE subcontracts to a non-DBE does not count toward the DBE goals.
- (b) DBE as a joint venture Contractor: 100 percent goal credit for that portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work performed by the DBE's own forces.
- (c) DBE as a subcontractor: 100 percent goal credit for the work of the subcontract performed by the DBE's own forces, including the cost of materials and supplies, excluding the purchase of materials and supplies or the lease of equipment by the DBE subcontractor from the prime Contractor or its affiliates. Work that a DBE subcontractor in turn subcontracts to a non-DBE does not count toward the DBE goal.
- (d) DBE as a trucker: 100 percent goal credit for trucking participation provided the DBE is responsible for the management and supervision of the entire trucking operation for which it is responsible. At least one truck owned, operated, licensed, and insured by the DBE must be used on the contract. Credit will be given for the following:
  - (1) The DBE may lease trucks from another DBE firm, including an owner-operator who is certified as a DBE. The DBE who leases trucks from another DBE receives credit for the total value of the transportation services the lessee DBE provides on the contract.
  - (2) The DBE may also lease trucks from a non-DBE firm, including from an owner-operator. The DBE who leases trucks from a non-DBE is entitled to credit only for the fee or commission is receives as a result of the lease arrangement.
- (e) DBE as a material supplier:

- 60 percent goal credit for the cost of the materials or supplies purchased from a DBE regular dealer.
- (2) 100 percent goal credit for the cost of materials of supplies obtained from a DBE manufacturer.
- (3) 100 percent credit for the value of reasonable fees and commissions for the procurement of materials and supplies if not a DBE regular dealer or DBE manufacturer.

CONTRACT COMPLIANCE. Compliance with this Special Provision is an essential part of the contract. The Department is prohibited by federal regulations from crediting the participation of a DBE included in the Utilization Plan toward either the contract goal or the Department's overall goal until the amount to be applied toward the goals has been paid to the DBE. The following administrative procedures and remedies govern the compliance by the Contractor with the contractual obligations established by the Utilization Plan. After approval of the Utilization Plan and award of the contract, the Utilization Plan and individual DBE Participation Statements become part of the contract. If the Contractor did not succeed in obtaining enough DBE participation to achieve the advertised contract goal, and the Utilization Plan was approved and contract awarded based upon a determination of good faith, the total dollar value of DBE work calculated in the approved Utilization Plan as a percentage of the awarded contract value shall become the amended contract goal. All work indicated for performance by an approved DBE shall be performed, managed, and supervised by the DBE executing the DBE Participation Commitment Statement.

- (a) NO AMENDMENT. No amendment to the Utilization Plan may be made without prior written approval from the Department's Bureau of Small Business Enterprises. All requests for amendment to the Utilization Plan shall be submitted to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764. Telephone number (217) 785-4611. Telefax number (217) 785-1524.
- (b) <u>CHANGES TO WORK</u>. Any deviation from the DBE condition-of-award or contract plans, specifications, or special provisions must be approved, in writing, by the Department as provided elsewhere in the Contract. The Contractor shall notify affected DBEs in writing of any changes in the scope of work which result in a reduction in the dollar amount condition-of-award to the contract. Where the revision includes work committed to a new DBE subcontractor, not previously involved in the project, then a Request for Approval of Subcontractor, Department form BC 260A or AER 260A, must be signed and submitted. If the commitment of work is in the form of additional tasks assigned to an existing subcontract, than a new Request for Approval of Subcontractor shall not be required. However, the Contractor must document efforts to assure that the existing DBE subcontractor is capable of performing the additional work and has agreed in writing to the change.

- (c) <u>SUBCONTRACT</u>. The Contractor must provide DBE subcontracts to IDOT upon request. Subcontractors shall ensure that all lower tier subcontracts or agreements with DBEs to supply labor or materials be performed in accordance with this Special Provision.
- (d) <u>ALTERNATIVE WORK METHODS</u>. In addition to the above requirements for reductions in the condition of award, additional requirements apply to the two cases of Contractorinitiated work substitution proposals. Where the contract allows alternate work methods which serve to delete or create underruns in condition of award DBE work, and the Contractor selects that alternate method or, where the Contractor proposes a substitute work method or material that serves to diminish or delete work committed to a DBE and replace it with other work, then the Contractor must demonstrate one of the following:
  - (1) That the replacement work will be performed by the same DBE (as long as the DBE is certified in the respective item of work) in a modification of the condition of award; or
  - (2) That the DBE is aware that its work will be deleted or will experience underruns and has agreed in writing to the change. If this occurs, the Contractor shall substitute other work of equivalent value to a certified DBE or provide documentation of good faith efforts to do so; or
  - (3) That the DBE is not capable of performing the replacement work or has declined to perform the work at a reasonable competitive price. If this occurs, the Contractor shall substitute other work of equivalent value to a certified DBE or provide documentation of good faith efforts to do so.
- (e) TERMINATION AND REPLACEMENT PROCEDURES. The Contractor shall not terminate or replace a DBE listed on the approved Utilization Plan, or perform with other forces work designated for a listed DBE except as provided in this Special Provision. The Contractor shall utilize the specific DBEs listed to perform the work and supply the materials for which each is listed unless the Contractor obtains the Department's written consent as provided in subsection (a) of this part. Unless Department consent is provided for termination of a DBE subcontractor, the Contractor shall not be entitled to any payment for work or material unless it is performed or supplied by the DBE in the Utilization Plan.

As stated above, the Contractor shall not terminate or replace a DBE subcontractor listed in the approved Utilization Plan without prior written consent. This includes, but is not limited to, instances in which the Contractor seeks to perform work originally designated for a DBE subcontractor with its own forces or those of an affiliate, a non-DBE firm, or with another DBE firm. Written consent will be granted only if the Bureau of Small Business Enterprises agrees, for reasons stated in its concurrence document, that the Contractor has good cause to terminate or replace the DBE firm. Before transmitting to the Bureau of Small Business Enterprises any request to terminate and/or substitute a DBE subcontractor, the Contractor shall give notice in writing to the DBE subcontractor,

with a copy to the Bureau, of its intent to request to terminate and/or substitute, and the reason for the request. The Contractor shall give the DBE five days to respond to the Contractor's notice. The DBE so notified shall advise the Bureau and the Contractor of the reasons, if any, why it objects to the proposed termination of its subcontract and why the Bureau should not approve the Contractor's action. If required in a particular case as a matter of public necessity, the Bureau may provide a response period shorter than five days.

For purposes of this paragraph, good cause includes the following circumstances:

- (1) The listed DBE subcontractor fails or refuses to execute a written contract;
- (2) The listed DBE subcontractor fails or refuses to perform the work of its subcontract in a way consistent with normal industry standards. Provided, however, that good cause does not exist if the failure or refusal of the DBE subcontractor to perform its work on the subcontract results from the bad faith or discriminatory action of the prime contractor;
- (3) The listed DBE subcontractor fails or refuses to meet the prime Contractor's reasonable, nondiscriminatory bond requirements;
- (4) The listed DBE subcontractor becomes bankrupt, insolvent, or exhibits credit unworthiness:
- (5) The listed DBE subcontractor is ineligible to work on public works projects because of suspension and debarment proceedings pursuant 2 CFR Parts 180, 215 and 1200 or applicable state law.
- (6) You have determined that the listed DBE subcontractor is not a responsible contractor;
- (7) The listed DBE subcontractor voluntarily withdraws from the projects and provides to you written notice of its withdrawal;
- (8) The listed DBE is ineligible to receive DBE credit for the type of work required;
- (9) A DBE owner dies or becomes disabled with the result that the listed DBE subcontractor is unable to complete its work on the contract;
- (10) Other documented good cause that compels the termination of the DBE subcontractor. Provided, that good cause does not exist if the prime Contractor seeks to terminate a DBE it relied upon to obtain the contract so that the prime Contractor can self-perform the work for which the DBE contractor was engaged or so that the prime Contractor can substitute another DBE or non-DBE contractor after contract award.

When a DBE is terminated, or fails to complete its work on the Contract for any reason the Contractor shall make a good faith effort to find another DBE to substitute for the original DBE to perform at least the same amount of work under the contract as the terminated DBE to the extent needed to meet the established Contract goal. The good faith efforts shall be documented by the Contractor. If the Department requests documentation under this provision, the Contractor shall submit the documentation within seven days, which may be extended for an additional seven days if necessary at the request of the Contractor. The Department shall provide a written determination to the Contractor stating whether or not good faith efforts have been demonstrated.

- (f) PAYMENT RECORDS. The Contractor shall maintain a record of payments for work performed to the DBE participants. The records shall be made available to the Department for inspection upon request. After the performance of the final item of work or delivery of material by a DBE and final payment therefore to the DBE by the Contractor, but not later than thirty calendar days after payment has been made by the Department to the Contractor for such work or material, the Contractor shall submit a DBE Payment Agreement on Department form SBE 2115 to the Resident Engineer. If full and final payment has not been made to the DBE, the DBE Payment Agreement shall indicate whether a disagreement as to the payment required exists between the Contractor and the DBE or if the Contractor believes that the work has not been satisfactorily completed. If the Contractor does not have the full amount of work indicated in the Utilization Plan performed by the DBE companies indicated in the Utilization Plan and after good faith efforts are reviewed, the Department may deduct from contract payments to the Contractor the amount of the goal not achieved as liquidated and ascertained damages. The Contractor may request an administrative reconsideration of any amount deducted as damages pursuant to subsection (h) of this part.
- (g) <u>ENFORCEMENT</u>. The Department reserves the right to withhold payment to the Contractor to enforce the provisions of this Special Provision. Final payment shall not be made on the contract until such time as the Contractor submits sufficient documentation demonstrating achievement of the goal in accordance with this Special Provision or after liquidated damages have been determined and collected.
- (h) <u>RECONSIDERATION</u>. Notwithstanding any other provision of the contract, including but not limited to Article 109.09 of the Standard Specifications, the Contractor my request administrative reconsideration of a decision to deduct the amount of the goal not achieved as liquidated damages. A request to reconsider shall be delivered to the Contract Compliance Section and shall be handled and considered in the same manner as set forth in paragraph (c) of "Good Faith Effort Procedures" of this Special Provision, except a final decision that a good faith effort was not made during contract performance to achieve the goal agreed to in the Utilization Plan shall be the final administrative decision of the Department. The result of the reconsideration process is not administratively appealable to the U.S. Department of Transportation.

80029

#### **DOWEL BAR INSERTER (BDE)**

Effective: January 1, 2017

Add the following to Article 420.03 of the Standard Specifications.

"(I) Mechanical Dowel Bar Inserter ......1103.20"

Revise Article 420.05(c) of the Standard Specifications to read:

"(c) Transverse Contraction Joints. Transverse contraction joints shall consist of planes of weakness created by sawing grooves in the surface of the pavement and shall include load transfer devices consisting of dowel bars. Transverse contraction joints shall be according to the following."

Revise Article 420.05(c)(2) of the Standard Specifications to read:

- "(2) Dowel Bars. Dowel Bars shall be installed parallel to the centerline of the pavement and parallel to the proposed pavement surface. Installation shall be according to one of the following methods.
  - a. Dowel Bar Assemblies. The assembly shall act as a rigid unit with each component securely held in position relative to the other members of the assembly. The entire assembly shall be held securely in place by means of nails which shall penetrate the stabilized subbase. At least ten nails shall be used for each 10, 11, or 12 ft (3, 3.3, or 3.6 m) section of assembly.

Metal stakes shall be used instead of nails, with soil or granular subbase. The stakes shall loop over or attach to the top parallel spacer bar of the assembly and penetrate the subgrade or subbase at least 12 in. (300 mm).

At the location of each dowel bar assembly, the subgrade or subbase shall be reshaped and re-tamped when necessary.

Prior to placing concrete, any deviation of the dowel bars from the correct horizontal or vertical alignment (horizontal skew or vertical tilt) greater than 3/8 in. in 12 in (9 mm in 300 mm) shall be corrected and a light coating of oil shall be uniformly applied to all dowel bars.

Care shall be exercised in depositing the concrete at the dowel bar assemblies so the horizontal and vertical alignment will be retained.

b. Dowel Bar Insertion. The dowel bars may be placed in the pavement slab with a mechanical dowel bar inserter (DBI) attached to a formless paver for pavements ≥ 7.0 in. (175 mm) in thickness. A light coating of oil shall be uniformly applied to all dowel bars.

The DBI shall insert the dowel bars with vibration into the plastic concrete after the concrete has been struck off and consolidated without deformation of the slab. After the bars have been inserted, the concrete shall be refinished and no voids shall exist around the dowel bars. The forward movement of the paver shall not be interrupted by the inserting of the dowel bars.

The location of each row of dowel bars shall be marked in a manner to facilitate where to insert the bars, and where to saw the transverse joint.

- 1. Placement Tolerances for Dowel Bars. The DBI shall place the dowel bars in the concrete pavement within the following tolerances.
  - (a.) Longitudinal Translation (Mislocation). Longitudinal translation (mislocation) shall be defined as the position of the center of the dowel bar along the longitudinal axis, in relation to the sawed joint.

The quality control tolerance for longitudinal translation shall not exceed 2.0 in (50 mm). If this tolerance is exceeded, adjustments shall be made to the paving operation.

Any joint having two or more dowel bars with an embedment length less than 4.0 in. (100 mm) within 12 in. (300 mm) of the same wheelpath will be considered unacceptable. Any joint having an average dowel bar embedment length less than 5.25 in. (130 mm) will also be considered unacceptable. Embedment length shall be defined as the length of dowel bar embedded on the short side of the sawed joint. An unacceptable joint shall be replaced with a minimum of 6 ft (1.8 m) of pavement centered over the joint according to Section 442 for Class B patches.

(b.) Horizontal Translation (Mislocation). Horizontal translation (mislocation) shall be defined as the difference in the actual dowel bar location parallel to the longitudinal or edge joint from its theoretical position as shown on the plans.

The quality control tolerance for horizontal translation shall not exceed 2.0 in. (50 mm). If this tolerance is exceeded, adjustments shall be made to the paving operation.

Any joint having a dowel bar with a translation greater than 4.0 in. (100 mm) will be considered unacceptable, but may remain in place unless the Engineer determines the joint will not function. If the joint is unable to remain in place, the joint shall be replaced with a minimum of 6 ft (1.8 m) of pavement centered over the joint according to Section 442 for Class B patches.

(c.) Vertical Translation (Mislocation). Vertical translation (mislocation) shall be defined as the difference in the vertical position of the dowel bar relative to the theoretical midpoint of the slab.

The quality control tolerance for vertical translation shall be as shown in the following table. If these tolerances are exceeded, adjustments shall be made to the paving operation.

| Pavement Thickness   | Dowel Bar<br>Diameter | Vertical<br>Translation<br>Tolerance<br>Above<br>Midpoint | Vertical<br>Translation<br>Tolerance<br>Below<br>Midpoint |
|----------------------|-----------------------|---|---|
| ≥7 in. to <8 in.     | 1.25 in.              | 0.25 in.  | 0.5 in.   |
| (≥175 mm to <200 mm) | (31 mm)               | (6 mm)  | (13 mm)   |
| ≥8 in. to <9 in.     | 1.50 in.              | 0.25 in.  | 0.5 in.   |
| (≥200 mm to <225 mm) | (38 mm)               | (6 mm)  | (13 mm)   |
| ≥9 in. to <10 in.    | 1.50 in.              | 0.75 in.  | 0.75 in.  |
| (≥225 mm to <250 mm) | (38 mm)               | (19 mm)   | (19 mm)   |
| ≥10 in.              | 1.50 in.              | 0.75 in.  | 1.0 in.   |
| (≥250 mm)            | (38 mm)               | (19 mm)   | (25 mm)   |

Any joint having a dowel bar with top concrete cover less than T/3, where T is slab thickness, will be considered unacceptable. Any joint having 2 or more dowel bars with bottom concrete cover less than 2.0 in. (50 mm) will also be considered unacceptable. An unacceptable joint shall be replaced with a minimum of 6 ft (1.8 m) of pavement according to Section 442 for Class B patches.

(d.) Vertical Tilt or Horizontal Skew (Misalignment). Vertical tilt or horizontal skew (misalignment) shall be defined as the difference in position of the dowel bar ends with respect to each other. Vertical tilt is measured in the vertical axis whereas horizontal skew is measured in the horizontal axis. Misalignment shall be measured in terms of a joint score. The joint score shall be defined as the degree of misalignment evaluated for a single transverse joint for each lane of pavement. The joint score shall be determined as follows:

$$Joint Score = \left(1 + \left(\frac{x}{x-n}\right) \sum_{i=1}^{x} W_{i}\right)$$

where:

 $W_i$  = weighting factor (Table 1) for dowel i x = number of dowels in a single joint

n = number of dowels excluded from the joint score calculation due to measurement interference

Single Dowel Misalignment – The degree of misalignment applicable to a single dowel bar, calculated as:

Single Dowel Misalignment =  $\sqrt{(Horizontal\ Skew)^2 + (Vertical\ Tilt)^2}$ 

| Table 1. Weighting Factors in Joint Score Determination |                     |  |
|---|---------------------|--|
| Single Dowel Bar Misalignment (SDM)                     | W, Weighting Factor |  |
| SDM ≤ 0.6 in. (15 mm)                                   | 0                   |  |
| 0.6 in. (15 mm) < SDM ≤ 0.8 in. (20 mm)                 | 2                   |  |
| 0.8 in. (20 mm) < SDM ≤ 1 in. (25 mm)                   | 4                   |  |
| 1 in. (25 mm) < SDM ≤ 1.5 in. (38 mm)                   | 5                   |  |
| 1.5 in. (38 mm) < SDM                                   | 10                  |  |

The quality control tolerance for vertical tilt or horizontal skew shall not exceed 0.6 in. (15 mm). If the tolerance is exceeded for either one, adjustments shall be made to the paving operation.

Any joint having a dowel bar with a vertical tilt or horizontal skew greater than 1.5 in. (38 mm) shall be cut. If more than one dowel bar is required to be cut in the joint, the joint will be considered unacceptable and shall be replaced with a minimum of 6 ft (1.8 m) of pavement centered over the joint according to Section 442 for Class B patches.

Single dowel bar misalignment shall be controlled to provide the joint scores shown in the following table.

| Number of Dowel Bars in the Joint | Maximum Joint Score |
|-----------------------------------|---------------------|
| < 5                               | 4                   |
| ≥ 5 but ≤ 9                       | 8                   |
| > 9                               | 12                  |

A joint score greater than the specified maximum will be considered locked. Three consecutive joints with a score greater than the specified maximum total score will all be considered unacceptable.

Three consecutive locked joints shall be corrected by selecting one joint and cutting a dowel bar. Preference shall be given to cutting a dowel bar within the middle 2.5 ft (0.8 m) of the pavement lane to avoid the wheelpaths. If none of the three locked joints will have a joint score less than or equal to the specified maximum after selecting one dowel bar to cut, one of the joints shall be replaced with a minimum of 6 ft (1.8 m) of

pavement centered over the joint according to Section 442 for Class B patches.

- (e.) For unacceptable work, the Contractor may propose alternative repairs for consideration by the Engineer.
- Testing of Dowel Bar Placement. The placement of the dowel bars shall be tested within 24 hours of paving with a calibrated MIT Scan-2 device according to "Use of Magnetic Tomography Technology to Evaluate Dowel Placement" (Publication No. FHWA-IF-06-006) by the Federal Highway Administration.

A trained operator shall perform the testing, and all testing shall be performed in the presence of the Engineer. The device shall be calibrated to the type and size dowel bar used in the work according to the manufacturer's instructions. Calibration documentation shall be provided to the Engineer prior to construction. The device shall be recalibrated and/or validate readings as required by the Engineer. The device may be utilized as a process control and make necessary adjustments to ensure the dowel bars are placed in the correct location.

- (a.)Test Section. Prior to start of production paving, a test section consisting of 30 transverse joints shall be constructed. The test section may be performed on the actual pavement, but production paving shall not begin until an acceptable test section has been constructed. The test section will be considered acceptable when all of the following are met:
  - (1.) 90 percent of the dowel bars meet the quality control tolerance for longitudinal, horizontal, or vertical translation (mislocation);
  - (2.) 90 percent of the dowel bars meet the quality control tolerance for vertical tilt or horizontal skew deviation (misalignment); and
  - (3.) none of the joints are considered unacceptable prior to a corrective measure for mislocation or misalignment.

If the test section fails, another test section consisting of 30 joints shall be constructed.

The test section requirement may be waived by the Engineer if the Contractor has constructed an acceptable test section and successfully used the DBI on a Department contract within the same calendar year.

(b.) Production Paving. After the test section is approved, production paving may begin. The mislocation and misalignment of each dowel bar for the

first ten joints constructed, and every tenth joint thereafter, shall be tested.

If two consecutive days of paving result in 5 percent or more of the joints on each day being unacceptable prior to a corrective measure, production paving shall be discontinued and a new test section shall be constructed.

If any joint is found to be unacceptable prior to a corrective measure, testing of additional joints on each side of the unacceptable joint shall be performed until acceptable joints are found.

- (c.) Test Report. Test reports shall be provided to the Engineer within two working days of completing each day's testing. The test report shall include the following.
  - (1.) Contract number, placement date, county-route-section, direction of traffic, scan date, Contractor, and name of individual performing the tests.
  - (2.) Provide the standard report generated from the on-board printer of the imaging technology used for every dowel and joint measured.
  - (3.) For every dowel measured, provide the joint identification number, lane number and station, dowel bar number or x-location, direction of testing and reference joint location/edge location, longitudinal translation, horizontal translation, vertical translation, vertical tilt, and horizontal skew.
  - (4.) Identify each dowel bar with a maximum longitudinal, horizontal, or vertical translation that has been exceeded. Identify each dowel bar with a maximum vertical tilt or horizontal skew deviation that has been exceeded.
  - (5.) Joint Score Details: Provide the joint identification number, lane number, station, and calculated joint score for each joint.
  - (6.) Locked Joint Identification: Identify each joint with a joint score > 12.
- (d.) Exclusions. Exclude the following from dowel bar mislocation and misalignment measurements.
  - (1.) Transverse construction joints (headers).
  - (2.) Dowel bars within 24 in. (610 mm) of metallic manholes, inlets, metallic castings, or other nearby or underlying steel reinforced objects.

- (3.) The outside dowel bar when tie bars are installed with mechanical equipment in fresh concrete. For tie bar installations involving preformed or drilled holes, installation shall be performed after testing with the MIT Scan-2 device.
- (4.) Joints located directly under high voltage power lines.
- (5.) Subject to the approval of the Engineer, any other contributors to magnetic interference.
- (e.) Deficiency Deduction. When the Contractor has cut 25 dowel bars to correct unacceptable joints, the Contractor shall be liable and shall pay to the Department a deficiency deduction of \$500.00 for the cost of the bars. Thereafter, an additional deficiency deduction of \$20.00 for each additional bar cut will be assessed."

Add the following to Section 1103 of the Standard Specifications.

"1103.20 Mechanical Dowel Bar Inserter. The mechanical dowel bar inserter (DBI) shall be self-contained and supported on the formless paver with the ability to move separately from the paver. The DBI shall be equipped with insertion forks along with any other devices necessary for finishing the concrete the full width of the pavement. The insertion forks shall have the ability to vibrate at a minimum frequency of 3000 VPM."

#### **EQUIPMENT PARKING AND STORAGE (BDE)**

Effective: November 1, 2017

Replace the first paragraph of Article 701.11 of the Standard Specifications with the following.

"701.11 Equipment Parking and Storage. During working hours, all vehicles and/or nonoperating equipment which are parked, two hours or less, shall be parked at least 8 ft (2.5 m) from the open traffic lane. For other periods of time during working and for all nonworking hours, all vehicles, materials, and equipment shall be parked or stored as follows.

- (a) When the project has adequate right-of-way, vehicles, materials, and equipment shall be located a minimum of 30 ft (9 m) from the pavement.
- (b) When adequate right-of-way does not exist, vehicles, materials, and equipment shall be located a minimum of 15 ft (4.5 m) from the edge of any pavement open to traffic.
- (c) Behind temporary concrete barrier, vehicles, materials, and equipment shall be located a minimum of 24 in. (600 mm) behind free standing barrier or a minimum of 6 in. (150 mm) behind barrier that is either pinned or restrained according to Article 704.04. The 24 in. or 6 in. measurement shall be from the base of the non-traffic side of the barrier.
- (d) Behind other man-made or natural barriers meeting the approval of the Engineer."

#### FUEL COST ADJUSTMENT (BDE)

Effective: April 1, 2009 Revised: August 1, 2017

<u>Description</u>. Fuel cost adjustments will be made to provide additional compensation to the Contractor, or a credit to the Department, for fluctuations in fuel prices when optioned by the Contractor. The bidder shall indicate with their bid whether or not this special provision will be part of the contract. Failure to indicate "Yes" for any category of work will make that category of work exempt from fuel cost adjustment.

General. The fuel cost adjustment shall apply to contract pay items as grouped by category. The adjustment shall only apply to those categories of work checked "Yes", and only when the cumulative plan quantities for a category exceed the required threshold. Adjustments to work items in a category, either up or down, and extra work paid for by agreed unit price will be subject to fuel cost adjustment only when the category representing the added work was subject to the fuel cost adjustment. Extra work paid for at a lump sum price or by force account will not be subject to fuel cost adjustment. Category descriptions and thresholds for application and the fuel usage factors which are applicable to each are as follows:

#### (a) Categories of Work.

- (1) Category A: Earthwork. Contract pay items performed under Sections 202, 204, and 206 including any modified standard or nonstandard items where the character of the work to be performed is considered earthwork. The cumulative total of all applicable item plan quantities shall exceed 25,000 cu yd (20,000 cu m). Included in the fuel usage factor is a weighted average 0.10 gal/cu yd (0.50 liters/cu m) factor for trucking.
- (2) Category B: Subbases and Aggregate Base Courses. Contract pay items constructed under Sections 311, 312 and 351 including any modified standard or nonstandard items where the character of the work to be performed is considered construction of a subbase or aggregate, stabilized or modified base course. The cumulative total of all applicable item plan quantities shall exceed 5000 tons (4500 metric tons). Included in the fuel usage factor is a 0.60 gal/ton (2.50 liters/metric ton) factor for trucking.
- (3) Category C: Hot-Mix Asphalt (HMA) Bases, Pavements and Shoulders. Contract pay items constructed under Sections 355, 406, 407 and 482 including any modified standard or nonstandard items where the character of the work to be performed is considered HMA bases, pavements and shoulders. The cumulative total of all applicable item plan quantities shall exceed 5000 tons (4500 metric tons). Included in the fuel usage factor is 0.60 gal/ton (2.50 liters/metric ton) factor for trucking.
- (4) Category D: Portland Cement Concrete (PCC) Bases, Pavements and Shoulders. Contract pay items constructed under Sections 353, 420, 421 and 483 including any

modified standard or nonstandard items where the character of the work to be performed is considered PCC base, pavement or shoulder. The cumulative total of all applicable item plan quantities shall exceed 7500 sq yd (6000 sq m). Included in the fuel usage factor is 1.20 gal/cu yd (5.94 liters/cu m) factor for trucking.

(5) Category E: Structures. Structure items having a cumulative bid price that exceeds \$250,000 for pay items constructed under Sections 502, 503, 504, 505, 512, 516 and 540 including any modified standard or nonstandard items where the character of the work to be performed is considered structure work when similar to that performed under these sections and not included in categories A through D.

#### (b) Fuel Usage Factors.

| English Units                          |        |                     |
|--|--------|---------------------|
| Category                               | Factor | Units               |
| A - Earthwork                          | 0.34   | gal / cu yd         |
| B – Subbase and Aggregate Base courses | 0.62   | gal / ton           |
| C – HMA Bases, Pavements and Shoulders | 1.05   | gal / ton           |
| D – PCC Bases, Pavements and Shoulders | 2.53   | gal / cu yd         |
| E – Structures                         | 8.00   | gal / \$1000        |
| Metric Units                           |        |                     |
| Category                               | Factor | Units               |
| A - Earthwork                          | 1.68   | liters / cu m       |
| B – Subbase and Aggregate Base courses | 2.58   | liters / metric ton |
| C – HMA Bases, Pavements and Shoulders | 4.37   | liters / metric ton |
| D – PCC Bases, Pavements and Shoulders | 12.52  | liters / cu m       |
| E – Structures                         | 30.28  | liters / \$1000     |

#### (c) Quantity Conversion Factors.

| Category | Conversion                         | Factor   |
|----------|------------------------------------|--|
| В        | sq yd to ton<br>sq m to metric ton | 0.057 ton / sq yd / in depth<br>0.00243 metric ton / sq m / mm depth |
| С        | sq yd to ton<br>sq m to metric ton | 0.056 ton / sq yd / in depth<br>0.00239 m ton / sq m / mm depth      |
| D        | sq yd to cu yd<br>sq m to cu m     | 0.028 cu yd / sq yd / in depth<br>0.001 cu m / sq m / mm depth       |

Method of Adjustment. Fuel cost adjustments will be computed as follows.

 $CA = (FPI_P - FPI_L) \times FUF \times Q$ 

Where: CA = Cost Adjustment, \$

FPI<sub>P</sub> = Fuel Price Index, as published by the Department for the month the work is performed, \$/gal (\$/liter)

FPI<sub>L</sub> = Fuel Price Index, as published by the Department for the month prior to the letting for work paid for at the contract price; or for the month the agreed unit price letter is submitted by the Contractor for extra work paid for by agreed unit price, \$/gal (\$/liter)

FUF = Fuel Usage Factor in the pay item(s) being adjusted

Q = Authorized construction Quantity, tons (metric tons) or cu yd (cu m)

The entire FUF indicated in paragraph (b) will be used regardless of use of trucking to perform the work.

Basis of Payment. Fuel cost adjustments may be positive or negative but will only be made when there is a difference between the FPI<sub>L</sub> and FPI<sub>P</sub> in excess of five percent, as calculated by:

Percent Difference =  $\{(FPI_L - FPI_P) \div FPI_L\} \times 100$ 

Fuel cost adjustments will be calculated for each calendar month in which applicable work is performed; and will be paid or deducted when all other contract requirements for the items of work are satisfied. The adjustments shall not apply during contract time subject to liquidated damages for completion of the entire contract.

## HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE)

Effective: January 1, 2010 Revised: April 1, 2016

<u>Description</u>. This work shall consist of testing the density of longitudinal joints as part of the quality control/quality assurance (QC/QA) of hot-mix asphalt (HMA). Work shall be according to Section 1030 of the Standard Specifications except as follows.

Quality Control/Quality Assurance (QC/QA). Delete the second and third sentence of the third paragraph of Article 1030.05(d)(3) of the Standard Specifications.

Add the following paragraphs to the end of Article 1030.05(d)(3) of the Standard Specifications:

- "Longitudinal joint density testing shall be performed at each random density test location. Longitudinal joint testing shall be located at a distance equal to the lift thickness or a minimum of 4 in. (100 mm), from each pavement edge. (i.e. for a 5 in. (125 mm) lift the near edge of the density gauge or core barrel shall be within 5 in. (125 mm) from the edge of pavement.) Longitudinal joint density testing shall be performed using either a correlated nuclear gauge or cores.
- a. Confined Edge. Each confined edge density shall be represented by a one-minute nuclear density reading or a core density and shall be included in the average of density readings or core densities taken across the mat which represents the Individual Test.
- b. Unconfined Edge. Each unconfined edge joint density shall be represented by an average of three one-minute density readings or a single core density at the given density test location and shall meet the density requirements specified herein. The three one-minute readings shall be spaced 10 ft (3 m) apart longitudinally along the unconfined pavement edge and centered at the random density test location."

Revise the Density Control Limits table in Article 1030.05(d)(4) of the Standard Specifications to read:

| "Mixture<br>Composition | Parameter         | Individual Test<br>(includes confined<br>edges) | Unconfined Edge<br>Joint Density<br>Minimum |
|-------------------------|-------------------|---|---|
| IL-4.75                 | Ndesign = 50      | 93.0 - 97.4% <sup>1/</sup>                      | 91.0%                                       |
| IL-9.5                  | Ndesign = 90      | 92.0 - 96.0%                                    | 90.0%                                       |
| IL-9.5,IL-9.5L          | Ndesign < 90      | 92.5 – 97.4%                                    | 90.0%                                       |
| IL-19.0                 | Ndesign = 90      | 93.0 - 96.0%                                    | 90.0%                                       |
| IL-19.0, IL-19.0L       | Ndesign < 90      | 93.0 <sup>2/</sup> – 97.4%                      | 90.0%                                       |
| SMA                     | Ndesign = 50 & 80 | 93.5 – 97,4%                                    | 91.0%"                                      |

#### HOT MIX ASPHALT - QUALITY CONTROL FOR PERFORMANCE (BDE)

Effective: April 1, 2017 Revised: November 1, 2017

<u>Description</u>. This special provision describes the procedures for production, placement and payment of hot-mix asphalt (HMA) under the quality control for performance (QCP) program; as well as the requirements for intelligent compaction. This special provision shall apply to the HMA mixtures specified in the plans. This work shall be according to the Standard Specifications except as modified herein.

| Delete Articles: | 406.06(b)(1), 2 <sup>nd</sup> Paragraph<br>406.06(b)(2)d.<br>406.06(b)(3)b.<br>406.06(e), 3 <sup>rd</sup> Paragraph<br>406.07(b)<br>406.07(c)<br>1030.05(a)(4, 5, 9,)<br>1030.05(d)(2)a.<br>1030.05(d)(2)b.<br>1030.05(d)(2)d.<br>1030.05(d)(2)f.<br>1030.05(d)(3)<br>1030.05(d)(4)<br>1030.05(d)(5)<br>1030.05(d)(7) | (Temperature Requirements) (Temperature Requirements) (Temperature Requirements) (Paver Speed Requirements) (Rolling) (Density) (QC/QA Documents) (Plant Tests) (Dust-to-Asphalt and Moisture Content) (Small Tonnage) (HMA Sampling) (Required Field Tests) (Control Limits) (Control Charts) (Corrective Action for Field Tests (Density)) |
|------------------|---|--|
|                  | 1030.05(d)(5)   | (Control Charts)   |
|                  | 1030.05(e)  | (Quality Assurance by the Engineer)  |
|                  | 1030.05(f)<br>1030.06(a), 2 <sup>nd</sup> paragraph   | (Acceptance by the Engineer) (Before start-up)   |

#### Definitions.

- (a) Quality Control (QC). All production and construction activities by the Contractor required to achieve the required level of quality.
- (b) Quality Assurance (QA). All monitoring and testing activities by the Engineer required to assess product quality, level of payment, and acceptability of the product.
- c) Pay Parameters. Pay parameters shall be field voids in the mineral aggregate (Field VMA), voids, and density. Field VMA will be calculated using the combined aggregates bulk specific gravity (G<sub>sb</sub>) from the mix design.
- (d) Mixture Lot. A mixture lot shall begin once an acceptable test strip has been completed and the adjusted job mix formula has been determined. If the test strip is waived, a mixture lot shall begin with the start of production. A mixture lot shall consist of four

sublots unless it is the last or only lot, in which case it may consist of as few as one sublot.

- (e) Mixture Sublot. A mixture sublot for Field VMA, voids, and dust/AC shall be a maximum of 1000 tons (910 metric tons).
  - (1) If the remaining quantity is greater than 200 tons (180 metric tons) but less than 1000 tons (910 metric tons), the last mixture sublot will be that quantity.
  - (2) If the remaining quantity is 200 tons (180 metric tons) or less, the quantity shall be combined with the previous mixture sublot.
- (f) Density Interval. Density intervals shall be every 0.2 miles (320 m) for lift thicknesses of 3 in. (75 mm) or less and 0.1 miles (160 m) for lift thicknesses greater than 3 in. (75 mm). If a density interval is less than 200 ft (60 m), it will be combined with the previous density interval.
- (g) Density Sublot. A density sublot shall be the average of five consecutive density intervals.
  - (1) If less than three density intervals remain outside a density sublot, they shall be included in the previous density sublot.
  - (2) If three or more density intervals remain, they shall be considered a density sublot.
- (h) Density Test. A density test shall consist of a core taken at a random location within each density interval.

When establishing the target density, the HMA maximum theoretical gravity ( $G_{mm}$ ) shall be based on the running average of four Department test results. Initial  $G_{mm}$  shall be based on the average of the first four test results. If less than four  $G_{mm}$  results are available, an average of all available Department  $G_{mm}$  test results shall be used.

<u>Pre-Production Meeting.</u> The Engineer will schedule a pre-production meeting prior to the start of production. The HMA QC Plan, test frequencies, and responsibilities of all parties involved in testing will be addressed. The Engineer will provide the random locations, tonnages, and sublot selected from each lot in a sealed envelope for the Contractor to sign at the pre-production meeting or prior to paving. The locations, tonnages, and sublot selected from each lot may be adjusted due to field conditions according to the Department's Manual of Test Procedures for Materials "PFP and QCP Hot-Mix Asphalt Random Jobsite Sampling" and "PFP and QCP Random Density Procedure". The signed sealed envelope will be given to the Contractor after paving is complete, along with documentation of any adjustments. Personnel attending the meetings may include the following:

- (a) Resident Engineer
- (b) District Mixture Control Representative

- (c) QC Manager
- (d) Contractor Paving Superintendent
- (e) Any consultant involved in any part of the HMA sampling or testing on this project

Quality Control (QC) by the Contractor. The Contractor's QC plan shall include the schedule of testing for both pay parameters and non-pay parameters required to control the product such as asphalt binder content and mixture gradation. The minimum test frequency shall be according to Table 1.

| - 1 | 2 | n | ட  | 1 |
|-----|---|---|----|---|
| - 1 | a | U | le | 1 |

| Minimum Quality Control Sampling and Testing Requirements |                 |                        |
|---|-----------------|------------------------|
| Quality Characteristic                                    |                 | Minimum Test Frequency |
| Mixture Gradation   |                 |                        |
| Asphalt Binder Content                                    |                 | 1 per sublot           |
| Dust/AC Ratio   |                 |                        |
| Field VMA   |                 | •                      |
| Voids G <sub>mb</sub>                                     |                 |                        |
| Volds   | G <sub>mm</sub> |                        |

The Contractor's splits in conjunction with other quality control tests shall be used to control production.

The Contractor shall submit split jobsite mix sample test results to the Engineer within 48 hours of the time of sampling. All QC testing shall be performed in a qualified laboratory by personnel who have successfully completed the Department's HMA Level I training.

Intelligent Compaction. When a "Number of Roller Passes" is specified in the HMA Mixture Requirements table on the plans, the Contractor may opt to use intelligent compaction (IC) in lieu of density testing. Coring according to the Department's Manual of Test Procedures for Materials "PFP and QCP Random Density Procedure" is required and will be used for pay adjustments for density sublots that are not in compliance with the contract specifications.

The IC equipment shall be mounted on the breakdown roller(s) and shall record GPS location data, roller pass counts, roller speeds, and HMA mat temperatures. Each day, the accuracy of the GPS and temperature data shall be verified and documented. If the verification fails or is not performed, the IC data will not be used for the affected density sublots.

The IC data for each density sublot shall be analyzed using Veta software to determine the average roller speed, percent roller coverage, and average mat surface temperature for the final roller pass. The Contractor shall submit these summary results, and if requested the raw data

from the IC equipment and the data analysis software, to the Engineer within 24 hours of each day of paving using IC.

The required number of roller passes shall be as specified on the plans. The roller speeds shall be according to Article 406.07. The minimum roller coverage shall be 90 percent. The average HMA mat temperature for the initial break down roller pass shall be according to Table 2.

Table 2

| Asphalt Mixture Type       | Temperature Range (°F (°C)) |
|----------------------------|-----------------------------|
| Warm Mix Asphalt           | 215-275 °F (102-135 °C)     |
| IL-4.75                    | 300-350 °F (155-175 °C)     |
| HMA using SBS PG76-22      | 300-350 °F (155-175 °C)     |
| HMA using SBS PG76-28      | 300-350 °F (155-175 °C)     |
| HMA using SBS PG70-22      | 300-350 °F (155-175 °C)     |
| HMA using SBS PG70-28      | 300-350 °F (155-175 °C)     |
| Other HMA not listed above | 260-325 °F (125-165 °C)     |

Quality Assurance (QA) by the Engineer. Quality Assurance by the Engineer will be as follows.

- (a) Voids, Field VMA, and Dust/AC Ratio. The Engineer will determine the random tonnage and the Contractor shall be responsible for obtaining the sample according to the Department's Manual of Test Procedures for Materials "PFP Hot-Mix Asphalt Random Jobsite Sampling Procedure".
- (b) Density: After final rolling, the Engineer will identify the random core locations within each density testing interval according to the Department's Manual of Test Procedures for Materials "PFP and QCP Random Density Procedure".

The Contractor shall cut the 4 in. (100 mm) cores within the same day and prior to opening to traffic unless otherwise approved by the Engineer. All core holes shall be filled immediately upon completion of coring. All water shall be removed from the core holes prior to filling. All core holes shall be filled with a rapid hardening mortar or concrete which shall be mixed in a separate container prior to placement in the hole. Any depressions in the surface of the filled core holes greater than 1/4 in. (6 mm) at the time of final inspection will require removal of the fill material to the depth of the lift thickness and replacement.

The Engineer will witness and secure all mixture and density samples. The Contractor shall transport the secured sample to a location designated by the Engineer.

The Engineer will select at random one split sample from each lot for testing of voids, Field VMA and dust/AC ratio. The Engineer will test a minimum of one sample per project. The Engineer will test all of the pavement cores for density unless intelligent compaction is used. All QA testing will be performed in a qualified laboratory by personnel who have successfully completed the Department's HMA Level I training. QA test results will be available to the

Contractor within ten working days from receipt of secured cores and split mixture samples and after the last sublot from each lot.

The Engineer will maintain a complete record of all Department test results and copies will be provided to the Contractor with each set of sublot results. The records will contain, at a minimum, the originals of all Department test results and raw data, random numbers used and resulting calculations for sampling locations, and quality level analysis calculations.

If QA results do not meet the precision limits listed in Table 3, the Department will verify the results by retesting the retained split sample. The retest will replace the original results.

If the QA results do not meet the 100 percent sublot pay factor limits or still do not compare to QC results within the precision limits in Table 3, after retesting the Engineer will test all split mix samples for the lot.

Table 3

| Test Parameter  | Limits of Precision |
|-----------------|---------------------|
| G <sub>mb</sub> | 0.030               |
| G <sub>mm</sub> | 0.026               |
| Field VMA       | 1.0 %               |

<u>Acceptance by the Engineer</u>. All of the Department's tests shall be within the acceptable limits listed in Table 4.

Table 4

| Paramete  | er   | Acceptable<br>Limits       |
|-----------|--|----------------------------|
| Field VM/ | 4  | -1.0 - +3.0% <sup>1/</sup> |
| Voids     |  | 2.0 - 6.0%                 |
| Density   | IL-9.5, IL-19.0, IL-4.75, IL-9.5FG <sup>3/</sup> | 90.0 – 98.0%               |
| Density   | SMA  | 92.0 – 98.0%               |
| Dust / AC | Ratio  | $0.4 - 1.6^{2/}$           |

- 1/ Based on minimum required VMA from mix design
- 2/ Does not apply to SMA.
- 3/ Acceptable density limits for IL-9.5FG placed less than 1 1/4 in. (32 mm) shall be 89.0% 98.0%

In addition, no visible pavement distresses shall be present such as, but not limited to, segregation, excessive coarse aggregate fracturing or flushing.

<u>Basis of Payment</u>. Payment will be based on the calculation of the composite pay factor using QA test results for each mixture according to the Department's Manual of Test Procedures for Materials "QCP Pay Calculation" document.

If intelligent compaction is successfully implemented, the Contractor will receive 100 percent for the density pay factor in Equation 1 of the "QCP Pay Calculation" document for each applicable HMA mixture; otherwise, the density tests and pay adjustments will apply. The pay factor for each density sublot will be based upon either intelligent compaction or density tests and the two will not be mixed.

<u>Dust/AC Ratio</u>. A monetary deduction will be made using the pay adjustment table below for dust/AC ratios that deviate from the 0.6 to 1.2 range. If the tested mixture sublot is outside of this range, the Department will test the remaining sublots for dust/AC pay adjustment.

Table 5

| Dust/AC Pay Adjustment Table <sup>1/</sup> |                               |
|--|-------------------------------|
| Range Deduct / sublot                      |                               |
| 0.6 ≤ X ≤ 1.2                              | \$0                           |
| $0.5 \le X < 0.6$ or $1.2 < X \le 1.4$     | \$1000                        |
| $0.4 \le X < 0.5$ or $1.4 < X \le 1.6$     | \$3000                        |
| X < 0.4  or  X > 1.6                       | Shall be removed and replaced |

1/ Does not apply to SMA.

# HOT-MIX ASPHALT – TACK COAT (BDE)

Effective: November 1, 2016

Revise Article 1032.06(a) of the Standard Specifications to read:

"(a) Anionic Emulsified Asphalt. Anionic emulsified asphalts shall be according to AASHTO M 140. SS-1h emulsions used as a tack coat shall have the cement mixing test waived."

## MAST ARM ASSEMBLY AND POLE (BDE)

Effective: July 1, 2016

Revise Article 1077.03(a)(1) of the Standard Specifications to read:

"(1) Loading. The mast arm assembly and pole, and combination mast arm assembly and pole shall be designed for the loading shown on the Highway Standards or elsewhere on the plans, whichever is greater. The design shall be according to AASHTO "LRFD Specifications for Structural Supports for Highway Signs, Luminaries and Traffic Signals" 2015 Edition. However, the arm-to-pole connection for tapered signal and luminaire arms shall be according to the "fillet welded, ring stiffened box connection" detail as shown in Figure C5.6.7-2. The mast arm and pole shall be designed assuming the ADT > 10,000, Risk Category Typical, and Fatigue Category I Natural Wind Gust only."

#### PAVEMENT MARKING REMOVAL (BDE)

Effective: July 1, 2016

Revise Article 783.02 of the Standard Specifications to read:

"783.02 Equipment. Equipment shall be according to the following.

Note 1. Grinding equipment shall be approved by the Engineer."

Revise the first paragraph of Article 783.03 of the Standard Specifications to read:

"783.03 Removal of Conflicting Markings. Existing pavement markings that conflict with revised traffic patterns shall be removed. If darkness or inclement weather prohibits the removal operations, such operations shall be resumed the next morning or when weather permits. In the event of removal equipment failure, such equipment shall be repaired, replaced, or leased so removal operations can be resumed within 24 hours."

Revise the first and second sentences of the first paragraph of Article 783.03(a) of the Standard Specifications to read:

"The existing pavement markings shall be removed by the method specified and in a manner that does not materially damage the surface or texture of the pavement or surfacing. Small particles of tightly adhering existing markings may remain in place, if in the opinion of the Engineer, complete removal of the small particles will result in pavement surface damage."

Revise the first paragraph of Article 783.04 of the Standard Specifications to read:

"783.04 Cleaning. The roadway surface shall be cleaned of debris or any other deleterious material by the use of compressed air or water blast."

Revise the first paragraph of Article 783.06 of the Standard Specifications to read:

"783.06 Basis of Payment. This work will be paid for at the contract unit price per each for RAISED REFLECTIVE PAVEMENT MARKER REMOVAL, or at the contract unit price per square foot (square meter) for PAVEMENT MARKING REMOVAL – GRINDING and/or PAVEMENT MARKING REMOVAL – WATER BLASTING."

Delete Article 1101.13 from the Standard Specifications.

## PAYMENTS TO SUBCONTRACTORS (BDE)

Effective: November 2, 2017

Add the following to the end of the fourth paragraph of Article 109.11 of the Standard Specifications:

"If reasonable cause is asserted, written notice shall be provided to the applicable subcontractor and/or material supplier and the Engineer within five days of the Contractor receiving payment. The written notice shall identify the contract number, the subcontract or material purchase agreement, a detailed reason for refusal, the value of payment being withheld, and the specific remedial actions required of the subcontractor and/or material supplier so that payment can be made."

## PORTABLE CHANGEABLE MESSAGE SIGNS (BDE)

Effective: November 1, 2016

Revised: April 1, 2017

Revise the second paragraph of Article 701.20(h) of the Standard Specifications to read:

"For all other portable changeable message signs, this work will be paid for at the contract unit price per calendar day for each sign as CHANGEABLE MESSAGE SIGN."

Revise this second sentence of the first paragraph of Article 1106.02(i) of the Standard Specifications to read:

"The message panel shall be a minimum of 7 ft (2.1 m) above the edge of pavement in urban areas and a minimum of 5 ft (1.5 m) above the edge of pavement in rural areas, present a level appearance, and be capable of displaying up to eight characters in each of three lines at a time."

## PORTLAND CEMENT CONCRETE (BDE)

Effective: November 1, 2017

Revise the Air Content % of Class PP Concrete in Table 1 Classes of Concrete and Mix Design Criteria in Article 1020.04 of the Standard Specifications to read:

| "TABLI               | "TABLE 1. CLASSES OF CONCRETE AND<br>MIX DESIGN CRITERIA |                     |  |  |
|----------------------|--|---------------------|--|--|
| Class<br>of<br>Conc. | Use  | Air<br>Content<br>% |  |  |
| PP                   | PP Pavement Patching Bridge Deck Patching (10)           |                     |  |  |
|                      | PP-1<br>PP-2<br>PP-3<br>PP-4<br>PP-5                     | 4.0 - 8.0"          |  |  |

Revise Note (4) at the end of Table 1 Classes of Concrete and Mix Design Criteria in Article 1020.04 of the Standard Specifications to read:

"(4) For all classes of concrete, the maximum slump may be increased to 7 in (175 mm) when a high range water-reducing admixture is used. For Class SC, the maximum slump may be increased to 8 in. (200 mm). For Class PS, the maximum slump may be increased to 8 1/2 in. (215 mm) if the high range water-reducing admixture is the polycarboxylate type."

# PORTLAND CEMENT CONCRETE SIDEWALK (BDE)

Effective: August 1, 2017

Revise the first paragraph of Article 424.12 of the Standard Specifications to read:

"424.12 Method of Measurement. This work will be measured for payment in place and the area computed in square feet (square meters). Curb ramps, including side curbs and side flares, will be measured for payment as sidewalk. No deduction will be made for detectable warnings located within the ramp."

#### PROGRESS PAYMENTS (BDE)

Effective: November 2, 2013

Revise Article 109.07(a) of the Standard Specifications to read:

"(a) Progress Payments. At least once each month, the Engineer will make a written estimate of the quantity of work performed in accordance with the contract, and the value thereof at the contract unit prices. The amount of the estimate approved as due for payment will be vouchered by the Department and presented to the State Comptroller for payment. No amount less than \$1000.00 will be approved for payment other than the final payment.

Progress payments may be reduced by liens filed pursuant to Section 23(c) of the Mechanics' Lien Act, 770 ILCS 60/23(c).

If a Contractor or subcontractor has defaulted on a loan issued under the Department's Disadvantaged Business Revolving Loan Program (20 ILCS 2705/2705-610), progress payments may be reduced pursuant to the terms of that loan agreement. In such cases, the amount of the estimate related to the work performed by the Contractor or subcontractor, in default of the loan agreement, will be offset, in whole or in part, and vouchered by the Department to the Working Capital Revolving Fund or designated escrow account. Payment for the work shall be considered as issued and received by the Contractor or subcontractor on the date of the offset voucher. Further, the amount of the offset voucher shall be a credit against the Department's obligation to pay the Contractor, the Contractor's obligation to pay the subcontractor, and the Contractor's or subcontractor's total loan indebtedness to the Department. The offset shall continue until such time as the entire loan indebtedness is satisfied. The Department will notify the Contractor and Fund Control Agent in a timely manner of such offset. The Contractor or subcontractor shall not be entitled to additional payment in consideration of the offset.

The failure to perform any requirement, obligation, or term of the contract by the Contractor shall be reason for withholding any progress payments until the Department determines that compliance has been achieved."

## STEEL COST ADJUSTMENT (BDE)

Effective: April 2, 2004 Revised: August 1, 2017

<u>Description</u>. Steel cost adjustments will be made to provide additional compensation to the Contractor, or a credit to the Department, for fluctuations in steel prices when optioned by the Contractor. The bidder shall indicate with their bid whether or not this special provision will be part of the contract. Failure to indicate "Yes" for any item of work will make that item of steel exempt from steel cost adjustment.

<u>Types of Steel Products</u>. An adjustment will be made for fluctuations in the cost of steel used in the manufacture of the following items:

Metal Piling (excluding temporary sheet piling) Structural Steel Reinforcing Steel

Other steel materials such as dowel bars, tie bars, mesh reinforcement, guardrail, steel traffic signal and light poles, towers and mast arms, metal railings (excluding wire fence), and frames and grates will be subject to a steel cost adjustment when the pay items they are used in have a contract value of \$10,000 or greater.

The adjustments shall apply to the above items when they are part of the original proposed construction, or added as extra work and paid for by agreed unit prices. The adjustments shall not apply when the item is added as extra work and paid for at a lump sum price or by force account.

<u>Documentation</u>. Sufficient documentation shall be furnished to the Engineer to verify the following:

- (a) The dates and quantity of steel, in lb (kg), shipped from the mill to the fabricator.
- (b) The quantity of steel, in lb (kg), incorporated into the various items of work covered by this special provision. The Department reserves the right to verify submitted quantities.

Method of Adjustment. Steel cost adjustments will be computed as follows:

SCA = Q X D

Where: SCA = steel cost adjustment, in dollars

Q = quantity of steel incorporated into the work, in lb (kg)

D = price factor, in dollars per lb (kg)

 $D = MPI_M - MPI_I$ 

Where:  $MPI_M =$  The Materials Cost Index for steel as published by the Engineering News-Record for the month the steel is shipped from the mill. The indices will be converted from dollars per 100 lb to dollars per lb (kg).

MPI<sub>L</sub> = The Materials Cost Index for steel as published by the Engineering News-Record for the month prior to the letting for work paid for at the contract price; or for the month the agreed unit price letter is submitted by the Contractor for extra work paid for by agreed unit price,. The indices will be converted from dollars per 100 lb to dollars per lb (kg).

The unit weights (masses) of steel that will be used to calculate the steel cost adjustment for the various items are shown in the attached table.

No steel cost adjustment will be made for any products manufactured from steel having a mill shipping date prior to the letting date.

If the Contractor fails to provide the required documentation, the method of adjustment will be calculated as described above; however, the  $MPl_M$  will be based on the date the steel arrives at the job site. In this case, an adjustment will only be made when there is a decrease in steel costs.

Basis of Payment. Steel cost adjustments may be positive or negative but will only be made when there is a difference between the  $MPI_L$  and  $MPI_M$  in excess of five percent, as calculated by:

Percent Difference =  $\{(MPI_L - MPI_M) \div MPI_L\} \times 100$ 

Steel cost adjustments will be calculated by the Engineer and will be paid or deducted when all other contract requirements for the items of work are satisfied. Adjustments will only be made for fluctuations in the cost of the steel as described herein. No adjustment will be made for changes in the cost of manufacturing, fabrication, shipping, storage, etc.

The adjustments shall not apply during contract time subject to liquidated damages for completion of the entire contract.

Attachment

| Attachment  |                               |  |  |
|---|-------------------------------|--|--|
| <u>Item</u>   | Unit Mass (Weight)            |  |  |
| Metal Piling (excluding temporary sheet piling)                                   |                               |  |  |
| Furnishing Metal Pile Shells 12 in. (305 mm), 0.179 in. (3.80 mm) wall thickness) | 23 lb/ft (34 kg/m)            |  |  |
| Furnishing Metal Pile Shells 12 in. (305 mm), 0.250 in. (6.35 mm) wall thickness) | 32 lb/ft (48 kg/m)            |  |  |
| Furnishing Metal Pile Shells 14 in. (356 mm), 0.250 in. (6.35 mm) wall thickness) | 37 lb/ft (55 kg/m)            |  |  |
| Other piling  | See plans                     |  |  |
| Structural Steel  | See plans for weights         |  |  |
|   | (masses)                      |  |  |
| Reinforcing Steel   | See plans for weights         |  |  |
|   | (masses)                      |  |  |
| Dowel Bars and Tie Bars   | 6 lb (3 kg) each              |  |  |
| Mesh Reinforcement  | 63 lb/100 sq ft (310 kg/sq m) |  |  |
| Guardrail   |                               |  |  |
| Steel Plate Beam Guardrail, Type A w/steel posts                                  | 20 lb/ft (30 kg/m)            |  |  |
| Steel Plate Beam Guardrail, Type B w/steel posts                                  | 30 lb/ft (45 kg/m)            |  |  |
| Steel Plate Beam Guardrail, Types A and B w/wood posts                            | 8 lb/ft (12 kg/m)             |  |  |
| Steel Plate Beam Guardrail, Type 2  | 305 lb (140 kg) each          |  |  |
| Steel Plate Beam Guardrail, Type 6  | 1260 lb (570 kg) each         |  |  |
| Traffic Barrier Terminal, Type 1 Special (Tangent)                                | 730 lb (330 kg) each          |  |  |
| Traffic Barrier Terminal, Type 1 Special (Flared)                                 | 410 lb (185 kg) each          |  |  |
| Steel Traffic Signal and Light Poles, Towers and Mast Arms                        |                               |  |  |
| Traffic Signal Post   | 11 lb/ft (16 kg/m)            |  |  |
| Light Pole, Tenon Mount and Twin Mount, 30 - 40 ft (9 - 12 m)                     | 14 lb/ft (21 kg/m)            |  |  |
| Light Pole, Tenon Mount and Twin Mount, 45 - 55 ft (13.5 – 16.5 m)                | 21 lb/ft (31 kg/m)            |  |  |
| Light Pole w/Mast Arm, 30 - 50 ft (9 – 15.2 m )                                   | 13 lb/ft (19 kg/m)            |  |  |
| Light Pole w/Mast Arm, 55 - 60 ft (16.5 – 18 m)                                   | 19 lb/ft (28 kg/m)            |  |  |
| Light Tower w/Luminaire Mount, 80 - 110 ft (24 – 33.5 m)                          | 31 lb/ft (46 kg/m)            |  |  |
| Light Tower w/Luminaire Mount, 120 - 140 ft (36.5 – 42.5 m)                       | 65 lb/ft (97 kg/m)            |  |  |
| Light Tower w/Luminaire Mount, 150 - 160 ft (45.5 - 48.5 m)                       | 80 lb/ft (119 kg/m)           |  |  |
| Metal Railings (excluding wire fence)   |                               |  |  |
| Steel Railing, Type SM  | 64 lb/ft (95 kg/m)            |  |  |
| Steel Railing, Type S-1   | 39 lb/ft (58 kg/m)            |  |  |
| Steel Railing, Type T-1   | 53 lb/ft (79 kg/m)            |  |  |
| Steel Bridge Rail   | 52 lb/ft (77 kg/m)            |  |  |
| Frames and Grates   |                               |  |  |
| Frame   | 250 lb (115 kg)               |  |  |
| Lids and Grates   | 150 lb (70 kg)                |  |  |

## STEEL PLATE BEAM GUARDRAIL (BDE)

Effective: January 1, 2017

Revise Article 630.02 of the Standard Specifications to read:

"630.02 Materials. Materials shall be according to the following.

| Item   | Article/Section           |
|--|---------------------------|
| (a) Steel Plate Beam Guardrail                                 | 1006.25                   |
| (b) Wood Posts and Wood Block                                  | 1007.01, 1007.02, 1007.06 |
| (c) Steel Posts, Blockouts, Restraints and Wire Rope for Guard | drail1006.23              |
| (d) Preservative Treatment                                     | 1007.12                   |
| (e) Reinforcement Bars   | 1006.10                   |
| (f) Plastic Blockouts (Note 1)                                 |                           |
| (g) Chemical Adhesive Resin System                             | 1027.01                   |
| (h) Controlled Low-Strength Material (CLSM)                    | 1019                      |

Note 1. Plastic blockouts may be used in lieu of wood blockouts for steel plate beam guardrail. The plastic blockouts shall be the minimum dimensions shown on the plans and shall be on the Department's qualified product list."

Revise Article 630.05 of the Standard Specifications to read:

"630.05 Posts. Posts shall be as follows.

- (a) Wood Posts. Wood posts and blocks shall be treated. The posts and blocks shall be cut to the proper dimensions before treatment. No cutting of the posts or blocks will be permitted after treatment. Posts shall be erected according to Article 634.05.
- (b) Steel Posts. Steel posts may be driven by hand or mechanical methods provided they are protected by a suitable driving cap and the earth around the posts compacted, if necessary, after driving. When steel posts are driven to incorrect alignment or grade, they shall be removed and set according to Article 634.05.

When it is necessary to shorten the posts in the field, the lower portion shall be cut off in a manner to provide a smooth cut with minimum damage to the galvanizing. Cut areas shall be repaired according to the requirements of AASHTO M 36."

Revise Article 630.06 of the Standard Specifications to read:

"630.06 Shoulder Stabilization at Guardrail. Shoulder stabilization shall be constructed at the locations of steel plate beam guardrail installation according to the details shown on the plans. On new construction projects, the material used in the shoulder stabilization shall be the same as that used in the adjacent paved shoulder. On shoulder resurfacing projects, the

material used in the shoulder stabilization shall be the same as that used for the shoulder resurfacing.

When portland cement concrete is used, shoulder stabilization shall be constructed according to the applicable portions of Section 483. The shoulder stabilization shall be constructed simultaneously with the adjacent portland cement concrete shoulder. Guardrail posts shall be driven through leaveouts or holes cored in the completed shoulder stabilization. The void around each post shall be backfilled with earth or aggregate and capped with hot-mix asphalt (HMA) or CLSM.

When HMA is used, shoulder stabilization shall be constructed according to the applicable portions of Section 482. On new construction, the shoulder stabilization shall be constructed simultaneously with the HMA shoulder. On shoulder resurfacing projects, the portion of the shoulder stabilization below the surface of the existing paved shoulder shall be placed and compacted separately. The guardrail posts shall be driven through holes cored in the completed shoulder stabilization. The void around each post shall be backfilled with earth or aggregate and capped with HMA or CLSM.

When driving guardrail posts through existing shoulders, shoulder stabilization, or other paved areas, the posts shall be driven through cored holes. The void around each post shall be backfilled with earth or aggregate and capped with HMA or CLSM."

Revise Article 630.08 of the Standard Specifications to read:

"630.08 Basis of Payment. This work will be paid for at the contract unit price per foot (meter) for NON-BLOCKED STEEL PLATE BEAM GUARDRAIL; STEEL PLATE BEAM GUARDRAIL, TYPE A, 6 FOOT (1.83 M) POSTS; STEEL PLATE BEAM GUARDRAIL, TYPE B, 6 FOOT (1.83 M) POSTS; STEEL PLATE BEAM GUARDRAIL, TYPE B, 9 FOOT (2.74 M) POSTS; or STEEL PLATE BEAM GUARDRAIL, TYPE D, 6 FOOT (1.83 M) POSTS.

When end sections are specified, they will not be paid for as a separate item, but shall be considered as included in the unit price for steel plate beam guardrail.

Steel plate beam guardrail mounted on existing culverts will be paid for at the contract unit price per foot (meter) for STRONG POST GUARDRAIL ATTACHED TO CULVERT or WEAK POST GUARDRAIL ATTACHED TO CULVERT, of the case specified.

Portland cement concrete shoulder stabilization at guardrail will be paid for according to Article 483.10.

HMA shoulder stabilization at guardrail will be paid for according to Article 482.08.

Excavation in rock will be paid for according to Article 502.13.

Steel plate beam guardrail incorporating long-span spacing will be paid for at the contract unit price per foot (meter) for LONG-SPAN GUARDRAIL OVER CULVERT, 12 FT 6 IN (3.8 M) SPAN; LONG-SPAN GUARDRAIL OVER CULVERT, 18 FT 9 IN (5.7 M) SPAN; or LONG-SPAN GUARDRAIL OVER CULVERT, 25 FT (7.6 M) SPAN.

Steel plate beam guardrail incorporating treated timber at the back side of the post will be paid for at the contract unit price per foot (meter) for BACK SIDE PROTECTION OF GUARDRAIL."

# SUBCONTRACTOR MOBILILATION PAYMENTS (BDE)

Effective: November 2, 2017

Replace the second paragraph of Article 109.12 of the Standard Specifications with the following:

"This mobilization payment shall be made at least 14 days prior to the subcontractor starting work. The amount paid shall be at the following percentage of the amount of the subcontract reported on form BC 260A submitted for the approval of the subcontractor's work.

| Value of Subcontract Reported on Form BC 260A | Mobilization Percentage |
|---|-------------------------|
| Less than \$10,000                            | 25%                     |
| \$10,000 to less than \$20,000                | 20%                     |
| \$20,000 to less than \$40,000                | 18%                     |
| \$40,000 to less than \$60,000                | 16%                     |
| \$60,000 to less than \$80,000                | 14%                     |
| \$80,000 to less than \$100,000               | 12%                     |
| \$100,000 to less than \$250,000              | 10%                     |
| \$250,000 to less than \$500,000              | 9%                      |
| \$500,000 to \$750,000                        | 8%                      |
| Over \$750,000                                | 7%"                     |

## TEMPORARY PAVEMENT MARKING (BDE)

Effective: April 1, 2012 Revised: April 1, 2017

Revise Article 703.02 of the Standard Specifications to read:

"703.02 Materials. Materials shall be according to the following.

| ( | a) Pavement Marking Tape, Type I and Type III | 1095.06  |
|---|---|----------|
| ( | b) Paint Pavement Markings                    | 1095.02  |
| ( | c) Pavement Marking Tape, Type IV             | 1095.11" |

Revise the second paragraph of Article 703.05 of the Standard Specifications to read:

"Type I marking tape or paint shall be used at the option of the Contractor, except paint shall not be applied to the final wearing surface unless authorized by the Engineer for late season applications where tape adhesion would be a problem. Type III or Type IV marking tape shall be used on the final wearing surface when the temporary pavement marking will conflict with the permanent pavement marking such as on tapers, crossovers and lane shifts."

Revise Article 703.07 of the Standard Specifications to read:

"703.07 Basis of Payment. This work will be paid for as follows.

- a) Short Term Pavement Marking. Short term pavement marking will be paid for at the contract unit price per foot (meter) for SHORT TERM PAVEMENT MARKING. Removal of short term pavement markings will be paid for at the contract unit price per square foot (square meter) for SHORT TERM PAVEMENT MARKING REMOVAL.
- b) Temporary Pavement Marking. Where the Contractor has the option of material type, temporary pavement marking will be paid for at the contract unit price per foot (meter) for TEMPORARY PAVEMENT MARKING of the line width specified, and at the contract unit price per square foot (square meter) for TEMPORARY PAVEMENT MARKING LETTERS AND SYMBOLS.

Where the Department specifies the use of pavement marking tape, the Type III or Type IV temporary pavement marking will be paid for at the contract unit price per foot (meter) for PAVEMENT MARKING TAPE, TYPE III or PAVEMENT MARKING TAPE, TYPE IV of the line width specified and at the contract unit price per square feet (square meter) for PAVEMENT MARKING TAPE, TYPE III - LETTERS AND SYMBOLS or PAVEMENT MARKING TAPE, TYPE IV – LETTERS AND SYMBOLS.

Removal of temporary pavement markings will be paid for at the contract unit price per square foot (square meter) for TEMPORARY PAVEMENT MARKING REMOVAL.

When temporary pavement marking is shown on the Standard, the cost of the temporary pavement marking and its removal will be included in the cost of the Standard."

Add the following to Section 1095 of the Standard Specifications:

"1095.11 Pavement Marking Tape, Type IV. The temporary, preformed, patterned markings shall consist of a white or yellow tape with wet retroreflective media incorporated to provide immediate and continuing retroreflection during both wet and dry conditions. The tape shall be manufactured without the use of heavy metals including lead chromate pigments or other similar, lead-containing chemicals.

The white and yellow Type IV marking tape shall meet the Type III requirements of Article 1095.06 and the following.

- (a) Composition. The retroreflective pliant polymer pavement markings shall consist of a mixture of high-quality polymeric materials, pigments and glass beads distributed throughout its base cross-sectional area, with a layer of wet retroreflective media bonded to a durable polyurethane topcoat surface. The patterned surface shall have approximately 40% ± 10% of the surface area raised and presenting a near vertical face to traffic from any direction. The channels between the raised areas shall be substantially free of exposed beads or particles.
- (b) Retroreflectance. The white and yellow markings shall meet the following for initial dry and wet retroreflectance.
  - (1) Dry Retroreflectance. Dry retroreflectance shall be measured under dry conditions according to ASTM D 4061 and meet the values described in Article 1095.06 for Type III tape.
  - (2) Wet Retroreflectance. Wet retroreflectance shall be measured under wet conditions according to ASTM E 2177 and meet the values shown in the following table.

Wet Retroreflectance, Initial Ru

| Color  | R <sub>L</sub> 1.05/88.76 |
|--------|---------------------------|
| White  | 300                       |
| Yellow | 200                       |

(c) Color. The material shall meet the following requirements for daylight reflectance and color, when tested, using a color spectrophotometer with 45 degrees circumferential/zero degree geometry, illuminant D65, and a two degree observer angle. The color instrument shall measure the visible spectrum from 380 to 720 nm with a wavelength measurement interval and spectral bandpass of 10 nm.

| Color   | Daylight Reflectance %Y |
|---------|-------------------------|
| White   | 65 minimum              |
| *Yellow | 36-59                   |

\*Shall match Federal 595 Color No. 33538 and the chromaticity limits as follows.

| Х | 0.490 | 0.475 | 0.485 | 0.530 |
|---|-------|-------|-------|-------|
| у | 0.470 | 0.438 | 0.425 | 0.456 |

- (d) Skid Resistance. The surface of the markings shall provide an average minimum skid resistance of 50 BPN when tested according to ASTM E 303.
- (e) Sampling, Testing, Acceptance, and Certification. Prior to approval and use of the wet reflective, temporary, removable pavement marking tape, the manufacturer shall submit a notarized certification from an independent laboratory, together with the results of all tests, stating that the material meets the requirements as set forth herein. The certification test report shall state the lot tested, manufacturer's name, and date of manufacture.

After approval by the Department, samples and certification by the manufacturer shall be submitted for each batch used. The manufacturer shall submit a certification stating that the material meets the requirements as set forth herein and is essentially identical to the material sent for qualification. The certification shall state the lot tested, manufacturer's name, and date of manufacture.

All costs of testing (other than tests conducted by the Department) shall be borne by the manufacturer."

TRAINING SPECIAL PROVISIONS (BDE) This Training Special Provision supersedes Section 7b of the Special Provision entitled "Specific Equal Employment Opportunity Responsibilities," and is in implementation of 23 U.S.C. 140(a).

As part of the contractor's equal employment opportunity affirmative action program, training shall be provided as follows:

The contractor shall provide on-the-job training aimed at developing full journeyman in the type of trade or job classification involved. The number of trainees to be trained under this contract will be two(2). In the event the contractor subcontracts a portion of the contract work, he shall determine how many, if any, of the trainees are to be trained by the subcontractor, provided however, that the contractor shall retain the primary responsibility for meeting the training requirements imposed by this special provision. The contractor shall also insure that this Training Special Provision is made applicable to such subcontract. Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training.

The number of trainees shall be distributed among the work classifications on the basis of the contractor's needs and the availability of journeymen in the various classifications within the reasonable area of recruitment. Prior to commencing construction, the contractor shall submit to the Illinois Department of Transportation for approval the number of trainees to be trained in each selected classification and training program to be used. Furthermore, the contractor shall specify the starting time for training in each of the classifications. The contractor will be credited for each trainee employed by him on the contract work who is currently enrolled or becomes enrolled in an approved program and will be reimbursed for such trainees as provided hereinafter.

Training and upgrading of minorities and women toward journeyman status is a primary objective of this Training Special Provision. Accordingly, the contractor shall make every effort to enroll minority trainees and women (e.g. by conducting systematic and direct recruitment through public and private sources likely to yield minority and women trainees) to the extent such persons are available within a reasonable area of recruitment. The contractor will be responsible for demonstrating the steps that he has taken in pursuance thereof, prior to a determination as to whether the contractor is in compliance with this Training Special Provision. This training commitment is not intended, and shall not be used, to discriminate against any applicant for training, whether a member of a minority group or not.

No employee shall be employed as a trainee in any classification in which he has successfully completed a training course leading to journeyman status or in which he has been employed as a journeyman. The contractor should satisfy this requirement by including appropriate questions in the employee application or by other suitable means. Regardless of the method used the contractor's records should document the findings in each case.

The minimum length and type of training for each classification will be as established in the training program selected by the contractor and approved by the Illinois Department of Transportation and the Federal Highway Administration. The Illinois Department of Transportation and the Federal Highway Administration shall approve a program, if it is reasonably calculated to meet the equal employment opportunity obligations of the contractor and to qualify the average trainee for journeyman status in the classification concerned by the end of the training period. Furthermore, apprenticeship programs registered with the U.S. Department of Labor, Bureau of Apprenticeship and Training, or with a State apprenticeship agency recognized by the Bureau and training programs approved by not necessarily sponsored by the U.S. Department of Labor, Manpower Administration, Bureau of Apprenticeship and Training shall also be considered acceptable provided it is being administered in a manner consistent with the equal employment obligations of Federal-aid highway construction contracts. Approval or acceptance of a training program shall be obtained from the State prior to commencing work on the classification covered by the program. It is the intention of these provisions that training is to be provided in the construction crafts rather then clerk-typists or secretarial-type positions. Training is permissible in lower level management positions such as office engineers, estimators, timekeepers, etc., where the training is oriented toward construction applications. Training in the laborer classification may be permitted provided that significant and meaningful training is provided and approved by the Illinois Department of Transportation and the Federal Highway Administration. Some offsite training is permissible as long as the training is an integral part of an approved training program and does not comprise a significant part of the overall training.

Except as otherwise noted below, the contractor will be reimbursed 80 cents per hour of training given an employee on this contract in accordance with an approved training program. As approved by the Engineer, reimbursement will be made for training of persons in excess of the number specified herein. This reimbursement will be made even though the contractor receives additional training program funds from other sources, provided such other source does not specifically prohibit the contractor from receiving other reimbursement. Reimbursement for offsite training indicated above may only be made to the contractor where he does one or more of the following and the trainees are concurrently employed on a Federal-aid project; contributes to the cost of the training, provides the instruction to the trainee or pays the trainee's wages during the offsite training period.

No payment shall be made to the contractor if either the failure to provide the required training, or the failure to hire the trainee as a journeyman, is caused by the contractor and evidences a lack of good faith on the part of the contractor in meeting the requirement of this Training Special Provision. It is normally expected that a trainee will begin his training on the project as soon as feasible after start of work utilizing the skill involved and remain on the project as long as training opportunities exist in his work classification or until he has completed his training program.

It is not required that all trainees be on board for the entire length of the contract. A contractor will have fulfilled his responsibilities under this Training Special Provision if he has provided acceptable training to the number of trainees specified. The number trained shall be determined on the basis of the total number enrolled on the contract for a significant period.

Trainees will be paid at least 60 percent of the appropriate minimum journeyman's rate specified in the contract for the first half of the training period, 75 percent for the third quarter of the training period, and 90 percent for the last quarter of the training period, unless apprentices or trainees in an approved existing program are enrolled as trainees on this project. In that case, the appropriate rates approved by the Departments of Labor or Transportation in connection with the existing program shall apply to all trainees being trained for the same classification who are covered by this Training Special Provision.

The contractor shall furnish the trainee a copy of the program he will follow in providing the training. The contractor shall provide each trainee with a certification showing the type and length of training satisfactorily complete.

The contractor will provide for the maintenance of records and furnish periodic reports documenting his performance under this Training Special Provision.

METHOD OF MEASUREMENT The unit of measurement is in hours.

<u>BASIS OF PAYMENT</u> This work will be paid for at the contract unit price of 80 cents per hour for TRAINEES. The estimated total number of hours, unit price and total price have been included in the schedule of prices.

## TRAFFIC BARRIER TERMINAL, TYPE 1 SPECIAL (BDE)

Effective: January 1, 2017

Revise Article 631.04 of the Standard Specifications to read:

"631.04 Traffic Barrier Terminal, Type 1 Special (Tangent) and Traffic Barrier Terminal, Type 1 Special (Flared). These terminals shall meet the testing criteria contained in either NCHRP Report 350 or MASH. In addition to meeting the criteria in one or both of these references, the terminals shall be on the Department's qualified product list.

The terminal shall be installed according to the manufacturer's specifications. The beginning length of need point of the terminal shall be placed within 12 ft 6 in (3.8 m) of the length of need point shown on the plans.

The terminal shall be delineated with a terminal marker direct applied. No other guardrail delineation shall be attached to the terminal section."

#### WARM MIX ASPHALT (BDE)

Effective: January 1, 2012 Revised: April 1, 2016

<u>Description</u>. This work shall consist of designing, producing and constructing Warm Mix Asphalt (WMA) in lieu of Hot Mix Asphalt (HMA) at the Contractor's option. Work shall be according to Sections 406, 407, 408, 1030, and 1102 of the Standard Specifications, except as modified herein. In addition, any references to HMA in the Standard Specifications, or the special provisions shall be construed to include WMA.

WMA is an asphalt mixture which can be produced at temperatures lower than allowed for HMA utilizing approved WMA technologies. WMA technologies are defined as the use of additives or processes which allow a reduction in the temperatures at which HMA mixes are produced and placed. WMA is produced by the use of additives, a water foaming process, or combination of both. Additives include minerals, chemicals or organics incorporated into the asphalt binder stream in a dedicated delivery system. The process of foaming injects water into the asphalt binder stream, just prior to incorporation of the asphalt binder with the aggregate.

Approved WMA technologies may also be used in HMA provided all the requirements specified herein, with the exception of temperature, are met. However, asphalt mixtures produced at temperatures in excess of 275 °F (135 °C) will not be considered WMA when determining the grade reduction of the virgin asphalt binder grade.

#### Equipment.

Revise the first paragraph of Article 1102.01 of the Standard Specifications to read:

"1102.01 Hot-Mix Asphalt Plant. The hot-mix asphalt (HMA) plant shall be the batch-type, continuous-type, or dryer drum plant. The plants shall be evaluated for prequalification rating and approval to produce HMA according to the current Bureau of Materials and Physical Research Policy Memorandum, "Approval of Hot-Mix Asphalt Plants and Equipment". Once approved, the Contractor shall notify the Bureau of Materials and Physical Research to obtain approval of all plant modifications. The plants shall not be used to produce mixtures concurrently for more than one project or for private work unless permission is granted in writing by the Engineer. The plant units shall be so designed, coordinated and operated that they will function properly and produce HMA having uniform temperatures and compositions within the tolerances specified. The plant units shall meet the following requirements."

Add the following to Article 1102.01(a) of the Standard Specifications.

- "(11) Equipment for Warm Mix Technologies.
  - a. Foaming. Metering equipment for foamed asphalt shall have an accuracy of ± 2 percent of the actual water metered. The foaming control system shall be electronically interfaced with the asphalt binder meter.

b. Additives. Additives shall be introduced into the plant according to the supplier's recommendations and shall be approved by the Engineer. The system for introducing the WMA additive shall be interlocked with the aggregate feed or weigh system to maintain correct proportions for all rates of production and batch sizes."

#### Mix Design Verification.

Add the following to Article 1030.04 of the Standard Specifications.

- "(e) Warm Mix Technologies.
  - (1) Foaming. WMA mix design verification will not be required when foaming technology is used alone (without WMA additives). However, the foaming technology shall only be used on HMA designs previously approved by the Department.
  - (2) Additives. WMA mix designs utilizing additives shall be submitted to the Engineer for mix design verification."

#### Construction Requirements.

Revise the second paragraph of Article 406.06(b)(1) of the Standard Specifications to read:

"The HMA shall be delivered at a temperature of 250 to 350 °F (120 to 175 °C). WMA shall be delivered at a minimum temperature of 215 °F (102 °C)."

#### Basis of Payment.

This work will be paid at the contract unit price bid for the HMA pay items involved. Anti-strip will not be paid for separately, but shall be considered as included in the cost of the work.

## **WEEKLY DBE TRUCKING REPORTS (BDE)**

Effective: June 2, 2012 Revised: April 2, 2015

The Contractor shall submit a weekly report of Disadvantaged Business Enterprise (DBE) trucks hired by the Contractor or subcontractors (i.e. not owned by the Contractor or subcontractors) that are used for DBE goal credit.

The report shall be submitted to the Engineer on Department form "SBE 723" within ten business days following the reporting period. The reporting period shall be Monday through Sunday for each week reportable trucking activities occur.

Any costs associated with providing weekly DBE trucking reports shall be considered as included in the contract unit prices bid for the various items of work involved and no additional compensation will be allowed.

#### PIPE UNDERDRAINS FOR STRUCTURES

Effective: May 17, 2000 Revised: January 22, 2010

<u>Description</u>. This work shall consist of furnishing and installing a pipe underdrain system as shown on the plans, as specified herein, and as directed by the Engineer.

Materials. Materials shall meet the requirements as set forth below:

The perforated pipe underdrain shall be according to Article 601.02 of the Standard Specifications. Outlet pipes or pipes connecting to a separate storm sewer system shall not be perforated.

The drainage aggregate shall be a combination of one or more of the following gradations, FA1, FA2, CA5, CA7, CA8, CA11, or CA13 thru 16, according to Sections 1003 and 1004 of the Standard Specifications.

The fabric surrounding the drainage aggregate shall be Geotechnical Fabric for French Drains according to Article 1080.05 of the Standard Specifications.

<u>Construction Requirements.</u> All work shall be according to the applicable requirements of Section 601 of the Standard Specifications except as modified below.

The pipe underdrains shall consist of a perforated pipe drain situated at the bottom of an area of drainage aggregate wrapped completely in geotechnical fabric and shall be installed to the lines and gradients as shown on the plans.

<u>Method of Measurement.</u> Pipe Underdrains for Structures shall be measured for payment in feet (meters), in place. Measurement shall be along the centerline of the pipe underdrains. All connectors, outlet pipes, elbows, and all other miscellaneous items shall be included in the measurement. Concrete headwalls shall be included in the cost of Pipe Underdrains for Structures, but shall not be included in the measurement for payment.

<u>Basis of Payment.</u> This work will be paid for at the contract unit price per foot (meter) for PIPE UNDERDRAINS FOR STRUCTURES of the diameter specified. Furnishing and installation of the drainage aggregate, geotechnical fabric, forming holes in structural elements and any excavation required, will not be paid for separately, but shall be included in the cost of the pipe underdrains for structures.

#### SLIPFORM PARAPET

Effective: June 1, 2007 Revised: April 22, 2016

The following shall be added to the end of Article 503.16(b) of the Standard Specifications.

(3) Slipforming parapets. Unless otherwise prohibited herein or on the plans, at the option of the Contractor, concrete parapets on bridge decks may be constructed by slipforming in lieu of the conventional forming methods. Slipforming will not be permitted for curved parapets on a radius of 1500ft (457 m) or less.

The slipform machine shall be self-propelled and have automatic horizontal and vertical grade control. For 34 inch (864 mm) tall parapets the machine shall be equipped with a minimum of four (4) vibrators. For 42 inch (1.067 m) tall parapets the machine shall be equipped with a minimum of five (5) vibrators. The equipment shall be approved by the Engineer before use.

If the Contractor wishes to use the slipform parapet option for 42 inch (1.067 m) tall parapets he/she shall construct a test section in a temporary location to demonstrate his/her ability to construct the parapets without defect. The test section shall be constructed under similar anticipated weather conditions, using the same means and methods, equipment, operator, concrete plant, concrete mix design, and slump as proposed for the permanent slipform parapets.

The test section shall be at least 50 feet (15 meters) in length and shall be of the same cross section shown on the plans. The contractor shall place all of the reinforcement embedded in the parapet shown on the plans. Upon completion of the test section, the Contractor shall saw cut the test section into 2 foot (600 mm) segments and separate the segments for inspection by the Engineer.

The test section shall demonstrate to the satisfaction of the Engineer that the Contractor can slipform the parapets on this project without defects. The acceptance of the test section does not constitute acceptance of the slipform parapets in place.

The concrete mix design may combine two or more coarse aggregate sizes, consisting of CA-7, CA-11, CA-13, CA-14, and CA-16, provided a CA-7 or CA-11 is included in the blend in a proportion approved by the Engineer.

The slipform machine speed shall not exceed 3 ft (0.9 m) per minute. Any section of parapet placed with the slipform machine moving in excess of the maximum allowed speed will be rejected. Any time the speed of the machine drops below 0.5 ft (150 mm) per minute will be considered a stoppage of the slipforming operation, portions of parapet placed with three or more intermittent stoppages within any 15 ft (4.6 m) length will be rejected. The contractor shall schedule concrete delivery to maintain a uniform delivery rate of concrete into the slipform machine. If delivery of concrete from the truck into the slipforming machine

is interrupted by more than 15 minutes, the portion of the wall within the limits of the slipform machine will be rejected. Any portion of the parapet where the slipforming operation is interrupted or stopped within the 15 minute window may be subject to coring to verify acceptance.

If the Contractor elects to slipform, the parapet cross-sectional area and reinforcement bar clearances shall be revised according to the details for the Concrete Parapet Slipforming Option. In addition, if embedded conduit(s) are detailed, then the contractor shall utilize the alternate reinforcement as detailed.

The use of cast-in-place anchorage devices for attaching appurtenances and/or railings to the parapets will not be allowed in conjunction with slipforming of parapets. Alternate means for making these attachments shall be as detailed on the plans or as approved by the Engineer.

All reinforcement bar intersections within the parapet cross section shall be 100 percent tied utilizing saddle ties, wrap and saddle ties or figure eight ties to maintain rigidity during concrete placement. At pre-planned sawcut joints in the parapet, Glass Fiber Reinforced Polymer (GFRP) reinforcement shall be used to maintain the rigidity of the reinforcement cage across the proposed joints as detailed for the Concrete Parapet Slipforming Option.

Glass Fiber Reinforced Polymer (GFRP) reinforcement shall be subject to approval by the Engineer. Other non-ferrous reinforcement may be proposed for use but shall be subject to approval by the Engineer. GFRP reinforcement shall be tied the same as stated in the previous paragraph.

The Contractor may propose supplemental reinforcement for stiffening to prevent movement of the reinforcement cage and/or for conduit support subject to approval by the Engineer.

Clearances for these bars shall be the same as shown for the required bars and these bars shall be epoxy coated. If the additional reinforcement is used, it shall be at no additional cost to the Department.

For projects with plan details specifying parapet joints spaced greater than 20 ft (6 m) apart, additional sawcut joints, spaced between 10 ft (3 m) and 20 ft (6 m), shall be placed as directed by the Engineer. The horizontal reinforcement extending through the proposed joints shall be precut to provide a minimum of 4 in. (100 mm) gap, centered over the joint, between rebar ends. The ends of the reinforcement shall be repaired according to Article 508.04.

After the slipform machine has been set to proper grade and prior to concrete placement, the clearance between the slipform machine inside faces and reinforcement bars shall be checked during a dry run by the Contractor in the presence of the Engineer. The dry run shall not begin until the entire reinforcing cage has been tied and the Engineer has verified and approved the placement and tying of the reinforcing bars. Any reinforcement bars

found to be out of place by more than ½ in. (13 mm), or any dimensions between bars differing from the plans by more than ½ in. (13 mm) shall be re-tied to the plan dimensions.

During the dry run and in the presence of the Engineer, the Contractor shall check the clearance of the reinforcement bars from the inside faces of the slipform mold. In all locations, the Contractor shall ensure the reinforcement bars have the minimum cover distance shown on the plans. This dry run check shall be made for the full distance that is anticipated to be placed in the subsequent pour. Reinforcement bars found to have less than the minimum clearance shall be adjusted and the dry run will be performed again, at least in any locations that have been readjusted.

For parapets adjacent to the watertable, the contractor shall, for the duration of the construction and curing of the parapet, provide and maintain an inspection platform along the back face of the parapet. The inspection platform shall be rigidly attached to the bridge superstructure and be of such design to allow ready movement of inspection personnel along the entire length of the bridge.

The aluminum cracker plates as detailed in the plans shall be securely tied in place and shall be coated or otherwise treated to minimize their potential reaction with wet concrete. In lieu of chamfer strips at horizontal and vertical edges, radii may be used. Prior to slipforming, the Contractor shall verify proper operation of the vibrators using a mechanical measuring device subject to approval by the Engineer.

The top portion of the joint shall be sawcut as shown in the details for the Concrete Parapet Slipforming Option. Sawing of the joints shall commence as soon as the concrete has hardened sufficiently to permit sawing without excessive raveling. All joints shall be sawed to the full thickness before uncontrolled shrinkage cracking takes place but no later than 8 hours after concrete placement. The sawcut shall be approximately 3/8 in. (10 mm) wide and shall be performed with a power circular concrete saw. The joints shall be sealed with an approved polyurethane sealant, conforming to ASTM C 920, Type S, Grade NS, Class 25, Use T, to a minimum depth of 1/2 in. (12 mm), with surface preparation and installation according to the manufacturer's written instructions. Cork, hemp or other compressible material may be used as a backer. The sawcut will not require chamfered edges.

Ends of the parapet shall be formed and the forms securely braced. When slipforming of parapets with cross sectional discontinuities such as light standards, junction boxes or other embedded appurtenances except for name plates, is allowed, the parapet shall be formed for a minimum distance of 4 ft (1.2 m) on each side of the discontinuity.

For acceptance and rejection purposes a parapet section shall be defined as the length of parapet between adjacent vertical parapet joints.

The maximum variance of actual to proposed longitudinal alignment shall not exceed ±3/4 in. (20 mm) with no more than 1/4 inch in 10 ft (6 mm in 3 m). Notwithstanding this tolerance, abrupt variance in actual alignment of 1/2 inch in 10 ft (13 mm in 3 m) will be cause for rejection of the parapet section.

In addition, all surfaces shall be checked with a 10 ft (3 m) straight edge furnished and used by the Contractor as the concrete is extruded from the slipform mold. Continued variations in the barrier surface exceeding 1/4 inch in 10 ft (6 mm in 3 m) will not be permitted and remedial action shall immediately be taken to correct the problem.

The use of equipment or methods which result in dimensions outside the tolerance limits shall be discontinued. Parapet sections having dimensions outside the tolerance limits will be rejected.

Any visible indication that less than specified cover of concrete over the reinforcing bars has been obtained, or of any cracking, tearing or honeycombing of the plastic concrete, or any location showing diagonal or horizontal cracking will be cause for rejection of the parapet section in which they are found.

The vertical surfaces at the base of the barrier within 3 in. (75 mm) of the deck surface shall be trowelled true after passage of the slipform machine. Hand finishing of minor sporadic surface defects may be allowed at the discretion of the Engineer. All surfaces of the parapet except the top shall receive a final vertical broom finish. Any deformations or bulges remaining after the initial set shall be removed by grinding after the concrete has hardened.

Slipformed parapets shall be wet cured according to either Article 1020.13(a)(3) or Article 1020.13(a)(5). For either method, the concrete surface shall be covered within 30 minutes after it has been finished. The cotton mat or burlap covering shall be held in place with brackets or another method approved by the Engineer. The Contractor shall have the option, during the period from April 16 through October 31, to delay the start of wet curing by applying a linseed oil emulsion curing compound. Exercising this option waives the requirement for protective coat according to Article 503.19. The linseed oil emulsion shall be according to Article 1022.01 and shall be applied according to Articles 1020.13 Notes-General 8/ and 1020.13(a)(4). The delay for wet curing shall not exceed 3 hours after application of the linseed oil emulsion.

A maximum of three random 4 in. (100 mm) diameter cores per 100 ft (30 m) of parapet shall be taken as directed by the Engineer, but no less than three random cores shall be taken for each parapet pour. At least 2 cores shall be located to intercept the top horizontal bar. Unless otherwise directed by the Engineer, coring shall be accomplished within 48 hours following each parapet pour. Separate parapets poured on the same date shall be considered separate pours. Random cores will not be measured for payment.

The Engineer will mark additional locations for cores where, in the sole opinion of the Engineer, the quality of the slipformed parapet is suspect.

The Engineer or his representative will be responsible for evaluation the cores. Any cores showing voids of any size adjacent to the reinforcement bars, or showing voids not adjacent to reinforcement bars of 1/4 square inch (160 square millimeters) in area or more, or

showing signs of segregation, or showing signs of cracking shall be considered failures and the parapet section from which it was taken will be rejected. Parapets with less than 1 1/2 inches of concrete cover over the reinforcement shall be rejected.

Rejected parapet sections shall be removed and replaced for the full depth cross-section of the parapet except that concrete covers between 1 inch and 1½ inches may be open to remedial action subject to the approval of the Engineer. Such action could entail up to and including removal and replacement.

The minimum length of parapet removed and replaced shall be 3 ft (1 m). Additional cores may be required to determine the longitudinal extent of removal and replacement if it can not be determined and agreed upon by other means (i.e. visual, sounding, non-destructive testing, etc.).

Any parapet section with more than one half of its length rejected or with remaining segments less than 10 ft (3 m) in length shall be removed and replaced in its entirety.

If reinforcement bars are damaged during the removal and replacement, additional removal and replacement shall be done, as necessary, to ensure minimum splice length of replacement bars. Any damage to epoxy coating of bars shall be repaired according to Article 508.04.

All core holes will be filled with a non-shrink grout meeting the requirements of Section 1024.

<u>Basis of Payment.</u> When the contractor, at his/her option, constructs the parapet using slipforming methods, no adjustment in the quantities for Concrete Superstructures and Reinforcement Bars, Epoxy Coated to accommodate this option will be allowed. Compensation under the contract bid items for Concrete Superstructures and Reinforcement Bars, Epoxy Coated shall cover the cost of all work required for the construction of the parapet and any test section(s) required, and for any additional costs of work or materials associated with slipforming methods.