STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



:44:

EJ-CS 9-01-03

ROUTE NO.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	SHEET NO. 8
s. b. i. f. a. 646	(102) BR-2	Whiteside	69	28	25 SHEETS
FED. ROAD D	IST. NO. 7	LLINOIS FED. AID	PROJECT-		
		CONTRAC	T NO.	64427	

GENERAL NOTES

Continuous Seal Neoprene Expansion Joint shall consist of molded anchor blocks of elastomer and steel, field assembled over continuous lengths of elastomeric membrane.

The elastomeric membrane shall be premolded with a single or a double upward convolution that will have a "memory" to return to its molded position upon joint closure.

The convolution length shall be such that the extended length will not be greater than the manufactured length when the joint is fully expanded in its design range and will not protrude above the anchor blocks when the joint is fully compressed.

Joint openings shall be adjusted according to Article 503.10(c) of the Standard Specifications when the deck is poured at an ambient temperature other than 50° F.

The parapet and roadway membrane shall be made continuous by an approved vulcanizing process. Lapping will not be permitted.



Note: Stud needs to be threaded lower to allow for use of clamping nut.

Anchor studs should be stainless RECOMMENDED BLOCKOUT DETAIL

Asphalt

surface

2" NEOPRENE JOINT AT NORTH AND SOUTH ABUTMENTS IL RTE 40 OVER GREEN RIVER F.A.P. 646 SECTION (102)BR-2 WHITESIDE COUNTY STATION 674+77.63 S.N. 098-0018





136.111 DATE AUG. 2005