



INTERIOR GIRDER MOMENT TABLE	
	0.5 Span
$I_s$	(in <sup>4</sup> ) 4,580
$I_c(n)$	(in <sup>4</sup> ) 12,313
$I_c(3n)$	(in <sup>4</sup> ) 8,820
$S_s$	(in <sup>3</sup> ) 371
$S_c(n)$	(in <sup>3</sup> ) 546
$S_c(3n)$	(in <sup>3</sup> ) 489
$DC1$	(k') 0.802
$M_{DC1}$	('K) 435
$DC2$	(k') 0.183
$M_{DC2}$	('K) 99
$DW$	(k') 0.308
$M_{DW}$	('K) 167
$M_{L+IM}$	('K) 793
$M_u$ (Strength I)	('K) 2,306
$\phi_f M_n$	('K) 2,527
$f_s DC1$	(ksi) 14.1
$f_s DC2$	(ksi) 2.4
$f_s DW$	(ksi) 4.1
$f_s (L+IM)$	(ksi) 17.4
$f_s$ (Service II)	(ksi) 43.3
$0.95R_h F_y f$	(ksi) 47.5
$f_s$ (Total)(Strength I)	(ksi) 47.5
$V_f$	(k) 22.7

$I_s, S_s$ : Non-composite moment of inertia and section modulus of the steel section used for computing  $f_s$  (Total-Strength I, and Service II) due to non-composite dead loads (in.<sup>4</sup> and in.<sup>3</sup>).  
 $I_c(n), S_c(n)$ : Composite moment of inertia and section modulus of the steel and deck based upon the modular ratio, "n", used for computing  $f_s$  (Total-Strength I, and Service II) in uncracked sections, due to short-term composite live loads (in.<sup>4</sup> and in.<sup>3</sup>).  
 $I_c(3n), S_c(3n)$ : Composite moment of inertia and section modulus of the steel and deck based upon 3 times the modular ratio, "3n", used for computing  $f_s$  (Total-Strength I, and Service II) in uncracked sections, due to long-term composite (superimposed) dead loads (in.<sup>4</sup> and in.<sup>3</sup>).  
 $DC1$ : Un-factored non-composite dead load (kips/ft.).  
 $M_{DC1}$ : Un-factored moment due to non-composite dead load (kip-ft.).  
 $DC2$ : Un-factored long-term composite (superimposed excluding future wearing surface) dead load (kips/ft.).  
 $M_{DC2}$ : Un-factored moment due to long-term composite (superimposed excluding future wearing surface) dead load (kip-ft.).  
 $DW$ : Un-factored long-term composite (superimposed future wearing surface only) dead load (kips/ft.).  
 $M_{DW}$ : Un-factored moment due to long-term composite (superimposed future wearing surface only) dead load (kip-ft.).  
 $M_{L+IM}$ : Un-factored live load moment plus dynamic load allowance (impact) (kip-ft.).  
 $M_u$  (Strength I): Factored design moment (kip-ft.).  
 $1.25(M_{DC1} + M_{DC2}) + 1.75M_{DW} + 1.75M_{L+IM}$   
 $\phi_f M_n$ : Compact composite positive moment capacity computed according to Article 6.10.7.1 (kip-ft.).  
 $f_s DC1$ : Un-factored stress at edge of flange for controlling steel flange due to vertical non-composite dead loads as calculated below (ksi).  
 $M_{DC1}/S_n$   
 $f_s DC2$ : Un-factored stress at edge of flange for controlling steel flange due to vertical composite dead loads as calculated below (ksi).  
 $M_{DC2}/S_c(3n)$   
 $f_s DW$ : Un-factored stress at edge of flange for controlling steel flange due to vertical composite future wearing surface loads as calculated below (ksi).  
 $M_{DW}/S_c(3n)$   
 $f_s (L+IM)$ : Un-factored stress at edge of flange for controlling steel flange due to vertical composite live plus impact loads as calculated below (ksi).  
 $M_{L+IM}/S_c(n)$   
 $f_s$  (Service II): Sum of stresses as computed below (ksi).  
 $f_s DC1 + f_s DC2 + f_s DW + 1.3 f_s (L+IM)$   
 $0.95R_h F_y f$ : Composite stress capacity for Service II loading according to Article 6.10.4.2 (ksi).  
 $f_s$  (Total)(Strength I): Sum of stresses as computed below on non-compact section (ksi).  
 $1.25(f_s DC1 + f_s DC2) + 1.5 f_s DW + 1.75 f_s L+IM$   
 $V_f$ : Maximum factored shear range in composite portion of span computed according to Article 6.10.10.


INTERIOR GIRDER REACTION TABLE	
	Abutment
$R_{DC1}$	(k) 26.4
$R_{DC2}$	(k) 6.0
$R_{DW}$	(k) 10.2
$R_{L+IM}$	(k) 70.5
$R_{Total}$	(k) 113.1

Not Included in this Contract


Note:  
All cross frames or diaphragms shall be installed as steel is erected and secured with erection pins and bolts except as otherwise noted. Individual cross frames or diaphragms at supports may be temporarily disconnected to install bearing anchor rods.



SECTION A-A



SECTION B-B



INTERIOR DIAPHRAGM D

Note:  
Two hardened washers required for each set of oversized holes.

\*C12 x 30 channels are permitted to facilitate material acquisition. Calculated weight of structural steel is based on the lighter section.


The alternate, if utilized, shall be provided at no additional cost to the Department.

\*\*3/4" φ HS bolts, 15/16" φ holes

The interior diaphragms below the stage construction line (between Beams 6 and 7) require standard long slotted holes (3/16" x 1 1/2") in both connection angles. The bolts in the long slots shall be finger tight until the second stage pour is complete. Position slots so bolts start at one end with no concrete load and finish near the opposite end under deck load. All holes shall have appropriate hardened or plate washers.

END DIAPHRAGM D1

Note:  
Two hardened washers required for each set of oversized holes.



END DIAPHRAGM D2

\*\*\* Cost of Timber Block Posts is included with Erecting Structural Steel.

END DIAPHRAGM STAGE CONSTRUCTION SEQUENCE

- 1.) Order diaphragm in two sections.
- 2.) Attach section ① of diaphragm to Beam 7
- 3.) Place timber block posts between section ① of diaphragm and abutment bearing section.
- 4.) Attach section ② of diaphragm to both Beam 6 and section ① of diaphragm during stage II construction with splice plates.
- 5.) Remove timber block posts.