

ROUTE HO.	SECTION		INTY	TOTAL SHEETS	SHEET NO.	SHEET NO. 5-13
F. A. L. 80/94	2626.18	COOK		1207	557	35 SHEETS
		ILLINOIS	FED. ALD PROJECT- C-91-010-01			

CONTRACT No. 62114

GENERAL NOTES

The strip seal shall be made continuous and shall have a minimum thickness of 6 mm. The configuration of the strip seal shall match the configuration of the Locking Edge Rails. The height and thickness of the Locking Edge Rails shown

are minimum dimensions. The actual configuration of the Locking Edge Rails and matching strip seal may vary from manufacturer to manufacturer. Flanged edge rails will not be allowed.

Locking Edge Ralls may be spliced at slope discontinuities and stage construction joints.

The manufacturer's recommended installation methods shall be followed.

The joint opening and deck dimensions detailed on the superstructure are based on a preformed joint seal. If the contractor elects to use the alternate strip seal joint, the opening and deck dimensions shall be modified according to the dimensions detailed on this sheet. Required modifications shall be made at no additional cost to the State. All dimensions are in millimeters (mm) except as noted.



FOR INFORMATION ONLY