

TEMPORARY HOT-MIX ASPHALT TRANSITIONS



STEP I


- 1. PLACE HOT-MIX ASPHALT MAT, LENGTH 36 TIMES THE THICKNESS OF THE MAT BEING PLACED PAST THE PROPOSED TRANSVERSE EXINTEN COALL ON THE PROPOSED TRANSVERSE EXINTEN COALL OF TRAILING PROCEDURES.
- 2. MATERIAL IN FRONT OF THE SCREED TO MAINTAIN REQUIRED PAVING DEPTH.



STEP II


- 1. MOVE THE PAVER OUT OF THE WAY AND REMOVE THE ASPHALT FROM THE AREA OF THE PROPOSED TEMPORARY HOT-MIX ASPHALT TRANSITION.
- 2. SQUARE UP THE END OF THE MAT WITH A RAKE OR LUTE.
- 3. NOTE THAT THE MAT WITHIN 4' OF THE END OF JOINT IS NOT TO BE ROLLED AT THIS TIME.

SCALE:



STEP III

- 1. JOINT PAPER OR OTHER PRESELECTED JOINT MATERIAL IS THEN PLACED IN THE CLEARED AREA AND THE EXCESS ASPHALT USED TO HAND FORM A TRANSITION TO THE DIMENSIONS SHOWN ABOVE.
- 2. NOTE THAT IN CONSTRUCTING THE TRANSITION, THE MAT DEPTH IS CONTINUED AS PART OF THE TRANSITION BEFORE FORMING THE FEATHER.




STEP IV

- 1. COMPLETE TEMPORARY TRANSITION BY ROLLING.
- 2. TO RESUME PAVING, AT THE JOINT, REMOVE TEMPORARY TRANSITION AND DISPOSE OF THE MATERIAL ACCORDING TO ART. 202.03 OF THE STD. SPECS. (COST INCLUDED IN THE CONTRACT).
- 3. CONSTRUCTING THE TEMPORARY TRANSITIONS WILL NOT BE PAID FOR SEPARATELY IN ACCORDANCE WITH ARTICLE 406.14 OF THE STANDARD SPECIFICATIONS.

STD. 9-26

ILLINOIS STANDARD



COLORS:

LEGEND AND BORDER- BLACK NON-REFLECTORIZED BACKGROUND- ORANGE REFLECTORIZED

SIGN SIZE	DIMENSIONS								
	A	В	С	D	Ε	F	G	Н	
48X48	48.0	24.1	3.0	34.0	33.0	6.0	13.0	3.5	

SIGN SIZE		ERIE	5	MAR- Gin	BOR-	BLANK STD.	
	1	2	3		DER		
48X48	7C	7C	7C	0.8	1.2	B4-48D	

ALL DIMENSIONS IN INCHES

REVISED

REVISED

REVISED

REVISED

NOTES:

PRIOR TO ALLOWING TRAFFIC ON ANY PORTION OF THE ROADWAY THAT HAS BEEN COLDMILLED, THE CONTRACTOR SHALL HAVE ERECTED "ROUGH GROOVED SURFACE" SIGNS THAT CONFORM TO THE ABOVE DETAILS. A MINIMUM OF ONE SIGN AT EACH END OF THE IMPROVEMENT WILL BE REQUIRED. THE CONTRACTOR SHALL MAINTAIN THE "ROUGH GROOVED SURFACE" SIGNS UNTIL THE COLDMILLED SURFACE IS COVERED WITH LEVELING BINDER OR SURFACE COURSE.

IF AT ANY TIME THE SIGNS ARE IN PLACE BUT NOT APPLICABLE, THEY SHALL BE TURNED FROM THE VIEW OF MOTORISTS OR COVERED AS DIRECTED BY THE ENGINEER.

		-		
	SIAIL	UF	ILLINOIS	
DEDAD	TRACRIT C)E 7	TO A NICOOI	MOTATION

TEMPORARY BITUMINOUS CONCRETE TRANSITIONS		SECTION	COUNTY	TOTAL	SHEET NO.
AND ROUGH GROOVED SURFACE SIGN DETAILS	57	••	•	98	98
WAD UNDER GUALED SOULAGE SIGIA DELWIFS			CONTRACT	NO.	78175
SHEET NO. OF SHEETS STA. TO STA.		ILL INOIS FED. AL	D PROJECT		

.. D9 RUBBLIZATION FY 10-1

USER NAME = \$USER\$ DESIGNED FILE NAME \$FILEL\$ DRAWN PLOT SCALE = \$SCALE\$ CHECKED PLOT DATE = \$DATE\$

DEPARTMENT OF TRANSPORTATION