STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



20 SHEETS

*01-00072-00-BR

When cantilever forming brackets are used, the work shall be done according to Article 503.06, except as modified below and in the

The finishing machine rails shall be placed on the top flange of the

For Standard construction, or Stage Construction the Hardwood bracing materials shall be placed as shown between webs of beams in each bay.

The beams or girders, supporting cantilever forming brackets, shall be tied together at 4 foot intervals.

details shown on this sheet.


exterior beams.

CONTRACT NO. 97249

Ties at 4'-0" cts. Stage Construction Joint Finishing machine rail-

FORM BRACES FOR STAGE CONSTRUCTION

Hardwood 4" x 4" blocks at 4'-0" cts.



FORM BRACES FOR STANDARD CONSTRUCTION

DESIGNED	ABG	January 21, 2005
CHECKED	ZBU	EXAMINED Thomas & Nomagalaki
DRAWN	SMS	PASSED Ralph E. Christon
CHECKED	JFS	ENGINEER OF BRIDGES AND STRUCTURES

...\031~3005.dgn 1/28/2005 9:11.18 AK

CANTILEVER FORMING BRACKET F.A.S. 738 OVER

HURRICANE CREEK SECTION 01-00072-00-BR GREENE COUNTY STA. 144+72.46

STR. NO. 031-3005