



CURB AND GUTTER SCHEDULE

LOCATION	FRAMES AND GRATES TO BE ADJUSTED	COMBINATION CONC C&G TYPE B-6.24
	EACH	FOOT
STA 28+23.67 TO 29+44.02, RT		120
STA 28+50, CE RT		63
STA 29+03.00 TO W. BRIDGE APPR. PAVEMENT, LT		93
STA 29+60, CE LT		41
E. BRIDGE APPR. PAVEMENT TO STA 31+98.04, LT		54
STA 31+80.0, 28.0' LT	1	
STA 43+65.1 TO 43+72.45, LT		8
TOTALS	1	379

RAISED REFLECTIVE PAVEMENT MARKER SCHEDULE

LOCATION	DESCRIPTION	RAISED REFLECTIVE PAVEMENT MARKER	RAISED REFLECTIVE PAVEMENT MARKER (BRIDGE)	REPLACEMENT REFLECTOR	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL
		EACH	EACH	EACH	EACH
STA 28+34, 2' LT & RT	TWO-WAY AMBER	2			
STA 28+74, 2' LT & RT	TWO-WAY AMBER	2			
STA 29+14, 2' LT & RT	TWO-WAY AMBER	2			
STA 29+29, 14' RT	ONE-WAY CRYSTAL	1			
STA 29+37, 14' LT	ONE-WAY CRYSTAL	1			
STA 29+54, 2' LT & RT	TWO-WAY AMBER	2			
STA 29+64, 26' RT	ONE-WAY CRYSTAL	1			
STA 29+69, 14' RT	ONE-WAY CRYSTAL	1			
STA 29+77, 14' LT	ONE-WAY CRYSTAL	1	1		
STA 29+94, 26' RT	ONE-WAY CRYSTAL	1	2		
STA 29+94, 2' LT & RT	TWO-WAY AMBER	2	1		
STA 30+09, 14' RT	ONE-WAY CRYSTAL	1	1		
STA 30+34, 26' RT	ONE-WAY CRYSTAL		1		
STA 30+34, 2' LT & RT	TWO-WAY AMBER		2		
STA 30+49, 14' RT	ONE-WAY CRYSTAL			1	1
STA 30+51, 14' LT	ONE-WAY CRYSTAL			1	1
STA 30+74, 26' RT	ONE-WAY CRYSTAL			1	1
STA 30+74, 2' LT & RT	TWO-WAY AMBER			1	1
STA 11+32, 4' LT	ONE-WAY CRYSTAL			1	1
STA 11+69, 4' LT	ONE-WAY CRYSTAL			1	1
STA 11+87, 15' LT	ONE-WAY CRYSTAL			1	1
STA 12+08, 4' LT	ONE-WAY CRYSTAL			1	1
STA 12+45, 4' LT	ONE-WAY CRYSTAL				
STA 12+67, 15' LT	ONE-WAY CRYSTAL			1	1
STA 12+84, 4' LT	ONE-WAY CRYSTAL			1	1
STA 13+43, 15' LT	ONE-WAY CRYSTAL				
STA 41+73, 16' RT	ONE-WAY CRYSTAL	1		1	1
STA 42+13, 16' RT	ONE-WAY CRYSTAL				1
STA 42+53, 16' RT	ONE-WAY CRYSTAL				1
STA 42+70, 2' LT	TWO-WAY AMBER	1			
STA 42+93, 16' RT	ONE-WAY CRYSTAL	1			
STA 43+10, 4' LT	TWO-WAY AMBER	1			
STA 43+33, 16' RT	ONE-WAY CRYSTAL				
STA 43+50, 3' LT & RT	TWO-WAY AMBER	2			
STA 43+73, 16' RT	ONE-WAY CRYSTAL	1			
STA 43+90, 2' LT & RT	TWO-WAY AMBER	2			
STA 44+13, 16' RT	ONE-WAY CRYSTAL	1			
STA 44+30, 2' LT & RT	TWO-WAY AMBER	2			
TOTALS		29	8	11	13

SIGN SCHEDULE

LOCATION	RELOCATE SIGN PANEL ASSEMBLY - TYPE B	RELOCATE SIGN PANEL - TYPE 1	TELESCOPING SIGN SUPPORT	WOOD SIGN SUPPORT	REMOVE GROUND-MOUNTED SIGN SUPPORT	REMOVE CONCRETE FOUNDATION-OVERHEAD
	EACH	SQ FT	FOOT	FOOT	EACH	EACH
STA 29+37, 48' RT		6	24			
STA 29+41, 49' RT	1			20		
STA 29+94, 37' RT					1	
STA 29+98, 42' RT					2	
STA 29+98.2, 38.4' RT						1
STA 31+77, 40' LT		6	24			
TOTALS	1	12	48	20	3	1

PAVEMENT MARKING REMOVAL SCHEDULE

LOCATION	DESCRIPTION	PAVEMENT MARKING REMOVAL
		SQ FT
NB US 45		
STA 41+70 TO 43+09, RT	4" SKIP-DASH LANE LINE	13.3
STA 43+09 TO 44+51, RT	4" SOLID LANE LINE	47.3
STA 43+09 TO 44+51, RT	TURN ARROWS	62.4
STA 44+53, RT	24" STOP BAR	56.0
WB IL 16		
STA 11+31, LT	24" STOP BAR	68.0
STA 11+31 TO 14+11, LT	4" SKIP-DASH LANE LINE	23.3
STA 11+31 TO 13+09, LT	4" SOLID LANE LINE	59.3
STA 11+31 TO 13+09, CL	TURN ARROWS	46.9
CROSSWALKS	6" SOLID LINE	134.5
TOTAL		511.0