INDEX OF SHEETS

STATE STANDARDS

001001-01 001006 280001-04	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS AREAS OF REINFORCEMENT BARS DECIMAL OF AN INCH AND OF A FOOT TEMPORARY EROSION CONTROL SYSTEMS MAILBOX TURNOUT
601001-03 604091-02 606001-04 610001-04 630001-08 631001-04 631031-07 635006-03 635011-02 701901-01 720001-01 720006-02 729001-01	METAL END SECTION FOR PIPE CULVERTS SUB-SURFACE DRAINS FRAME AND GRATE TYPE 24
	

GENERAL NOTES

BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "J.U.L.I.E." AT 1-800-892-0123 OR 811 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS FACILITIES. (A 48 HOUR NOTIFICATION IS REQUIRED).

THE INFORMATION SHOWN ON THESE DRAWINGS CONCERNING THE TYPE AND LOCATIONS OF UNDERGROUND UTILITIES IS NOT GUARANTEED TO BE ACCURATE OR ALL INCLUSIVE. THE CONTRACTOR IS RESPONSIBLE FOR MAKING HIS OR HER OWN DETERMINATION AS TO THE TYPE AND LOCATION OF UNDERGROUND UTILITIES AS MAY BE NECCESSARY TO AVOID DAMAGE HERETO.

TEN FEET TRANSITIONS SHALL BE USED TO MATCH PROPOSED WORK TO ITEMS IN THE FIELD, UNLESS OTHERWISE SHOWN. THE TRANSITIONS SHALL BE PAID FOR AT THE CONTRACT UNIT PRICE FOR PROPOSED ITEM OF WORK SPECIFIED.

THE CONTRACTOR SHALL COORDINATE ACTIVITIES WITH UTILITY COMPANIES AND THE CITY OF MARENGO AND MCHENRY COUNTY.

OVERHEAD AND UNDERGROUND ELECTRICAL FACILITIES ARE LOCATED IN THE SUBJECT AREA. COMED COMPANY WIRES ARE NOT INSULATED AND EXTRA CAUTION AND VIGILANCE MUST BE ADHERED TO WHEN WORKING AROUND THEM. THE OCCUPATIONAL HEALTH AND SAFETY ORGANIZATION (OSHA) RULES REQUIRE THAT WORKERS AND EQUIPMENT SHALL NOT APPROACH WITHIN TEN (10) FEET AWAY OF OVERHEAD EQUIPMENT WITHOUT APPROPRIATE SUPPLEMENTAL PROTECTION. ALL WORKERS ON THIS PROJECT SHOULD BE TRAINED REGARDING WORKING SAFELY AROUND ELECTRICAL POWER LINES.

THE CONTRACTOR WILL NOT BE ALLOWED TO SET UP A YARD OR FIELD OFFICE ON STATE PROPERTY WITHOUT WRITTEN PERMISSION FROM THE DEPARTMENT.

THE RESIDENT ENGINEER SHALL CONTACT MS. DEBBIE HANLON, AREA TRAFFIC TECHNICIAN AT 847-438-2300 A MINIMUM OF 2 WEEKS PRIOR TO PLACING PERMANENT PAVEMENT MARKINGS OR PERMANENT SIGNING.

THE RESIDENT ENGINEER SHALL CONTACT THE TRAFFIC CONTROL SUPERVISOR AT 847-705-4470 A MINIMUM OF 72 HOURS PRIOR TO THE PLACEMENT OF ANY TEMPORARY TRAFFIC CONTROL DEVICES.

EMBANKMENT NECESSARY TO RAISE THE PROPOSED ALIGNMENT SHALL BE COMPLETED AT THE BEGINNING OF THE PROJECT TO ALLOW FOR CONDSOLIDATION OF THE UNDERLAYING SOILS.

DISTRICT STANDARDS - THESE ARE INCLUDED AS

THESE ARE INCLUDED A.
PLAN SHEETS 75-84

BD01	DRIVEWAY DETAILS - DISTANCE BETWEEN R.O.W. AND FACE OF CURB / EDGE OF SHOULDER > = 4.5m (15FT.)
BD02	DRIVEWAY DETAILS - DISTANCE BETWEEN R.O.W. AND FACE OF CURB < 4.5m (15FT.)
BD03	OUTLET FOR CONCRETE CURB AND GUTTER
BD07	DETAIL OF STORM SEWER CONNECTION TO EXISTING SEWER
BD32	BUTT JOINT AND HMA TAPER DETAILS
BD34	STABILIZATION AT TBT TY 1 SPL.
BD51	BENCHING DETAIL FOR EMBANKMENT WIDENING
TC11	TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS (SNOW-PLOW RESISTANT)
TC13	DISTRICT ONE TYPICAL PAVEMENT MARKINGS
TC22	TEMPORARY INFORMATION SIGNING

COMMITMENTS

THE DEPARTMENT WILL REINSTALL THE BENCH MARK LOCATED ON THE BRIDGE AT A SUITABLE LOCATION. HOWEVER THE ELEVATION OF THE BENCH MARK WILL CHANGE.

THE DEPARTMENT WILL REINSTATE THE DRIVEWAY AT STA 73+48 (LT) TO THE CITY OF MARENGO'S PROPERTY AT A GRADE OF 12%. THE DRIVEWAY WILL BE PAVED WITH ASPHALT UP TO THE ROW LINE AND AGGREGATE THE REST OF THE DRIVEWAY. THE DRIVEWAY WILL REQUIRE A TEMPORARY EASEMENT.

FILE NAME =	USER NAME = \$USER\$	DESIGNED	-	GJM	REVISED	-	5/13/2008
\$FILEL\$		DRAWN	-	GJM	REVISED	-	7/18/2008
	PLOT SCALE = \$SCALE\$	CHECKED	-	EJL	REVISED	-	9/30/2008
	PLOT DATE = 10/10/2008	DATE	-	3/11/2008	REVISED	-	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

INDEX OF SHEETS, STATE STANDARDS,
GENERAL NOTES, AND COMMITMENTS

SHEET NO. 1 OF 1 SHEETS STA. 59+00 TO STA. 89+00

SCALE: NONE

00 FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT