



MORGAN ST



ENTRANCE DETAIL - STA 411+76.70 RT


DAVID BLUM AND
MARY LEA SAGONA-BLUM



ENTRANCE DETAIL - STA 412+40.00 TO STA 412+80.00, RT

JOSE L. DIAZ GRIMALDO

LEGEND


-  DETECTABLE WARNINGS
-  LEVEL LANDING WITH DIMENSIONS
-  RAMP
-  IMPROVEMENTS TO BE DONE BY PROPERTY OWNER
-  VAR. SLOPED SIDEWALK TO DRAIN
-  DEPRESSED CURB AND GUTTER
- (XXX.XX) EXISTING ELEVATION TO BE MATCHED

NOTES:
THIS DETAIL HAS BEEN DESIGNED BASED ON THE OWNERS INDICATION THAT THEY ARE GOING TO MAKE IMPROVEMENTS ON PRIVATE PROPERTY TO MATCH THE PROPOSED ROADWAY IMPROVEMENTS IN ORDER TO MAKE THE BUSINESS ENTRANCE ADA COMPLIANT.

THE CONTRACTOR SHALL VERIFY THE EXISTING DOOR ELEVATIONS AND COORDINATE PROPOSED IMPROVEMENTS WITHIN THE STATE ROW WITH THE PROPERTY OWNER SO THAT PROPERTY OWNERS CAN SCHEDULE THEIR IMPROVEMENTS.

THE ENTIRE AREA BETWEEN THE BUILDING/RIGHT-OF-WAY AT THIS BUILDING SHALL BE PAVED WITH PORTLAND CEMENT CONCRETE SIDEWALK 5", UNLESS NOTED OTHERWISE.

SEE CROSS SECTIONS FOR BUSINESS ENTRANCE FOR ADDITIONAL INFORMATION



NOTE: SEE STATE HIGHWAY STANDARD 424011, CORNER PARALLEL CURB RAMP FOR SIDEWALKS FOR SIDE CURB DETAIL. THE CURB SHALL EXTEND A MINIMUM OF 2" ABOVE THE TOP OF RAMP.

| | | | | | | | | | | | | |
|----------------------|--------------------|------------|-----------|---|-------------------------------|--|--------------------------|--------------|-----------|--------------|--------------------|--|
| FILE NAME = | USER NAME = #USER* | DESIGNED - | REVISED - | STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION | SIDEWALK (ADA) DETAILS | | F.A.P. RTE. | SECTION | COUNTY | TOTAL SHEETS | SHEET NO. | |
| #FILE# | | DRAWN - | REVISED - | | | | 742 | (32, 33) R-1 | WINNEBAGO | 705 | 473 | |
| PLOT SCALE = #SCALE* | | CHECKED - | REVISED - | | SCALE: 1:5 | | SHEET NO. 5 OF 17 SHEETS | | STA. | TO STA. | CONTRACT NO. 64821 | |
| PLOT DATE = #DATE* | | DATE - | REVISED - | | ILLINOIS FED. AID PROJECT | | | | | | | |