



DESIGNER NOTES:
 1. SEE SOILS REPORT AND BUREAU OF MATERIALS FOR USAGE, LOCATIONS, AND SETTLEMENT RATES.
 2. CONSIDER USE ON BRIDGE EMBANKMENT AND OTHER SETTLEMENT SENSITIVE FILLS.
 3. THIS DRAWING ALLOWS FOR WOODBASE PLATE OPTION.



SOUND LUMBER - 1(25) x 12(300) NAILED TOGETHER OR 1/4(6) THICK BY 4'(1.2m) SQUARE STEEL PLATE

GENERAL NOTES:

1. Settlement Platform shall be in accordance with the applicable portions of Article 204.06 of the Standard Specifications.
2. Do Not install casing pipe until after one section of 3/4"(19 mm) has been covered with earth. The casing pipe should not rest on platform.

All dimensions are in inches (millimeters) unless otherwise noted.

1-1-97	REVISION L-5.04 NEW REVISION BOX REVISED NOTES	-I.P.-	8-23-01	UPDATE FOR NEW SPEC.	-M.A.-
	REVISED TITLE BOX		10-16-06	REVISED TO 2007 SPEC.	-M.A.-
4-14-99	ADDED "CASING PIPE" REQUIREMENT	-J.A.-			
5-19-99	CORRECTIONS TO CASING PIPE	-J.A.-			

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SETTLEMENT PLATFORM

NOT TO SCALE

---CADD STD. 205101-04

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
			118	86
FED. ROAD DIST. NO.			ILLINOIS FED. AID PROJECT	
CONTRACT NO.				