

## LEGEND

- 1 EXISTING 9-6-9 PAVEMENT
- (2) EXISTING BASE COURSE WIDENING, 9"
- (3A) EXISTING HOT-MIX ASPHALT OVERLAY, 3" & VARIES
- (3B) EXISTING HOT-MIX ASPHALT OVERLAY, 41/2" & VARIES
- (4) EXISTING HOT-MIX ASPHALT SHOULDERS, 8"
- (5) EXISTING PORTLAND CEMENT CONCRETE SIDEWALK, TO REMAIN
- (6) EXISTING AGGREGATE SHOULDER
- 7 PROPOSED HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH (0.75" AVG. € €)
- (8) PROPOSED HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50, 11/2"
- (9) PROPOSED PAINT PAVEMENT MARKING, LINE 5"
- (10) PROPOSED AGGREGATE SHOULDERS, TYPE B (1) PROPOSED LEVELING BINDER (MACHINE METHOD), N50, ¾"
- 12 PROPOSED LEVELING BINDER (MACHINE METHOD), N50,  $\frac{3}{4}$ " & VARIABLE
- (3) PROPOSED GUTTER, TYPE A (MODIFIED)
- (14) PROPOSED COMB CURB & GUTTER TYPE B-6.24
- (5) PROPOSED HOT-MIX ASPHALT SHOULDERS, 8"
- (6) PROPOSED HOT-MIX ASPHALT SHOULDERS, 21/4" (7) PROPOSED HOT-MIX ASPHALT SHOULDERS, 21/4"
- & VARIABLE
- (18) PROPOSED PORTLAND CEMENT CONCRETE SIDEWALK, 4"
- (19) SUB-BASE GRANULAR MATERIAL, TYPE B

LT STA. 109+61.5 TO STA. 110+44.00 RT STA. 110+02.9 TO STA. 110+44.00

> SEE PLAN VIEW FOR LOCATIONS OF PROPOSED PORTLAND CEMENT CONCRETE SIDEWALK.

ILLINOIS DEPARTMENT OF TRANSPORTATION IL ROUTE 104 TYPICAL SECTIONS DRAWN BY TJD