



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 14, 2022

SUBJECT Various Routes
Section 2020-238-T
Cook, DuPage, and Lake Counties
Contract No. 62N07
Item No. 161, April 29, 2022 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised the Schedule of Prices.
2. Revised page ii of the Table of Contents to the Special Provisions.
3. Revised pages 3-5 of the Special Provisions.
4. Added pages 92 & 93 to the Special Provisions.
5. Revised sheets 2, 4-8, 14-16, 18, 19, 23 & 24 of the Plans.

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

MTS

TEMPORARY TRAFFIC SIGNAL TIMING	59
AUTOMATED FLAGGER ASSISTANCE DEVICES (BDE).....	60
BLENDED FINELY DIVIDED MINERALS (BDE).....	62
COMPENSABLE DELAY COSTS (BDE).....	62
CONCRETE END SECTIONS FOR PIPE CULVERTS (BDE).....	66
CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE).....	68
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)	70
HOT-MIX ASPHALT – PATCHING (BDE)	79
ILLINOIS WORKS APPRENTICESHIP INITIATIVE – STATE FUNDED CONTRACTS (BDE).....	79
PORTLAND CEMENT CONCRETE – HAUL TIME (BDE).....	79
STEEL COST ADJUSTMENT (BDE).....	80
SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE)	84
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	84
SUBMISSION OF PAYROLL RECORDS (BDE)	85
TRAFFIC SPOTTERS (BDE).....	85
IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION.....	86
VEHICLE AND EQUIPMENT WARNING LIGHTS (BDE)	89
WEEKLY DBE TRUCKING REPORTS (BDE).....	89
WORK ZONE TRAFFIC CONTROL DEVICES (BDE)	89
WORKING DAYS (BDE)	91
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)	92

Revised 4/14/2022

MAINTENANCE OF ROADWAYS (D1)

Effective: September 30, 1985

Revised: November 1, 1996

Beginning on the date that work begins on this project, the Contractor shall assume responsibility for normal maintenance of all existing roadways within the limits of the improvement. This normal maintenance shall include all repair work deemed necessary by the Engineer, but shall not include snow removal operations. Traffic control and protection for maintenance of roadways will be provided by the Contractor as required by the Engineer.

If items of work have not been provided in the contract, or otherwise specified for payment, such items, including the accompanying traffic control and protection required by the Engineer, will be paid for in accordance with Article 109.04 of the Standard Specifications.

STATUS OF UTILITIES (D1)

Effective: June 1, 2016

Revised: January 1, 2020

Utility companies and/or municipal owners located within the construction limits of this project have provided the following information regarding their facilities and the proposed improvements. The tables below contain a description of specific conflicts to be resolved and/or facilities which will require some action on the part of the Department's contractor to proceed with work. Each table entry includes an identification of the action necessary and, if applicable, the estimated duration required for the resolution.

UTILITIES TO BE ADJUSTED

Conflicts noted below have been identified by following the suggested staging plan included in the contract. The company has been notified of all conflicts and will be required to obtain the necessary permits to complete their work; in some instances, resolution will be a function of the construction staging. The responsible agency must relocate, or complete new installations as noted below; this work has been deemed necessary to be complete for the Department's contractor to then work in the stage under which the item has been listed.

Pre-Stage

STAGE / LOCATION	TYPE	DESCRIPTION	RESPONSIBLE AGENCY	DURATION OF TIME
IL 137	Gas line	Conflict with proposed storm sewer	North Shore Gas	240 Days
McCarthy Road / 123 rd Street	Gas line	Conflict with proposed culvert	Nicor Gas	90 Days

Pre-Stage: 330 Days Total Installation

Revised 4/14/2022

The following contact information is what was used during the preparation of the plans as provided by the Agency/Company responsible for resolution of the conflict.

Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address
North Shore Gas	Jay Hammer	(224) 338-9093	jay.hammer@northshoregasdelivery.com
Nicor Gas	Saki Forah, Michal Ann Beyke, Charles "Chip" Parrott, & Emanuel Borrero	(630) 388-3319	sforah@southernco.com, MBeyke@southernco.com, cparrot@southernco.com, & eborrero@enengineering.com

UTILITIES TO BE WATCHED AND PROTECTED

The areas of concern noted below have been identified by following the suggested staging plan included for the contract. The information provided is not a comprehensive list of all remaining utilities, but those which during coordination were identified as ones which might require the Department's contractor to take into consideration when making the determination of the means and methods that would be required to construct the proposed improvement. In some instances, the contractor will be responsible to notify the owner in advance of the work to take place so necessary staffing on the owner's part can be secured.

STAGE / LOCATION	TYPE	DESCRIPTION	OWNER
Kensington Road, IL 137, IL 64, and McCarthy Road / 123 rd Street	Cable	Buried and Aerial	MCI/Verizon
Kensington Road	Fiber optic cables	Underground	Lumen (CenturyLink/ Level 3)
Kensington Road	Cable	Aerial	AT&T/Teleport
Kensington Road	Watermain	36" existing watermain, north side of Kensington Road	Northwest Water Commission
Kensington Road, IL 137, IL 64, and McCarthy Road / 123 rd Street	Fiber, Cable, and Conduit	Aerial and Buried	AT&T
Kensington Road	Sewer	Upper Des Plaines Intercepting Sewer	Metropolitan Water Reclamation District of Greater Chicago
Kensington Road	Cable	Aerial and underground facilities	WOW
Kensington Road, IL 137, I-290, IL 64, and McCarthy Road / 123 rd Street	Cable and Wire	Aerial and underground facilities, utility poles	ComEd
Kensington Road and IL 64	Gas line	Underground	Nicor Gas

Revised 4/14/2022

The following contact information is what was used during the preparation of the plans as provided by the owner of the facility.

Agency/Company Responsible to Resolve Conflict	Name of contact	Phone	E-mail address
MCI/Verizon	Joe Chaney	(312) 617-2131	joe.chaney@verizon.com & investigations@verizon.com
Lumen (CenturyLink/ Level 3)	Kimberly Singleton, Ben Pacocha, & Ryan Burgeson	(847) 954-8212	kimberly.singleton@centurylink.com, ben.pacocha@lumen.com, ryan.burgeson@centurylink.com, NationalRelo@centurylink.com, & relocations@centurylink.com
AT&T/Teleport	Tim Lapointe, Stan Plodzien, Jamie Gwin, Darrel Brown, Urmi Picone, Janet Ahern, Jamel McGinnis, & Todd Andrews	630) 573-5453 or (630) 573-5423 or (630) 573-6496	tl0695@att.com, sp3264@att.com, jg8128@att.com, db1324@att.com, sterenberg@cgroupmail.com, ba3817@att.com, Kc1298@att.com, ja1763@att.com, ub2591@att.com, ja1763@att.com, jm548w@att.com, & ta3141@att.com
Northwest Water Commission	David Neybert	(847) 635-0777	dneybert@northwestwater.org
AT&T	Stan Plodzien, Jamie Gwin, Janet Ahern, & Aaron Baader	(630) 573-5453, (630) 573-5423, (630) 573-6496	sp3264@att.com, jg8128@att.com, ja1763@att.com, & AB7893@att.com
Metropolitan Water Reclamation District of Greater Chicago	Paul Sobanski, Cedric Robertson, Margarita Johnson, Joseph Schuessler, Hanif Munshi, or Catherine O'Connor	(708) 588-4080, (708) 588-3896, (847) 568-8380	JohnsonM1@mwrdd.org, SchuesslerJ@mwrdd.org, MunshiM@mwrdd.org, OconnerC@mwrdd.org, & PatinoM@mwrdd.org, No access hatches and manhole covers on MWRD structures and manholes within the project area to be buried or covered. No debris to enter MWRD structures, sewers, or facilities. MWRD personnel to have 24 hour-a-day unrestricted access to all MWRD facilities. For questions regarding access or field location, contact Paul Sobanski at (708) 588-4080. For authorization to locate, protect and/or adjust to grade MWRD manholes, contact Cedric Robertson, Managing Engineer, at (708) 588-3896.
WOW	Jared Trombetta & Kevin Rhodes	(630) 930-7673 & (630) 930-7597	jared.trombetta@wowinc.com & kevin.rhodes@wowinc.com

Revised 4/14/2022

ComEd	Vincent Mazzaferro, Mark Saccomonto, & Gaurav Kadel	(779) 231-1027	Vincent.MazzaferroPE@ComEd.com, Plansubmittalsandmaprequests@ exeloncorp.com, Mark.Saccomonto@ComEd.com, & Gaurav.Kadel@ComEd.com
Nicor Gas	Saki Forah, Michal Ann Beyke, Charles "Chip" Parrott, & Emanuel Borrero	(630) 388-3319	sforah@southernco.com, MBeyke@southernco.com, cparrot@southernco.com, & eborrero@enengineering.com

The above represents the best information available to the Department and is included for the convenience of the bidder. The days required for conflict resolution should be considered in the bid as this information has also been factored into the timeline identified for the project when setting the completion date. The applicable portions of the Standard Specifications for Road and Bridge Construction shall apply.

Estimated duration of time provided above for the first conflicts identified will begin on the date of the executed contract regardless of the status of the utility relocations. The responsible agencies will be working toward resolving subsequent conflicts in conjunction with contractor activities in the number of days noted.

The estimated relocation duration must be part of the progress schedule submitted by the contractor. A utility kickoff meeting will be scheduled between the Department, the Department's contractor and the utility companies when necessary. The Department's contractor is responsible for contacting J.U.L.I.E. prior to all excavation work.

PUBLIC CONVENIENCE AND SAFETY (D1)

Effective: May 1, 2012
Revised: July 15, 2012

Add the following to the end of the fourth paragraph of Article 107.09:

"If the holiday is on a Saturday or Sunday, and is legally observed on a Friday or Monday, the length of Holiday Period for Monday or Friday shall apply."

Add the following sentence after the Holiday Period table in the fourth paragraph of Article 107.09:

"The Length of Holiday Period for Thanksgiving shall be from 5:00 AM the Wednesday prior to 11:59 PM the Sunday After"

Delete the fifth paragraph of Article 107.09 of the Standard Specifications:

"On weekends, excluding holidays, roadways with Average Daily Traffic of 25,000 or greater, all lanes shall be open to traffic from 3:00 P.M. Friday to midnight Sunday except where structure construction or major rehabilitation makes it impractical."

Revised 4/14/2022

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)

Description. This work shall consist of the removal and disposal of regulated substances according to Section 669 of the Standard Specifications as revised below.

Contract Specific Sites. The excavated soil and groundwater within the areas listed below shall be managed as either “uncontaminated soil”, hazardous waste, special waste or non-special waste. For stationing, the lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit, whichever is less.

Soil Disposal Analysis. When the waste material requires sampling for landfill disposal acceptance, the Contractor shall secure a written list of the specific analytical parameters and analytical methods required by the landfill. The Contractor shall collect and analyze the required number of samples for the parameters required by the landfill using the appropriate analytical procedures. A copy of the required parameters and analytical methods (from landfill email or on landfill letterhead) shall be provided as Attachment 4A of the BDE 2733 (Regulated Substances Final Construction Report). The price shall include all sampling materials and effort necessary for collection and management of the samples, including transportation of samples from the job site to the laboratory. The Contractor shall be responsible for determining the specific disposal facilities to be utilized; and collect and analyze any samples required for disposal facility acceptance using a NELAP certified analytical laboratory registered with the State of Illinois.

East Bound I-290 (Eisenhower Expressway), West of Emroy Avenue, Elmhurst, DuPage County

- Station 955+00 to Station 964+15 (CL I-290), 0 to 200 feet LT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameter: Arsenic.

Kensington Road at Wilshire Drive, Mt. Prospect, Cook County

- Soils excavated at the southeast quadrant of the intersection of Kensington Road and Wilshire Drive meet the Illinois EPA Maximum Allowable Concentrations (MACs). The use of soil excavated from this area is considered “unrestricted” in that these soils are not classified as “regulated substances”, which must be managed in accordance with IDOT Standard Specifications for Road and Bridge Construction requirements.

Added 4/14/2022

The following three areas were risk-managed by the District 1 Special Waste Unit (SWU). These areas were not addressed with the PSI studies performed by Huff & Huff and are not included in the Final PSI Report.

IL 137 (Greenwood Avenue) East of Sheridan Road, Waukegan, Lake County

- Station 21+00 to Station 21+30 (CL Greenwood Avenue), 0 to 40 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameter: VOCs, SVOCs, Metals.

IL 64 (North Avenue) West of Glen Ellyn Road / Main Street, Glendale Heights, DuPage County

- Station 18+95 to Station 21+40 (CL North Avenue), 0 to 100 feet LT and 0 to 25 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameter: VOCs, SVOCs, Metals.

McCarthy Road East of St. James Way, Lemont, Cook County

- Station 22+50 to Station 26+20 (CL McCarthy Road), 33 feet LT to 33 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameter: VOCs, SVOCs, Metals.

Work Zones

Three distinct OSHA HAZWOPER work zones (exclusion, decontamination, and support) shall apply to projects adjacent to or within sites with documented leaking underground storage tank (LUST) incidents, or sites under management in accordance with the requirements of the Site Remediation Program (SRP), Resource Conservation and Recovery Act (RCRA), or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), or as deemed necessary. For this project, the work zones apply for the following ISGS PESA Sites:

None

Added 4/14/2022