
## SLOPE STEPS DETAIL

TYPICAL CROSS-SECTION EMBANKMENT CONSTRUCTION ON SIDEHILL



## NOTE:

THIS EXCAVATION REQUIRED FOR BENCHING THE PROPOSED EMBANKMENT INTO THE EXISTING SLOPE WILL NOT BE MEASURED FOR PAYMENT BUT SHALL BE CONSIDERED AS A REQUIREMENT AND THE COST INCLUDED IN THE CONTRACT UNIT BID PRICE PER CUBIC YARD FOR "EARTH EXCAVATION" OF THE MATERIAL MEASURED FOR PAYMENT IN ACCORDANCE WITH SECTION 202 OF THE STANDARD SPECIFICATIONS

## GENERAL NOTES:

- 1. Slope Steps will be required for all 300(12) minimum thickness "silver fills" and on a fills with a height of 3.0m(10").
- 2. The Step width shall be twice the Step depth but not less than 6 feet.
- 3. Refer to Article 205.03 for Embankment to be constructed on Hillside or Slopes, or if existing Embankments are to be widened.

REPLACEMENT MATERIAL:

STANDARD EMBANKMENT
(IN ACCORDANCE WITH
205 OF THE STANDARD SPECIFACATION).

THIS DETAIL DOES NOT APPLY TO SLOPE FAILURE AREA

All dimensions are in millimeters (inches) unless otherwise noted.

FILE NAME =	USER NAME = laughlinrl	DESIGNED -	REVISED -		SLOPE STEPS DETAIL						RTE	SECTION	COUNTY	SHEETS NO.
c:\pw_work\PWIDOT\LAUGHLINRL\dma25	16\D672802-SHT-slopestep.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS							550	(9.10)I: 11(RS-1.BI)	SCHUYLER	86 48
SLOPESTEP.DGN	PLOT SCALE = 40.0000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION							CONTRACT NO. 72802			
	PLOT DATE = Apr-06-2010 01:18:51PM	DATE -	REVISED -		SCALE:	SHEET NO.	OF	SHEET:	STA.	TO STA.	FED. RO	DAD DIST. NO. ILLINOIS FED. A		