




PARAPET RAILING ELEVATION




ANCHOR BOLT DETAILS

In lieu of the cast-in-place anchor device shown, the Contractor has the option of drilling and setting $5/8"$ ϕ anchor rods according to Article 509.06 of the Standard Specifications. Embedment shall be according to the manufacturer's specifications.



SECTION THRU DECK



RAIL SPLICE

BILL OF MATERIAL

Item	Unit	Quantity
Parapet Railing	Foot	332

DESIGNED - DEWEY H. COULTAS
 CHECKED - NICHOLAS R. BARNETT
 DRAWN - MICHAEL B. MOSSMAN
 CHECKED - D.H.C. / N.R.B.

EXAMINED - *Jaime F. Joffe*
 ACTING ENGINEER OF BRIDGE DESIGN
 PASSED - *Carl Perry*
 ACTING ENGINEER OF BRIDGES AND STRUCTURES

DATE - FEBRUARY 25, 2013
 REVISED
 REVISED

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**PARAPET RAILING
 STRUCTURE NO. 010 - 0289**

SHEET NO. 36 OF 62 SHEETS

F.A.I. R.T.E.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
74	10-4BR	CHAMPAIGN	290	121
CONTRACT NO. 70700				
ILLINOIS FED. AID PROJECT				