
STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

EXISTING DECK BEAM



NOTES


Detail I - With Bar Splicer or Couplers: Connect one (1) 1"x7"x10" steel P_c to the top layer of couplers with $2^{-5}8$ " ϕ bolts screwed to coupler at approximate & of each barrier panel.


Detail II - With Extended Reinforcement Bars: Connect one (1) 1"x7"x 10" steel $f_{\rm L}$ to the concrete slab or concrete wearing surface with 2-5g" ϕ Expansion Anchors or cast in place inserts spaced between the top layer of reinforcement at approximate © of each barrier panel.

Cost of anchorage is included with Temporary Concrete Barrier. The 1" x 7" x 10" plate shall not be removed until stage II construction forms and all reinforcement bars are in place and the concrete is ready to be placed.

SECTIONS THRU SLAB OR DECK BEAM

- *** Dimension shown is minimum required embedment into concrete. If hot-mix asphalt wearing surface is present, minimum embedment shall be in addition to wearing surface depth.
- **** If existing deck beam is to remain in place after stage construction, embedment shall only be into wearing surface and not into existing deck beam concrete.





STEEL RETAINER P 1" x 7" x 10"

* Required only with Detail II

2/4" Cl.	<i></i>	**Wood	d blocks - P. 1" x 7" x "W"
	4	Top Layer Splicer	$\frac{2-\frac{5}{8}" \phi \ Bolts}{with \ washers}$

DETAIL I

** Wood blocks may be omitted when required to provide minimum stage traffic lane width. When the wood blocks are omitted, the concrete barrier shall be in direct contact with the steel retainer plate.

Johnson, Depp & Quisenberry
CONSULTING ENGINEERS
Springfield, Illinois DESIGNED: JDQ DRAWN: SJS CHECKED: CHECKED: DCD

11-1-09

R-27

"W" = Top bars spacing + 4"

TEMPORARY CONCRETE BARRIER FOR STAGE CONSTRUCTION STRUCTURE NO. 086-0023(EB) & 0024(WB)

SHEET 2 OF 7	F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	72	86-10(RS-3)	SCOTT	48	36
		STA. 200+00.00	CONTRACT	NO.	72A16
	FED. R	DAD DIST. NO. ILLINOIS FED. A	D PROJECT		