

INDEX OF SHEETS

- 1 COVER SHEET
- 2 GENERAL NOTES AND TYPICAL SECTION
- 3 SUMMARY OF QUANTITIES, APPLICATION RATES,
BITUMINOUS MIXTURE REQUIREMENTS, SCHEDULE OF QUANTITIES
- 4-5 PLAN SHEETS
- 6-8 DETAILS

STATE OF ILLINOIS VILLAGE OF CREVE COEUR PLANS FOR PROPOSED LOCAL AGENCY IMPROVEMENT FEDERAL-AID PROJECT

HIGHWAY STANDARDS

- 442201-03 CLASS C AND D PATCHES
- 701201-03 LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS > 45 MPH
- 701421-02 LANE CLOSURE, MULTILANE, DAY OPERATIONS ONLY, FOR SPEEDS > 45 TO 55 MPH
- 701501-05 URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
- 701901-01 TRAFFIC CONTROL DEVICES

**FISCHER AVENUE – FAU 6718
SECTION: 09-00005-00-RS
PROJECT: ARA-5093(145)
TAZEWELL COUNTY
JOB #: C-94-118-09**


UTILITIES

VILLAGE OF CREVE COEUR (WATER & SEWER)
995 WESLEY ROAD
CREVE COEUR, IL 61610
JEFF SHEFFLER 309-678-1208

AMEREN CILCO (GAS & ELECTRIC)
110 W. MONARCH ST.
PEORIA, IL 61602
KENT KOWALSKIE 309-264-5575 (GAS)
TOM KOEPEL 309-693-4702 (ELECTRIC)


INSIGHT COMMUNICATIONS (CABLE)
3517 N. DRIES LANE
PEORIA, IL 61604
309-686-2600

AT&T (TELEPHONE)
2315 N. KNOXVILLE
PEORIA, IL 61604



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123




LOCATION MAP

(NOT TO SCALE)

FUNCTIONAL CLASSIFICATION = MINOR COLLECTOR
LENGTH OF IMPROVEMENT = 1985 FEET = .38 MILE

CONTRACT NO. 89536



APPROVED	 VILLAGE OF CREVE COEUR, MAYOR WAYNE BAKER
PASSED	 DISTRICT FOUR ENGINEER OF LOCAL ROADS & STREETS
Releasing For Bid Based on Limited Review	 DEPUTY DIRECTOR OF HIGHWAYS, REGION THREE ENGINEER STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION
	 ALICIA M. HERMANN 05/19/09 11/30/09 DATE EXPIRES

HERMANN & ASSOCIATES, LLC
CONSULTING ENGINEERS
5835 NORTH GALENA ROAD
PEORIA, ILLINOIS 61614
PHONE: (309) 687-5566
FAX: (309) 687-0571
ILLINOIS PROFESSIONAL DESIGN FIRM NO. 184.004714


PRINTED BY THE AUTHORITY
OF THE STATE OF ILLINOIS

TRANSPORTATION • MUNICIPAL ENGINEERING • LAND DEVELOPMENT
ASBESTOS INSPECTION • CONSTRUCTION OBSERVATION

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
6718	09-00005-00-RS	TAZEWELL	8	2
STA. _____		TO STA. _____		
FED. ROAD DIST. NO. 4 ILLINOIS FED. AID PROJECT				

GENERAL NOTES


- ALL CONSTRUCTION SHALL COMPLY WITH THE CURRENT EDITIONS OF THE ILLINOIS DEPARTMENT OF TRANSPORTATION'S "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION," HEREINAFTER REFERRED TO AS THE "STANDARD SPECIFICATIONS," "SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS," AND THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES."
- ALL ELEVATIONS SHOWN ON THE PLANS ARE ON A LOCALLY ESTABLISHED DATUM. SEE THIS SHEET FOR LIST OF BENCHMARKS AND HORIZONTAL CONTROL POINTS. THE CONTRACTOR SHALL VERIFY ALL BENCHMARKS AND HORIZONTAL CONTROL POINTS FOR ACCURACY PRIOR TO STARTING CONSTRUCTION AND REPORT ANY DISCREPANCIES TO THE ENGINEER.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING UTILITY PROPERTY FROM CONSTRUCTION OPERATIONS AS OUTLINED IN ARTICLE 107.34 OF THE "STANDARD SPECIFICATIONS." CALL J.U.L.I.E. AT 1-800-892-0123 A MINIMUM OF 48 HOURS IN ADVANCE OF DIGGING OPERATIONS. THE CONTRACTOR SHALL COORDINATE ANY REQUIRED UTILITY ADJUSTMENTS WITH THE APPROPRIATE UTILITY COMPANY.
- THE LOCATION OF EXISTING UNDERGROUND UTILITIES, AS SHOWN ON THE PLANS, ARE BASED ON CAREFUL FIELD INVESTIGATION AND THE BEST INFORMATION AVAILABLE, BUT THEY ARE NOT GUARANTEED. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THEIR EXACT LOCATION FROM THE UTILITY COMPANIES AND BY FIELD INVESTIGATION, AS REQUIRED FOR CONSTRUCTION.
- ALL EXISTING WATER VALVES, CORPORATION STOPS, GAS VALVES, MANHOLE CASTINGS, FIRE HYDRANTS, AND OTHER PERMANENT STRUCTURES WITH THE NEW IMPROVEMENTS SHALL BE ADJUSTED AS NECESSARY TO MATCH THE PROPOSED FINISHED SURFACE. THIS WORK SHALL BE DONE BY OTHERS.
- THE CONTRACTOR SHALL NOTIFY AND RECEIVE APPROVAL FROM THE ENGINEER PRIOR TO REMOVING OR COVERING UP ANY SURVEY MONUMENTS OR PROPERTY MARKERS.
- THE CONTRACTOR SHALL CONFINE THE CONSTRUCTION WITHIN THE RIGHT OF WAY OR TEMPORARY CONSTRUCTION EASEMENT.
- CONTRACTOR SHALL TAKE REASONABLE PRECAUTIONS SO AS TO PREVENT DAMAGE FROM OCCURRING TO ALL EXISTING BUILDINGS, STRUCTURES, PUBLIC, AND PRIVATE PROPERTY AS A RESULT OF CONSTRUCTION.
- SIGNS, MAILBOXES, FENCE, FENCE RAILS, POSTS, LANDSCAPING ITEMS NOT IDENTIFIED ON THE BID SCHEDULE WHICH ARE DAMAGED OR DISTURBED DURING CONSTRUCTION SHALL BE REPLACED WITH LIKE MATERIALS AND CONSTRUCTION. THIS WORK SHALL BE INCLUDED IN THE CONTRACT AMOUNT.
- CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AND MAINTAINING APPROPRIATE TRAFFIC CONTROL DEVICES IN ACCORDANCE WITH THE LATEST REQUIREMENTS OF THE STANDARD SPECIFICATIONS, MUTCD, AND ANY REQUIREMENTS DETAILED IN THE CONTRACT DOCUMENTS. TRAFFIC CONTROL SHALL BE PAID FOR AS TRAFFIC CONTROL COMPLETE.
- STREETS, PARKING LOTS, OR DRIVEWAYS SHALL NOT BE COMPLETELY CLOSED WITHOUT PRIOR NOTIFICATION OF PROJECT OWNER AND PROPERTY OWNER BY CONTRACTOR.
- ACCESS MUST BE MAINTAINED TO ALL EXISTING PROPERTIES DURING CONSTRUCTION IN ACCORDANCE WITH ARTICLE 107.09 UNLESS ARRANGEMENTS ARE MADE IN WRITING BY THE CONTRACTOR WITH THE PROPERTY OWNERS WITH A COPY TO THE ENGINEER FOR SHORT TERM CLOSURES.
- THE CONTRACTOR SHALL COMPLY WITH THE LEGAL STREET LOADING LIMITS ESTABLISHED BY THE CITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE CAUSED BY LUGS OR CLEATS ON TREADS OR WHEELS, EXCESSIVE WEIGHTS, AND LOADS, ETC.



REVISIONS		
NUMBER	BY	DATE

**VILLAGE OF CREVE COEUR
FISCHER AVENUE - FAU 6718
MILLOVERLAY**

GENERAL NOTES AND TYPICAL SECTION



HERMANN & ASSOCIATES, LLC
CONSULTING ENGINEERS

5835 NORTH GALENA ROAD
PEORIA, ILLINOIS 61614
P: (309) 687-5566
F: (309) 687-0571

TRANSPORTATION • MUNICIPAL ENGINEERING
LAND DEVELOPMENT • ASBESTOS INSPECTION
CONSTRUCTION OBSERVATION

DESIGN BY: AMPH/KLM
DRAWN BY: KLM/SNP
CHECKED BY: AMPH
APPROVED BY: _____
DATE: MAY 2009
JOB No: 03.029.09

SHEET 2 OF 8 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
6718	09-00005-00-RS	TAZEWELL	8	3
STA. _____ TO STA. _____		FED. ROAD DIST. NO. 4 ILLINOIS FED. AID PROJECT		

BITUMINOUS PAVING SCHEDULE						40603310	40600100	40600300
						HOT-MIX ASPHALT SURFACE COURSE, MIX "C" N50	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)
LOCATION	LENGTH	WIDTH	AREA	AREA	FUND TYPE	WEIGHT	VOLUME	WEIGHT
STATION TO STATION	FEET	FEET	SQ FT	SQ YDS	FED/TIF	TONS	GALLONS	TONS
STA. 10+05.00 TO STA. 15+10.00	505.00	26' AND VAR	16560.1	1840.01	TIF	154.56	184.00	1.84
STA. 15+10.00 TO STA. 29+90.00	1480.00	26' AND VAR	38034.15	4226.02	FED	354.99	422.60	4.23
STRAESSER LANE	30.00	VAR	1204.9	133.88	FED	11.25	13.39	0.13
STROJAN COURT	21.00	VAR	675.72	75.08	FED	6.31	7.51	0.08
TOTAL						6274.99	627.50	6.27

DETECTOR LOOPS, TYPE 1			88600100
LOCATION	FUNDING SOURCE	LENGTH	
	FED/TIF	FOOT	
FISCHER ROAD (IL 29 INTERSECTION)	TIF	375.0	
TOTAL		375.00	

HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT						40600982
LOCATION	FUNDING SOURCE	LENGTH	WIDTH	AREA		
STATION TO STATION	FED/TIF	FEET	FEET	SQ FT	SQ YDS	
STA. 10+05 TO STA 10+42.72	TIF	37.75	VAR	2065.5	229.50	
STRAESSER LANE	FED	30.00	VAR	1206	134.00	
STROJAN CT.	FED	21.00	VAR	675	75.00	
STA. 29+80 TO STA. 29+90	FED	10.00	VAR	261	29.00	
TOTAL						4207.50

FISCHER ROAD SUMMARY OF QUANTITIES					
CODE NUMBER	PAY ITEM	UNIT	TOTAL QUANTITY	FUNDING SOURCE	
				FED	TIF
20201200	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	CU YD	10	5	5
31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	10	5	5
40600115	POLYMERIZED BITUMINOUS MATERIALS (PRIME COAT)	GALLON	627.0	443.0	184.0
40600300	AGGREGATE (PRIME COAT)	TON	6.3	4.5	1.8
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	467.0	238.0	229.0
40600990	TEMPORARY RAMP	SQ YD	54.4	40.0	14.4
40603310	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50	TON	527.0	372.5	154.5
44000155	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"	SQ YD	5808.00	4198.0	1610.0
44201713	CLASS D PATCHES, TYPE I, 6 INCH	SQ YD	5	2.5	2.5
44201717	CLASS D PATCHES, TYPE II, 6 INCH	SQ YD	10	5	5
44201721	CLASS D PATCHES, TYPE III, 6 INCH	SQ YD	20	10	10
44201723	CLASS D PATCHES, TYPE IV, 6 INCH	SQ YD	25	12.5	12.5
67100100	MOBILIZATION	L SUM	1.0	0.0	1.0
70103700	TRAFFIC CONTROL COMPLETE	L SUM	1.0	0.0	1.0
88600100	DETECTOR LOOP, TYPE I	FOOT	375.0	0.0	375.0
X0325675	TEMPORARY RUBBER RAMPS FOR DRAINAGE AND UTILITY CASTINGS	EACH	3.0	2.0	1.0

* SPECIALTY ITEMS

TEMPORARY RAMP					40600990
LOCATION	FUNDING SOURCE	LENGTH	WIDTH	AREA	
	FED/TIF	FEET	FEET	SQ FT	SQ YDS
IL RTE 29	TIF	26	5	14.44	
STRAESSER LANE	FED	26	5	14.44	
STROJAN COURT	FED	20	5	11.11	
FISCHER RD. (EAST TERMINUS)	FED	26	5	14.44	
TOTAL					54.44

CLASS D PATCHING, 6 INCH				
THE FOLLOWING QUANTITIES ARE CONTINGENT QUANTITIES				
FUND TYPE	44201713	44201717	44201721	44201723
	CLASS D PATCHES, TYPE I, 6 INCH	CLASS D PATCHES, TYPE II, 6 INCH	CLASS D PATCHES, TYPE III, 6 INCH	CLASS D PATCHES, TYPE IV, 6 INCH
	SQ YD	SQ YD	SQ YD	SQ YD
FED/TIF				
FED	2.5	5.0	10.0	12.5
TIF	2.5	5.0	10.0	12.5
TOTAL	5.0	10.0	20.0	25.0

HOT-MIX ASPHALT SURFACE REMOVAL - 1.5"						44000155
LOCATION	FUNDING SOURCE	LENGTH	WIDTH	AREA		
STATION TO STATION		FEET	FEET	SQ FT	SQ YDS	
STA. 10+42.75 TO STA. 15+10.00	TIF	467.25	26' AND VARIES	14494.5	1610.50	
STA. 15+10.00 TO STA. 29+80.00	FED	1470.00	26' AND VARIES	37782	4198.00	
TOTAL						52276.5

SUBBASE GRANULAR MATERIAL, TYPE B			31101100
LOCATION	FUNDING SOURCE	UNIT	
STATION	FED/TIF	CU YDS	
CONTINGENT QUANTITY	FED	5.0	
CONTINGENT QUANTITY	TIF	5.0	
TOTAL			10.0

RATE OF APPLICATION	
BITUMINOUS SURFACE COURSE	112 LB/SQ YD/INCH
CONVERSION	0.056 TONS/SQ YD/INCH
BITUMINOUS MATERIALS (PRIME COAT)	
ON COLDMILLED SURFACE	0.10 GAL/SQ YD
CONVERSION	0.004 TONS = 1 GALLON
AGGREGATE (PRIME COAT)	
FOG COAT	2 LB/SQ YD

MOBILIZATION			67100100
LOCATION	FUNDING SOURCE	UNIT	
STATION	FED/TIF	L SUM	
STA. 10+05 TO STA. 29+90	TIF	1.00	
TOTAL			1.00

TRAFFIC CONTROL COMPLETE			70103700
LOCATION	FUNDING SOURCE	UNIT	
STATION	FED/TIF	L SUM	
STA. 10+05 TO STA. 29+90	TIF	1.00	
TOTAL			1.00

TEMPORARY RUBBER RAMPS FOR DRAINAGE AND UTILITY CASTINGS			X0325675
LOCATION	FUNDING SOURCE	ITEM	
	FED/TIF	EACH	
FISCHER ROAD (VARIOUS LOCATIONS)	TIF	1.0	
FISCHER ROAD (VARIOUS LOCATIONS)	FED	2.0	
TOTAL			3.00

REMOVAL & DISPOSAL OF UNSUITABLE MATERIAL			20201200
LOCATION	FUNDING SOURCE	UNIT	
STATION	FED/TIF	CU YDS	
CONTINGENT QUANTITY	FED	5.0	
CONTINGENT QUANTITY	TIF	5.0	
TOTAL			10.0

BITUMINOUS CONCRETE MIXTURE REQUIREMENTS	
THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE FOR THIS PROJECT.	
MIXTURE USES (S):	SURFACE COURSE
AC/PG	64-22
RAP %: (Max) **	15%
DESIGN AIR VOIDS	4.0% @ NDES = N50
MIXTURE COMPOSITION	IL 9.5 or IL 12.5
FRICITION AGGREGATE	Mixture C

** If > 15% RAP is used the Contractor may be required to use a softer grade of asphalt as determined by the materials engineer.

REVISIONS		
NUMBER	BY	DATE

VILLAGE OF CREVE COEUR
 FISCHER AVENUE - FAU 6718
 MILL/OVERLAY
 SUMMARY OF QUANTITIES, APPLICATION RATES,
 BITUMINOUS MIX REQUIREMENTS
 SCHEDULE OF QUANTITIES


HERMANN & ASSOCIATES, LLC
 CONSULTING ENGINEERS
 5835 NORTH GALENA ROAD
 PEORIA, ILLINOIS 61614
 P: (309) 687-6566
 F: (309) 687-0571

TRANSPORTATION • MUNICIPAL ENGINEERING
 LAND DEVELOPMENT • ASBESTOS INSPECTION
 CONSTRUCTION OBSERVATION
 DESIGN BY: AMPH/KLM
 DRAWN BY: KLM/SNP
 CHECKED BY: AMPH
 APPROVED BY:
 DATE: MAY 2009
 JOB No: 03.029.09

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
6718	09-00005-00-RS	TAZEWELL	8	4
STA. _____		TO STA. _____		
FED. ROAD DIST. NO. 4 ILLINOIS FED. AID PROJECT				

REVISIONS		
NUMBER	BY	DATE



VILLAGE OF CREVE COEUR
 FISCHER AVENUE - FAU 6718
 MILL/OVERLAY

PLAN SHEET - FISCHER ROAD

HERMANN & ASSOCIATES, LLC
 CONSULTING ENGINEERS

5835 NORTH GALENA ROAD
 PEORIA, ILLINOIS 61614
 P: (309) 687-5566
 F: (309) 687-0571

DESIGN BY:	AMPH/KLM
DRAWN BY:	KLM/SNP
CHECKED BY:	AMPH
APPROVED BY:	
DATE:	MAY 2009
JOB No:	03.029.09






F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
6718	09-0005-00-RS	TAZEWELL	8	5
STA. _____		TO STA. _____		
FED. ROAD DIST. NO. 4		ILLINOIS FED. AID PROJECT		

REVISIONS		
NUMBER	BY	DATE


VILLAGE OF CREVE COEUR
FISCHER AVENUE - FAU 6718
MILLOVERLAY
PLAN SHEET - FISCHER ROAD


HERMANN & ASSOCIATES, LLC
 CONSULTING ENGINEERS
 5835 NORTH GALENA ROAD
 PEORIA, ILLINOIS 61614
 P: (309) 687-5566
 F: (309) 687-0571

TRANSPORTATION • MUNICIPAL ENGINEERING
 LAND DEVELOPMENT • ASBESTOS INSPECTION
 CONSTRUCTION OBSERVATION
 DESIGN BY: AMPH/KLM
 DRAWN BY: KLM/SNP
 CHECKED BY: AMPH
 APPROVED BY: _____
 DATE: MAY 2009
 JOB No: 03,029.09



F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
6718	D9-00005-00-RS	TAZEWELL	8	6
STA.		TO STA.		
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		




CASE 1 : WITH HOT MIX ASPHALT SURFACE REMOVAL (COLD MILLING)

**TABLE A
(LENGTHS AND TAPER RATES)**

SPECIAL NOTE NUMBER	ELEMENT	MAINLINE INTERSTATES & 4-LANE EXPRESSWAYS	ALL OTHERS
①	LENGTH OF BUTT JOINT	60'(18.0 m)	30'(9.0 m)
②	PERMANENT TAPER RATE	1:480	1:240
③	TEMPORARY RAMP TAPER RATE	1:80	1:40
④	TEMPORARY RAMP LENGTH	10'(3.0 m)	5'(1.5 m)
⑤	LENGTH OF BUTT JOINT	10'(3.0 m)	10'(3.0 m)

GENERAL NOTES

1. The work shall be done in accordance with Article 406.08 and the Special Provision for Butt Joints.
2. The pavement surface to be removed may be either bituminous or P.C. concrete. The work shall be performed in accordance with Article 440.04 and the Special Provisions for Butt Joints.
3. The saw cut joints shall be primed just prior to the placing of bituminous material. The work will be in accordance with the applicable portions of Article 406.05.



CASE 2 : NO HOT MIX ASPHALT SURFACE REMOVAL (COLD MILLING)

All dimensions are in Inches (millimeters) unless otherwise noted.

ILLINOIS DEPARTMENT OF TRANSPORTATION
DISTRICT CADD STANDARD


DATE	REVISIONS	BY
1-1-97	RENUM. C-23.01, NEW REVISION BOX	T.P.
4-1-97	CORRECTION TO DEPTH	J.A.
9-15-05	REVISED DESIGNER NOTE	M.M.A.
10-16-06	REVISED TO 2007 SPEC.	M.A.

BUTT JOINTS
CADD STD NO. 406101-D4 SHEET 1 OF 3
SCALE: NOT DRAWN TO SCALE DRAWN BY CADD
DATE CHECKED BY


406101-D4 (1)

DESIGNER NOTES:
1. Include District Special Provision for Butt Joints & for Hot Mix Asphalt Removal (Cold Milling).
2. The butt joints pay item includes the saw cut & temporary ramp. Payment for the Butt Joint applies whether or not the project features Hot Mix Asphalt Removal (Cold Milling).


F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
6718	D9-00005-00-RS	TAZEWELL	8	7
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		



**CASE 3 : WITH HOT MIX ASPHALT SURFACE REMOVAL (COLD MILLING)
TIE-IN TO EXISTING BITUMINOUS TAPER**



**CASE 4 : NO HOT MIX ASPHALT SURFACE REMOVAL (COLD MILLING)
TIE-IN TO EXISTING BITUMINOUS TAPER**




DETAIL TEMPORARY RAMP

All dimensions are in inches (millimeters) unless otherwise noted.

ILLINOIS DEPARTMENT OF TRANSPORTATION
DISTRICT CADD STANDARD

BUTT JOINTS
CADD STD NO. 406101-D4 SHEET 2 OF 3
SCALE: NOT DRAWN TO SCALE
DRAWN BY CADD
CHECKED BY

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
6718	D9-00005-00-RS	TAZEWELL	8	8
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		



CASE 5 : WITH HOT MIX ASPHALT SURFACE REMOVAL (COLD MILLING)
TIE-IN TO EXISTING BITUMINOUS TAPER

All dimensions are in inches (millimeters) unless otherwise noted.

ILLINOIS DEPARTMENT OF TRANSPORTATION
 DISTRICT CADD STANDARD

BUTT JOINTS
 CADD STD NO. 406101-D4 SHEET 3 OF 3
 SCALE: NOT DRAWN TO SCALE DRAWN BY CADD
 CHECKED BY