


**SIGN PANEL – TYPE 1**

ALL DIMENSIONS ARE IN INCHES UNLESS NOTED OTHERWISE



DESIGN SERIES	AREA (SQ FT)	SIGN PANEL TYPE	SHEETING TYPE	QTY REQUIRED
D	6.75	1	ZZ	1

NOTE: FOR ADDITIONAL DESIGN AND INSTALLATION INFORMATION PLEASE SEE DISTRICT ONE MAST ARM MOUNTED STREET NAME SIGNS DETAIL.

**SCHEDULE OF QUANTITIES**

ITEM DESCRIPTION	UNITS	TOTAL QTY
CHANGEABLE MESSAGE SIGN	CAL DA	56
SIGN PANEL - TYPE 1	SQ FT	7
UNDERGROUND CONDUIT, GALVANIZED STEEL, 2" DIA.	FOOT	575
UNDERGROUND CONDUIT, GALVANIZED STEEL, 3" DIA.	FOOT	50
UNDERGROUND CONDUIT, GALVANIZED STEEL, 4" DIA.	FOOT	564
HANDHOLE	EACH	1
HEAVY-DUTY HANDHOLE	EACH	4
DOUBLE HANDHOLE	EACH	2
ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 3C	FOOT	662
ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 5C	FOOT	3,260
ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 7C	FOOT	780
ELECTRIC CABLE IN CONDUIT, LEAD-IN, NO. 14 1 PAIR	FOOT	1,283
ELECTRIC CABLE IN CONDUIT, SERVICE, NO. 6 2 C	FOOT	349
ELECTRIC CABLE IN CONDUIT, EQUIPMENT GROUNDING CONDUCTOR, NO. 6 1C	FOOT	932
TRAFFIC SIGNAL POST, GALVANIZED STEEL 16 FT.	EACH	1
STEEL MAST ARM ASSEMBLY AND POLE, 32 FT.	EACH	2
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE 22 FT.	EACH	1
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE 36 FT.	EACH	1
CONCRETE FOUNDATION, TYPE A	FOOT	8
CONCRETE FOUNDATION, TYPE C	FOOT	4
CONCRETE FOUNDATION, TYPE E 30-INCH DIAMETER	FOOT	27
CONCRETE FOUNDATION, TYPE E 36-INCH DIAMETER	FOOT	22
SIGNAL HEAD, LED, 1-FACE, 3-SECTION, MAST-ARM MOUNTED	EACH	6
SIGNAL HEAD, LED, 1-FACE, 3-SECTION, BRACKET MOUNTED	EACH	3
SIGNAL HEAD, LED, 1-FACE, 4-SECTION, BRACKET MOUNTED	EACH	1
SIGNAL HEAD, LED, 1-FACE, 5-SECTION, MAST-ARM MOUNTED	EACH	2
TRAFFIC SIGNAL BACKPLATE, LOUVERED, FORMED PLASTIC	EACH	8
INDUCTIVE LOOP DETECTOR	EACH	3
DETECTOR LOOP, TYPE I	FOOT	175
* LIGHT DETECTOR	EACH	2
* LIGHT DETECTOR AMPLIFIER	EACH	1
* EMERGENCY VEHICLE PRIORITY SYSTEM LINE SENSOR CABLE, NO. 20 3/C	FOOT	662
SERVICE INSTALLATION, GROUND MOUNTED, METERED	EACH	1
REMOTE CONTROLLED VIDEO SYSTEM	EACH	1
FULL-ACTUATED CONTROLLER AND TYPE SUPER R CABINET	EACH	1
UNINTERRUPTABLE POWER SUPPLY (SPECIAL)	EACH	1
LED SIGNAL FACE, LENS COVER	EACH	12
VIDEO VEHICLE DETECTION SYSTEM, SINGLE APPROACH	EACH	1
CAMERA MOUNTING ASSEMBLY	EACH	1

\* 100% COST TO THE CITY OF JOLIET

TS SHT NO. 11

M:\REL - D:\Infil...  
 FILE NAME: ...  
 PROJECT: ...  
 SUBJECT: ...  
 DATE: 2018/04/01  
 DRAWN BY: ...  
 CHECKED BY: ...  
 DATE: 4/25/2025



USER NAME = ggedemer	DESIGNED GJG	REVISED -
DRAWN GJG	REVISOR -	
PLOT SCALE = 40,000' / in.	CHECKED MG	REVISED -
PLOT DATE = 4/24/2025	DATE 4/25/2025	REVISED -


STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

MAST ARM MOUNTED STREET NAME SIGNS  
AND SCHEDULE OF QUANTITIES  
CENTER STREET AT WB I-80 RAMPS

SCALE: NONE SHEET OF SHEETS STA. TO STA.


F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	601
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

TS 21833



**NOTES:**

1. EACH DETECTOR LOOP SHALL HAVE ITS OWN 1" COILABLE NON-METALLIC CONDUIT BETWEEN THE EDGE OF PAVEMENT AND THE ADJACENT HANDHOLE AS SHOWN ON THE PLANS AND AS STATED IN THE TRAFFIC SIGNAL SPECIFICATIONS.
2. TWO CHANGEABLE MESSAGE SIGNS ON CENTER STREET WILL NEED TO BE IN PLACE TWO WEEKS PRIOR AND TWO WEEKS AFTER THE TRAFFIC SIGNAL IS TURNED-ON. THIS IS REQUIRED FOR A NEW STOP CONDITION.
3. THIS LOCATION HAS BEEN DESIGNED TO BE ADA COMPLIANT. ANY DEVIATION FROM THIS PLAN FOR THE TRAFFIC SIGNAL MAST ARMS AND/OR POSTS THAT HAVE PEDESTRIAN EQUIPMENT WILL HAVE TO BE APPROVED BY THE ENGINEER TO INSURE ADA COMPLIANCE.
4. ALL PROPOSED WORK IS WITHIN ROW. ROW LIMITS EXTEND BEYOND THE LIMIT OF THIS SHEET WHERE ROW LINES ARE NOT SHOWN.



TS SHT NO. 12

MICHELLE.DELMILLI  
 FILE NAME: p:\projects\2018\20180222\03\MSP\CAD\62R22\INT-1 (Center) Sheets\Signal\62R22-eh-SignalPlan\_EB\_I-80.dgn  
 2018/04/01 10:02:03 MSP\CAD\62R22\INT-1 (Center) Sheets\Signal\62R22-eh-SignalPlan\_EB\_I-80.dgn



USER NAME = ggedemer	DESIGNED GJG	REVISED -
DRAWN GJG	REVISED -	
PLOT SCALE = 40,000' / in.	CHECKED MG	REVISED -
PLOT DATE = 4/24/2025	DATE 4/25/2025	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**TRAFFIC SIGNAL INSTALLATION PLAN  
CENTER STREET AT EB I-80 RAMP**


SCALE: 1"=20'      SHEET      OF      SHEETS      STA.      TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	602
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

**TS 21835**



**PROPOSED CONTROLLER SEQUENCE**





**LEGEND:**

- ⊙\* — PROTECTED PHASE
- ⊙\* — PROTECTED/PERMITTED PHASE
- ⊙\* — PEDESTRIAN PHASE
- ⊙\* OL — OVERLAP

**RIGHT TURN OVERLAP PHASE DESIGNATION:**

OVERLAP LETTER	PERMISSIVE PHASE	PROTECTED PHASE
B	= 5	+ 4
C	= 6	+ 4

**PROPOSED EMERGENCY VEHICLE PREEMPTION SEQUENCE**



**TRAFFIC SIGNAL ELECTRICAL SERVICE REQUIREMENTS**

EQUIPMENT TYPE	QUANTITY	UNIT WATTAGE	TOTAL WATTAGE
SIGNAL HEAD 1 OR 3-SECTION	11	11	121
4-SECTION	-	14	-
5-SECTION	4	13	52
PROGRAMMABLE 3-SECTION	-	22	-
4-SECTION	-	32	-
5-SECTION	-	28	-
PEDESTRIAN SIGNAL CONTROLLER	1	150	150
MASTER CONTROLLER	-	100	-
UPS	1	25	25
DETECTION RADAR OR VIDEO	-	20	-
BLANK-OUT SIGN	-	25	-
NETWORK SWITCH II OR III	-	35	-
CELLULAR MODEM	-	15	-
<b>TOTAL UPS SIZING</b>		<b>348</b>	
UPS CHARGING	1	225	225
BATTERY HEATER MAT	1	180	180
CABINET HEATER	1	200	200
FLASHER	-	15	-
LED STREET NAME SIGN	-	120	-
LUMINAIRE	-	240	-
<b>TOTAL SERVICE WIRE SIZING</b>		<b>953</b>	

ENERGY COSTS TO:  
 ILLINOIS DEPARTMENT OF TRANSPORTATION  
 DIVISION OF HIGHWAY/DISTRICT 1  
 201 WEST CENTER COURT/SCHAUMBURG, IL 60196-1096  
 ENERGY SUPPLY: CONTACT: COMED NEW BUSINESS  
 PHONE: (866)-639-3532  
 COMPANY: COMED  
 ACCOUNT NUMBER: 14311-22272  
 METER NUMBER: ---

**NOTES:**

ALL RED INDICATIONS SHALL HAVE A LENS COVER

**CABLE PLAN**  
(NOT TO SCALE)

TS SHT NO. 13



USER NAME = ggedemer  
 PLOT SCALE = 40,000' / in.  
 PLOT DATE = 4/24/2025

DESIGNED GJG  
 DRAWN GJG  
 CHECKED MG  
 DATE 4/25/2025

REVISED -  
 REVISED -  
 REVISED -  
 REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

CABLE PLAN, PHASE DESIGNATION DIAGRAM,  
 AND EMERGENCY VEHICLE PREEMPTION SEQUENCE  
 CENTER ST AT EB I-80 RAMPS


SCALE: NONE SHEET OF SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	603
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

TS 21835

**SIGN PANEL – TYPE 1**

ALL DIMENSIONS ARE IN INCHES UNLESS NOTED OTHERWISE



DESIGN SERIES	AREA (SQ FT)	SIGN PANEL TYPE	SHEETING TYPE	QTY REQUIRED
D	6.75	1	ZZ	2

NOTE: FOR ADDITIONAL DESIGN AND INSTALLATION INFORMATION PLEASE SEE DISTRICT ONE MAST ARM MOUNTED STREET NAME SIGNS DETAIL.

**SCHEDULE OF QUANTITIES**

ITEM DESCRIPTION	UNITS	TOTAL QTY
CHANGEABLE MESSAGE SIGN	CAL DA	56
SIGN PANEL - TYPE 1	SQ FT	13
UNDERGROUND CONDUIT, GALVANIZED STEEL, 2" DIA.	FOOT	687
UNDERGROUND CONDUIT, GALVANIZED STEEL, 3" DIA.	FOOT	123
UNDERGROUND CONDUIT, GALVANIZED STEEL, 4" DIA.	FOOT	442
HANDHOLE	EACH	5
HEAVY-DUTY HANDHOLE	EACH	2
DOUBLE HANDHOLE	EACH	1
ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 3C	FOOT	311
ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 5C	FOOT	2,296
ELECTRIC CABLE IN CONDUIT, SIGNAL NO. 14 7C	FOOT	1,001
ELECTRIC CABLE IN CONDUIT, LEAD-IN, NO. 14 1 PAIR	FOOT	1,631
ELECTRIC CABLE IN CONDUIT, SERVICE, NO. 6 2 C	FOOT	219
ELECTRIC CABLE IN CONDUIT, EQUIPMENT GROUNDING CONDUCTOR, NO. 6 1C	FOOT	694
TRAFFIC SIGNAL POST, GALVANIZED STEEL 16 FT.	EACH	1
STEEL MAST ARM ASSEMBLY AND POLE, 36 FT.	EACH	1
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE 28 FT.	EACH	1
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE 32 FT.	EACH	1
CONCRETE FOUNDATION, TYPE A	FOOT	8
CONCRETE FOUNDATION, TYPE C	FOOT	4
CONCRETE FOUNDATION, TYPE E 30-INCH DIAMETER	FOOT	30
CONCRETE FOUNDATION, TYPE E 36-INCH DIAMETER	FOOT	22
SIGNAL HEAD, LED, 1-FACE, 3-SECTION, MAST-ARM MOUNTED	EACH	6
SIGNAL HEAD, LED, 1-FACE, 3-SECTION, BRACKET MOUNTED	EACH	5
SIGNAL HEAD, LED, 1-FACE, 5-SECTION, MAST-ARM MOUNTED	EACH	4
TRAFFIC SIGNAL BACKPLATE, LOUVERED, FORMED PLASTIC	EACH	10
INDUCTIVE LOOP DETECTOR	EACH	7
DETECTOR LOOP, TYPE I	FOOT	502
* LIGHT DETECTOR	EACH	2
* LIGHT DETECTOR AMPLIFIER	EACH	1
* EMERGENCY VEHICLE PRIORITY SYSTEM LINE SENSOR CABLE, NO. 20 3/C	FOOT	309
SERVICE INSTALLATION, GROUND MOUNTED, METERED	EACH	1
FULL-ACTUATED CONTROLLER AND TYPE SUPER R CABINET	EACH	1
UNINTERRUPTABLE POWER SUPPLY (SPECIAL)	EACH	1
LED SIGNAL FACE, LENS COVER	EACH	15

\* 100% COST TO THE CITY OF JOLIET

TS SHT NO. 14

M:\REL - D:\In\Illinois\Projects\2018\2018-03-MSFCAD\62R22\INT-1 (Center)\Sheets\Sign\62R22-sh-Quantities\_EB\_1-80.dgn  
 FILE NAME: I:\Users\jgdemer\Documents\Projects\2018\CH401\40118022\03-MSFCAD\62R22\INT-1 (Center)\Sheets\Sign\62R22-sh-Quantities\_EB\_1-80.dgn



USER NAME = ggedemer	DESIGNED GJG	REVISED -
PLOT SCALE = 40,000' / in.	DRAWN GJG	REVISED -
PLOT DATE = 4/24/2025	CHECKED MG	REVISED -
	DATE 4/25/2025	REVISED -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

MAST ARM MOUNTED STREET NAME SIGNS  
AND SCHEDULE OF QUANTITIES  
CENTER STREET AT EB I-80 RAMPS

SCALE: NONE SHEET OF SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	604
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

TS 21835




USER NAME = ggedemer	DESIGNED GJG	REVISED -
DRAWN GJG	CHECKED MG	REVISED -
PLOT SCALE = 100,000' / in.	DATE 4/25/2025	REVISED -
PLOT DATE = 4/24/2025		

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

INTERCONNECT PLAN  
 CENTER ST AT I-80


SCALE: 1"=50' SHEET OF SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	605
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



**NOTE:**


1. ALL PROPOSED WORK IS WITHIN ROW. ROW LIMITS EXTEND BEYOND THE LIMIT OF THIS SHEET WHERE ROW LINES ARE NOT SHOWN.





**NOTES:**

1. THE CONSULTANT WILL DETERMINE THE LOCATION OF THE SYSTEM DETECTORS.
2. THE PROPOSED SYSTEM IS OPEN TO EITHER EAGLE OR ECONOLITE CONTROLLERS. LICENSES FOR CENTRALIZED SYSTEM WILL BE PROVIDED BY IDOT TRAFFIC. NETWORK SWITCH SET UP, CONFIGURATION, AND SYSTEM PROGRAMMING WITH CENTRACS OR TACTICS SYSTEM FOR COMPLETE FUNCTIONALITY OF THE INTERSECTION SHALL BE INCLUDED IN THE UNIT PRICE OF LAYER II DATALINK SWITCH.



**SCHEDULE OF QUANTITIES**

ITEM DESCRIPTION	UNITS	TOTAL QTY
UNDERGROUND CONDUIT, GALVANIZED STEEL, 2" DIA.	FOOT	325
CONDUIT EMBEDDED IN STRUCTURE, 2" DIA., PVC	FOOT	330
JUNCTION BOX, STAINLESS STEEL, ATTACHED TO STRUCTURE, 6" X 6" X 4"	EACH	2
HANDHOLE	EACH	2
ELECTRIC CABLE IN CONDUIT, TRACER, NO. 14 1C	FOOT	1413
CELLULAR MODEM	EACH	1
OUTDOOR RATED NETWORK CABLE	FOOT	848
LAYER II (DATALINK) SWITCH	EACH	1
FIBER OPTIC CABLE 24 FIBERS, SINGLE MODE	FOOT	1413
FIBER OPTIC INTERCONNECT CENTER, 24 PORT	EACH	2
OPTIMIZE TRAFFIC SIGNAL SYSTEM	EACH	1

TS SHT NO. 16

MODEL: D:\in\... FILE NAME: ...



USER NAME = ggedemer	DESIGNED GJG	REVISED -
	DRAWN GJG	REVISED -
PLOT SCALE = 100,000' / in.	CHECKED MG	REVISED -
PLOT DATE = 4/24/2025	DATE 4/25/2025	REVISED -





STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

PROPOSED INTERCONNECT SCHEMATIC AND  
SCHEDULE OF QUANTITIES  
CENTER ST AT I-80

SCALE: 1"=50' SHEET OF SHEETS STA. TO STA.




F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	606
ILLINOIS FED. AID PROJECT			CONTRACT NO. 62R22	

**SYMBOLS FOR PROPOSED WORK**

-  HEAVY DUTY HANDHOLE (ELECTRICAL)
-  COMMUNICATIONS VAULT (IDOT)
-  COMMUNICATIONS VAULT (THIRD PARTY)
- CLOSED CIRCUIT TELEVISION CAMERA STRUCTURE FOUNDATION\*
-  CONCRETE FOUNDATION (SPECIAL) - FOR FUTURE DISCONNECT





















\*TYPE AND SIZE AS INDICATED ON PLANS

**LINESTYLES FOR PROPOSED WORK**

-  CONDUIT FOR FUTURE ELECTRICAL CABLE\*
-  MICRODUCT OR INNERDUCT FOR FUTURE FIBER OPTIC CABLE\*
-  CONDUIT SLEEVE\*

\*TYPE AND SIZE AS INDICATED ON PLANS

**NON-ITS ELEMENTS LEGEND**

-  EXISTING UNDERGROUND TELEPHONE
-  EXISTING UNDERGROUND GAS
-  EXISTING UNDERGROUND CABLE TV
-  EXISTING UNDERGROUND WATER
-  EXISTING UNDERGROUND OIL
-  EXISTING ACCESS CONTROL AND ROW FENCE
-  EXISTING AERIAL LINE
-  EXISTING GUARDRAIL
-  EXISTING STORM SEWER
-  EXISTING SANITARY SEWER
-  EXISTING LIGHTING
-  EXISTING SIGNAGE
-  PROPOSED ACCESS CONTROL AND ROW FENCE
-  PROPOSED GUARDRAIL
-  PROPOSED STORM SEWER
-  PROPOSED UNDERDRAIN
-  PROPOSED DRAINAGE
-  PROPOSED DRAINAGE FLOW
-  PROPOSED LIGHTING
-  PROPOSED SIGNAGE

**ABBREVIATIONS**

ATS	ATTACHED TO STRUCTURE
CNC	COILABLE NONMETALLIC CONDUIT
COMM	COMMUNICATIONS
(E)	EXISTING TO REMAIN
FRE	FIBERGLASS REINFORCED EPOXY (CONDUIT)
FT	FEET
GSC	GALVANIZED STEEL CONDUIT
HDHH	HEAVY-DUTY HANDHOLE
(I)	INSTALL
NTS	NOT TO SCALE
OFF	OFFSET

MODEL: general  
 FILE NAME: p:\projects\trans\systems-pw\_bentley.com\trans\systems\proj\cts\_2018\CH401\401180022\03\MS9\CAD\62R22\INT\_4\_Center\Sheet\ITS\616R22-sh-1c-01.dgn



USER NAME = jmalcolm	DESIGNED - DJM	REVISED -
	DRAWN - JNR	REVISED -
PLOT SCALE = 100.000' / in.	CHECKED - REL	REVISED -
PLOT DATE = 4/22/2025	DATE - 4/25/2025	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**LEGEND AND ABBREVIATIONS**

SCALE: SHEET 1 OF 12 SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	607
				CONTRACT NO. 62R22
		ILLINOIS	FED. AID PROJECT	

**ITS GENERAL NOTES**

1. AFTER THE INITIAL LOCATE OF IDOT FACILITIES, THE CONTRACTOR WILL BE RESPONSIBLE FOR LOCATING EXISTING IDOT ELECTRICAL FACILITIES AT HIS/HER OWN EXPENSE. THE CONTRACTOR SHALL ALSO BE LIABLE FOR ANY DAMAGE TO IDOT FACILITIES RESULTING FROM INACCURATE LOCATING.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL UNDERGROUND OR SURFACE UTILITIES EVEN THOUGH THEY MAY NOT BE SHOWN IN THE PLANS. ANY UTILITY THAT IS DAMAGED DURING CONSTRUCTION SHALL BE REPAIRED OR REPLACED TO THE SATISFACTION OF THE ENGINEER. THIS WORK WILL BE AT THE CONTRACTOR'S EXPENSE.
3. POTHOLING TO LOCATE EXISTING UNDERGROUND UTILITIES SHALL BE INCLUDED IN THE CONTRACT BID PRICE FOR THE UNDERGROUND CONDUIT/MICRODUCT/INNERDUCT PAY ITEMS.
4. THE CONTRACTOR IS RESPONSIBLE FOR THE COST OF UNCOVERING OR HAND DIGGING AROUND UTILITIES AS NECESSARY. THIS COST OF THIS WORK SHALL BE INCLUDED IN THE UNIT PRICES FOR THE CONDUIT/MICRODUCT/INNERDUCT PAY ITEMS.
5. THE CONTRACTOR SHALL VERIFY ADEQUATE CLEARANCE OVER/UNDER EXISTING AND PROPOSED FACILITIES BEFORE INSTALLING DUCTS OR CONDUIT. WHERE THE CONTRACTOR'S EXCAVATION MEETS AN OBSTRUCTION, THE CONTRACTOR SHALL NOTIFY THE ENGINEER FOR DIRECTION IN WRITING PRIOR TO EXCAVATION.
6. CONDUIT OR DUCT CROSSING OVER/UNDER OTHER UTILITIES OR DRAINAGE SHALL MAINTAIN A SEPERATION OF AT LEAST 18 INCHES OR AS SPECIFIED BY OWNING UTILITY.
7. CONDUITS AND DUCTS SHALL BE POSITIONED IN THE FIELD TO AVOID CONFLICT WITH ROADWAY UNDERDRAINS AND OTHER EXISTING AND PROPOSED UTILITIES.
8. NO ADDITIONAL COMPENSATION SHALL BE ALLOWED FOR PLACING CONDUIT AT GREATER THAN MINIMUM DEPTH SPECIFIED TO AVOID OBSTACLES SUCH AS UNDERGROUND UTILITIES, DRAIANGE PIPES, AND STRUCTURES OR TO ENTER COMMUNICATIONS VAULTS OR HANDHOLES.
9. THE CONTRACTOR SHALL AVOID TRENCHING THROUGH WETLAND AREA, ROADSIDE DITCHES AND RETENTION PONDS.
10. IDOT MICRODUCT SHALL ONLY ENTER IDOT COMMUNICATIONS VAULTS.
11. THIRD PARTY MICRODUCT SHALL ONLY ENTER THIRD PARTY COMMUNICATIONS VAULTS.
12. ALL EXCAVATED MATERIAL, WHICH INCLUDES DIGGING OR GRADING OF ANY SOIL OR FILL MATERIAL, WITH THE EXCEPTION OF AGGREGATE FILLS, MUST BE INCORPORATED WITHIN THE IDOT RIGHT OF WAY DUE TO ENVIRONMENTAL DOCUMENTATION REQUIREMENTS. EXCAVATED MATERIALS SHALL BE DISPOSED OF AT LOCATIONS DESIGNATED BY THE ENGINEER. ANY SUCH DISPOSAL SHALL BE COMPLETED IN SUCH A MANNER THAT PUBLIC OR PRIVATE PROPERTY WILL NOT BE DAMAGED OR ENDANGERED AND SHALL NOT CREATE AN UNSIGHTLY OR OBJECTIONABLE APPEARANCE OR DETRACT FORM THE NATURAL TOPOGRAPHIC FEATURES WITHOUT WRITTFN PFERMISSION FROM THE ENGINFFR.
13. ALL SURPLUS MATERIALS SHALL BE DISPOSED OF IN ACCORDANCE WITH ARTICLE 202.03 OF THE STANDARD SPECIFICATIONS.
14. ELECTRICAL WORK SHALL CONFORM WITH NATIONAL, STATE, AND LOCAL CODES.
15. ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUBNUMBER SHOWN IN THE LIST OF STANDARDS OR THE COPY INCLUDED IN THESE PLANS.
16. ELECTRICAL HANDHOLE COVER LEGEND SHALL BE "IDOT ITS".
17. ITS SYMBOLS ARE OVERSIZED ON THE PLANS FOR CLARITY. CONTRACTOR SHALL USE STATIONS AND OFFSETS TO ACCURATELY LOCATE EQUIPMENT.

**BILL OF MATERIALS**

ITEM	DESCRIPTION	UNIT	QTY	IDOT QTY*	THIRD PARTY QTY*
81028240	UNDERGROUND CONDUIT, GALVANIZED STEEL, 4" DIA.	FOOT	1,778	1409	369
81028750	UNDERGROUND CONDUIT, COILABLE NONMETALLIC CONDUIT, 2" DIA.	FOOT	2,722	-	-
81400200	HEAVY-DUTY HANDHOLE	EACH	9	-	-
X0326949	CLOSED CIRCUIT TELEVISION CAMERA STRUCTURE FOUNDATION, 30" DIAMETER	FOOT	27	-	-
X8101102	UNDERGROUND CONDUIT, MULTI-DUCT, 7-18MM MICRODUCTS	FOOT	12,713	8159	4554
X8710318	FIBER OPTIC UTILITY MARKER	EACH	22	-	-
X8710402	FIBER OPTIC INNERDUCT 1 1/4" DIA.	FOOT	1,687	-	-
X8780107	CONCRETE FOUNDATION (SPECIAL)	FOOT	9	-	-
Z0033052	COMMUNICATIONS VAULT	EACH	17	11	6
	TRACER WIRE, NO. 12	FOOT	1,825	-	-

\*THESE COLUMNS ARE NOT ADDITIONAL QUANTITY. THEY PROVIDE THE QUANTITY SPLIT BETWEEN IDOT AND THIRD PARTY FOR THE ITEMS LISTED.

MODEL: general  
 FILE NAME: p:\projects\systems-pw\_bentley.com\ranyscorp\p11\_bentley.com\ranyscorp\p11\_bentley.com\Documents\Projects\_2018\CH401\401180022\03-WSP\CAD\62R22\INT\_4\_Center\Sheet\ITS\016R22-sh-1s-02.dgn






USER NAME = jmalcolm	DESIGNED - DJM	REVISED -
	DRAWN - JNR	REVISED -
PLOT SCALE = 100.000' / in.	CHECKED - REL	REVISED -
PLOT DATE = 4/22/2025	DATE - 4/25/2025	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**GENERAL NOTES AND COMMITMENTS**

SCALE: SHEET 2 OF 12 SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	608
			CONTRACT NO. 62R22	
		ILLINOIS	FED. AID PROJECT	



Model: Default  
 File Name: p:\transys\transys\comp\p1\hatched\Documents\projects\_2018\C40140118002703-MS9\CAD\62R22-INT-4 [Center]\Sheet\ITS\0161822-2-ht-ht-03.dgn

**ATLAS**  
 ATLAS TECHNICAL CONSULTANTS, LLC  
 100 S. WACKER DRIVE, SUITE 400  
 CHICAGO, IL 60606


USER NAME = jmalcolm	DESIGNED - DJM	REVISED -
PLOT SCALE = 100,000' / in.	DRAWN - JNR	REVISED -
PLOT DATE = 4/22/2025	CHECKED - REL	REVISED -
	DATE - 4/25/2025	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**PROPOSED ITS INFRASTRUCTURE PLAN**  
**I-80**  
 SCALE: 1"=50'    SHEET 3 OF 12 SHEETS    STA.    TO STA.



F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	609
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Default  
 FILE NAME: p:\transystems-pw\hntb\comtransyscorp\p1-hntb\Documents\Projects\_2018\C401180022\03-WSP\CAD\62822-INT-4 [Center]Sheet\ITS\0161822-dht-ht-04.dgn



**NOTES:**

- 2" CNC CONDUIT SHALL BE COUPLED TO THE 2" CONCRETE FOUNDATION STUB OUT. 1-1/4" INNERDUCT SHALL BE INSTALLED IN THE OTHER 2" CONCRETE FOUNDATION STUB OUT UP THROUGH THE TOP OF THE FOUNDATION.
- THE 2" CONDUITS SHALL BE COUPLED TO THE 2" CONCRETE FOUNDATION STUB OUTS.



USER NAME = jmalcolm	DESIGNED - DJM	REVISED -
PLOT SCALE = 100,000' / in.	DRAWN - JNR	REVISED -
PLOT DATE = 4/22/2025	CHECKED - REL	REVISED -
	DATE - 4/25/2025	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**




**PROPOSED ITS INFRASTRUCTURE PLAN  
I-80**

SCALE: 1"=50'      SHEET 4 OF 12 SHEETS      STA.      TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	610
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



MODEL: Default...  
 FILE NAME: p:\projects\trans\scorp\p11\hatched\Documents\projects\_2018\C40118002703-MS9\WB-31C-INT-4\Center\Sheet\ITS\0161822-2-chr-its-05.dgn



- NOTES:**
1. 2" CNC CONDUIT SHALL BE COUPLED TO THE 2" CONCRETE FOUNDATION STUB OUT. 1-1/4" INNERDUCT SHALL BE INSTALLED IN THE OTHER 2" CONCRETE FOUNDATION STUB OUT UP THROUGH THE TOP OF THE FOUNDATION.
  2. THE 2" CONDUITS SHALL BE COUPLED TO THE 2" CONCRETE FOUNDATION STUB OUTS.
  3. MAINTAIN A MINIMUM 5' BETWEEN SIGN POST FOUNDATION AND CONDUIT/MICRODUCT.




USER NAME = jmalcoln	DESIGNED - DJM	REVISED -
PLOT SCALE = 100,000' / in.	DRAWN - JNR	REVISED -
PLOT DATE = 4/22/2025	CHECKED - REL	REVISED -
	DATE - 4/25/2025	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

<b>PROPOSED ITS INFRASTRUCTURE PLAN</b>	
<b>I-80</b>	
SCALE: 1"=50'	SHEET 5 OF 12 SHEETS STA. TO STA.



F.A.I. RTE. 80	SECTION FAI 80 21 INTERCHANGE	COUNTY WILL	TOTAL SHEETS 1209	SHEET NO. 611
CONTRACT NO. 62R22				ILLINOIS FED. AID PROJECT

MODEL: D:\default\...  
 FILE NAME: ...  
 PROJECT: ...



**NOTES:**

1. THIS FOUNDATION IS SHOWN FOR REFERENCE ONLY AND SHALL BE INSTALLED AS PART OF A FUTURE CONTRACT.
2. CONDUIT TO BE INSTALLED BY OTHERS (62R23).
3. MICRODUCT TO BE INSTALLED BY CONTRACT 62R23.
4. MAINTAIN A MINIMUM 5' BETWEEN SIGN POST FOUNDATION AND MICRODUCT.



**ATLAS**  
 ATLAS TECHNICAL CONSULTANTS, LLC  
 100 S. WACKER DRIVE, SUITE 400  
 CHICAGO, IL 60606


USER NAME = dmeier	DESIGNED - DJM	REVISED -
PLOT SCALE = 100,000' / in.	DRAWN - JNR	REVISED -
PLOT DATE = 6/11/2025	CHECKED - REL	REVISED -
	DATE - 6/11/2025	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**



**PROPOSED ITS INFRASTRUCTURE PLAN**  
**I-80**

SCALE: 1"=50' SHEET 6 OF 12 SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	612
			CONTRACT NO. 62R22	
ILLINOIS FED. AID PROJECT				



BEGIN PROJECT  
BEGIN IMPROVEMENT  
STA 11+08.31



MODEL: Default  
 FILE NAME: p:\transys\transys\ppl\hatched\Documents\Projects\_2018\C401\401180022\03-WSP\CAD\62622-INT-4 [Center]\Sheet\ITS\0163R22-ctc-07.dgn  
 MODEL: Default  
 FILE NAME: p:\transys\transys\ppl\hatched\Documents\Projects\_2018\C401\401180022\03-WSP\CAD\62622-INT-4 [Center]\Sheet\ITS\0163R22-ctc-07.dgn

**ATLAS**  
 ATLAS TECHNICAL CONSULTANTS, LLC  
 100 S. WACKER DRIVE, SUITE 400  
 CHICAGO, IL 60606


USER NAME = jmalcolm	DESIGNED - DJM	REVISED -
PLOT SCALE = 100,000' / in.	DRAWN - JNR	REVISED -
PLOT DATE = 4/22/2025	CHECKED - REL	REVISED -
	DATE - 4/25/2025	REVISED -

**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**


**PROPOSED ITS INFRASTRUCTURE PLAN  
 CENTER STREET**

SCALE: 1"=50"      SHEET 7 OF 12 SHEETS      STA.      TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	613
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



**IDOT MICRODUCT DETAIL**



**THIRD PARTY MICRODUCT DETAIL**


CELL NO.	CELL COLOR	CELL ALLOCATION
1	BLUE	FUTURE 144 IDOT (TCF)
2	ORANGE	FUTURE 144 IDOT (DCF)
3	GREEN	SPARE
4	BROWN	SPARE
5	GREY	SPARE
6	WHITE	SPARE
7	RED	SPARE

**IDOT MICRODUCT CELL INFORMATION**

CELL NO.	CELL COLOR	CELL ALLOCATION
1	BLUE	FUTURE 144 THIRD PARTY
2	ORANGE	SPARE
3	GREEN	SPARE
4	BROWN	SPARE
5	GREY	SPARE
6	WHITE	SPARE
7	RED	SPARE

**THIRD PARTY MICRODUCT CELL INFORMATION**


MODEL: general  
 FILE NAME: p:\projects\trans\systems-pw\_bentley.com\trans\systems\proj\cts\_2018\CH401\401180022\03\459\CAD\62622\INT\_4\_Center\Sheet\ITS\6161R22-sh-1c-08.dgn



**I-80 WESTBOUND  
TYPICAL CONDUIT SECTION**

**NOTES**


1. INSTALLATION CONFIGURATION/QUANTITY OF POWER CONDUITS VARIES BY LOCATION.
2. GREATER DEPTH MAY BE REQUIRED IN CERTAIN SITUATIONS, INCLUDING, BUT NOT LIMITED TO: ENTERING HANDHOLES/VAULTS, UTILITY AVOIDANCE, CROSSING BENEATH BOX CULVERTS AND FLOW LINES OF DITCHES.




**I-80 EASTBOUND  
TYPICAL CONDUIT SECTION**

**NOTES**

1. INSTALLATION CONFIGURATION/QUANTITY OF POWER CONDUITS VARIES BY LOCATION.
2. GREATER DEPTH MAY BE REQUIRED IN CERTAIN SITUATIONS, INCLUDING, BUT NOT LIMITED TO: ENTERING HANDHOLES/VAULTS, UTILITY AVOIDANCE, CROSSING BENEATH BOX CULVERTS AND FLOW LINES OF DITCHES..



**BORED CONDUIT UNDER ROADWAY**



**TYPICAL CONDUIT ROUTING AT HANDHOLES**

**NOTES**

1. INSTALLATION CONFIGURATION/QUANTITY OF POWER CONDUITS VARIES BY LOCATION AND ROADWAY DIRECTION. EASTBOUND DIRECTION SHOWN ABOVE WITH POWER CONDUIT, IDOT MICRODUCT, AND THIRD PARTY MICRODUCT.
2. IDOT MICRODUCT SHALL ENTER IDOT COMMUNICATIONS VAULTS ONLY.
3. THIRD PARTY MICRODUCT SHALL ENTER THIRD PARTY COMMUNICATIONS VAULTS ONLY.

MODEL: general  
 FILE NAME: p:\projects\systems-pw\_bentley.com\ranyscorp\p11\_bentley\Documents\Proj\cts\_2018\CH401\401180022\03\459\CAD\62R22\_INT\_4\_Center\Sheet\ITS\0161R22-sh-1s-09.dgn  
 ATLAS Technical Consultants, LLC  
 100 S. WACKER DRIVE, SUITE 400  
 CHICAGO, IL 60606



USER NAME = jmalcolm	DESIGNED - DJM	REVISED -
PLOT SCALE = 100.000' / in.	DRAWN - JNR	REVISED -
PLOT DATE = 4/22/2025	CHECKED - REL	REVISED -
	DATE - 4/25/2025	REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**ITS INFRASTRUCTURE DETAILS  
TYPICAL CONDUIT ROUTING**


SCALE: SHEET 9 OF 12 SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	615
CONTRACT NO. 62R22				
ILLINOIS		FED. AID PROJECT		







**VAULT BOX  
ISOMETRIC VIEW**



**TOP VIEW**




**SECTION B-B**




**PLAN**

**NOTES:**


- GROUND ROD, 1-1/2" CONDUIT, #6 AWG GROUND WIRE, LOCATE POST AND ASSOCIATED WORK ARE INCLUDED AS PART OF COMMUNICATIONS VAULT AND WILL NOT BE PAID FOR SEPARATELY. ALL MATERIALS FOR MECHANICAL CONNECTION SHALL BE UL LISTED AND INSTALLED PER NEC ARTICLE 250.
- #14 AWG TRACER CABLE SHALL BE SPLICED TO THE #14 AWG TRACER CABLE IN THE MICRODUCT USING A WATERPROOF SPLICE KIT AS RECOMENDED BY THE MICRODUCT MANUFACTURER. THE #14 AWG WIRE, SPLICE KIT AND ASSOCIATED WORK ARE INCLUDED AS PART OF COMMUNICATIONS VAULT AND WILL NOT BE PAID FOR SEPARATELY.
- A WATERPROOF MICRODUCT PLUG(S) OR INNERDUCT PLUG SHALL BE INSTALLED AROUND EACH MICRODUCT OR INNERDUCT TO SEAL AROUND THE DUCT FOR ALL MICRODUCTS OR INNERDUCTS COMING INTO THE VAULT. THE PLUGS SHALL BE APPROPRIATELY SIZED AND INSTALLED AS RECOMMENDED BY THE MANUFACTURER AND IS INCLUDED AS PART OF THE MICRODUCT OR INNERDUCT PAY ITEM AND WILL NOT BE PAID SEPARATELY.
- IDOT COMMUNICATIONS VAULTS SHALL HAVE A PERMANENTLY RECESSED LOGO THAT READS "IDOT" AND THIRD PARTY COMMUNICATIONS VAULTS SHALL HAVE A PERMANENTLY RECESSED LOGO THAT READS "IDOT - DoIT".
- COMMUNICATIONS VAULT SHALL HAVE AN OPEN BASE. ALL CONDUITS AS SHOWN ON THE PLANS SHALL ENTER THE VAULT VIA THE OPEN BASE.
- ALL DIMENSIONS ARE MINIMUM AND A LARGER SIZE VAULT MAY BE USED, WITH THE APPROVAL OF THE ENGINEER, TO FACILITATE USING A MANUFACTURER'S STANDARD PRODUCT.



**SECTION A-A**



**LOCATE POST TOP HAT BOND PLATE  
N.T.S.**



**POST**

**SOIL ANCHOR**

MODEL: general; FILE NAME: p:\projects\systems\pel\_bentley.com\ranyscorp\p1\_bentley\Documents\Projects\_2018\CH401\401180022\03\MS9\CAD\62R22\_INT\_4\_CenterSheet.DWG; 161R22-sh-1s-10.dgn




USER NAME = jmalcolm	DESIGNED - DJM	REVISED -
PLOT SCALE = 100.000' / in.	DRAWN - JNR	REVISED -
PLOT DATE = 4/22/2025	CHECKED - REL	REVISED -
	DATE - 4/25/2025	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**


**ITS INFRASTRUCTURE DETAILS  
COMMUNICATIONS VAULT**

SCALE: SHEET 10 OF 12 SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	616
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				




**TOP VIEW  
PROPOSED CONCRETE  
FOUNDATION (SPECIAL)**  
N.T.S.




**CONCRETE SERVICE  
PAD SECTION**  
N.T.S.

**NOTES**

1. TOP VIEW FOR CONCRETE FOUNDATION (SPECIAL) AND CLOSED CIRCUIT TELEVISION CAMERA STRUCTURE FOUNDATION, 30" DIA. SHOWN ON THIS SHEET ARE FOR INFORMATION ONLY ON CONDUITS ENTERING FOUNDATION, SERVICE PAD, AND ANCHOR BOLT CIRCLE DIMENSIONS REQUIRED. FOR FURTHER FOUNDATION DETAILS, SEE HIGHWAY STANDARD 878001-11 (CONCRETE FOUNDATION DETAILS).




**CLOSED CIRCUIT TELEVISION CAMERA  
STRUCTURE FOUNDATION, 30" DIA.  
PLAN VIEW**  
N.T.S.




**CCTV POLE BASE PLATE DETAIL  
18-1/2" BOLT CIRCLE**  
N.T.S.  
(SHOWN FOR REFERENCE ONLY)

MODEL: general  
 FILE NAME: p:\projects\systems-pw-bentley.com\trans\scorp-pw1-bentley\Documents\Projects\2018\CH401\401180022\03\WSP\CAD\62822\INT\_4\_Center\Sheet\ITS\016R22-sh-1s-11.dgn



**RAMP A, STA 8+00  
(LOOKING EAST)  
CLOSED CIRCUIT TELEVISION CAMERA STRUCTURE  
FOUNDATION, 30" DIAMETER**



**STA 24+00  
(LOOKING EAST)  
CLOSED CIRCUIT TELEVISION CAMERA STRUCTURE  
FOUNDATION, 30" DIAMETER**

MODEL: jma101  
 FILE NAME: p:\transys\transys\comp\p1\hosted\Documents\Projects\_2018\C401\40118002703\MS7\CAD\62R22-INT-4\Center\Sketch\ITS\016R22-cht-its-12.dgn



USER NAME = jmalcolm	DESIGNED - XXX	REVISED -
DRAWN - XXX	CHECKED - XXX	REVISED -
PLOT SCALE = 100,000' / in.	DATE - 4/25/2025	REVISED -
PLOT DATE = 4/22/2025		

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**ITS CROSS SECTIONS**

SCALE: SHEET 12 OF 12 SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	618
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



Benchmark: Chiseled 'X' on top of SE bolt of Fire Hydrant at SE corner of Market St. and McDonough St.  
Elev. 580.070

Existing Structure: S.N. 099-0186 is a 244'-9<sup>3</sup>/<sub>8</sub>" long back to back abutments, three span structure originally built in 1965. The existing structure consists of two multi-beam superstructures with noncomposite slabs with a 1" open longitudinal joint at the center, with an overall width of 64'-0". The existing stub abutments are founded on piles and the existing piers are founded on spread footings.

Traffic to be maintained utilizing stage construction.

No salvage.

**DESIGN STRESSES**

**FIELD UNITS (New Construction)**

$f_c = 4,000$  psi (Superstructure)  
 $f_c = 3,500$  psi (Substructure)  
 $f_y = 60,000$  psi (Reinforcement)  
 $f_y = 50,000$  psi (M270 Grade 50)

**FIELD UNITS (Exist. Construction)**

$f_c = 3,500$  psi  
 $f_y = 40,000$  psi (substructure reinforcement)  
 $f_s = 20,000$  psi (structural steel, ASTM A36)

**DESIGN SPECIFICATIONS**

2002 AASHTO Standard Specifications for Highway Bridges, 17th Edition

**SEISMIC DATA**

Seismic Performance Category (SPC) = A  
Bedrock Acceleration Coefficient (A) = 0.039g  
Site Coefficient (S) = 1.0

**LOADING HS20-44**

Allow 25#/sq. ft. for future wearing surface.

**SCOPE OF WORK**

1. Remove the existing deck and approach slabs.
2. Remove portion of existing backwalls and wingwalls.
3. Convert the existing stub abutments to semi-integral abutments.
4. Perform structural repairs to the abutments and piers.
5. Replace the bearings at both abutments.
6. Replace both slopewalls.
7. Install shear studs.
8. Clean and paint the existing structural steel and bearings to remain.
9. Construct new composite deck, parapets, and precast approach slabs with 5" concrete wearing surface (without a longitudinal joint).
10. Replace fascia beams.
11. Replace fascia beam bearings at Pier 1 & Pier 2.



Signed *Patrick J. Laux*  
PATRICK J. LAUX, S.E. Il. Lic. No. 081-007655  
Expires 11-30-2026.

Date 4/25/2025


**APPROVED**  
For Structural Adequacy Only  
*James F. [Signature]*  
Engineer of Bridges & Structures

**LEGEND**


- ⊕ Boring Location
- Existing Sewer
- Temporary Soil Retention System
- Existing Water Main
- Existing Aerial
- Existing Gas Main
- Existing ROW
- Existing Underground Electric
- Existing ROW for Access Control
- Existing Telephone

**DS-11 SCUPPER STATIONS**


Southbound Scuppers (Lt.)	Northbound Scuppers (Rt.)
Sta. 41+49.00	Sta. 42+26.00
Sta. 41+72.00	Sta. 42+49.00
Sta. 43+28.00	Sta. 44+01.00



**GENERAL PLAN & ELEVATION**  
**CENTER STREET OVER McDONOUGH STREET**  
**F.A.U. RTE 316 - SEC. FAI 80 21 INTERCHANGE**  
**WILL COUNTY**  
**STA. 42+86.50**  
**STRUCTURE NO. 099-0186**




**ELEVATION**



**PLAN**

Note:  
See sheet SA-34 of SA-37 for Section A-A.

MCE:\\_Default\_...  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4200  
 CHICAGO, IL 60602  
 TEL: (312) 782-8130  
 FAX: (312) 782-1884



USER NAME = USSJ696614	DESIGNED - MN	REVISIONS
PLOT SCALE = 40:0" 1" = 40'-0"	CHECKED - NBR	REVISIONS
PLOT DATE = 4/22/2025	DRAWN - MN	REVISIONS
	CHECKED - LAS	REVISIONS



**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**GENERAL PLAN AND ELEVATION**  
**STRUCTURE NO. 099-0186**  
SHEET SA-1 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	619
ILLINOIS / FED. AID PROJECT			CONTRACT NO. 62R22	

**GENERAL NOTES:**

- Fasteners shall be ASTM F3125 Grade A325 Type 1, mechanically galvanized bolts in painted areas. Bolts 7/8" diameter, holes 13/16" diameter, unless otherwise noted.
- Calculated weight of Structural Steel = 105,210 Pounds
- All structural steel shall be AASHTO M270 Grade 50.
- No field welding is permitted except as specified in the contract documents.
- The Contractor shall test the existing welds by non-destructive methods within 2 ft. of the end of the existing cover plates for cracks after removal of the existing concrete deck. Dye penetrant (PT), magnetic particle (MT), or other approved testing method shall be performed by qualified personnel approved by the Engineer. If cracks are found, report them to the Bureau of Bridges and Structures for disposition. The cost of testing is included in Removal of Existing Concrete Deck. The cost of crack repair, if necessary, will be paid for according to Article 109.04 of the Standard Specifications.
- Reinforcement bars designated (E) shall be epoxy coated.
- Prior to pouring the new concrete deck, all heavy or loose rust, loose mill scale, and other loose or potentially detrimental foreign material shall be removed from the surfaces in contact with concrete (SSPC-SP3 standards). Tightly adhered paint may remain unless otherwise noted. Removal shall be accomplished by methods that will not damage the steel and the cost will be paid for according to Article 109.04 of the Standard Specifications. As directed by the Engineer, existing construction accessories welded to the top flange of beams and girders shall be removed. The weld areas shall be ground flush and inspected for cracks using magnetic particle testing (MT) or dye penetrant testing (PT) by qualified personnel approved by the Engineer. Any cracks that cannot be removed by grinding 1/4 in. deep shall be identified and reported to the Bureau of Bridges and Structures for further disposition. The cost of removing welded accessories, grinding and inspecting weld areas and grinding cracks will be paid for according to Article 109.04 of the Standard Specifications.
- The concrete for bridge decks finished according to Article 503.16(a) of the Standard Specifications shall be placed and compacted parallel to the skew in uniform increments along the centerline of the bridge. The machine used for finishing shall be set parallel to the skew for striking off and screeding the concrete.
- Slipforming of the parapets is not allowed.
- Plan dimensions and details relative to the existing structure have been taken from existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.
- The existing structural steel coating contains lead. The Contractor shall take appropriate precautions to deal with the presence of lead on this project.
- All new structural steel shall be shop painted with an inorganic zinc rich primer per AASHTO M300, Type 1.
- Cleaning and painting of the existing and new structural steel shall be specified in the special provision for "Cleaning and Painting Existing Steel Structures". All existing steel shall be cleaned per Near White Blast Cleaning - SSPC-SP-10. All existing steel be painted according to the requirements of Paint System 1 - OZ/E/U. The color of the final finish coat for all interior steel surfaces shall be Gray, Munsell No. 5B 7/1. The color of the final finish coat for the exterior and bottom flange of the fascia beams shall be Reddish Brown, Munsell No. 2.5YR 3/4.
- A minimum of four air monitors will be required to monitor abrasive blasting operations at this site. See special provision for "Containment and Disposal of Lead Paint Cleaning Residues".
- Contractor to protect existing underdeck luminaires during bridge construction. See Electrical plans.



STATION 42+86.50  
RE-BUILT 20\_\_ BY  
STATE OF ILLINOIS  
FAU RTE 316  
SEC FAI 80 21 INTERCHANGE  
LOADING HS20-44  
STRUCTURE NO. 099-0186

**NAME PLATE**  
See Std. 515001


Note:  
Existing Name Plate shall be cleaned and relocated next to new Name Plate. Cost included with Name Plates.

**INDEX OF SHEETS**

SA-1	General Plan and Elevation
SA-2	General Data
SA-3 - SA-4	Stage Construction Details
SA-5	Temporary Concrete Barrier
SA-6	Temporary Sheet Piling
SA-7	Top of Slab Elevations - Location Plan
SA-8 - SA-11	Top of Slab Elevations
SA-12 - SA-13	Top of Approach Slab Elevations
SA-14	Superstructure Plan
SA-15	Superstructure Details
SA-16	Diaphragm Details
SA-17 - SA-19	Precast Bridge Approach Slab
SA-20	Preformed Joint Strip Seal
SA-21	Framing Plan
SA-22 - SA-23	Steel Details
SA-24	Type I Elastomeric Bearings - South Abutment
SA-25	Fixed Bearings - Pier 1
SA-26	Type I Elastomeric Bearings - Pier 2
SA-27	Type I Elastomeric Bearings - North Abutment
SA-28	Abutment Removal Details
SA-29	South Abutment Repair Plans
SA-30	North Abutment Repair Plans
SA-31	Wingwall Details
SA-32	Pier 1 Repair Details
SA-33	Pier 2 Repair Details
SA-34	Slope Wall
SA-35	Drainage Scupper, DS-11
SA-36	Bar Splicer Assembly and Mechanical Splicer Details
SA-37	Boring Logs

**TOTAL BILL OF MATERIAL**

ITEM	UNIT	SUPER	SUB	TOTAL
Concrete Removal	Cu Yd		42.8	42.8
Slope Wall Removal	Sq Yd		1,107	1,107
Removal of Existing Concrete Deck	Each	1		1
Protective Shield	Sq Yd	782		782
Structure Excavation	Cu Yd		252	252
Concrete Structures	Cu Yd		68.0	68.0
Concrete Superstructure	Cu Yd	573.7		573.7
Bridge Deck Grooving	Sq Yd	1,874		1,874
Protective Coat	Sq Yd	2,430		2,430
Furnishing and Erecting Structural Steel	L Sum	0.1		0.1
Stud Shear Connectors	Each	5,874		5,874
Reinforcement Bars, Epoxy Coated	Pound	130,480	7,880	138,360
Bar Splicers	Each	689	80	769
Slope Wall 4 Inch	Sq Yd		1,131	1,131
Name Plates	Each	1		1
Preformed Joint Strip Seal	Foot	206		206
Elastomeric Bearing Assembly, Type I	Each	26		26
Anchor Bolts, 3/4"	Each	104		104
Temporary Sheet Piling	Sq Ft		455	455
Granular Backfill for Structures	Cu Yd		201	201
Epoxy Crack Injection	Foot		16	16
Geocomposite Wall Drain	Sq Yd		173	173
Pipe Underdrains For Structures 4"	Foot		270	270
Concrete Wearing Surface, 5"	Sq Yd	422		422
Precast Bridge Approach Slab	Sq Ft	3,820		3,820
Bar Terminators	Each	352		352
Containment and Disposal of Lead Paint Cleaning Residues No. 1	L Sum	1		1
Jack and Remove Existing Bearings	Each	20		20
Structural Steel Removal	Pound	105,880		105,880
Cleaning and Painting Steel Bridge No. 1	L Sum	1		1
Structural Repair of Concrete (Depth Equal to or Less than 5 Inches)	Sq Ft		108	108
Structural Repair of Concrete (Depth Greater than 5 Inches)	Sq Ft		29	29
Drainage Scuppers, DS-11	Each	6		6



**SECTION THRU ABUTMENT**  
(Horizontal dimensions @ Rt. L's)

\*Included in the cost of Pipe Underdrains for Structures.

Note:  
All drainage system components shall extend parallel to the abutment back wall until they intersect the wingwalls or 2'-0" from the end of the wingwalls when the wings are parallel to the abutment. The pipe shall extend under the wingwall, if necessary, until intersecting the side slopes. The pipes shall drain into concrete headwalls. (See Article 601.05 of the Standard Specifications and Highway Standard 601101).

MODEL SHEET  
 FILE NAME: p:\projects\transys\ppl\hatched\Documents\Projects\_2018\C401\40118002703-MS\SP\AD\62822-INT-4\Center\Structural\SA-099-0186-02\22-SA-03-General Notes and Index



WSP USA Inc.  
30 N. LASALLE STREET  
SUITE 4000  
CHICAGO, IL 60602  
TEL: (312) 782-8150  
FAX: (312) 782-1884



USER NAME = USSJ696614	DESIGNED - LAS	REVISED -
PILOT SCALE = 34,000' / in.	CHECKED - MS	REVISED -
PILOT DATE = 6/10/2025	DRAWN - MA	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**GENERAL DATA**  
**STRUCTURE NO. 099-0186**

SHEET SA-2 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	620
ILLINOIS			CONTRACT NO. 62R22	
FED. AID PROJECT				



- NOTES:**
1. For Temporary Concrete Barrier, see sheet SA-5.
  2. For quantity of Temporary Concrete Barrier, see Roadway Plans.
  3. The cost of removing the existing railing, overlay, and protective shield is included in Removal of Existing Concrete Deck.

\* SB traffic to WB I-80 Ramp with NB construction access, all other traffic detoured to local roads in Stage I

MODEL: Sheet  
 FILE NAME: p:\transys\transys\comp\p1\hosted\Documents\projects\_2018\C401\40118002703\WSP\CAD\62R22-INT-4\Center\Sheet\Structural\SA-099-0186-62R22-SA-03-Construction\Stamping\_1.dgn



WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4200  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884

USER NAME = USSJ696614	DESIGNED - LAS	REVISED -
	CHECKED - MS	REVISED -
PLOT SCALE = 0.167' / in.	DRAWN - MA	REVISED -
PLOT DATE = 6/10/2025	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**


**STAGE CONSTRUCTION DETAILS 1**  
**STRUCTURE NO. 099-0186**

SHEET SA-3 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	621
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

Note:  
The cost of removing  
Beam 1 is included in  
Structural Steel Removal.

Exist. W36 beams (at fascia)  
to be removed




**STAGE II REMOVAL**  
(Looking North)

**LEGEND**

- Removal of Existing  
Concrete Deck

Prop. W36 beams (at fascia)  
composite in positive moment  
region only.



**STAGE II CONSTRUCTION**  
(Looking North)

**NOTES:**

1. For Temporary Concrete Barrier, see sheet SA-5.
2. For quantity of Temporary Concrete Barrier, see Roadway Plans.
3. The cost of removing the existing railing, overlay, and protective shield is included in Removal of Existing Concrete Deck.

\*NB traffic from WB I-80 Ramp  
with SB construction access,  
all other traffic detoured to  
local roads in Stage II

MODEL SHEET: p:\transys\transys\comp\p1\hatched\Documents\Projects\_2018\C4401\40118002703\WSP\CAD\62022\INT\_4\Center\Structural\SA-099-0186-62022-SA-04-Construction\Stamping\_2.dgn  
 FILE NAME: p:\transys\transys\comp\p1\hatched\Documents\Projects\_2018\C4401\40118002703\WSP\CAD\62022\INT\_4\Center\Structural\SA-099-0186-62022-SA-04-Construction\Stamping\_2.dgn

**WSP**  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884

USER NAME = USSJ696614	DESIGNED - LAS	REVISED -
	CHECKED - MS	REVISED -
PLOT SCALE = 0.167 1/ in.	DRAWN - MA	REVISED -
PLOT DATE = 6/10/2025	CHECKED - LAS	REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**STAGE CONSTRUCTION DETAILS 2  
STRUCTURE NO. 099-0186**

SHEET SA-4 OF SA-37 SHEETS


F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	622
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				





When "A" is 3'-1" or less, the temporary concrete barrier shall be restrained to the new slab according to Detail I, II or III. No restraint is required when "A" is greater than 3'-1".


**NEW SLAB OR NEW DECK BEAM**



Drill 3-1 1/4" Ø Holes in existing slab for 1" Ø restraining pins. Traffic side only. Cost of restraining pins are included with Temporary Concrete Barrier. No restraint is required when "A" is greater than 3'-1".

**EXISTING SLAB**


**EXISTING DECK BEAM**




**RESTRAINING PIN**

\* When hot-mix asphalt wearing surface is present, embedment shall be 3" plus the wearing surface depth.


**SECTIONS THRU SLAB OR DECK BEAM**




**DETAIL I**



**DETAIL II**



**DETAIL III**




**BAR SPLICER FOR #4 BAR - DETAIL III**

Notes:  
 Cost of retainer assembly is included with Temporary Concrete Barrier.  
 A retainer assembly shall be located at the approximate  $\bar{C}$  of each temporary concrete barrier.  
 The retainer plate shall not be removed until the concrete on the adjacent stage is ready to be poured. For Detail III applications the retainer plate shall not be removed until just prior to placing the adjacent beam.  
 When the 'A' dimension is less than 1 1/2", the wood block shall be omitted and the barrier shall be placed in direct contact with the steel retainer plate.  
 For deck beam applications the minimum required 'A' distance is 6" to accommodate the shear key clamping device.


Detail I - Installation for a new bridge deck or bridge slab.

Detail II - Installation for a new deck beam with an initial concrete wearing surface. Additional bar splicers shall be provided at 6'-0" centers and paired with the bar splicers of the concrete wearing surface reinforcement to accommodate the installation of the retainer assemblies. The cost of the additional bar splicers is included with the concrete wearing surface.

Detail III - Installation for a new deck beam with no initial wearing surface or with an initial hot-mix asphalt (HMA) wearing surface present. The deck beam directly beneath the temporary concrete barrier shall be fabricated with bar splicer inserts in the side of the beam, as detailed, to accommodate the installation of the retainer assemblies. A pair of bar splicers, 6" apart, shall be placed at 6'-0" centers along the length of the beam. The cost of the bar splicers is included with the deck beam.



**STEEL RETAINER R 1" x 8" x "W"**  
(Detail I and II)



**STEEL RETAINER R 1" x "H" x 10"**  
(Detail III)

**RAILING CRITERIA**

NCHRP 350 Test Level	3
Railing Weight (plf)	440

R-27 5-15-2023

MODEL SHEET  
 FILE NAME: p:\transys\transys\ppl\hatched\Documents\Projects\_2018\CH401\40118002703\MSD\CAD\62822-INT-4\_Center\Struct\Structural\99-0186\0990186-62822-SA-05\_Temporary Concrete Barrier.dgn



WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4200  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884

USER NAME = USSJ696614	DESIGNED - MA	REVISED -
PILOT SCALE = 7:11,99616 "/>		


**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**TEMPORARY CONCRETE BARRIER  
 STRUCTURE NO. 099-0186**


SHEET SA-5 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	623
CONTRACT NO. 62R22				

ILLINOIS FED. AID PROJECT



**SOUTH ABUTMENT  
TEMPORARY SHEET PILING**  
Minimum Section Modulus = 4.3 in.<sup>3</sup>/ft




**NORTH ABUTMENT  
TEMPORARY SHEET PILING**  
Minimum Section Modulus = 7.9 in.<sup>3</sup>/ft

**Notes:**  
If the Contractor chooses to alter the temporary cantilevered sheet piling design requirements shown on the plans, a design submittal including plan details and calculations will be required for review and acceptance by the Engineer.  
The Contractor shall connect the first sheet to the existing abutment wall to ensure the stability of the sheets driven to the top of the existing footing. This connection shall be reviewed and accepted by the Engineer and included in the cost for Temporary Sheet Piling.

**BILL OF MATERIAL**

Item	Unit	Quantity
Temporary Sheet Piling	Sq. Ft.	455

MODEL: Untitled  
 FILE NAME: p:\transysystems-pw\entby.com\transyscorp\pw-hosted\Documents\Projects\_2018\C4401\40118002703-WSP\Structural\SA-099-0186\0990186-62R22-SA-06-TempSheetPiling.dgn




USER NAME = USSJ696614	DESIGNED - MA	REVISED -
	CHECKED - LAS	REVISED -
PLOT SCALE = 0.16666000 */ in.	DRAWN - MA	REVISED -
PLOT DATE = 4/22/2025	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**TEMPORARY SHEET PILING  
STRUCTURE NO. 099-0186**


SHEET SA-6 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	624
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				




**DEAD LOAD DEFLECTION DIAGRAM**  
(Includes weight of concrete only)

Note:  
The above deflections are not to be used in the field if the engineer is working from the grade elevations adjusted for dead load deflections as shown on sheets SA-8 to SA-11.



To determine "t": After all structural steel has been erected, elevations of the top flanges of the beams shall be taken at intervals shown below. These elevations subtracted from the "Theoretical Grade Elevations Adjusted for Dead Load Deflection" shown on sheets SA-8 to SA-11, minus slab thickness, equals the fillet heights "t" above top flange of beams.

**FILLET HEIGHTS**



**PLAN**

MODEL: Sheet  
 FILE NAME: p:\projects\transys\p01\hwy\comtransys\p01\hwy\Documents\Projects\_2018\C401\40118002703\WSP\CAD\62R22-INT-1\Center\Structural\SA-099-01\62R22-SA-01-Top of Slab Elev 1.dgn

**WSP**  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884

USER NAME = USSJ696614	DESIGNED - MEA	REVISED -
PLOT SCALE = 7:11,99616 " = 1" / in.	CHECKED - LAS	REVISED -
PLOT DATE = 4/22/2025	DRAWN - MEA	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**TOP OF SLAB ELEVATIONS 1**  
**STRUCTURE NO. 099-0186**  
 SHEET SA-7 OF SA-37 SHEETS

F.A.U. RTE. 316	SECTION FAI 80 21 INTERCHANGE	COUNTY WILL	TOTAL SHEETS 1209	SHEET NO. 625
CONTRACT NO. 62R22			ILLINOIS FED. AID PROJECT	





BEAM 5

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted for Dead Load Deflection. Rows include Bk. S. Abutment, C Brg. S. Abutment (A-E), C Brg. Pier 1 (F-O), C Brg. Pier 2 (P-T), C Brg. N. Abutment, and Bk. N. Abutment.

PROFILE GRADE (S.B.)

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted for Dead Load Deflection. Rows include Bk. S. Abutment, C Brg. S. Abutment (A-E), C Brg. Pier 1 (F-O), C Brg. Pier 2 (P-T), C Brg. N. Abutment, and Bk. N. Abutment.

WEST EDGE OF CURB

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted for Dead Load Deflection. Rows include Bk. S. Abutment, C Brg. S. Abutment (A-E), C Brg. Pier 1 (F-O), C Brg. Pier 2 (P-T), C Brg. N. Abutment, and Bk. N. Abutment.

BEAM 6

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted for Dead Load Deflection. Rows include Bk. S. Abutment, C Brg. S. Abutment (A-E), C Brg. Pier 1 (F-O), C Brg. Pier 2 (P-T), C Brg. N. Abutment, and Bk. N. Abutment.


C CENTER ST. & STAGE CONSTRUCTION LINE

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted for Dead Load Deflection. Rows include Bk. S. Abutment, C Brg. S. Abutment (A-E), C Brg. Pier 1 (F-O), C Brg. Pier 2 (P-T), C Brg. N. Abutment, and Bk. N. Abutment.

NOTES:

- 1. All Elevations and Offsets are in feet.
2. Offsets are measured with respect to C Center Street. Negative offsets are left and positive are right of the centerline.

MO:EL: Defaul...
FILE NAME: p:\projects\transys\corp\ppl\hosted\Documents\projects\_2018\C40140118002703-MS7\CAD\B2022-INT-1\Center\Structural\SH-099-0186\0990186-62022-5A-05-Top of Slab Elev 3.dgn



WSP USA Inc.
30 N. LASALLE STREET
SUITE 4000
CHICAGO, IL 60602
TEL: (312) 782-8150
FAX: (312) 782-1884

USER NAME = USJ696614
DESIGNED - MEA
CHECKED - LAS
REVIS...
PLOT SCALE = 7:11,99616 "/>

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

TOP OF SLAB ELEVATIONS 3
STRUCTURE NO. 099-0186

Table with 5 columns: F.A.U. RTE., SECTION, COUNTY, TOTAL SHEETS, SHEET NO. Values: 316, FAI 80 21 INTERCHANGE, WILL, 1209, 627.

SHEET SA-9 OF SA-37 SHEETS

ILLINOIS FED. AID PROJECT

**BEAM 7**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	41+65.60	1.17'	608.01	608.01
☉ Brg. S. Abutment	41+68.86	1.17'	607.98	607.98
A	41+78.86	1.17'	607.89	607.89
B	41+88.86	1.17'	607.80	607.81
C	41+98.86	1.17'	607.69	607.69
D	42+08.86	1.17'	607.57	607.56
E	42+18.86	1.17'	607.44	607.43
☉ Brg. Pier 1	42+31.86	1.17'	607.26	607.26
F	42+41.86	1.17'	607.10	607.13
G	42+51.86	1.17'	606.94	607.01
H	42+61.86	1.17'	606.77	606.87
I	42+71.86	1.17'	606.58	606.71
J	42+81.86	1.17'	606.39	606.54
K	42+91.86	1.17'	606.18	606.33
L	43+01.86	1.17'	605.97	606.11
M	43+11.86	1.17'	605.75	605.86
N	43+21.86	1.17'	605.51	605.58
O	43+31.86	1.17'	605.27	605.30
☉ Brg. Pier 2	43+44.11	1.17'	604.95	604.95
P	43+54.11	1.17'	604.68	604.67
Q	43+64.11	1.17'	604.41	604.40
R	43+74.11	1.17'	604.12	604.12
S	43+84.11	1.17'	603.82	603.82
T	43+94.11	1.17'	603.51	603.52
☉ Brg. N. Abutment	44+07.11	1.17'	603.09	603.09
Bk. N. Abutment	44+10.36	1.17'	602.99	602.99

**EAST EDGE OF CURB**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	41+66.03	1.50'	608.00	608.00
☉ Brg. S. Abutment	41+69.28	1.50'	607.97	607.97
A	41+79.28	1.50'	607.89	607.89
B	41+89.28	1.50'	607.79	607.80
C	41+99.28	1.50'	607.68	607.68
D	42+09.28	1.50'	607.56	607.55
E	42+19.28	1.50'	607.43	607.42
☉ Brg. Pier 1	42+32.28	1.50'	607.24	607.24
F	42+42.28	1.50'	607.09	607.12
G	42+52.28	1.50'	606.93	607.00
H	42+62.28	1.50'	606.75	606.85
I	42+72.28	1.50'	606.57	606.70
J	42+82.28	1.50'	606.38	606.53
K	42+92.28	1.50'	606.17	606.32
L	43+02.28	1.50'	605.96	606.10
M	43+12.28	1.50'	605.73	605.84
N	43+22.28	1.50'	605.50	605.57
O	43+32.28	1.50'	605.25	605.28
☉ Brg. Pier 2	43+44.53	1.50'	604.94	604.94
P	43+54.53	1.50'	604.67	604.66
Q	43+64.53	1.50'	604.39	604.38
R	43+74.53	1.50'	604.10	604.10
S	43+84.53	1.50'	603.80	603.80
T	43+94.53	1.50'	603.49	603.50
☉ Brg. N. Abutment	44+07.53	1.50'	603.08	603.08
Bk. N. Abutment	44+10.79	1.50'	602.97	602.97

**PROFILE GRADE (N.B.)**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	41+66.66	2.00'	607.99	607.99
☉ Brg. S. Abutment	41+69.92	2.00'	607.96	607.96
A	41+79.92	2.00'	607.87	607.87
B	41+89.92	2.00'	607.77	607.78
C	41+99.92	2.00'	607.66	607.66
D	42+09.92	2.00'	607.54	607.53
E	42+19.92	2.00'	607.41	607.40
☉ Brg. Pier 1	42+32.92	2.00'	607.23	607.23
F	42+42.92	2.00'	607.07	607.10
G	42+52.92	2.00'	606.91	606.98
H	42+62.92	2.00'	606.73	606.83
I	42+72.92	2.00'	606.55	606.68
J	42+82.92	2.00'	606.36	606.51
K	42+92.92	2.00'	606.15	606.30
L	43+02.92	2.00'	605.93	606.07
M	43+12.92	2.00'	605.71	605.82
N	43+22.92	2.00'	605.47	605.54
O	43+32.92	2.00'	605.23	605.26
☉ Brg. Pier 2	43+45.17	2.00'	604.91	604.91
P	43+55.17	2.00'	604.64	604.63
Q	43+65.17	2.00'	604.36	604.35
R	43+75.17	2.00'	604.07	604.07
S	43+85.17	2.00'	603.78	603.78
T	43+95.17	2.00'	603.47	603.48
☉ Brg. N. Abutment	44+08.17	2.00'	603.05	603.05
Bk. N. Abutment	44+11.42	2.00'	602.94	602.94

**BEAM 8**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	41+72.93	6.92'	607.86	607.86
☉ Brg. S. Abutment	41+76.19	6.92'	607.83	607.83
A	41+86.19	6.92'	607.74	607.74
B	41+96.19	6.92'	607.63	607.64
C	42+06.19	6.92'	607.51	607.51
D	42+16.19	6.92'	607.39	607.38
E	42+26.19	6.92'	607.25	607.24
☉ Brg. Pier 1	42+39.19	6.92'	607.06	607.06
F	42+49.19	6.92'	606.90	606.93
G	42+59.19	6.92'	606.73	606.80
H	42+69.19	6.92'	606.55	606.65
I	42+79.19	6.92'	606.36	606.49
J	42+89.19	6.92'	606.15	606.30
K	42+99.19	6.92'	605.94	606.09
L	43+09.19	6.92'	605.72	605.86
M	43+19.19	6.92'	605.49	605.60
N	43+29.19	6.92'	605.25	605.32
O	43+39.19	6.92'	604.99	605.02
☉ Brg. Pier 2	43+51.44	6.92'	604.67	604.67
P	43+61.44	6.92'	604.40	604.39
Q	43+71.44	6.92'	604.11	604.10
R	43+81.44	6.92'	603.81	603.81
S	43+91.44	6.92'	603.51	603.51
T	44+01.44	6.92'	603.19	603.20
☉ Brg. N. Abutment	44+14.44	6.92'	602.77	602.77
Bk. N. Abutment	44+17.69	6.92'	602.66	602.66

**BEAM 9**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	41+80.26	12.67'	607.71	607.71
☉ Brg. S. Abutment	41+83.52	12.67'	607.68	607.68
A	41+93.52	12.67'	607.57	607.57
B	42+03.52	12.67'	607.46	607.47
C	42+13.52	12.67'	607.34	607.34
D	42+23.52	12.67'	607.20	607.19
E	42+33.52	12.67'	607.06	607.05
☉ Brg. Pier 1	42+46.52	12.67'	606.86	606.86
F	42+56.52	12.67'	606.69	606.72
G	42+66.52	12.67'	606.51	606.58
H	42+76.52	12.67'	606.32	606.42
I	42+86.52	12.67'	606.12	606.25
J	42+96.52	12.67'	605.91	606.06
K	43+06.52	12.67'	605.69	605.84
L	43+16.52	12.67'	605.47	605.61
M	43+26.52	12.67'	605.23	605.34
N	43+36.52	12.67'	604.98	605.05
O	43+46.52	12.67'	604.72	604.75
☉ Brg. Pier 2	43+58.77	12.67'	604.38	604.38
P	43+68.77	12.67'	604.10	604.09
Q	43+78.77	12.67'	603.81	603.80
R	43+88.77	12.67'	603.50	603.50
S	43+98.77	12.67'	603.19	603.19
T	44+08.77	12.67'	602.87	602.88
☉ Brg. N. Abutment	44+21.77	12.67'	602.43	602.43
Bk. N. Abutment	44+25.02	12.67'	602.32	602.32

**NOTES:**

- All Elevations and Offsets are in feet.
- Offsets are measured with respect to ☉ Center Street. Negative offsets are left and positive are right of the centerline.

MODEL: D:\proj\...  
 FILE NAME: ...  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884



USER NAME =	USSJ696614
DESIGNED -	MEA
CHECKED -	LAS
PLOT SCALE =	7:11,99616 "/>

REVISER -	
REVISIONS -	
DRAWN -	MEA
CHECKED -	LAS
REVISER -	

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**TOP OF SLAB ELEVATIONS 4  
STRUCTURE NO. 099-0186**

SHEET SA-10 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	628
CONTRACT NO. 62R22				
ILLINOIS		FED. AID PROJECT		

Model: D:\wsp\p\transys\pwp\hcs\hcs\Documents\Projects\2018\CH-401\40118002203-MSR\CAD\BE2022-INT-1\_Center\Struct\Structural\SA-11\_Top of Slab Elev 5.dgn

**BEAM 10**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	41+87.59	18.42'	607.55	607.55
☉ Brg. S. Abutment	41+90.85	18.42'	607.52	607.52
A	42+00.85	18.42'	607.41	607.41
B	42+10.85	18.42'	607.28	607.29
C	42+20.85	18.42'	607.15	607.15
D	42+30.85	18.42'	607.01	607.00
E	42+40.85	18.42'	606.86	606.85
☉ Brg. Pier 1	42+53.85	18.42'	606.65	606.65
F	42+63.85	18.42'	606.47	606.50
G	42+73.85	18.42'	606.29	606.36
H	42+83.85	18.42'	606.09	606.19
I	42+93.85	18.42'	605.88	606.01
J	43+03.85	18.42'	605.67	605.82
K	43+13.85	18.42'	605.44	605.59
L	43+23.85	18.42'	605.20	605.34
M	43+33.85	18.42'	604.96	605.07
N	43+43.85	18.42'	604.70	604.77
O	43+53.85	18.42'	604.43	604.46
☉ Brg. Pier 2	43+66.10	18.42'	604.09	604.09
P	43+76.10	18.42'	603.80	603.79
Q	43+86.10	18.42'	603.50	603.49
R	43+96.10	18.42'	603.19	603.19
S	44+06.10	18.42'	602.87	602.87
T	44+16.10	18.42'	602.54	602.55
☉ Brg. N. Abutment	44+29.10	18.42'	602.09	602.09
Bk. N. Abutment	44+32.35	18.42'	601.98	601.98

**BEAM 11**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	41+94.92	24.17'	607.39	607.39
☉ Brg. S. Abutment	41+98.18	24.17'	607.35	607.35
A	42+08.18	24.17'	607.23	607.23
B	42+18.18	24.17'	607.10	607.11
C	42+28.18	24.17'	606.96	606.96
D	42+38.18	24.17'	606.82	606.81
E	42+48.18	24.17'	606.66	606.65
☉ Brg. Pier 1	42+61.18	24.17'	606.43	606.43
F	42+71.18	24.17'	606.25	606.28
G	42+81.18	24.17'	606.06	606.13
H	42+91.18	24.17'	605.85	605.95
I	43+01.18	24.17'	605.64	605.77
J	43+11.18	24.17'	605.42	605.57
K	43+21.18	24.17'	605.18	605.33
L	43+31.18	24.17'	604.94	605.08
M	43+41.18	24.17'	604.68	604.79
N	43+51.18	24.17'	604.42	604.49
O	43+61.18	24.17'	604.14	604.17
☉ Brg. Pier 2	43+73.43	24.17'	603.79	603.79
P	43+83.43	24.17'	603.50	603.49
Q	43+93.43	24.17'	603.19	603.18
R	44+03.43	24.17'	602.87	602.87
S	44+13.43	24.17'	602.54	602.54
T	44+23.43	24.17'	602.20	602.21
☉ Brg. N. Abutment	44+36.43	24.17'	601.75	601.75
Bk. N. Abutment	44+39.68	24.17'	601.62	601.62

**EAST EDGE OF ROADWAY**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	41+97.26	26.00'	607.33	607.33
☉ Brg. S. Abutment	42+00.51	26.00'	607.30	607.30
A	42+10.51	26.00'	607.17	607.17
B	42+20.51	26.00'	607.04	607.05
C	42+30.51	26.00'	606.90	606.90
D	42+40.51	26.00'	606.75	606.74
E	42+50.51	26.00'	606.59	606.58
☉ Brg. Pier 1	42+63.51	26.00'	606.36	606.36
F	42+73.51	26.00'	606.18	606.21
G	42+83.51	26.00'	605.98	606.05
H	42+93.51	26.00'	605.78	605.88
I	43+03.51	26.00'	605.56	605.69
J	43+13.51	26.00'	605.34	605.49
K	43+23.51	26.00'	605.10	605.25
L	43+33.51	26.00'	604.85	604.99
M	43+43.51	26.00'	604.60	604.71
N	43+53.51	26.00'	604.33	604.40
O	43+63.51	26.00'	604.05	604.08
☉ Brg. Pier 2	43+75.76	26.00'	603.70	603.70
P	43+85.76	26.00'	603.40	603.39
Q	43+95.76	26.00'	603.09	603.08
R	44+05.76	26.00'	602.77	602.77
S	44+15.76	26.00'	602.44	602.44
T	44+25.76	26.00'	602.09	602.10
☉ Brg. N. Abutment	44+38.76	26.00'	601.63	601.63
Bk. N. Abutment	44+42.02	26.00'	601.51	601.51

**BEAM 12**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	42+02.25	29.92'	607.22	607.22
☉ Brg. S. Abutment	42+05.50	29.92'	607.18	607.18
A	42+15.50	29.92'	607.05	607.05
B	42+25.50	29.92'	606.92	606.92
C	42+35.50	29.92'	606.77	606.77
D	42+45.50	29.92'	606.61	606.60
E	42+55.50	29.92'	606.45	606.43
☉ Brg. Pier 1	42+68.50	29.92'	606.21	606.21
F	42+78.50	29.92'	606.02	606.06
G	42+88.50	29.92'	605.82	605.92
H	42+98.50	29.92'	605.61	605.76
I	43+08.50	29.92'	605.39	605.58
J	43+18.50	29.92'	605.16	605.37
K	43+28.50	29.92'	604.92	605.14
L	43+38.50	29.92'	604.67	604.87
M	43+48.50	29.92'	604.40	604.56
N	43+58.50	29.92'	604.13	604.24
O	43+68.50	29.92'	603.85	603.90
☉ Brg. Pier 2	43+80.75	29.92'	603.49	603.49
P	43+90.75	29.92'	603.18	603.16
Q	44+00.75	29.92'	602.87	602.86
R	44+10.75	29.92'	602.54	602.53
S	44+20.75	29.92'	602.21	602.21
T	44+30.75	29.92'	601.86	601.86
☉ Brg. N. Abutment	44+43.75	29.92'	601.38	601.38
Bk. N. Abutment	44+47.01	29.92'	601.25	601.25

**INSIDE FACE OF EAST PARAPET**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted for Dead Load Deflection
Bk. S. Abutment	42+04.05	31.33'	607.17	607.17
☉ Brg. S. Abutment	42+07.31	31.33'	607.13	607.13
A	42+17.31	31.33'	607.01	607.01
B	42+27.31	31.33'	606.87	606.87
C	42+37.31	31.33'	606.72	606.72
D	42+47.31	31.33'	606.56	606.55
E	42+57.31	31.33'	606.39	606.37
☉ Brg. Pier 1	42+70.31	31.33'	606.16	606.16
F	42+80.31	31.33'	605.97	606.01
G	42+90.31	31.33'	605.76	605.86
H	43+00.31	31.33'	605.55	605.70
I	43+10.31	31.33'	605.33	605.52
J	43+20.31	31.33'	605.10	605.31
K	43+30.31	31.33'	604.85	605.07
L	43+40.31	31.33'	604.60	604.80
M	43+50.31	31.33'	604.33	604.49
N	43+60.31	31.33'	604.06	604.17
O	43+70.31	31.33'	603.78	603.83
☉ Brg. Pier 2	43+82.56	31.33'	603.41	603.41
P	43+92.56	31.33'	603.11	603.09
Q	44+02.56	31.33'	602.79	602.78
R	44+12.56	31.33'	602.46	602.45
S	44+22.56	31.33'	602.12	602.12
T	44+32.56	31.33'	601.78	601.78
☉ Brg. N. Abutment	44+45.56	31.33'	601.29	601.29
Bk. N. Abutment	44+48.81	31.33'	601.16	601.16

**NOTES:**

1. All Elevations and Offsets are in feet.
2. Offsets are measured with respect to ☉ Center Street. Negative offsets are left and positive are right of the centerline.




WSP USA Inc. 30 N. LASALLE STREET SUITE 4000 CHICAGO, IL 60602 TEL: (312) 782-8150 FAX: (312) 782-1884	USER NAME = USSJ696614	DESIGNED - MEA	REVISED -
	PLOT SCALE = 7:11,99616 "" / in.	CHECKED - LAS	REVISED -
	PLOT DATE = 4/22/2025	DRAWN - MEA	REVISED -
		CHECKED - LAS	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**TOP OF SLAB ELEVATIONS 5  
STRUCTURE NO. 099-0186**

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	629
CONTRACT NO. 62R22				

MODEL: D:\full\...  
 FILE NAME: ...  
 PROJECT: ...  
 USER: ...  
 DATE: ...



**PLAN**  
(South Approach)

**WEST EDGE OF SHOULDER**

Location	Station	Offset	Theoretical Grade Elevations
S. End South Appr. Pav't.	40+95.79	-31.33	608.11
A1	41+05.79	-31.33	608.04
A2	41+15.79	-31.33	607.96
N. End South Appr. Pav't.	41+25.79	-31.33	607.88

**WEST EDGE OF LANE**

Location	Station	Offset	Theoretical Grade Elevations
S. End South Appr. Pav't.	41+02.59	-26.00	608.14
A1	41+12.59	-26.00	608.07
A2	41+22.59	-26.00	607.99
N. End South Appr. Pav't.	41+32.59	-26.00	607.91

**S.B. PROFILE GRADE LINE**

Location	Station	Offset	Theoretical Grade Elevations
S. End South Appr. Pav't.	41+33.18	-2.00	608.26
A1	41+43.18	-2.00	608.18
A2	41+53.18	-2.00	608.10
N. End South Appr. Pav't.	41+63.18	-2.00	608.02

**WEST EDGE OF CURB**

Location	Station	Offset	Theoretical Grade Elevations
S. End South Appr. Pav't.	41+33.82	-1.50	608.26
A1	41+43.82	-1.50	608.18
A2	41+53.82	-1.50	608.10
N. End South Appr. Pav't.	41+63.82	-1.50	608.02

**CENTER ST., CROWN, & STAGE CONSTR. LINE**

Location	Station	Offset	Theoretical Grade Elevations
S. End South Appr. Pav't.	41+35.73	0.00'	608.27
A1	41+45.73	0.00'	608.19
A2	41+55.73	0.00'	608.11
N. End South Appr. Pav't.	41+65.73	0.00'	608.03

**EAST EDGE OF CURB**

Location	Station	Offset	Theoretical Grade Elevations
S. End South Appr. Pav't.	41+37.64	1.50'	608.23
A1	41+47.64	1.50'	608.15
A2	41+57.64	1.50'	608.07
N. End South Appr. Pav't.	41+67.64	1.50'	607.99

**N.B. PROFILE GRADE LINE**

Location	Station	Offset	Theoretical Grade Elevations
S. End South Appr. Pav't.	41+38.28	2.00'	608.22
A1	41+48.28	2.00'	608.14
A2	41+58.28	2.00'	608.06
N. End South Appr. Pav't.	41+68.28	2.00'	607.98

**EAST EDGE OF LANE**


Location	Station	Offset	Theoretical Grade Elevations
S. End South Appr. Pav't.	41+68.87	26.00'	607.61
A1	41+78.87	26.00'	607.52
A2	41+88.87	26.00'	607.42
N. End South Appr. Pav't.	41+98.87	26.00'	607.31

**EAST EDGE OF SHOULDER**

Location	Station	Offset	Theoretical Grade Elevations
S. End South Appr. Pav't.	41+75.67	31.33'	607.47
A1	41+85.05	31.33'	607.38
A2	41+95.05	31.33'	607.27
N. End South Appr. Pav't.	42+05.05	31.33'	607.15

**NOTES:**

- All Elevations and Offsets are in feet.
- Offsets are measured with respect to  $\text{\textcircled{C}}$  Center Street.



USER NAME = USSJ696614	DESIGNED - MEA	REVISED -
PLOT SCALE = 7:11.99616 "/> <td>CHECKED - LAS</td> <td>REVISED -</td>	CHECKED - LAS	REVISED -
PLOT DATE = 4/22/2025	DRAWN - MEA	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**TOP OF SOUTH APPROACH SLAB ELEVATIONS  
STRUCTURE NO. 099-0186**

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	630
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

SHEET SA-12 OF SA-37 SHEETS

**WEST EDGE OF SHOULDER**

Location	Station	Offset	Theoretical Grade Elevations
S. End North Appr. Pav't.	43+67.32	-31.33'	603.86
A3	43+77.32	-31.33'	603.57
A4	43+87.32	-31.33'	603.27
N. End North Appr. Pav't.	43+97.32	-31.33'	602.96

**WEST EDGE OF LANE**

Location	Station	Offset	Theoretical Grade Elevations
S. End North Appr. Pav't.	43+74.12	-26.00'	603.75
A3	43+84.12	-26.00'	603.45
A4	43+94.12	-26.00'	603.14
N. End North Appr. Pav't.	44+04.12	-26.00'	602.80

**S.B. PROFILE GRADE LINE**

Location	Station	Offset	Theoretical Grade Elevations
S. End North Appr. Pav't.	44+04.71	-2.00'	603.16
A3	44+14.71	-2.00'	602.83
A4	44+24.71	-2.00'	602.49
N. End North Appr. Pav't.	44+34.71	-2.00'	602.14

**WEST EDGE OF CURB**

Location	Station	Offset	Theoretical Grade Elevations
S. End North Appr. Pav't.	44+05.35	-1.50'	603.15
A3	44+15.35	-1.50'	602.82
A4	44+25.35	-1.50'	602.48
N. End North Appr. Pav't.	44+35.35	-1.50'	602.12

**CENTER ST., CROWN, & STAGE CONSTR. LINE**

Location	Station	Offset	Theoretical Grade Elevations
S. End North Appr. Pav't.	44+07.26	0.00'	603.11
A3	44+17.26	0.00'	602.77
A4	44+27.26	0.00'	602.43
N. End North Appr. Pav't.	44+37.26	0.00'	602.07

**EAST EDGE OF CURB**

Location	Station	Offset	Theoretical Grade Elevations
S. End North Appr. Pav't.	44+09.17	1.50'	603.02
A3	44+19.17	1.50'	602.69
A4	44+29.17	1.50'	602.34
N. End North Appr. Pav't.	44+39.17	1.50'	601.98

**N.B. PROFILE GRADE LINE**


Location	Station	Offset	Theoretical Grade Elevations
S. End North Appr. Pav't.	44+09.81	2.00'	602.99
A3	44+19.81	2.00'	602.66
A4	44+29.81	2.00'	602.31
N. End North Appr. Pav't.	44+39.81	2.00'	601.95

**EAST EDGE OF LANE**

Location	Station	Offset	Theoretical Grade Elevations
S. End North Appr. Pav't.	44+40.40	26.00'	601.56
A3	44+50.40	26.00'	601.17
A4	44+60.40	26.00'	600.79
N. End North Appr. Pav't.	44+70.40	26.00'	600.40

**EAST EDGE OF SHOULDER**

Location	Station	Offset	Theoretical Grade Elevations
S. End North Appr. Pav't.	44+47.20	31.33'	601.22
A3	44+57.20	31.33'	600.83
A4	44+67.20	31.33'	600.44
N. End North Appr. Pav't.	44+77.20	31.33'	600.06



**PLAN**  
(North Approach)

- NOTES:**
- All Elevations and Offsets are in feet.
  - Offsets are measured with respect to Center Street.

MODEL SHEET  
 FILE NAME: p:\transys\transys\ppl\hatched\Documents\Projects\_2018\C40118002703-MSD\CAD\62022-INT-4 (Center) Sheets\Structural\SA-13-Top of Slab N Appr.dgn

**WSP**  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884



USER NAME = USSJ696614	DESIGNED - MEA	REVISED -
PILOT SCALE = 7:11.99616" / in.	CHECKED - LAS	REVISED -
PILOT DATE = 4/22/2025	DRAWN - MEA	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**TOP OF NORTH APPROACH SLAB ELEVATIONS**  
**STRUCTURE NO. 099-0186**  
 SHEET SA-13 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	631

CONTRACT NO. 62R22  
 ILLINOIS FED. AID PROJECT



**MINIMUM BAR LAP**


#5 bar = 3'-6"  
#6 bar = 3'-7"

\* See Field Cutting Diagram on sheet SA-15.

\*\* The cost of expansion anchors/inserts is included in the cost of Reinforcement Bars, Epoxy Coated

**NOTES:**

1. See sheet SA-15 for superstructure details and Bill of Material.
2. Bars indicated thus 20 x 3-#5 etc. indicates 20 lines of bars with 3 lengths per line.



Note:  
3'-0" Proposed Raised Median to be constructed after Stage II construction is complete.

\*\*\* Fill width along joint - backer rod not required





USER NAME = USSJ696614	DESIGNED - PP	REVISED -
PILOT SCALE = 0.167 1/16"	CHECKED - LAS	REVISED -
PILOT DATE = 4/22/2025	DRAWN - PP	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**SUPERSTRUCTURE PLAN  
STRUCTURE NO. 099-0186**

F.A.U. RTE. 316	SECTION FAI 80 21 INTERCHANGE	COUNTY WILL	TOTAL SHEETS 1209	SHEET NO. 632
CONTRACT NO. 62R22			ILLINOIS FED. AID PROJECT	



MODEL: Sheet  
 FILE NAME: p:\projects\transys\p01\hatched\Documents\Projects\_2018\C401140118002703-WSP\CAD\62R22-INT-1\_Center\Structure\SA-14-Superstructure\_Plan.dgn



**INSIDE ELEVATION OF PARAPET**


**PARAPET JOINT DETAILS**

**Notes:**  
 The 3/16" aluminum sheet shall be ASTM B 209 alloy 3003-H14 and coated to minimize reaction with wet concrete. Cost included with Concrete Superstructure.  
 The polyurethane sealant shall be according to Article 1050.04 of the Std. Spec. and the color shall be gray.  
 Bar Terminators paid for separately. See Total Bill of Material.




**PLAN**

**Note:**  
 Cost of anchor rods is included with Concrete Superstructure.



**SECTION B-B**

**Note:**  
 See Highway Standard 812001.



**FIELD CUTTING DIAGRAM**


Order a3(E) and a4(E) bars full length. Cut as shown and use remainder of bars in opposite end of deck.

**ANCHOR ROD**


Diameter as specified for light poles. (ASTM F 1554 Grade 105) Full length hot dipped galvanized.

**SECTION A-A**


**Note:**  
 Cut longitudinal reinforcement to clear drainage scuppers.




**BAR a2(E)**



**BAR c2(E)**




**BAR d2(E)**




**BAR m3(E)**


(Headed 80 - #6 Bar Terminators)




**BAR d3(E)**




**BAR s1(E)**



**BAR d(E)**



**BAR d1(E)**



**ALTERNATE ANCHOR ROD**

(Headed 272 - #5 Bar Terminators)

**BAR s(E)**

(Headed 272 - #5 Bar Terminators)

**BAR u(E)**

**SUPERSTRUCTURE BILL OF MATERIAL**

Bar	No.	Size	Length	Shape	
a(E)	598	#5	32'-5"		
a1(E)	478	#5	31'-5"		
a2(E)	696	#6	8'-4"		
a3(E)	114	#5	32'-5"		
a4(E)	92	#5	31'-5"		
a5(E)	16	#5	28'-0"		
a6(E)	48	#5	1'-6"		
b(E)	612	#5	29'-11"		
b1(E)	240	#6	29'-5"		
b2(E)	496	#5	33'-3"		
c1(E)	242	#5	2'-8"		
c2(E)	484	#5	1'-6"		
d(E)	726	#5	6'-5"		
d1(E)	726	#5	8'-2"		
d2(E)	6	#6	4'-10"		
d3(E)	12	#6	8'-11"		
e(E)	132	#4	16'-4"		
e1(E)	80	#4	14'-1"		
e2(E)	32	#4	26'-2"		
e3(E)	24	#4	29'-4"		
m(E)	40	#6	28'-5"		
m1(E)	16	#4	27'-8"		
m2(E)	40	#6	8'-10"		
m3(E)	40	#6	8'-10"		
m4(E)	6	#6	5'-5"		
m5(E)	4	#6	4'-11"		
m6(E)	10	#6	5'-0"		
s(E)	136	#5	11'-4"		
s1(E)	136	#5	10'-3"		
u(E)	136	#4	4'-8"		
Reinforcement Bars, Epoxy Coated				Pound	121,510
Concrete Superstructure				Cu Yd	573.7

Bars indicated thus 1 x 2-#4 etc. indicates 1 line of bars with 2 lengths per line.




USER NAME = USSJ696614	DESIGNED - PP	REVISD -
	CHECKED - LAS	REVISD -
PLOT SCALE = 0.167 1/ in.	DRAWN - PP	REVISD -
PLOT DATE = 4/22/2025	CHECKED - LAS	REVISD -

**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**


**SUPERSTRUCTURE DETAILS STRUCTURE NO. 099-0186**

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	633
CONTRACT NO. 62R22				




**MINIMUM BAR LAP**  
 #4 bar = 2'-5"  
 #6 bar = 4'-0"


**DIAPHRAGM AT SOUTH ABUTMENT**  
 (North abutment similar)



**DIAPHRAGM CORNER DETAIL**  
 (NW & SE Corner  
 Some Bars Omitted for Clarity)




**DIAPHRAGM CORNER DETAIL**  
 (NE & SW Corner  
 Some Bars Omitted for Clarity)



**A & B DIMENSIONS**


Bar	A	B
m4(E)	10 3/8"	1'-1 1/4"
m5(E)	6 3/8"	8 3/8"
m6(E)	7 1/2"	9 3/8"

**BAR m4(E), m5(E), & m6(E)**  
 See table for A & B dimensions




**SECTION A-A**

Horizontal dimensions at right angles




2" P/JF (Per Article 1051.09 of the Standard Specifications) bonded to abutment cap and wingwall with suitable adhesive as recommended by supplier.



**VIEW B-B**

(Showing approach seat control locations. 2" P/JF, and limits of Fabric Reinforced Elastomeric Mat)



1/2" Ø Stainless steel expansion bolts with nuts and washers at 12" cts. according to Article 1006.29(d) of the Standard Specifications

**NOTES:**

- See sheet SA-15 for superstructure details, preformed joint filler details, and Bill of Material.
- The s(E), s1(E), and u(E) bars shall be placed parallel to the beams.
- Spacing for these bars shall be at right angles to the beams.
- The approach slab seat shall have a constant slope determined from the control points shown.
- Cost of fabric reinforced elastomeric mat, galvanized plate, stainless steel expansion bolts with nuts and washers and installation are included in the cost of Concrete Superstructure.

MODEL: Sheet  
 FILE NAME: p:\projects\transys\scorp\p1\hatched\Documents\Projects\_2018\C4401\401180022\03-WSP\CAD\62822-INT-4\Center\Structure\Diaphragm\Diaphragm\_Details\_1.dwg  
 PROJECTS: 2018\C4401\401180022\03-WSP\CAD\62822-INT-4\Center\Structure\Diaphragm\Diaphragm\_Details\_1.dwg

**WSP**  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884

USER NAME = USSJ696614	DESIGNED - PP	REVISIONS -
PLOT SCALE = 0.16666000 * 1/8"	CHECKED - LAS	REVISIONS -
PLOT DATE = 4/22/2025	DRAWN - PP	REVISIONS -
	CHECKED - LAS	REVISIONS -



**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**DIAPHRAGM DETAILS  
 STRUCTURE NO. 099-0186**

SHEET SA-16 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	634
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				






TOP AND BOTTOM ELEVATIONS FOR APPROACH FOOTING

South Approach			North Approach		
Point/Location	Top	Bottom	Point/Location	Top	Bottom
A - NE	605.92	605.09	A - SW	601.90	601.06
B - NCL	606.75	605.92	B - SCL	601.05	600.22
C - NW	606.60	605.77	C - SE	599.04	598.20
D - SE	606.08	605.24	D - NW	601.39	600.56
E - SCL	606.88	606.05	E - NCL	600.46	599.63
F - SW	606.71	605.88	F - NE	598.41	597.58

\* Fabric bearing pads at the expansion end shall be recessed 1/4" into the approach footing and bonded. Adjusting shims, when required, shall be bonded to the top of the fabric bearing pads.




\*\* The cost of expansion anchors/inserts is included in the cost of Reinforcement Bars, Epoxy Coated.

CROSS SECTION (Looking North)

(Sheet 1 of 3)

MODEL: Unintitled  
 FILE NAME: p:\transys\transys\comp\p1\hatched\Documents\Projects\_2018\C401180022\03\WSP\CAD\62R22\INT\_4\Center\Structural\SA-17-Precast Bridge Approach Slab.dgn  
 PROJECT: 2018\C401180022\03\WSP\CAD\62R22\INT\_4\Center\Structural\SA-17-Precast Bridge Approach Slab.dgn



USER NAME = USSJ696614  
 DESIGNED - MEA  
 CHECKED - LAS  
 PLOT SCALE = 0.16666000"/in.  
 DRAWN - MEA  
 PLOT DATE = 4/22/2025

DESIGNED - MEA  
 CHECKED - LAS  
 REVISIONS:

REVISIONS:



**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**PRECAST BRIDGE APPROACH SLAB**  
**STRUCTURE NO. 099-0186**


SHEET SA-17 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	635
CONTRACT NO. 62R22				



ILLINOIS FED. AID PROJECT



Notes:  
 The precast bridge approach slab shall be according to Section 504 of the Standard Specifications and shall be paid for at the contract unit price per square foot for Precast Bridge Approach Slab.  
 Cast-in-place substitution of Precast Bridge Approach Slab is not allowed.  
 The top surface of precast bridge approach slabs shall be finished similar to precast prestressed deck beams with concrete wearing surface as specified in the IDOT "Manual for Fabrication of Precast Prestressed Concrete Products."  
 Two 1/8" fabric adjusting shims of the dimensions of the exterior bearing pad shall be provided for each bearing pad location. Cost included with Precast Bridge Approach Slab.  
 A minimum 2 1/2" Ø lifting pins shall be used to engage the lifting loops during handling.  
 Compressive strength of precast concrete, f'c shall be 6,000 psi.  
 Compressive strength of precast concrete during initial lifting, f'ci shall be 5,000 psi.






**PLAN VIEW**  
 (showing precast bridge approach beams)  
 (Spacing of D(E) and D1(E) bars may be adjusted up to 3" to miss the dowel rod holes and the lifting loops at the beam ends)




**SECTION C-C**  
 (Showing reinforcement)

**VIEW D-D**  
 (Showing reinforcement)



**FABRIC BEARING PAD**

Notes:  
 Bearing pads at fixed end shall be 1/2" thick and bearing pads at expansion end shall be 3/4" thick.  
 Omit holes for fabric bearing pads at approach slab footing end of beams.



**LIFTING LOOP DETAIL**  
 (An alternate lifting loop with a proof load of 25,000 lbs. and utilized according to the manufacturer's recommendations may be used)


**BAR LIST**  
**EACH INTERIOR BEAM**  
 (For information only)

Bar	No.	Size	Length	Shape
B(E)	6	#5	29'-8"	—
B1(E)	12	#9	29'-8"	—
D(E)	22	#4	9'-10"	┌
S(E)	58	#5	12'-0"	▬
S1(E)	30	#5	10'-5"	▬

**BAR LIST**  
**EACH EXTERIOR BEAM**  
 (For information only)

Bar	No.	Size	Length	Shape
B(E)	5	#5	29'-8"	—
B1(E)	11	#9	29'-8"	—
D(E)	32	#4	8'-10"	┌
S2(E)	58	#5	10'-10"	▬
S1(E)	28	#5	9'-3"	▬

MODEL: Unintitled  
 FILE NAME: p:\transys\transys\ppl\hatched\Documents\projects\_2018\C401\40118002703\MSD\CAD\62022-INT-4\Cenfer\Streets\Structural\SA-18-Precast Bridge Approach\_Slab\_2.dwg  
 PROJECTS: 2018\C401\40118002703\MSD\CAD\62022-INT-4\Cenfer\Streets\Structural\SA-18-Precast Bridge Approach\_Slab\_2.dwg  
 USER: MEA  
 DATE: 4/22/2025




USER NAME = USSJ696614	DESIGNED - MEA	REVISED -
PLOT SCALE = 0.16666000' / in.	CHECKED - LAS	REVISED -
PLOT DATE = 4/22/2025	DRAWN - MEA	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**


**PRECAST BRIDGE APPROACH SLAB**  
**STRUCTURE NO. 099-0186**

SHEET SA-18 OF SA-37 SHEETS

F.A.U. RTE. 316	SECTION FAI 80 21 INTERCHANGE	COUNTY WILL	TOTAL SHEETS 1209	SHEET NO. 636
CONTRACT NO. 62R22			ILLINOIS FED. AID PROJECT	




**INSIDE ELEVATION OF PARAPET AND CURB**



**VIEW E-E**


**Notes:**  
 The joint opening shall be adjusted for temperature per Article 520.04 of the Standard Specifications. However, since this detail is for jointless structures, the length of bridge used to calculate the adjustment shall be equal to half the total bridge length plus the length of the bridge approach slab.  
 After precast bridge approach slabs have been erected, holes shall be drilled into abutment and anchor dowels placed. Dowel holes shall be filled with non-shrink grout to top of precast slab and cured according to Article 1020.13(a)(3) or 1020.13(a)(5) of the Standard Specifications for a minimum of 24 hours before casting the shear keys and wearing surface.  
 Any concrete poured monolithically with the wearing surface, such as curbs, shall not be paid for separately, but will be included in the cost of Concrete Wearing Surface, 5". The strip seal shall extend 6" beyond the edge of the approach slab on each end. Parapet and median concrete shall be paid for as Concrete Superstructure. Approach footing concrete shall be paid for as Concrete Structures. The approach footing maximum applied service bearing pressure ( $Q_{max}$ ) = 2.0 ksf. Cost of excavation for approach footing included with Concrete Structures. For Granular Backfill for Structures and drainage treatment details, see sheet SA-2 of SA-35. Cost of cellular polystyrene is included with Concrete Superstructure. Median to be constructed after Stage II is completed.




**SECTION A-A**  
 \*\* At right angles

**TWO APPROACHES  
 BILL OF MATERIAL**


Bar	No.	Size	Length	Shape
a10(E)	40	#5	28'-1"	┌───┐
a11(E)	40	#4	26'-9"	┌───┐
a12(E)	40	#5	8'-2"	┌───┐
a13(E)	40	#5	27'-3"	┌───┐
a14(E)	40	#4	26'-4"	┌───┐
a15(E)	40	#5	4'-4"	┌───┐
a16(E)	80	#5	1'-3"	┌───┐
b10(E)	136	#4	29'-8"	┌───┐
b11(E)	8	#5	16'-5"	┌───┐
b12(E)	8	#5	14'-8"	┌───┐
b13(E)	2	#4	14'-0"	┌───┐
b14(E)	2	#4	15'-4"	┌───┐
d10(E)	92	#5	6'-5"	┌───┐
d11(E)	92	#5	6'-5"	┌───┐
e10(E)	40	#4	14'-8"	┌───┐
t10(E)	264	#4	15'-8"	┌───┐
w10(E)	160	#5	26'-6"	┌───┐
Concrete Superstructure			Cu. Yd.	12.4
Concrete Structures			Cu. Yd.	63.7
Reinforcement Bars, Epoxy Coated			Pound	16,150
Precast Bridge Approach Slab			Sq. Ft.	3,820
Concrete Wearing Surface, 5"			Sq. Yd.	422




**1" diameter ANCHOR BOLT**  
 (Anchor bolt assemblies shall be galvanized according to Article 1006.09 of the Standard Specifications. Cost of anchor bolt assemblies included with Concrete Superstructure)




**BAR d10(E)**




**BAR d11(E)**




**BAR a16(E)**



**BAR a10(E)**



**BAR a11(E)**



**BAR a12(E)**

(Sheet 3 of 3)




USER NAME = USSJ696614	DESIGNED - MEA	REVISD -
PL0T SCALE = 0.16666000 ' / in.	CHECKED - LAS	REVISD -
PL0T DATE = 4/22/2025	DRAWN - MEA	REVISD -
	CHECKED - LAS	REVISD -

**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**PRECAST BRIDGE APPROACH SLAB  
 STRUCTURE NO. 099-0186**  
 SHEET SA-19 OF SA-37 SHEETS

F.A.U. RTE. 316	SECTION FAI 80 21 INTERCHANGE	COUNTY WILL	TOTAL SHEETS 1209	SHEET NO. 637
CONTRACT NO. 62R22			ILLINOIS FED. AID PROJECT	





**FRAMING PLAN**

	0.4 Sp. 1 or 0.6 SP. 3	Pier	0.5 Sp. 2
$I_s$	11,300	11,300	11,300
$I_c(n)$	27,781	--	27,781
$I_c(3n)$	20,003	--	20,003
$S_s$	623	623	623
$S_c(n)$	892	--	892
$S_c(3n)$	798	--	798
$Z$	--	--	--
$\phi$	0.912	1.149	0.912
$M\phi$	110	995	625
$s\phi$	0.237	--	0.237
$M_s\phi$	40	--	190
$M_t$	379	364	654
$M_{IM}$	101	85	137
$S_3 [M_t + i]$	800	748	1318
$M_a$	1,235	2,266	2,773
$M_u$	--	--	--
$f_s \phi$ non-comp	2.1	19.2	12.0
$f_s \phi$ (comp)	0.6	--	2.9
$f_s S_3 [M_t + M_{IM}]$	10.8	14.4	17.7
$f_s$ (Overload)	13.5	33.6	32.6
$f_s$ (Total)	17.5	43.7	42.4
VR	42.6	42.9	42.9

	0.4 Sp. 1 or 0.6 SP. 3	Pier	0.5 Sp. 2
$I_s$	9,040	18,027	15,550
$I_c(n)$	24,862	--	34,878
$I_c(3n)$	17,840	--	25,355
$S_s$	504	942	826
$S_c(n)$	764	--	1,114
$S_c(3n)$	682	--	1,006
$Z$	--	--	--
$\phi$	0.764	1.09	0.830
$M\phi$	82	954	571
$s\phi$	0.237	--	0.237
$M_s\phi$	38	--	186
$M_t$	374	416	581
$M_{IM}$	98	128	123
$S_3 [M_t + i]$	789	907	1,173
$M_a$	1,181	2,355	2,509
$M_u$	--	--	--
$f_s \phi$ non-comp	1.9	11.5	8.3
$f_s \phi$ (comp)	0.7	--	2.2
$f_s S_3 [M_t + M_{IM}]$	12.4	11.6	12.6
$f_s$ (Overload)	15.0	23.1	23.2
$f_s$ (Total)	19.5	30.0	30.1
VR	52.2	51.2	39.6

$I_s, S_s$ : Non-composite moment of inertia and section modulus of the steel section used for computing  $f_s$  (Total and Overload) due to non-composite dead loads (in.<sup>4</sup> and in.<sup>3</sup>).

$I_c(n), S_c(n)$ : Composite moment of inertia and section modulus of the steel and deck based upon the modular ratio, "n", used for computing  $f_s$  (Total and Overload) due to short-term composite live loads (in.<sup>4</sup> and in.<sup>3</sup>).

$I_c(3n), S_c(3n)$ : Composite moment of inertia and section modulus of the steel and deck based upon 3 times the modular ratio, "3n", used for computing  $f_s$  (Total and Overload) due to long-term composite (superimposed) dead loads (in.<sup>4</sup> and in.<sup>3</sup>).

$Z$ : Plastic Section Modulus of the steel section in non-composite areas (in.<sup>3</sup>).

$\phi$ : Un-factored non-composite dead load (kips/ft.).

$M\phi$ : Un-factored moment due to non-composite dead load (kip-ft.).

$s\phi$ : Un-factored long-term composite (superimposed) dead load (kips/ft.).

$M_s\phi$ : Un-factored moment due to long-term composite (superimposed) dead load (kip-ft.).

$M_t$ : Un-factored live load moment (kip-ft.).

$M_{IM}$ : Un-factored moment due to impact (kip-ft.).

$M_a$ : Factored design moment (kip-ft.).  
1.3 [  $M\phi + M_s\phi + \frac{5}{3}(M_t + M_{IM})$  ]

$M_u$ : Compact composite moment capacity according to AASHTO LFD 10.50.1.1 or compact non-composite moment capacity according to AASHTO LFD 10.48.1 (kip-ft.).

$f_s$  (Overload): Sum of stresses as computed from the moments below (ksi).  
 $M\phi + M_s\phi + \frac{5}{3}(M_t + M_{IM})$

$f_s$  (Total): Sum of stresses as computed from the moments below on non-compact section (ksi).  
1.3 [  $M\phi + M_s\phi + \frac{5}{3}(M_t + M_{IM})$  ]

VR: Maximum  $\phi_t +$  impact shear range within the composite portion of the span for stud shear connector design (kips).


- NOTES:**
- See sheet SA-22 for beam elevations.
  - See sheet SA-23 for diaphragm details and splice details.
  - All beams and splice plates shall be AASHTO M270 Grade 50.
  - All diaphragms shall be installed as steel is erected and secured with erection pins and bolts except as otherwise noted. Individual diaphragms at supports may be temporarily disconnected to install bearing anchor rods.
  - Load carrying components designated "CVN" shall conform to the Charpy-V-Notch Impact Energy Requirement, Zone 2.

	Abut.	Pier
$R\phi$	61.6	116.6
$R_t$	28.9	47.5
$R_i$	7.7	11.2
$R_{Total}$	98.2	175.3

	Abut.	Pier
$R\phi$	58.9	105.7
$R_t$	35.2	48.7
$R_i$	9.3	11.5
$R_{Total}$	103.4	165.9


Abutment R DL shown also includes tributary approach slab reaction, tributary weight of concrete diaphragm, and weight of steel extension.

MODEL: D:\full\...  
 FILE NAME: ...  
 PROJECT: ...  
 USER: ...  
 DATE: ...  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884




**EXISTING INTERIOR BEAM ELEVATION**  
(Showing Stud Shear Connectors Spacing Typical Beams 2 through 11)

Note:  
Adjust stud location in field as necessary at cover plate.  
See Existing Cover Plate Detail on sheet SA-23.



**PROPOSED EXTERIOR BEAM ELEVATION**  
Load carrying components designated "CVN" shall conform to the Charpy-V-Notch Impact Energy Requirements, Zone 2




**SECTION AT PIER**      **SECTION AT ABUTMENT**

\* Terminate 1/4" (±1/8") from the end of plate intersects.  
\*\* Clip may be rounded for ease of shop painting.

**TOP OF BEAM ELEVATIONS**  
(For Fabrication Only)

Location	☐ Brg. S. Abut.	☐ Pier 1	☐ Field Splice 1	☐ Field Splice 2	☐ Pier 2	☐ Brg. N. Abut.
Beam 1	607.12	606.55	606.36	605.18	604.68	603.13
Beam 12	606.43	605.41	605.08	603.35	602.68	600.63



**SECTION A-A**

MODEL: Unintitled  
 FILE NAME: p:\projects\transys\ppl\hatched\Documents\projects\_2018\CH40118002703-WSP\CAD\62022-INT-4 (Center)\Steel\Structural\SA-099-0186\0990186-62022-SA-23-Steel Details 1.dgn  
 PROJECT: 2018\CH40118002703-WSP\CAD\62022-INT-4 (Center)\Steel\Structural\SA-099-0186\0990186-62022-SA-23-Steel Details 1.dgn



WSP USA Inc.  
30 N. LASALLE STREET  
SUITE 4000  
CHICAGO, IL 60602  
TEL: (312) 782-8150  
FAX: (312) 782-1884


USER NAME = USSJ696614	DESIGNED - LAS	REVISED -
PLOT SCALE = 0.16666000 */ in.	CHECKED - MS	REVISED -
PLOT DATE = 4/25/2025	DRAWN - MA	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**STEEL DETAILS 1**  
**STRUCTURE NO. 099-0186**


SHEET SA-22 OF SA-37 SHEETS

F.A.U. RTE. 316	SECTION FAI 80 21 INTERCHANGE	COUNTY WILL	TOTAL SHEETS 1209	SHEET NO. 640
CONTRACT NO. 62R22			ILLINOIS FED. AID PROJECT	




**TYPICAL SPLICE DETAIL**  
(4 Required)


**Notes:**  
Fasteners shall be ASTM F3125 Grade A325 Type 1, mechanically galvanized bolts in painted areas. Bolts 7/8" Ø, 1 1/16" Ø diameter.  
Load carrying components designated "CVN" shall conform to the Charpy-V-Notch Impact Energy Requirements, Zone 2.




**PROPOSED DIAPHRAGM D1 & D2**  
(16 - D1 Req'd)  
(10 - D2 Req'd)




**SECTION B-B**




**EXISTING DIAPHRAGM**  
(Interior diaphragm shown, abutment diaphragm similar)  
(26 Locations)




**SECTION C-C**




**EXISTING COVER PLATE DETAIL**  
(Showing Stud Shear Connectors)



**DIAPHRAGM D2 CONN. DETAIL**  
**BEFORE PLACING CONCRETE SLAB**



**DIAPHRAGM D2 CONN. DETAIL**  
**AFTER PLACING CONCRETE SLAB**



**BENT PLATE DETAIL**

**NOTES:**

- For location proposed diaphragms, see sheet SA-21.
- Two hardened washers required for each set of oversized holes.
- All structural steel shall be AASHTO M270 Grade 50.
- Cost of field drilling is included in Furnishing and Erecting Structural Steel.
- Existing structural steel that will be in contact with new structural steel shall be cleaned and painted prior to erection as required by the Special Provision "Cleaning and Painting Contact Surface Areas of Existing Steel Structures." Cleaning and painting of contact surfaces as detailed on this sheet shall meet the requirements for Secondary Connections as specified in the Special Provision "Cleaning and Painting Contact Surface Areas of Existing Steel Structures."

**BILL OF MATERIAL**

Item	Unit	Quantity
Structural Steel Removal	Pound	104,230

**SUGGESTED SEQUENCE OF CONSTRUCTION FOR DIAPHRAGM D2**

- Before placing concrete slab, connect new diaphragm from proposed Beam 1 or 12 to existing Beam 2 or 11, respectively. Bolts in slots of diaphragm shall be finger tight until the pour is complete. Position slots so bolts start at one end with no concrete load and finish near the opposite end under deck load.
- Set slab forms and place reinforcement.
- Place concrete slab. Once Beam 1 or 12 deflects, tighten bolts as required.

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**STEEL DETAILS 2**  
**STRUCTURE NO. 099-0186**

SHEET SA-23 OF SA-37 SHEETS


F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	641
				CONTRACT NO. 62R22
ILLINOIS FED. AID PROJECT				




USER NAME = USSJ696614	DESIGNED - LAS	REVISED -
PLOT SCALE = 0.16666000 ' / in.	CHECKED - MS	REVISED -
PLOT DATE = 6/10/2025	DRAWN - MA	REVISED -
	CHECKED - LAS	REVISED -

**JACK & REMOVE EXISTING BEARING PROCEDURE**


1. The Contractor shall submit for approval by the Engineer, plans for jacking existing beams and installing new bearings prior to commencing any related work. The dead load reaction per beam (weight of steel only) is 2 Tons at each abutment. Minimum Jack capacity is 4 Tons at each abutment.
2. Prior to ordering any material, the Contractor shall verify steel extension and fill plate thickness required at each bearing.
3. Jacking and removing existing bearings shall be done after the existing deck is removed and prior to placing the new deck.
4. Jacking lifts shall be limited in accordance with the Special Provision "Jack and Remove Existing Bearings".
5. The new bearings, plates, and steel extensions shall be in place and the jack shall be lowered before the new concrete deck is poured.




**ELEVATION AT SOUTH ABUT.**  
(Bearing at existing beam shown, bearing at proposed beam similar)




**SECTION A-A**  
(Bearing at existing beam shown, bearing at proposed beam similar)



**PLAN STEEL EXTENSION**




**SECTION B-B**



**ELEVATION STEEL EXTENSION**



**TYPE I ELASTOMERIC EXP. BRG.**




**BEARING ASSEMBLY**

Note:  
Shim plates shall not be placed under bearing assembly.

Notes:  
Side retainers and stainless steel plates shall be included in the cost of Elastomeric Bearing Assembly, Type I.  
Anchor bolts and side retainers at all supports shall be installed as each member is erected unless an equivalent temporary means of lateral restraint is used.  
Two 1/8 in. adjusting shims shall be provided for each bearing in addition to all other plates or shims and placed as shown on bearing details.  
The steel extensions are being paid as "Furnishing and Erecting Structural Steel."



**SIDE RETAINER**  
Equivalent rolled angle with stiffeners will be allowed in lieu of welded plates.



**EXISTING BEARING REMOVAL**

**STUD HEIGHT "A" DIMENSION**

Beam	A
Bm 1	2 3/4"
Bm 2	2 3/4"
Bm 3	3 1/4"
Bm 4	3 1/4"
Bm 5	3 1/2"
Bm 6	3 1/2"
Bm 7	2 3/4"
Bm 8	2 3/4"
Bm 9	2 3/4"
Bm 10	2 3/4"
Bm 11	2 3/4"
Bm 12	5 1/2"

**FILL PLATE THICKNESS**

Beam	t
Bm 1	-
Bm 2	-
Bm 3	3/8"
Bm 4	1/2"
Bm 5	3/4"
Bm 6	3/4"
Bm 7	-
Bm 8	-
Bm 9	-
Bm 10	-
Bm 11	-
Bm 12	2 9/16"

**BILL OF MATERIAL**

Item	Unit	Total
Elastomeric Bearing Assembly Type I	Each	12
Anchor Bolts 3/4"	Each	48
Jack and Remove Existing Bearings	Each	10
Structural Steel Removal	Pound	270

MODEL: Sheet  
 FILE NAME: p:\projects\transys\corp\p1\hatched\Documents\projects\_2018\C401140118002703-WSP\3D\CAD\62022-INT-4 (Center)\Structural\SH-099-0186-0900186-62022-SA-24-Type I Elastomeric Bearings - South Abutment.dgn  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884



USER NAME = USSJ696614  
 DESIGNED - LAS  
 CHECKED - MS  
 PLOT SCALE = 0.167 1/16"  
 DRAWN - MA  
 PLOT DATE = 6/10/2025  
 CHECKED - LAS  
 REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**


**TYPE I ELASTOMERIC BEARINGS - SOUTH ABUTMENT  
STRUCTURE NO. 099-0186**

SHEET SA-24 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	642
ILLINOIS			CONTRACT NO. 62R22	
FED. AID PROJECT				



MODEL: Unintitled  
 FILE NAME: p:\transys\transys\p1\hatched\Documents\Projects\_2018\C401140118002703\WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SA-099-0186-0990186-62R22-SA-25-Fixed Bearing - Pier 1.dgn  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884




Fill  $1\frac{1}{4}'' \times 9\frac{1}{2}'' \times 1'-10\frac{1}{4}''$   
 (Beam 1 only) and  
 adjusting shim  $\bar{r}$   
 (if necessary)

$\frac{1}{8}''$  Elastomeric neoprene leveling  
 pad according to the material  
 properties of Article 1052.02(a)  
 of the Standard Specifications. Cost  
 included with Furnishing and  
 Erecting Structural Steel.

**ELEVATION**


**FIXED BEARING - PIER 1**




$1\frac{3}{8}'' \text{ } \bar{O}$  Holes-1" deep in top  $\bar{r}$   
 for  $1\frac{1}{4}'' \text{ } \bar{O}$  pintles. Thread or  
 press fit in bolster top  $\bar{r}$ .

$\bar{C}$   $\frac{3}{4}'' \text{ } \bar{O}$  x 12" All-thread  
 anchor bolts (Grade - 55)  
 with 2 x 2 x  $\frac{5}{16}''$   
 $\bar{r}$  washer under nut.  
 $1\frac{1}{4}'' \text{ } \bar{O}$  Holes in bolster bottom  $\bar{r}$ .


**SECTION A-A**




**PLAN BOLSTER**




**PINTLE**



**SECTION B-B**



**ELEVATION BOLSTER**




**EXISTING BEARING REMOVAL - BEAM 1 & 12**

Note:  
 The cost of removal is included in  
 Structural Steel Removal.

**BILL OF MATERIAL**

Item	Unit	Total
Anchor Bolts, $\frac{3}{4}''$	Each	8
Structural Steel Removal	Pound	570



USER NAME = USSJ696614  
 PLOT SCALE = 0.16666000 \*/ in.  
 PLOT DATE = 6/10/2025


DESIGNED - SJJ	REVISD -
CHECKED - PJJ	REVISD -
DRAWN - SJJ	REVISD -
CHECKED - PJJ	REVISD -

**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**


**FIXED BEARINGS - PIER 1  
 STRUCTURE NO. 099-0186**

SHEET SA-25 OF SA-37 SHEETS


F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	643
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				




ELEVATION AT PIER 2




SECTION A-A



PLAN STEEL EXTENSION




SECTION B-B




ELEVATION STEEL EXTENSION

**FIXED BEARING**




BEARING ASSEMBLY

Note:  
Shim plates shall not be placed under bearing assembly.




SIDE RETAINER

Equivalent rolled angle with stiffeners will be allowed in lieu of welded plates.



Notes:  
Side retainers and stainless steel plates shall be included in the cost of Elastomeric Bearing Assembly, Type I.  
Side retainers at all supports shall be installed as each member is erected unless an equivalent temporary means of lateral restraint is used.  
Two 1/8 inch adjusting shims shall be provided for each bearing in addition to all other plates or shims and placed as shown on bearing details.  
The steel extensions are being paid as "Furnishing and Erecting Structural Steel."



EXISTING BEARING REMOVAL - BEAM 1 & 12

Note:  
The cost of removal is included in Structural Steel Removal.

**BILL OF MATERIAL**

Item	Unit	Total
Elastomeric Bearing Assembly Type I	Each	2
Structural Steel Removal	Pound	580

MODEL: Unintitled  
 FILE NAME: p:\transys\transys\comp\ppl\hosted\Documents\Projects\_2018\C401140118002703-WSP\Structural\SN-099-0186\090186-62R22-SA-26-Types 1 Elastomeric Bearings - Pier 2.dgn  
 PROJECT: 2018\C401140118002703-WSP\Structural\SN-099-0186\090186-62R22-INT-4 [Center] Streets\Structural\SN-099-0186\090186-62R22-SA-26-Types 1 Elastomeric Bearings - Pier 2.dgn

USER NAME = USSJ696614	DESIGNED - SJJ	REVISED -
PLOT SCALE = 0.16666000 ' / in.	CHECKED - PJL	REVISED -
PLOT DATE = 6/10/2025	DRAWN - SJJ	REVISED -
	CHECKED - PJL	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**


**TYPE 1 ELASTOMERIC BEARINGS - PIER 2  
STRUCTURE NO. 099-0186**

SHEET SA-26 OF SA-37 SHEETS


F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	644
ILLINOIS			CONTRACT NO. 62R22	
FED. AID PROJECT				

**JACK & REMOVE EXISTING BEARING PROCEDURE**


1. The Contractor shall submit for approval by the Engineer, plans for jacking existing beams and installing new bearings prior to commencing any related work. The dead load reaction per beam (weight of steel only) is 2 Tons at each abutment. Minimum Jack capacity is 4 Tons at each abutment.
2. Prior to ordering any material, the Contractor shall verify steel extension and fill plate thickness required at each bearing.
3. Jacking and removing existing bearings shall be done after the existing deck is removed and prior to placing the new deck.
4. Jacking lifts shall be limited in accordance with the Special Provision "Jack and Remove Existing Bearings".
5. The new bearings, plates, and steel extensions shall be in place and the jack shall be lowered before the new concrete deck is poured.




**ELEVATION AT SOUTH ABUT.**  
(Bearing at existing beam shown, bearing at proposed beam similar)




**SECTION A-A**  
(Bearing at existing beam shown, bearing at proposed beam similar)



**PLAN STEEL EXTENSION**




**SECTION B-B**



**ELEVATION STEEL EXTENSION**



**TYPE I ELASTOMERIC EXP. BRG.**




**BEARING ASSEMBLY**

Note:  
Shim plates shall not be placed under bearing assembly.

Notes:  
Side retainers and stainless steel plates shall be included in the cost of Elastomeric Bearing Assembly, Type I.  
Anchor bolts and side retainers at all supports shall be installed as each member is erected unless an equivalent temporary means of lateral restraint is used.  
Two 1/8 in. adjusting shims shall be provided for each bearing in addition to all other plates or shims and placed as shown on bearing details.  
The steel extensions are being paid as "Furnishing and Erecting Structural Steel."



**SIDE RETAINER**  
Equivalent rolled angle with stiffeners will be allowed in lieu of welded plates.



**EXISTING BEARING REMOVAL**

**STUD HEIGHT "A" DIMENSION**

Beam	A
Bm 1	4 1/4"
Bm 2	2 3/4"
Bm 3	2 3/4"
Bm 4	2 3/4"
Bm 5	2 3/4"
Bm 6	2 3/4"
Bm 7	2 3/4"
Bm 8	2 3/4"
Bm 9	2 3/4"
Bm 10	2 3/4"
Bm 11	2 3/4"
Bm 12	3 3/4"

**FILL PLATE THICKNESS**

Beam	t
Bm 1	1 1/2"
Bm 2	-
Bm 3	-
Bm 4	-
Bm 5	-
Bm 6	-
Bm 7	-
Bm 8	-
Bm 9	-
Bm 10	-
Bm 11	-
Bm 12	1"

**BILL OF MATERIAL**

Item	Unit	Total
Elastomeric Bearing Assembly Type I	Each	12
Anchor Bolts, 3/4"	Each	48
Jack and Remove Existing Bearings	Each	10
Structural Steel Removal	Pound	310

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**TYPE I ELASTOMERIC BEARINGS - NORTH ABUTMENT  
STRUCTURE NO. 099-0186**


F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	645
				CONTRACT NO. 62R22
ILLINOIS FED. AID PROJECT				

SHEET SA-27 OF SA-37 SHEETS


MODEL: Sheet  
 FILE NAME: p:\transys\pvt\transys\pvt\hatched\Documents\Projects\_2018\C401\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Structural\SH-099-0186-0990186-62R22-SA-27-1 Type I Elastomeric Bearings - North Abutment.dgn

**WSP**  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884


USER NAME = USSJ696614	DESIGNED - LAS	REVISED -
PLOT SCALE = 0.167 1/16"	CHECKED - MS	REVISED -
PLOT DATE = 6/10/2025	DRAWN - MA	REVISED -
	CHECKED - LAS	REVISED -




**ELEVATION - SOUTH ABUTMENT**




**ELEVATION - SOUTH ABUT. WINGWALLS**




**PLAN - SOUTH ABUTMENT**




**SECTION A-A**




**SECTION B-B**



**ELEVATION - NORTH ABUTMENT**




**ELEVATION - NORTH ABUT. WINGWALLS**



**PLAN - NORTH ABUTMENT**

**LEGEND**




**BILL OF MATERIAL**

ITEM	UNIT	TOTAL
Concrete Removal	Cu. Yd.	42.8

**Notes:**

- Existing piles not shown, except at Section A-A.
- Any damage to portions of the existing structure to remain in service shall be repaired by the Contractor at no additional cost to the Department.

MODEL: Sheet  
 FILE NAME: p:\projects\trans\scorp\p1\hatched\Documents\projects\_2018\C401\40118002703\MS\Structural\SA-099-0186\0990186-62R22-SA-28-Abutment Removal Details.dgn  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884




USER NAME = USSJ696614	DESIGNED - LAS	REVISED -
PLOT SCALE = 0.167' / in.	CHECKED - MS	REVISED -
PLOT DATE = 4/22/2025	DRAWN - MA	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**


**ABUTMENT REMOVAL DETAILS**  
**STRUCTURE NO. 099-0186**  
 SHEET SA-28 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	646
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Sheet  
 FILE NAME: p:\projects\transys\comp\p1\hosted\Documents\projects\_2018\C401140118002703\MS\CD\62022-INT-4\Center\Structural\SA-29-SA-29S-Abut Repair Details.dgn




**ELEVATION - SOUTH ABUTMENT**  
(Showing Elevation after Concrete Removal)




**PLAN - SOUTH ABUTMENT**


**Note:**  
 Area of repairs shown are estimated based on inspections performed in April 2022. The Engineer shall record the actual repair areas in the "As Built" plans. Changes in repair areas shall not be cause for additional compensation for a change in scope of work, however, the Contractor will be paid for the quantity furnished at the unit bid price for the work.




**SECTION THROUGH ABUTMENT**



**ANCHOR BOLT LAYOUT**



**EAST WINGWALL**  
Looking West




**WEST WINGWALL**  
Looking East

**SOUTH ABUTMENT WINGWALLS**

- LEGEND**
- Structural Repair of Concrete (Depth equal to or less than 5 inches)
  - Concrete Removal
  - Epoxy Crack Injection

**BILL OF MATERIAL**

Item	Unit	Quantity
Structural Repair of Concrete (Depth Equal to or Less Than 5")	Sq. Ft.	43
Epoxy Crack Injection	Foot	3




USER NAME = USSJ696614	DESIGNED - MA	REVISED -
PLOT SCALE = 8,000' / in.	CHECKED - LAS	REVISED -
PLOT DATE = 4/22/2025	DRAWN - MA	REVISED -
	CHECKED - LAS	REVISED -


**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**SOUTH ABUTMENT REPAIR PLANS**  
**STRUCTURE NO. 099-0186**

F.A.U. RTE. 316	SECTION FAI 80 21 INTERCHANGE	COUNTY WILL	TOTAL SHEETS 1209	SHEET NO. 647
CONTRACT NO. 62R22				ILLINOIS FED. AID PROJECT



**ELEVATION - NORTH ABUTMENT**  
(Showing Elevation after Concrete Removal)



**PLAN - NORTH ABUTMENT**


**Note:**  
Area of repairs shown are estimated based on inspections performed in April 2022. The Engineer shall record the actual repair areas in the "As Built" plans. Changes in repair areas shall not be cause for additional compensation for a change in scope of work, however, the Contractor will be paid for the quantity furnished at the unit bid price for the work. For Section through Abutment and Anchor Bolt Layout see Sheet SA-29.

**LEGEND**

- Structural Repair of Concrete (Depth Greater than 5 inches)
- Structural Repair of Concrete (Depth equal to or less than 5 inches)
- Epoxy Crack Injection

**BILL OF MATERIAL**

Item	Unit	Quantity
Structural Repair of Concrete (Depth Equal to or Less Than 5")	Sq. Ft.	18
Structural Repair of Concrete (Depth Greater Than 5")	Sq. Ft.	3
Epoxy Crack Injection	Foot	13



**NORTH ABUTMENT WINGWALLS**

MODEL: Sheet  
 FILE NAME: p:\projects\transys\transys\ppl\hosted\Documents\projects\_2018\C401\40118002703\MS7\MS7\CAD\62022\INT\_4\_Center\Structural\SA-099-0186\0990186-62022-SA-30-41 Abut Repair Details.dgn


WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4200  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884

USER NAME = USSJ696614	DESIGNED - MA	REVISED -
	CHECKED - LAS	REVISED -
PLOT SCALE = 8,000' / in.	DRAWN - MA	REVISED -
PLOT DATE = 4/22/2025	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**


**NORTH ABUTMENT REPAIR PLANS**  
**STRUCTURE NO. 099-0186**  
 SHEET SA-30 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	648
CONTRACT NO. 62R22			ILLINOIS FED. AID PROJECT	



**VIEW B-B**


	N. Abut.		S. Abut.	
	W.W.W.	E.W.W.	W.W.W.	E.W.W.
Elev. A	602.15	599.44	606.37	605.64
Dim. B	5'-3 1/2"	5'-0 5/8"	6'-2 3/8"	5'-5 5/8"
Elev. C	594.36	591.89	597.67	597.67




**PLAN - SOUTH ABUTMENT**  
(Similar at North Abutment, Opposite Hand)

**FOUR WINGWALLS  
BILL OF MATERIAL**


Bar	No.	Size	Length	Shape
d20(E)	52	#4	2'-0"	U
h(E)	28	#5	11'-8"	—
v(E)	48	#5	5'-10"	—
Concrete Structures		Cu. Yd.	4.3	
Reinforcement Bars, Epoxy Coated		Pound	700	




**SECTION A-A**



**WINGWALL CORNER  
REMOVAL DETAIL**  
(NW & SE Corner)



**WINGWALL CORNER  
REMOVAL DETAIL**  
(NE & SW Corner)



**BAR d20(E)**

**LEGEND**



**NOTES:**

- The clear cover for reinforcement bars to the surface of concrete shall be 2" unless otherwise shown.
- See sheet SA-28 for Abutment Removal Details.

\* Adhesive must be compatible with Preformed Joint Filler material and concrete. Surface preparation shall be in accordance with Manufacturer's Guidelines. PJJ shall completely separate the approach slab from the top of the wingwall.

\*\* Limits of fabric reinforced elastomeric mat according to Section 1028 of the Standard Specifications and installed according to applicable requirements of Article 520.06 of the Standard Specifications. Attach to wingwall with nails and at approach end, drill holes into membrane and tie to reinforcement. Provide 6" slack in fabric. Cost included with Concrete Superstructures.

MODEL: Sheet  
 FILE NAME: p:\transys\transys\ppl\hatched\Documents\projects\_2018\C40118002203\WSP\CAD\62R22-INT-4 (Center)\Structural\SA-31-Wingwall Details.dgn  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4200  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884


**WSP**  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4200  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884

USER NAME = USJ696614	DESIGNED - MEA	REVISED -
PILOT SCALE = 6.000 * / in.	CHECKED - LAS	REVISED -
PILOT DATE = 4/22/2025	DRAWN - MEA	REVISED -
	CHECKED - LAS	REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**WINGWALL DETAILS  
STRUCTURE NO. 099-0186**  
 SHEET SA-31 OF SA-37 SHEETS


F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	649
CONTRACT NO. 62R22			ILLINOIS FED. AID PROJECT	




**ELEVATION - PIER 1 WEST**  
(Looking North)



**ELEVATION - PIER 1 EAST**  
(Looking North)




**ELEVATION - PIER 1 EAST**  
(Looking South)




**ELEVATION - PIER 1 WEST**  
(Looking South)

*Note:*  
Area of repairs shown are estimated based on inspections performed in April 2022. The Engineer shall record the actual repair areas in the "As Built" plans. Changes in repair areas shall not be cause for additional compensation for a change in scope of work, however, the Contractor will be paid for the quantity furnished at the unit bid price for the work.



**PIER 1 WEST CAP TOP PLAN**



**PIER 1 WEST CAP BOTTOM PLAN**

**LEGEND**

- Structural Repair of Concrete (Depth Greater Than 5")
- Structural Repair of Concrete (Depth Equal to or Less Than 5")



**BILL OF MATERIAL**

Item	Unit	Quantity
Structural Repair of Concrete (Depth Greater Than 5")	Sq. Ft.	15
Structural Repair of Concrete (Depth Equal to or Less Than 5")	Sq. Ft.	19

MODEL: Sheet  
 FILE NAME: p:\transys\transys\p1\hosted\Documents\Projects\_2018\C401\40118002703\WSP\CAD\62R22\INT\_4\Center\Sheet\Structural\SA-32-Pier 1 Repair Plans.dgn



USER NAME = USSJ696614	DESIGNED - MEA	REVISED -
	CHECKED - LAS	REVISED -
PLOT SCALE = 8,000 */ in.	DRAWN - MEA	REVISED -
PLOT DATE = 4/22/2025	CHECKED - LAS	REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**PIER 1 REPAIR DETAILS  
STRUCTURE NO. 099-0186**


SHEET SA-32 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	650
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				







**ELEVATION - PIER 2 WEST**  
(Looking North)



**ELEVATION - PIER 2 EAST**  
(Looking North)




**ELEVATION - PIER 2 EAST**  
(Looking South)



**ELEVATION - PIER 2 WEST**  
(Looking South)

**Note:**  
Area of repairs shown are estimated based on inspections performed in April 2022. The Engineer shall record the actual repair areas in the "As Built" plans. Changes in repair areas shall not be cause for additional compensation for a change in scope of work, however, the Contractor will be paid for the quantity furnished at the unit bid price for the work.



**PIER 2 WEST CAP BOTTOM PLAN**


**LEGEND**

- Structural Repair of Concrete (Depth Greater Than 5")
- Structural Repair of Concrete (Depth Equal or Less Than 5")

**BILL OF MATERIAL**

Item	Unit	Quantity
Structural Repair of Concrete (Depth Greater Than 5")	Sq. Ft.	11
Structural Repair of Concrete (Depth Equal or Less Than 5")	Sq. Ft.	28

MODEL: Sheet  
 FILE NAME: p:\transys\transys\comp\p1\hatched\Documents\projects\_2018\C401\401180022\03-WSP\Structural\SA-33\Pier 2 Repair Plans.dgn




USER NAME = USSJ696614	DESIGNED - MEA	REVISED -
	CHECKED - LAS	REVISED -
PLOT SCALE = 8.000 "/td> <td>DRAWN - MEA</td> <td>REVISED -</td>	DRAWN - MEA	REVISED -
PLOT DATE = 4/22/2025	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**PIER 2 REPAIR DETAILS**  
**STRUCTURE NO. 099-0186**

SHEET SA-33 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	651
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				




**EXISTING SOUTH SLOPEWALL PLAN**

**EXISTING NORTH SLOPEWALL PLAN**


**LEGEND**

Slopewall Removal




**PROPOSED SOUTH SLOPEWALL PLAN**

**PROPOSED NORTH SLOPEWALL PLAN**



**SECTION THRU CONCRETE SLOPEWALL**  
(Horizontal dimensions @ Rt. L's)



**SECTION A-A**

**BILL OF MATERIAL**

Item	Unit	Quantity
Slope Wall Removal	Sq. Yd.	1,107
Slope Wall, 4 in.	Sq. Yd.	1,191

MODEL: Sheet  
 FILE NAME: p:\projects\transys\comp\p1\hatched\Documents\projects\_2018\C401\40118002703\WSP\CAD\62022-INT-4 (Center)\Structural\SA-34-SlopeWall.dgn  
 WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 400  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884

**WSP**




USER NAME = USSJ696614	DESIGNED - LAS	REVISED -
PLOT SCALE = 8.000 */ in.	CHECKED - MS	REVISED -
PLOT DATE = 4/22/2025	DRAWN - MA	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**SLOPEWALL  
STRUCTURE NO. 099-0186**

SHEET SA-34 OF SA-37 SHEETS

F.A.U. RTE. 316	SECTION FAI 80 21 INTERCHANGE	COUNTY WILL	TOTAL SHEETS 1209	SHEET NO. 652
CONTRACT NO. 62R22			ILLINOIS FED. AID PROJECT	



Notes:

All cast iron parts shall be gray iron conforming to the requirements of AASHTO M105, Class 35B and AASHTO M306.

Bolts, anchor rods, nuts and washers shall be according to ASTM A307 and shall be galvanized according to AASHTO M232. As an alternate stainless steel may be used.

Stainless steel hardware shall be according to Article 1006.29(d) of the Standard Specifications.

Structural steel weldments of equal sections and of the same configuration may be substituted for the cast iron scupper frames and downspouts; however, the scupper grates shall remain cast iron. Fillet or full penetration welds shall be used for the weldments. Details shall be submitted to the Engineer for approval.





Structural steel scupper frames and downspouts, when utilized, shall be galvanized according to AASHTO M111.

As an alternate, fiberglass may be used for downspouts according to ASTM D2996 with a short-time rupture strength hoop tensile stress of 30,000 psi min. in lieu of the cast iron or structural steel.

Exterior surfaces of downspouts and exterior exposed surfaces of the scupper frame below deck shall be treated as specified on sheet SA-2.

The Contractor shall take appropriate measures to assure that Protective Coat is not applied to the scupper.

Cost of the grate, frame, downspout, anchor rods, nuts and washers including complete installation of the scupper shall be paid for at the contract unit price for Drainage Scuppers, DS-11.



**BILL OF MATERIAL**

ITEM	UNIT	QUANTITY
Drainage Scupper, DS-11	Each	6

DS-11

5-15-2023



USER NAME = USSJ696614	DESIGNED - PP	REVISED -
PLOT SCALE = 0.16666000 ' / in.	CHECKED - LAS	REVISED -
PLOT DATE = 4/22/2025	DRAWN - PP	REVISED -
	CHECKED - LAS	REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**DRAINAGE SCUPPER, DS-11  
STRUCTURE NO. 099-0186**

SHEET SA-35 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	653
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Unfiled  
 FILE NAME: p:\transys\transys\ppl\hatched\Documents\Projects\_2018\C401\40118002703\WSP\CAD\62R22-INT-4\Center\Structural\SA-099-0186\0990186-62R22-SA-35-DS-11\_Scupper\_Detail.dgn



**STANDARD BAR SPLICER ASSEMBLY PLAN**


Only bar splicer assemblies as presented on the approved QPL list may be used.

Threaded splicer bar length = min. lap length + 1 1/2" + thread length

\* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies required	Minimum lap length
Top of Deck	#5	348	3'-6"
Bottom of Deck	#5	279	3'-6"
Diaphragm	#6	10	4'-0"
Diaphragm	#6	8	**
Diaphragm	#4	4	2'-5"
Approach Slab	#5	20	3'-0"
Approach Slab	#4	20	2'-5"
Approach Slab Footing	#5	80	3'-2"

\*\* Splicer is not lapped, total length to be 3'-4". See sheet SA-16.




**INSTALLATION AND SETTING METHODS**

"A" : Set bar splicer assembly by means of a template bolt.

"B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E) : Indicates epoxy coating.



**STANDARD MECHANICAL SPLICER**

Location	Bar size	No. assemblies required

**Notes:**

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications.

See approved list of bar splicer assemblies and mechanical splicers for alternatives.

MODEL: Unintitled  
 FILE NAME: p:\projects\transys\corp\ppl\hatched\Documents\Projects\_2018\C401\40118002703\WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SA-099-0186-0990186-62R22-SA-36-6-8-25-SplicerDetails.dgn

BSD-1

5-15-2023



WSP USA Inc.  
 30 N. LASALLE STREET  
 SUITE 4000  
 CHICAGO, IL 60602  
 TEL: (312) 782-8150  
 FAX: (312) 782-1884

USER NAME = USSJ696614	DESIGNED - PP	REVISED -
	CHECKED - LAS	REVISED -
PLOT SCALE = 0.16666000 */ in.	DRAWN - PP	REVISED -
PLOT DATE = 4/22/2025	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS  
 STRUCTURE NO. 099-0186**

SHEET SA-36 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	654
CONTRACT NO. 62R22				
ILLINOIS		FED. AID PROJECT		



**Illinois Department of Transportation**  
Division of Highways  
GSG Consultants, Inc.

# SOIL BORING LOG

Page 1 of 1

Date 9/26/22

ROUTE I-80 DESCRIPTION I-80 at Center Street over McDonough LOGGED BY DF

SECTION C-91-109-22 LOCATION SEC. 16, TWP. 35 N, RNG. 10 E,

COUNTY Will DRILLING RIG CME-75 HAMMER TYPE HSA Auto  
DRILLING METHOD HSA HAMMER EFF (%) 80

STRUCT. NO.	STATION	DEPTH (ft)	BLOW (6")	UCS (tsf)	MOIST (%)	DESCRIPTION	DEPTH (ft)	BLOW (6")	UCS (tsf)	MOIST (%)
099-0186		600.98				3 inches of Asphalt				
		600.23				9 inches of Concrete				
		599.65	2			7 inches of Aggregate Base Course				
			3	3.3	21	Dark Brown, Moist				
			17	B		FILL: SILTY CLAY, trace gravel				
		597.23	3							
			3		21	Brown, Moist				
			5			FILL: SILTY CLAY, trace gravel				
			1							
			7	6.5	13					
			10	B						
			2							
			5	3.3	15					
			7	B						
			2							
			4	3.8	19					
			11	B						
		587.73	4			Loose to Very Dense				
			6		4	Light Brown, Dry				
			3			GRAVEL, with cobble (GP)				
			32							
			26		4					
			25							
		582.73	4							
			9			Stiff				
			50/2"		11	Black, Moist				
		581.23	-20			SILTY CLAY, trace gravel				

The Unconfined Compressive Strength (UCS) Failure Mode is indicated by (B-Bulge, S-Shear, P-Penetrometer)  
The SPT (N value) is the sum of the last two blow values in each sampling zone (AASHTO T206)  
BBS, form 137 (Rev. 8-99)



**Illinois Department of Transportation**  
Division of Highways  
GSG Consultants, Inc.

# SOIL BORING LOG

Page 1 of 1

Date 9/26/22

ROUTE I-80 DESCRIPTION I-80 at Center Street over McDonough LOGGED BY DF


SECTION C-91-109-22 LOCATION SEC. 16, TWP. 35 N, RNG. 10 E,

COUNTY Will DRILLING RIG CME-75 HAMMER TYPE HAS Auto  
DRILLING METHOD HAS HAMMER EFF (%) 80

STRUCT. NO.	STATION	DEPTH (ft)	BLOW (6")	UCS (tsf)	MOIST (%)	DESCRIPTION	DEPTH (ft)	BLOW (6")	UCS (tsf)	MOIST (%)
099-0186		607.60				3 inches of Asphalt				
		606.85				9 inches of Concrete				
		606.35	3			6 inches of Aggregate Base Course				
			2	2.8	19	Brown, Moist				
			2	P		FILL: SILTY CLAY, trace gravel				
			2							
			1	1.0	20	Very Stiff				
			2	B		Dark Brown and Black, Very Moist				
			5	50/6"	42	SILTY CLAY, with gravel (CL/ML)				
			2			Auger refusal at 25 feet				
			5	2.7	15	End of Boring				
			6	B						
			2							
			3	1.7	20					
			4	B						
			2							
			4	2.9	18	Gray, Moist				
			5	B		FILL: SILTY CLAY, trace gravel				
			3							
			4	3.5	20					
			7	B						
			4							
			5	2.9	25					
			6	B						
			3							
			5	3.1	22					
			7	B						

The Unconfined Compressive Strength (UCS) Failure Mode is indicated by (B-Bulge, S-Shear, P-Penetrometer)  
The SPT (N value) is the sum of the last two blow values in each sampling zone (AASHTO T206)  
BBS, form 137 (Rev. 8-99)

MODEL: Sheet; FILE NAME: W:\transportations\w-bentley.com\trans\scorp\pp\1-bosied\Documents\Projects\_2018\CH40140118002203-WSR\CAD\62822-INT-4 [Center\Struct\Struct\SH-019-0186\090186-62822-5A-3-1-Boring Log.dgn]



WSP USA Inc.  
30 N. LASALLE STREET  
SUITE 4200  
CHICAGO, IL 60602  
TEL: (312) 782-8150  
FAX: (312) 782-1884

USER NAME = USSJ696614	DESIGNED - MA	REVISED -
PLOT SCALE = 7:11.99616 1"/in.	CHECKED - LAS	REVISED -
PLOT DATE = 4/22/2025	DRAWN - MA	REVISED -
	CHECKED - LAS	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**SOIL BORING LOGS  
STRUCTURE NO. 099-0186**  
SHEET SA-37 OF SA-37 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
316	FAI 80 21 INTERCHANGE	WILL	1209	655
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



**Benchmark:** Chiseled "X" on top of SE bolt of Fire Hydrant at South ROW of Jasper St. (in front of 640 Jasper St. address), Elev. 585.86.

**Existing Structure:** S.N. 099-0188 was originally constructed in 1961 as a four (4) span structure with a skew carrying northbound Center Street Route 61 over eastbound and westbound I-80 (F.A.I. Route 80; Section 10 (Str. 5)). The bridge has an overall length of approximately 259'-6" (back-to-back-abutments), an overall width that varies from 39'-5½" to 47'-10¼" (out-to-out superstructure), and consists of a 7"-thick reinforced concrete deck with 2" microsilica concrete overlay. The existing deck is supported by seven (7) steel beams spaced from 3'-7¼" to 8'-5¾" center-to-center spacing. The substructure consists of reinforced concrete abutments on battered steel piles and creosoted timber piles and reinforced concrete piers with spread footings on rock.

This structure will be removed prior to the construction of the proposed bridge at a location approximately 35' (min.) to the east. Traffic will be detoured through the entirety of the construction of proposed bridge.

**Salvage:** None.

**Traffic Barrier Terminal Type 6** (See Std. 631031), typ. at SE and NW corners only  
Elev. 605.17

**Light Poles, typ.**  
Elev. 601.12

**39" Reinforced Concrete Constant Slope Parapet**

**17'-8" Min. Vert. Clearance**

**Varies from 5'-11¾" to 6'-7"**

**16'-9" Min. Vert. Clearance**

**Traffic Barrier Terminal Type 5** (See Std. 631026-06), typ. at NE and SW corners only  
Elev. 609.41

**Approach Bent, typ.**  
Elev. 604.96

**44" Web Plate Girder (Composite full Length)**

**1:2 (V:H) at Rt. L's**

**1'-0" min.**

**Steel H-Piles\*\* with pile shoes**

**Exist. 36" Ø RCP Storm Sewer Inv. Elev. 565.25 to be abandoned**



Signed Moussa A. Issa  
Dr. Moussa A. Issa, S.E. IL Lic. No. 081-005738  
Expires 11-30-2026

Date 4/22/2025 For Sheets SB-01 Thru SB-48.

**APPROVED**  
For Structural Adequacy Only  
James F. Schiff  
Engineer of Bridges & Structures

**DESIGN SPECIFICATIONS**

2020 AASHTO LRFD Bridge Design Specifications, 9th Edition

**DESIGN STRESSES**

**FIELD UNITS**

$f_c = 4,000$  psi (Superstructure)  
 $f_c = 3,500$  psi (Substructure)  
 $f_y = 60,000$  psi (Reinforcement)  
 $f_y = 50,000$  psi (M270 Grade 50)

**LOADING HL-93**

Allow 50#/sq.ft. for future wearing surface

**SEISMIC DATA**

Seismic Performance Zone (SPZ) = 1  
Design Spectral Acceleration at 1.0 sec. (SD1) = 0.068 g  
Design Spectral Acceleration at 0.2 sec. (SDS) = 0.126 g  
Soil Site Class = C

† Piles within the Retaining Wall #6 (SN 099-W122) MSE Reinforced Soil Mass are required to have pile sleeves. The pile sleeves shall extend to the top of the leveling pad elevation.

\* 1:6 (V:H) at Rt. L's


\*\*\* Varies from 17'-5" to 18'-0½"

\*\*\*\* Varies from 9'-7¾" to 10'-10"

\*\*\*\*\* Varies from 76'-6¾" to 74'-10" (Sta. 27+91.49 to Sta. 30+58.46)  
Varies from 79'-9¾" to 76'-6¾" (Sta. 27+68.34 to Sta. 27+91.49)

**LEGEND**

- E — Exist. Electrical Cable
- S — Exist. Storm Sewer
- P — Prop. Storm Sewer
- U — Prop. Pipe Underdrain
- G — Exist. Guardrail
- L — Exist. Light Pole
- L — Prop. Light Pole
- L — Prop. Underpass Light
- B — Soil Boring
- S — Prop. Structure



**LOCATION SKETCH**

**GENERAL PLAN AND ELEVATION**

**CENTER STREET OVER I-80**


**F.A.I. ROUTE 80**

**SECTION- FAI 80 21 INTERCHANGE**

**WILL COUNTY**

**STA. 29+13.39**

**STRUCTURE NO. 099-8332**



**DS-11 SCUPPER STATIONS**

Southbound Scuppers (Lt.)	Northbound Scuppers (Rt.)
Sta. 27+60.00	Sta. 29+31.60
Sta. 29+06.70	-

**LIGHT POLE STATIONS**

Southbound Light Poles (Lt.)	Northbound Light Poles (Rt.)
Sta. 27+57.00	Sta. 27+91.00
Sta. 30+35.00	Sta. 30+61.00

MODEL: Default  
FILE NAME: pw://transystems-pw-bentley.com/transystems-pw-hosted/Projects/2018/CH401/401.180022/03-WSP/CA0/62R22-INT-4 (Center)/Sheets/Structural/SN-099-8332/0998332-52R22-SB-01-General\_Plan and Elevation



USER NAME =	DESIGNED - PG	REVISD -
PLOT SCALE =	CHECKED - MI	REVISD -
PLOT DATE =	DRAWN - PG	REVISD -
	CHECKED - MI	REVISD -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	656
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

**GENERAL NOTES:**

- Fasteners shall be ASTM F3125 Grade A325 Type 1, hot dip galvanized bolts in metalized areas. Bolts 7/8 in. diameter, holes 15/16 in. diameter, unless otherwise noted. See Special Provision for "Metalizing of Structural Steel".
- Calculated weight of Structural Steel = 1,264,450 lbs. (Grade 50).
- All structural steel shall be AASHTO M270 Grade 50 and shall be metalized. See Special Provision for "Metalizing of Structural Steel".
- No field welding is permitted except as specified in the contract documents.
- Reinforcement bars designated (E) shall be epoxy coated.
- Slipforming of the parapets is not allowed.
- Bearing seat surfaces shall be constructed or adjusted to the designated elevations within a tolerance of 1/8 inch (0.01 ft.). Adjustment shall be made either by grinding the surface or by shimming the bearings.
- Concrete Sealer shall be applied to the designated areas of the pier.
- Granular backfill behind the abutments shall be compacted according to Article 205.06 of the Standard Specifications.
- Due to the plan variation in Nominal Required Bearing values at the substructures, the Contractor may need to provide more than one size of pile driving equipment. Cost included in Driving Piles.

**INDEX OF SHEETS:**

- SB-01 General Plan & Elevation
- SB-02 General Notes, Index of Sheets and Total Bill of Material
- SB-03 Curve Data, Prof. Grade Lines, Misc. Sections & Details
- SB-04 Substructure Layout
- SB-05 Top of Slab Elevations Layout
- SB-06 Top of Slab Elevations Tables (Sheet 1 of 3)
- SB-07 Top of Slab Elevations Tables (Sheet 2 of 3)
- SB-08 Top of Slab Elevations Tables (Sheet 3 of 3)
- SB-09 Top of South Approach Slab Elevations
- SB-10 Top of North Approach Slab Elevations
- SB-11 Superstructure Plan (Sheet 1 of 2)
- SB-12 Superstructure Plan (Sheet 2 of 2)
- SB-13 Superstructure Cross Section (Sheet 1 of 2)
- SB-14 Superstructure Cross Section (Sheet 2 of 2)
- SB-15 Parapet Elevations
- SB-16 Light Pole Bumpout Details
- SB-17 Superstructure Details
- SB-18 South Abutment Diaphragm Elevation and Details
- SB-19 North Abutment Diaphragm Elevation and Details
- SB-20 South Approach Slab Plan
- SB-21 South Approach Slab Sections and Details
- SB-22 North Approach Slab Plan
- SB-23 North Approach Slab Sections and Details
- SB-24 Drainage Scuppers, DS-11
- SB-25 Drainage System Details
- SB-26 Framing Plan
- SB-27 Girder Elevation And Details (Sheet 1 of 3)
- SB-28 Girder Elevation And Details (Sheet 2 of 3)
- SB-29 Girder Elevation And Details (Sheet 3 of 3)
- SB-30 Girder Moment and Reaction Tables (Sheet 1 of 2)
- SB-31 Girder Moment and Reaction Tables (Sheet 2 of 2)
- SB-32 Camber Diagram
- SB-33 Structural Steel Details (Sheet 1 of 2)
- SB-34 Structural Steel Details (Sheet 2 of 2)
- SB-35 Bearing Details
- SB-36 South Abutment Plan and Elevation
- SB-37 South Abutment Sections and Details
- SB-38 North Abutment Plan and Elevation
- SB-39 North Abutment Sections and Details
- SB-40 South Approach Bent Details
- SB-41 North Approach Bent Details
- SB-42 Pier Plan and Elevation
- SB-43 Pier Sections and Details
- SB-44 HP Pile Details
- SB-45 Boring Logs (Sheet 1 of 4)
- SB-46 Boring Logs (Sheet 2 of 4)
- SB-47 Boring Logs (Sheet 3 of 4)
- SB-48 Boring Logs (Sheet 4 of 4)

**TOTAL BILL OF MATERIAL**

ITEM	UNIT	SUPER	SUB	TOTAL
Structure Excavation	Cu Yd	-	793	793
Rock Excavation For Structures	Cu Yd	-	124	124
Concrete Structures	Cu Yd	-	354.9	354.9
Concrete Superstructure	Cu Yd	782.8	-	782.8
Bridge Deck Grooving	Sq Yd	2,742	-	2,742
Protective Coat	Sq Yd	3,127	-	3,127
Concrete Superstructure (Approach Slab)	Cu Yd	211.0	-	211.0
Furnishing And Erecting Structural Steel	L Sum	0.9	-	0.9
Stud Shear Connectors	Each	19,676	-	19,676
Reinforcement Bars, Epoxy Coated	Pound	272,360	86,100	358,460
Slope Wall 4 Inch	Sq Yd	-	909	909
Furnishing Steel Piles HP12X53	Foot	-	608	608
Furnishing Steel Piles HP14X117	Foot	-	720	720
Driving Piles	Foot	-	1,328	1,328
Test Pile Steel HP12X53	Each	-	2	2
Test Pile Steel HP14X117	Each	-	2	2
Pile Shoes	Each	-	48	48
Name Plates	Each	-	1	1
Anchor Bolts, 1"	Each	50	-	50
Anchor Bolts, 1 1/4"	Each	48	-	48
Drainage System For Structures	L Sum	1	-	1
Granular Backfill For Structures	Cu Yd	-	366	366
Concrete Sealer	Sq Ft	-	2,817	2,817
Geocomposite Wall Drain	Sq Yd	-	181	181
Pipe Underdrains For Structures 4"	Foot	-	210	210
Bar Terminators	Each	453	818	1,271
High Load Multi-Rotational Bearings, Disc, Guided Expansion-500K	Each	12	-	12
Drainage Scuppers, DS-11	Each	3	-	3

STA. 29+13.39  
 BUILT 20\_\_ BY  
 STATE OF ILLINOIS  
 F.A.I. RTE. 80  
 SEC. FAI 80 21 INTERCHANGE  
 LOADING HL-93  
 STR. NO. 099-8332

**NAME PLATE**  
 See Std. 515001

MODEL: Default  
 FILE NAME: p:\w\transystems\pw\beniley.com\transystems\p\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-02-General Notes

<b>HBM</b> ENGINEERING GROUP, LLC	USER NAME =	DESIGNED - PG	REVISED -
		CHECKED - MI	REVISED -
	PLOT SCALE =	DRAWN - PG	REVISED -
	PLOT DATE =	CHECKED - MI	REVISED -


**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**GENERAL NOTES, INDEX OF SHEETS AND TOTAL BILL OF MATERIAL**  
**STRUCTURE NO. 099-8332**




F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	657
			CONTRACT NO. 62R22	
		ILLINOIS	FED. AID PROJECT	



MODEL: Default  
 FILE NAME: p:\projects\transys\corppw1\hosted\Documents\Projects\_2018\CH401\401180022\03-WSP\CAD\62R22-INT-4 (Center)Sheets\Structural\SN-099-8332\62R22-5B-03-Curve Data, PGL, Misc. Sections and Details




**PR CURVE CENTER-3**  
 PI Sta. = 25+64.87  
 $\Delta = 33^\circ 44' 53''$  (LT)  
 $D = 5^\circ 43' 46''$   
 $R = 1000.00'$   
 $T = 303.33'$   
 $L = 589.01'$   
 $E = 44.99'$   
 $e = 0.03$   
 $T.R. = 80'$   
 $S.E. RUN = 160.00'$   
 $P.C. STA. = 22+61.54$   
 $P.T. STA. = 28+50.55$






**PR CURVE CENTER-B-4**  
 PI Sta. = 13+34.70  
 $\Delta = 21^\circ 26' 33''$  (RT)  
 $D = 02^\circ 31' 22''$   
 $R = 2,271.26'$   
 $T = 430.03'$   
 $L = 850.00$   
 $E = 40.35'$   
 $e = 0.0586$   
 $T.R. = N/A$   
 $S.E. RUN = N/A$   
 $P.C. STA. = 9+04.67$   
 $P.T. STA. = 17+54.67$


**PR CURVE CENTER-B-3**  
 PI Sta. = 7+27.63  
 $\Delta = 24^\circ 44' 45''$  (RT)  
 $D = 06^\circ 52' 42''$   
 $R = 833.00'$   
 $T = 182.73'$   
 $L = 359.77'$   
 $E = 19.81'$   
 $e = 0.06$   
 $T.R. = N/A$   
 $S.E. RUN = N/A$   
 $P.C. STA. = 5+44.90$   
 $P.T. STA. = 9+04.67$



**PR CURVE PR-I80-NORTH-2**  
 PI Sta. = 29+63.27  
 $\Delta = 30^\circ 49' 42''$  (RT)  
 $D = 2^\circ 29' 28''$   
 $R = 2300.00'$   
 $T = 634.14'$   
 $L = 1237.53'$   
 $E = 85.82'$   
 $e = 0.0586\%$  (EB)  
 $e = 0.0596\%$  (WB)  
 $T.R. = 89.00'$  (EB & WB)  
 $S.E. RUN = 447.00'$  (WB)  
 $S.E. RUN = 439.50'$  (EB)  
 $P.C. STA. = 23+29.13$   
 $P.T. STA. = 35+66.66$



\* Included in the cost of Pipe Underdrains for Structures.  
 \*\*\* Only Piles within Retaining Wall #6 (SN 099-W122) MSE reinforced soil mass are required to have pile sleeves. The pile sleeves shall extend to the top of leveling pad elevation.



- NOTES:**
- All drainage system components shall extend to 2'-0" from the end of each wingwall except an outlet pipe shall extend until intersecting with the side slopes. The pipes shall drain into concrete headwalls. (See Article 601.05 of the Standard Specifications and Highway Standard 601101).
  - Slope wall shall be reinforced with welded wire fabric, 6 in. x 6 in. - W4.0 x W4.0, weighing 58 lbs. per 100 sq. ft.



USER NAME =	DESIGNED - PG	REVISED -
PLOT SCALE =	CHECKED - MI	REVISED -
PLOT DATE =	DRAWN - PG	REVISED -
	CHECKED - MI	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION


CURVE DATA, PROF. GRADE LINES, MISC. SECTIONS & DETAILS  
 STRUCTURE NO. 099-8332

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	658
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				


SHEET SB-03 OF SB-48 SHEETS



MODEL: Default  
 FILE NAME: p:\projects\transystems\pw\1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\62R22-5B-04-Substructure\_Layout  
 4/22/2025 4:09:58 PM



**SUBSTRUCTURE LAYOUT**



USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI	REVISED -


**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**SUBSTRUCTURE LAYOUT  
 STRUCTURE NO. 099-8332**


F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	659
CONTRACT NO. 62R22				
ILLINOIS		FED. AID PROJECT		

SHEET SB-04 OF SB-48 SHEETS

MODEL: Default  
 FILE NAME: p:\projects\trans\trans\p\p1\hosted\Documents\Projects\_2018\CH40\_401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-05-Top of Slab Elevation




PLAN




**DEAD LOAD DEFLECTION DIAGRAM**  
**(GIRDER 1 THRU 11 & GIRDER 13)**  
 (Includes weight of concrete only.)

Girder Number	Dead Load Deflection					
	Span 1			Span 2		
	A1	A2	A3	B1	B2	B3
G1	3 3/8"	4"	1 3/4"	1/2"	2"	2"
G2 & G3	3"	3 3/4"	1 3/4"	1"	1 7/8"	1 7/8"
G4 Thru G9	2 3/4"	3 1/2"	1 1/2"	1/2"	1 3/8"	1 3/8"
G10 & G11	2 3/4"	3 1/2"	1 1/2"	1/2"	1 1/2"	1 1/2"
G13	3"	3 3/4"	1 3/4"	1/4"	1 1/2"	1 1/2"



**DEAD LOAD DEFLECTION DIAGRAM**  
**(GIRDER 12)**  
 (Includes weight of concrete only.)

Girder Number	Dead Load Deflection			
	Span 1			
	A1	A2	A3	A4
G12	1"	2"	2 1/2"	3"



To determine "t": After all structural steel has been erected, elevations of the top flanges of the beams shall be taken at intervals shown below. These elevations subtracted from the "Theoretical Grade Elevations Adjusted for Dead Load Deflection" shown on Sheets SB-06 thru SB-08, minus slab thickness, equals the fillet heights "t" above top flange of beams.

**FILLET HEIGHTS**

**NOTES:**

- The above deflections are not to be used in the field if the engineer is working from the grade elevations adjusted for dead load deflections as shown on Sheets SB-06 thru SB-08
- The deflection at the north end of Girder 12 is due to the overall movement of the structure, between Girder 11 and Girder 13.



USER NAME =	DESIGNED - ANS	REVISED -
PLOT SCALE =	CHECKED - LAB	REVISED -
PLOT DATE =	DRAWN - ANS	REVISED -
	CHECKED - LAB	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

TOP OF SLAB ELEVATIONS LAYOUT  
 STRUCTURE NO. 099-8332

SHEET SB-05 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	660
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

FACE OF NB. E. PARAPET

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted For Dead Load Deflection. Rows include Bk. S. Abut., C Brg. S. Abut., A through Z, C Brg. Pier 1, O through AA, C Brg. N. Abut., and Bk. N. Abut.

GIRDER 1

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted For Dead Load Deflection. Rows include Bk. S. Abut., C Brg. S. Abut., A through Z, C Brg. Pier 1, O through AA, C Brg. N. Abut., and Bk. N. Abut.

GIRDER 2

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted For Dead Load Deflection. Rows include Bk. S. Abut., C Brg. S. Abut., A through Z, C Brg. Pier 1, O through AA, C Brg. N. Abut., and Bk. N. Abut.

E. EDGE NB. SHLDR & SLOPE LINE CHANGE

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted For Dead Load Deflection. Rows include Bk. S. Abut., C Brg. S. Abut., A through Z, C Brg. Pier 1, O through AA, C Brg. N. Abut., and Bk. N. Abut.

GIRDER 3

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted For Dead Load Deflection. Rows include Bk. S. Abut., C Brg. S. Abut., A through Z, C Brg. Pier 1, O through AA, C Brg. N. Abut., and Bk. N. Abut.

GIRDER 4

Table with 5 columns: Location, Station, Offset, Theoretical Grade Elevations, Theoretical Grade Elevations Adjusted For Dead Load Deflection. Rows include Bk. S. Abut., C Brg. S. Abut., A through Z, C Brg. Pier 1, O through AA, C Brg. N. Abut., and Bk. N. Abut.

NOTES:

- 1. All Elevations and Offsets are in feet.
2. Offsets are measured with respect to C Center Street. Negative offsets are left and positive are right of the centerline.

MODEL: Default
FILE NAME: p:\transystemsppw\beniley.com\transyscorp\pww\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-06-Top of Slab Elevation Table (Sheet 1 of 3)
4/22/2025 4:03:23 PM



Table with 4 columns: USER NAME, DESIGNED, CHECKED, PLOT SCALE, PLOT DATE and corresponding values for ANS, LAB, and revised status.

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

TOP OF SLAB ELEVATIONS TABLES (SHEET 1 OF 3) STRUCTURE NO. 099-8332

SHEET SB-06 OF SB-48 SHEETS

Table with 5 columns: F.A.I. RTE., SECTION, COUNTY, TOTAL SHEETS, SHEET NO. Values include 80, FAI 80 21 INTERCHANGE, WILL, 1209, 661.

ILLINOIS FED. AID PROJECT

MODEL: Default  
 FILE NAME: p:\w\trans\systems\ppw\1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\2R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-07-Top of Slab Elevation Table (Sheet 2 of 3)

**GIRDER 5**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+70.60	7.59'	611.25	611.25
⊖ Brg. S. Abut.	27+72.52	7.44'	611.27	611.27
A	27+82.42	6.71'	611.41	611.48
B	27+92.34	6.08'	611.54	611.69
C	28+02.27	5.55'	611.67	611.88
D	28+12.21	5.11'	611.81	612.06
E	28+22.15	4.78'	611.94	612.22
F	28+32.10	4.55'	612.08	612.37
G	28+42.06	4.41'	612.22	612.51
H	28+52.02	4.37'	612.37	612.63
I	28+62.02	4.37'	612.51	612.74
J	28+72.02	4.37'	612.66	612.84
K	28+82.02	4.37'	612.81	612.94
L	28+92.02	4.37'	612.95	613.04
M	29+02.02	4.37'	613.10	613.15
N	29+12.02	4.37'	613.25	613.26
⊖ Brg. Pier 1	29+20.44	4.37'	613.37	613.37
O	29+30.44	4.37'	613.51	613.51
P	29+40.44	4.37'	613.64	613.65
Q	29+50.44	4.37'	613.76	613.79
R	29+60.44	4.37'	613.86	613.91
S	29+70.44	4.37'	613.94	614.03
T	29+80.44	4.37'	614.01	614.12
U	29+90.44	4.37'	614.06	614.20
V	30+00.44	4.37'	614.10	614.25
W	30+10.44	4.37'	614.12	614.27
X	30+20.44	4.37'	614.12	614.26
Y	30+30.44	4.37'	614.11	614.23
Z	30+40.44	4.37'	614.09	614.17
AA	30+50.44	4.37'	614.06	614.10
⊖ Brg. N. Abut.	30+59.10	4.37'	614.02	614.02
Bk. N. Abut.	30+61.05	4.37'	614.01	614.01

**GIRDER 7**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+65.24	-4.50'	610.80	610.80
⊖ Brg. S. Abut.	27+67.18	-4.67'	610.83	610.83
A	27+77.20	-5.45'	610.96	611.04
B	27+87.23	-6.13'	611.10	611.24
C	27+97.28	-6.72'	611.23	611.44
D	28+07.34	-7.20'	611.39	611.64
E	28+17.41	-7.58'	611.55	611.83
F	28+27.48	-7.86'	611.71	612.00
G	28+37.56	-8.04'	611.88	612.16
H	28+47.64	-8.12'	612.05	612.31
I	28+57.66	-8.13'	612.21	612.43
J	28+67.66	-8.13'	612.36	612.54
K	28+77.66	-8.13'	612.52	612.65
L	28+87.66	-8.13'	612.67	612.76
M	28+97.66	-8.13'	612.82	612.87
N	29+07.66	-8.13'	612.98	613.00
⊖ Brg. Pier 1	29+16.08	-8.13'	613.11	613.11
O	29+26.08	-8.13'	613.26	613.26
P	29+36.08	-8.13'	613.41	613.42
Q	29+46.08	-8.13'	613.54	613.57
R	29+56.08	-8.13'	613.65	613.71
S	29+66.08	-8.13'	613.75	613.84
T	29+76.08	-8.13'	613.84	613.95
U	29+86.08	-8.13'	613.91	614.04
V	29+96.08	-8.13'	613.96	614.11
W	30+06.08	-8.13'	614.00	614.15
X	30+16.08	-8.13'	614.02	614.16
Y	30+26.08	-8.13'	614.03	614.15
Z	30+36.08	-8.13'	614.02	614.10
AA	30+46.08	-8.13'	614.00	614.04
⊖ Brg. N. Abut.	30+54.75	-8.13'	613.97	613.97
Bk. N. Abut.	30+56.69	-8.13'	613.96	613.96

**B AND PGL CENTER ST & ROADWAY CROWN**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+67.25	0.00'	610.97	610.97
⊖ Brg. S. Abut.	27+69.26	0.00'	611.00	611.00
A	27+79.56	0.00'	611.16	611.24
B	27+89.82	0.00'	611.32	611.47
C	28+00.03	0.00'	611.48	611.68
D	28+10.20	0.00'	611.63	611.89
E	28+20.33	0.00'	611.79	612.07
F	28+30.42	0.00'	611.95	612.24
G	28+40.48	0.00'	612.10	612.39
H	28+50.50	0.00'	612.26	612.52
I	28+60.50	0.00'	612.41	612.64
J	28+70.50	0.00'	612.57	612.75
K	28+80.50	0.00'	612.72	612.86
L	28+90.50	0.00'	612.88	612.96
M	29+00.50	0.00'	613.03	613.08
N	29+10.50	0.00'	613.19	613.20
⊖ Brg. Pier 1	29+18.91	0.00'	613.32	613.32
O	29+28.91	0.00'	613.47	613.47
P	29+38.91	0.00'	613.61	613.62
Q	29+48.91	0.00'	613.74	613.76
R	29+58.91	0.00'	613.85	613.90
S	29+68.91	0.00'	613.94	614.03
T	29+78.91	0.00'	614.02	614.13
U	29+88.91	0.00'	614.09	614.22
V	29+98.91	0.00'	614.14	614.29
W	30+08.91	0.00'	614.17	614.32
X	30+18.91	0.00'	614.19	614.33
Y	30+28.91	0.00'	614.19	614.31
Z	30+38.91	0.00'	614.18	614.26
AA	30+48.91	0.00'	614.15	614.19
⊖ Brg. N. Abut.	30+57.58	0.00'	614.12	614.12
Bk. N. Abut.	30+59.52	0.00'	614.11	614.11

**GIRDER 8**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+62.50	-10.54'	610.58	610.58
⊖ Brg. S. Abut.	27+64.46	-10.71'	610.61	610.61
A	27+74.54	-11.52'	610.74	610.81
B	27+84.63	-12.23'	610.87	611.02
C	27+94.74	-12.84'	611.01	611.22
D	28+04.86	-13.35'	611.17	611.42
E	28+14.99	-13.75'	611.34	611.62
F	28+25.13	-14.06'	611.52	611.81
G	28+35.27	-14.26'	611.69	611.98
H	28+45.41	-14.36'	611.88	612.14
I	28+55.49	-14.38'	612.05	612.27
J	28+65.49	-14.38'	612.20	612.38
K	28+75.49	-14.38'	612.36	612.49
L	28+85.49	-14.38'	612.51	612.60
M	28+95.49	-14.38'	612.67	612.71
N	29+05.49	-14.38'	612.82	612.84
⊖ Brg. Pier 1	29+13.90	-14.38'	612.95	612.95
O	29+23.90	-14.38'	613.11	613.10
P	29+33.90	-14.38'	613.25	613.26
Q	29+43.90	-14.38'	613.39	613.42
R	29+53.90	-14.38'	613.51	613.56
S	29+63.90	-14.38'	613.61	613.69
T	29+73.90	-14.38'	613.70	613.81
U	29+83.90	-14.38'	613.77	613.91
V	29+93.90	-14.38'	613.83	613.98
W	30+03.90	-14.38'	613.87	614.02
X	30+13.90	-14.38'	613.89	614.03
Y	30+23.90	-14.38'	613.90	614.02
Z	30+33.90	-14.38'	613.90	613.98
AA	30+43.90	-14.38'	613.88	613.92
⊖ Brg. N. Abut.	30+52.57	-14.38'	613.85	613.85
Bk. N. Abut.	30+54.51	-14.38'	613.84	613.84

**GIRDER 6**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+67.93	1.54'	610.93	610.93
⊖ Brg. S. Abut.	27+69.87	1.38'	610.97	610.97
A	27+79.83	0.63'	611.15	611.22
B	27+89.80	-0.03'	611.32	611.46
C	27+99.79	-0.59'	611.46	611.66
D	28+09.79	-1.05'	611.60	611.85
E	28+19.79	-1.40'	611.75	612.03
F	28+29.81	-1.66'	611.90	612.19
G	28+39.82	-1.82'	612.05	612.33
H	28+49.84	-1.87'	612.21	612.47
I	28+59.84	-1.88'	612.36	612.59
J	28+69.84	-1.88'	612.52	612.70
K	28+79.84	-1.88'	612.67	612.81
L	28+89.84	-1.88'	612.83	612.92
M	28+99.84	-1.88'	612.98	613.03
N	29+09.84	-1.88'	613.14	613.15
⊖ Brg. Pier 1	29+18.26	-1.88'	613.27	613.27
O	29+28.26	-1.88'	613.42	613.42
P	29+38.26	-1.88'	613.56	613.57
Q	29+48.26	-1.88'	613.69	613.72
R	29+58.26	-1.88'	613.80	613.86
S	29+68.26	-1.88'	613.90	613.98
T	29+78.26	-1.88'	613.98	614.09
U	29+88.26	-1.88'	614.04	614.18
V	29+98.26	-1.88'	614.10	614.25
W	30+08.26	-1.88'	614.13	614.28
X	30+18.26	-1.88'	614.15	614.29
Y	30+28.26	-1.88'	614.15	614.27
Z	30+38.26	-1.88'	614.14	614.23
AA	30+48.26	-1.88'	614.12	614.16
⊖ Brg. N. Abut.	30+56.93	-1.88'	614.08	614.08
Bk. N. Abut.	30+58.87	-1.88'	614.07	614.07

**GIRDER 9**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+59.74	-16.57'	610.36	610.36
⊖ Brg. S. Abut.	27+61.71	-16.75'	610.38	610.38
A	27+71.85	-17.58'	610.51	610.59
B	27+82.00	-18.32'	610.65	610.79
C	27+92.17	-18.95'	610.79	610.99
D	28+02.35	-19.49'	610.94	611.20
E	28+12.54	-19.92'	611.13	611.41
F	28+22.74	-20.25'	611.32	611.61
G	28+32.95	-20.47'	611.51	611.79
H	28+43.16	-20.60'	611.70	611.96
I	28+53.31	-20.63'	611.89	612.11
J	28+63.31	-20.63'	612.04	612.22
K	28+73.31	-20.63'	612.20	612.33
L	28+83.31	-20.63'	612.35	612.44
M	28+93.31	-20.63'	612.51	612.55
N	29+03.31	-20.63'	612.66	612.68
⊖ Brg. Pier 1	29+11.73	-20.63'	612.79	612.79
O	29+21.73	-20.63'	612.95	612.94
P	29+31.73	-20.63'	613.10	613.11
Q	29+41.73	-20.63'	613.23	613.26
R	29+51.73	-20.63'	613.36	613.41
S	29+61.73	-20.63'	613.46	613.55
T	29+71.73	-20.63'	613.55	613.67
U	29+81.73	-20.63'	613.63	613.77
V	29+91.73	-20.63'	613.69	613.84
W	30+01.73	-20.63'	613.73	613.89
X	30+11.73	-20.63'	613.76	613.91
Y	30+21.73	-20.63'	613.78	613.90
Z	30+31.73	-20.63'	613.78	613.86
AA	30+41.73	-20.63'	613.76	613.80
⊖ Brg. N. Abut.	30+50.39	-20.63'	613.73	613.73
Bk. N. Abut.	30+52.33	-20.63'	613.73	613.73

**NOTES:**

- All Elevations and Offsets are in feet.
- Offsets are measured with respect to ⊖ Center Street. Negative offsets are left and positive are right of the centerline.



USER NAME =	DESIGNED - ANS	REVISED -
	CHECKED - LAB	REVISED -
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - LAB	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

TOP OF SLAB ELEVATIONS TABLES (SHEET 2 OF 3)  
 STRUCTURE NO. 099-8332

SHEET SB-07 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	C
-------------	---------	---

MODEL: Default  
FILE NAME: p:\projects\trans\trans\p1\hosted\Documents\Projects\_2018\CH40\_1401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-08-Top of Slab Elevation Table (Sheet 3 of 3)

**GIRDER 10**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+56.94	-22.60'	610.13	610.13
☉ Brg. S. Abut.	27+58.92	-22.77'	610.16	610.16
A	27+69.12	-23.64'	610.29	610.36
B	27+79.33	-24.40'	610.42	610.56
C	27+89.57	-25.06'	610.56	610.77
D	27+99.81	-25.62'	610.71	610.95
E	28+10.06	-26.08'	610.91	611.17
F	28+20.33	-26.43'	611.11	611.38
G	28+30.60	-26.68'	611.31	611.58
H	28+40.87	-26.83'	611.52	611.76
I	28+51.13	-26.88'	611.73	611.93
J	28+61.13	-26.88'	611.88	612.05
K	28+71.13	-26.88'	612.04	612.17
L	28+81.13	-26.88'	612.19	612.28
M	28+91.13	-26.88'	612.35	612.39
N	29+01.13	-26.88'	612.50	612.51
☉ Brg. Pier 1	29+09.55	-26.88'	612.62	612.62
O	29+19.55	-26.88'	612.79	612.79
P	29+29.55	-26.88'	612.94	612.95
Q	29+39.55	-26.88'	613.08	613.10
R	29+49.55	-26.88'	613.21	613.25
S	29+59.55	-26.88'	613.32	613.39
T	29+69.55	-26.88'	613.41	613.51
U	29+79.55	-26.88'	613.49	613.60
V	29+89.55	-26.88'	613.55	613.68
W	29+99.55	-26.88'	613.60	613.73
X	30+09.55	-26.88'	613.63	613.76
Y	30+19.55	-26.88'	613.65	613.75
Z	30+29.55	-26.88'	613.65	613.73
AA	30+39.55	-26.88'	613.64	613.68
☉ Brg. N. Abut.	30+48.21	-26.88'	613.62	613.62
Bk. N. Abut.	30+50.16	-26.88'	613.61	613.61

**GIRDER 12**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+51.57	-33.93'	609.71	609.71
☉ Brg. S. Abut.	27+53.58	-34.10'	609.74	609.74
A	27+64.08	-34.61'	609.88	610.00
B	27+74.59	-35.02'	610.03	610.30
C	27+85.11	-35.33'	610.19	610.49
Header Girder	27+91.49	-35.46'	610.28	610.63

**GIRDER 11**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+54.11	-28.61'	609.91	609.91
☉ Brg. S. Abut.	27+56.10	-28.80'	609.93	609.93
A	27+66.36	-29.69'	610.07	610.14
B	27+76.64	-30.48'	610.20	610.34
C	27+86.93	-31.16'	610.34	610.54
D	27+97.24	-31.75'	610.48	610.73
E	28+07.55	-32.23'	610.68	610.96
F	28+17.88	-32.61'	610.90	611.19
G	28+28.22	-32.88'	611.11	611.41
H	28+38.56	-33.06'	611.33	611.60
I	28+48.90	-33.12'	611.56	611.79
J	28+58.95	-33.13'	611.73	611.91
K	28+68.95	-33.13'	611.88	612.02
L	28+78.95	-33.13'	612.04	612.13
M	28+88.95	-33.13'	612.19	612.24
N	28+98.95	-33.13'	612.34	612.36
☉ Brg. Pier 1	29+07.37	-33.13'	612.47	612.47
O	29+17.37	-33.13'	612.63	612.63
P	29+27.37	-33.13'	612.78	612.79
Q	29+37.37	-33.13'	612.93	612.95
R	29+47.37	-33.13'	613.06	613.10
S	29+57.37	-33.13'	613.17	613.27
T	29+67.37	-33.13'	613.27	613.36
U	29+77.37	-33.13'	613.35	613.46
V	29+87.37	-33.13'	613.41	613.54
W	29+97.37	-33.13'	613.47	613.59
X	30+07.37	-33.13'	613.50	613.62
Y	30+17.37	-33.13'	613.52	613.62
Z	30+27.37	-33.13'	613.53	613.60
AA	30+37.37	-33.13'	613.52	613.55
☉ Brg. N. Abut.	30+46.04	-33.13'	613.50	613.50
Bk. N. Abut.	30+47.98	-33.13'	613.49	613.49

**GIRDER 13**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+48.93	-39.39'	609.51	609.51
☉ Brg. S. Abut.	27+51.04	-39.39'	609.54	609.54
A	27+61.85	-39.39'	609.70	609.78
B	27+72.61	-39.38'	609.87	610.02
C	27+83.32	-39.38'	610.04	610.25
D	27+93.98	-39.38'	610.20	610.46
E	28+04.60	-39.38'	610.42	610.71
F	28+15.16	-39.38'	610.66	610.97
G	28+25.69	-39.38'	610.90	611.22
H	28+36.17	-39.38'	611.14	611.43
I	28+46.62	-39.38'	611.38	611.62
J	28+56.78	-39.38'	611.57	611.76
K	28+66.78	-39.38'	611.72	611.87
L	28+76.78	-39.38'	611.88	611.97
M	28+86.78	-39.38'	612.03	612.09
N	28+96.78	-39.38'	612.19	612.21
☉ Brg. Pier 1	29+05.19	-39.38'	612.32	612.32
O	29+15.19	-39.38'	612.47	612.48
P	29+25.19	-39.38'	612.63	612.63
Q	29+35.19	-39.38'	612.77	612.79
R	29+45.19	-39.38'	612.90	612.94
S	29+55.19	-39.38'	613.02	613.08
T	29+65.19	-39.38'	613.12	613.23
U	29+75.19	-39.38'	613.21	613.32
V	29+85.19	-39.38'	613.28	613.40
W	29+95.19	-39.38'	613.33	613.46
X	30+05.19	-39.38'	613.37	613.49
Y	30+15.19	-39.38'	613.40	613.50
Z	30+25.19	-39.38'	613.40	613.48
AA	30+35.19	-39.38'	613.40	613.44
☉ Brg. N. Abut.	30+43.86	-39.38'	613.38	613.38
Bk. N. Abut.	30+45.80	-39.38'	613.38	613.38

**WEST EDGE SB. SHLDR**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+52.01	-33.00'	609.74	609.74
☉ Brg. S. Abut.	27+54.10	-33.00'	609.78	609.78
A	27+64.83	-33.00'	609.94	610.03
B	27+75.50	-33.00'	610.11	610.25
C	27+86.13	-33.00'	610.27	610.50
D	27+96.71	-33.00'	610.44	610.70
E	28+07.24	-33.00'	610.66	610.93
F	28+17.73	-33.00'	610.88	611.17
G	28+28.17	-33.00'	611.11	611.40
H	28+38.58	-33.00'	611.34	611.61
I	28+48.94	-33.00'	611.56	611.78
J	28+59.00	-33.00'	611.73	611.90
K	28+69.00	-33.00'	611.88	612.02
L	28+79.00	-33.00'	612.04	612.18
M	28+89.00	-33.00'	612.19	612.29
N	28+99.00	-33.00'	612.35	612.40
☉ Brg. Pier 1	29+07.41	-33.00'	612.48	612.48
O	29+17.41	-33.00'	612.63	612.65
P	29+27.41	-33.00'	612.79	612.83
Q	29+37.41	-33.00'	612.93	612.97
R	29+47.41	-33.00'	613.06	613.16
S	29+57.41	-33.00'	613.17	613.33
T	29+67.41	-33.00'	613.27	613.46
U	29+77.41	-33.00'	613.35	613.57
V	29+87.41	-33.00'	613.42	613.64
W	29+97.41	-33.00'	613.47	613.69
X	30+07.41	-33.00'	613.51	613.71
Y	30+17.41	-33.00'	613.53	613.69
Z	30+27.41	-33.00'	613.53	613.65
AA	30+37.41	-33.00'	613.52	613.58
☉ Brg. N. Abut.	30+46.08	-33.00'	613.50	613.50
Bk. N. Abut.	30+48.02	-33.00'	613.50	613.50

**FACE OF SB. W. PARAPET**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	27+48.15	-41.00'	609.44	609.44
☉ Brg. S. Abut.	27+50.26	-41.00'	609.48	609.48
A	27+61.09	-41.00'	609.64	609.75
B	27+71.87	-41.00'	609.81	609.97
C	27+82.60	-41.00'	609.98	610.21
D	27+93.28	-41.00'	610.14	610.42
E	28+03.92	-41.00'	610.35	610.64
F	28+14.51	-41.00'	610.60	610.91
G	28+25.05	-41.00'	610.84	611.16
H	28+35.56	-41.00'	611.09	611.36
I	28+46.02	-41.00'	611.33	611.54
J	28+56.21	-41.00'	611.53	611.68
K	28+66.21	-41.00'	611.68	611.83
L	28+76.21	-41.00'	611.84	611.95
M	28+86.21	-41.00'	611.99	612.07
N	28+96.21	-41.00'	612.14	612.17
☉ Brg. Pier 1	29+04.63	-41.00'	612.27	612.27
O	29+14.63	-41.00'	612.43	612.43
P	29+24.63	-41.00'	612.58	612.60
Q	29+34.63	-41.00'	612.73	612.77
R	29+44.63	-41.00'	612.86	612.94
S	29+54.63	-41.00'	612.98	613.09
T	29+64.63	-41.00'	613.08	613.22
U	29+74.63	-41.00'	613.17	613.34
V	29+84.63	-41.00'	613.24	613.42
W	29+94.63	-41.00'	613.30	613.48
X	30+04.63	-41.00'	613.34	613.51
Y	30+14.63	-41.00'	613.36	613.50
Z	30+24.63	-41.00'	613.37	613.47
AA	30+34.63	-41.00'	613.37	613.42
☉ Brg. N. Abut.	30+43.29	-41.00'	613.35	613.35
Bk. N. Abut.	30+45.23	-41.00'	613.34	613.34

**NOTES:**

- 1. All Elevations and Offsets are in feet.
- 2. Offsets are measured with respect to ☉ Center Street. Negative offsets are left and positive are right of the centerline.




USER NAME =	DESIGNED - ANS	REVISED -
	CHECKED - LAB	REVISED -
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - LAB	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**TOP OF SLAB ELEVATIONS TABLES (SHEET 3 OF 3)  
STRUCTURE NO. 099-8332**

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	663
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Default  
 FILE NAME: p:\transystems\pww\beniley.com\transyscorp\pww1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-09-Top\_South Approach Slab Layout



**NOTES:**

1. All Dimensions are measured radially unless noted otherwise.
2. All Elevations and Offsets are in feet.
3. Offsets are measured with respect to Center Street. Negative offsets are left and positive are right of the centerline.

**FACE OF SB W. PARAPET**

Location	Station	Offset	Theoretical Grade Elevations
S. End of South Approach Slab	27+17.72	-41.00'	608.97'
A	27+28.25	-41.00'	609.14'
B	27+38.58	-41.00'	609.30'
N. End of South Approach Slab	27+49.30	-41.00'	609.46'

**WEST EDGE OF SHLDR.**

Location	Bottom Elev	Offset	Theoretical Grade Elevations
S. End of South Approach Slab	27+21.90	-33.00'	609.28'
A	27+32.32	-33.00'	609.44'
B	27+42.58	-33.00'	609.60'
N. End of South Approach Slab	27+53.15	-33.00'	609.76'

**B AND PGL CENTER ST & ROADWAY CROWN**

Location	Station	Offset	Theoretical Grade Elevations
S. End of South Approach Slab	27+38.35	0.00'	610.52'
A	27+48.35	0.00'	610.68'
B	27+58.35	0.00'	610.83'
N. End of South Approach Slab	27+68.35	0.00'	610.99'

**EAST EDGE OF SHLDR. & SLOPE CHANGE**

Location	Station	Offset	Theoretical Grade Elevations
S. End of South Approach Slab	27+49.11	23.00'	611.38'
A	27+58.84	23.00'	611.53'
B	27+68.67	23.00'	611.68'
N. End of South Approach Slab	27+78.30	23.00'	611.83'

**FACE OF NB E. PARAPET**

Location	Station	Offset	Theoretical Grade Elevations
S. End of South Approach Slab	27+51.95	29.27'	611.30'
A	27+62.16	30.53'	611.43'
B	27+72.54	31.92'	611.56'
N. End of South Approach Slab	27+82.63	33.38'	611.69'

PLAN




USER NAME =	DESIGNED - ANS	REVISED -
	CHECKED - LAB	REVISED -
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - LAB	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

TOP OF SOUTH APPROACH SLAB ELEVATIONS  
 STRUCTURE NO. 099-8332

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	664
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Default  
 FILE NAME: p:\w\transystems\ppw\1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-10-Top North Approach Slab Layout



**NOTES:**

1. All Dimensions are measured radially unless noted otherwise.
2. All Elevations and Offsets are in feet.
3. Offsets are measured with respect to Center Street. Negative offsets are left and positive are right of the centerline.

**FACE OF SB W. PARAPET**

Location	Station	Offset	Theoretical Grade Elevations
S. End of North Approach Slab	30+44.17	-41.00'	613.35'
A	30+54.17	-41.00'	613.31'
B	30+64.17	-41.00'	613.26'
N. End of North Approach Slab	30+74.17	-41.00'	613.20'

**WEST EDGE OF SHLDR.**

Location	Station	Offset	Theoretical Grade Elevations
S. End of North Approach Slab	30+46.96	-33.00'	613.50'
A	30+56.96	-33.00'	613.46'
B	30+66.96	-33.00'	613.41'
N. End of North Approach Slab	30+76.96	-33.00'	613.34'

**B AND PGL CENTER ST & ROADWAY CROWN**

Location	Station	Offset	Theoretical Grade Elevations
S. End of North Approach Slab	30+58.46	0.00'	614.11'
A	30+68.46	0.00'	614.06'
B	30+78.46	0.00'	613.98'
N. End of North Approach Slab	30+88.46	0.00'	613.91'

**EAST EDGE OF SHLDR. & SLOPE CHANGE**

Location	Station	Offset	Theoretical Grade Elevations
S. End of North Approach Slab	30+66.48	23.00'	613.61'
A	30+76.48	23.00'	613.54'
B	30+86.48	23.00'	613.46'
N. End of North Approach Slab	30+96.48	23.00'	613.39'

**FACE OF NB E. PARAPET**

Location	Station	Offset	Theoretical Grade Elevations
S. End of North Approach Slab	30+69.26	31.00'	613.43'
A	30+79.26	31.00'	613.36'
B	30+89.26	31.00'	613.28'
N. End of North Approach Slab	30+99.26	31.00'	613.21'




USER NAME =	DESIGNED - ANS	REVISED -
	CHECKED - LAB	REVISED -
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - LAB	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

TOP OF NORTH APPROACH SLAB ELEVATIONS  
 STRUCTURE NO. 099-8332

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	665
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				


MODEL: Default  
 FILE NAME: p:\projects\transystems\pww\1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\62R22-5B-11-Deck Plan 1



**MINIMUM BAR LAP**  
 #5 Bar = 3'-6"  
 #6 Bar = 4'-5"

\* See Field Cutting Diagram on Sheet SB-17 of SB-48.  
 \*\* Cut in field to fit

**DECK PARTIAL PLAN**



**NOTES:**

- See Sheet SB-17 of SB-48 for superstructure details and Bill of Material.
- For Deck Cross Sections, see Sheets SB-13 and SB-14 of SB-48.
- Bars indicated thus 78 x 11-#5 etc. indicates 78 lines of bars with 11 lengths per line.
- For light pole bumpout details, see Sheet SB-16 of SB-48.
- Light pole stations measured to centerline of light pole base.
- Drainage scupper stations measured to center of grate at inside face of parapet.



USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION


SUPERSTRUCTURE PLAN (SHEET 1 OF 2)  
 STRUCTURE NO. 099-8332

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	666
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

SHEET SB-11 OF SB-48 SHEETS




MODEL: Default  
 FILE NAME: p:\projects\transys\scor\ppw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\5N-099-8332\62R22-5B-12-Deck Plan 2



**MINIMUM BAR LAP**  
 #5 Bar = 3'-6"  
 #6 Bar = 4'-5"

\* See Field Cutting Diagram on Sheet SB-17 of SB-48.

**DECK PARTIAL PLAN**



**NOTES:**

- See Sheet SB-17 of SB-48 for superstructure details and Bill of Material.
- For Deck Cross Sections, see Sheets SB-13 and SB-14 of SB-48.
- Bars indicated thus 78 x 11-#5 etc. indicates 78 lines of bars with 11 lengths per line.
- For light pole bumpout details, see Sheet SB-16 of SB-48.
- Light pole stations measured to centerline of light pole base.
- Drainage scupper stations measured to center of grate at inside face of parapet.



USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION


SUPERSTRUCTURE PLAN (SHEET 2 OF 2)  
 STRUCTURE NO. 099-8332

SHEET SB-12 OF SB-48 SHEETS


F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	667
CONTRACT NO. 62R22				

ILLINOIS FED. AID PROJECT

MODEL: Default  
 FILE NAME: p:\projects\transystemspw\beniley.com\transystemspw\1-hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\62R22-5B-13-Deck X5.1



NEAR SOUTH ABUT.



NEAR EAST HALF OF DECK NEAR S. ABUT.

**CROSS SECTION**  
(Looking North)

(Sta. 27+68.34 to Sta. 27+91.49)

\* For Deck Cross Slopes, See Method of Attaining Superelevation on Sheet SB-03.  
 \*\* Measured Radially to Center Street.

**NOTE:**

- Girder 6 is offset 1'-5" to the left of the Center St. at its maximum and transitions to 1 7/8" to the right of the Center St. (Measured Radially to Center St.)



USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -



STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

SUPERSTRUCTURE CROSS SECTION (SHEET 1 OF 2)  
 STRUCTURE NO. 099-8332

SHEET SB-13 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	668
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Default  
 FILE NAME: p:\projects\trans\trans\p1\hosted\Documents\Projects\_2018\CH40\_401.180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\62R22-5B-14-Deck X5 2



- † Flare 4-#5 b102(E) bars at ±7/8" cts. max. (6 5/8" cts. min.)
- †† 2 spaces at 11 1/2" cts. max. (6 5/8" cts. min.)
- ††† Flare 4-#5 b102(E) bars at ±7/4" cts. max. (6 3/8" cts. min.)
- †††† From approx. Sta. 28+14.47 to North End of Deck; 6-#5 b102(E) bars at ±9 1/2" cts.

**CROSS SECTION**  
 (Looking North)  
 (Sta. 27+91.49 to Sta. 30+58.46)

\* For Deck Cross Slopes, See Method of Attaining Superelevation on Sheet SB-03.  
 \*\* Measured Radially or at Right angles to Center Street.



USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -


STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

SUPERSTRUCTURE CROSS SECTION (SHEET 2 OF 2)  
 STRUCTURE NO. 099-8332


F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	669
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

SHEET SB-14 OF SB-48 SHEETS

MODEL: Default  
FILE NAME: p:\projects\transys\sb-15\parapet\parapet\_elev.dwg  
PROJECT: 2018/CH40/401.180022/03-WSP/CAD/62R22-INT-4 (Center) Sheets/Structural/SN-099-8332-62R22-5B-15-Parapet - Elev



**INSIDE ELEVATION OF EAST PARAPET**  
(Looking East)



**INSIDE ELEVATION OF WEST PARAPET**  
(Looking West)

**MINIMUM BAR LAP**  
#4 Bar = 2'-5"

\* Measured Along Inside Face of Parapet

- NOTES:**
- For Notes, Sections thru Parapet, parapet joint details, bar diagrams and Bill of Material, see Sheet SB-17 of SB-48.
  - For light pole bumpout details, see Sheet SB-16 of SB-48.



USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**PARAPET ELEVATIONS  
STRUCTURE NO. 099-8332**

SHEET SB-15 OF SB-48 SHEETS


F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	670
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Default  
 FILE NAME: p:\trainsystems\ppw\beniley.com\trainsyscorpp\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-16-Light Pole Details




**PLAN**


Note:  
 Cost of anchor rods is included with Concrete Superstructure.




**SECTION A-A**



**BAR d103(E)**



**BAR d102(E)**



**ANCHOR ROD**

Diameter as specified for light poles.  
 (ASTM F 1554 Grade 105) Full length hot dipped galvanized.



USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -


STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

LIGHT POLE BUMPOUT DETAILS  
 STRUCTURE NO. 099-8332


SHEET SB-16 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	671
CONTRACT NO. 62R22				
ILLINOIS		FED. AID PROJECT		


MODEL: Default  
 FILE NAME: p:\projects\transys\scorp\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)Sheets\Structural\SN-099-8332\0998332-62R22-5B-17-Deck Sections and Details



**SECTION THRU WEST PARAPET**  
 (Sta. 27+68.34 to 27+91.49)



**SECTION THRU EAST PARAPET**  
 (typical)



**BAR d101(E)**      **BAR d100(E)**


**SUPERSTRUCTURE  
 BILL OF MATERIAL**

Bar	No.	Size	Length	Shape
a100(E)	1499	#5	27'-2"	—
a101(E)	569	#5	23'-0"	—
a102(E)	1158	#6	8'-4"	└
a103(E)	22	#6	36'-11"	—
a104(E)	14	#6	36'-1"	—
a105(E)	6	#5	30'-5"	—
a106(E)	10	#5	36'-6"	—
a107(E)	9	#5	29'-3"	—
a108(E)	8	#5	41'-4"	—
a109(E)	5	#5	49'-4"	—
a110(E)	174	#6	32'-0"	—
a111(E)	105	#6	27'-9"	—
a112(E)	335	#5	34'-9"	—
a113(E)	6	#5	28'-8"	—
a114(E)	6	#5	45'-1"	—
a115(E)	14	#5	35'-11"	—
a116(E)	24	#5	1'-6"	—
b100(E)	707	#5	35'-2"	—
b101(E)	360	#6	30'-9"	—
b102(E)	725	#5	32'-0"	—
d100(E)	893	#5	6'-5"	└
d101(E)	873	#5	7'-11"	└
d102(E)	12	#6	4'-10"	—
d103(E)	24	#6	8'-11"	└
e100(E)	12	#4	18'-2"	—
e101(E)	72	#4	16'-6"	—
e102(E)	40	#4	19'-8"	—
e103(E)	36	#4	18'-2"	—
e104(E)	12	#4	17'-10"	—
e105(E)	36	#4	18'-6"	—
e106(E)	32	#4	27'-0"	—
e107(E)	16	#4	29'-6"	—
e108(E)	16	#4	30'-0"	—
m100(E)	15	#6	29'-3"	—
m101(E)	84	#6	6'-2"	—
m102(E)	16	#6	2'-8"	—
m103(E)	15	#6	31'-0"	—
m104(E)	8	#6	5'-3"	—
s100(E)	148	#5	8'-2"	└
s101(E)	148	#5	12'-4"	└
v100(E)	157	#5	3'-1"	└
Concrete Superstructure		Cu Yd	774.8	
Bridge Deck Grooving		Sq Yd	2,273	
Protective Coat		Sq Yd	2,619	
Reinforcement Bars, Epoxy Coated		Pound	189,940	


Bars indicated thus 1 x 2-#4 etc. indicates 1 line of bars with 2 lengths per line.

**NOTES:**

- Exterior surfaces of downspouts and exterior exposed surfaces of the scupper frame below deck shall be pigmented or painted to match the color of the adjacent beam.
- The 3/16" min. aluminum sheet shall be ASTM B 209 alloy 3003-H14 and coated with either 5 mils of bitumen paint or epoxy paint to minimize reaction with wet concrete. Cost included with Concrete Superstructure.
- The polyurethane sealant shall be according to Article 1050.04 of the Std. Spec. and the color shall be gray.
- Bar terminators paid for separately. See Total Bill of Material.
- Protective Coat shall be applied to the top and inside faces of parapets and the top of deck.




**SECTION A-A**




**PLAN**

Note:  
 Cut longitudinal reinforcement to clear drainage scuppers.




**PARAPET JOINT DETAILS**



**BAR a102(E)**

**BAR s101(E)**



**FIELD CUTTING DIAGRAM**

Order a103(E), a104(E), a106(E) thru a109(E), a114(E) and a115(E) bars full length. Cut as shown and use remainder of bars in opposite direction or opposite side as appropriate.

Location	Bars	A	B	C
Top of Slab	22 -#5 a103(E) bars	3'-5"	32'-7"	36'-0"
Bottom of Slab	14 -#5 a104(E) bars	3'-0"	32'-2"	35'-2"
Top of Slab	10 -#5 a106(E) bars	5'-7"	30'-11"	36'-6"
Bottom of Slab	9 -#5 a107(E) bars	5'-11"	23'-4"	29'-3"
Top of Slab	8 -#5 a108(E) bars	10'-4"	31'-0"	41'-4"
Bottom of Slab	5 -#5 a109(E) bars	15'-0"	34'-9"	49'-9"
Top of Slab	14 -#5 a115(E) bars	8'-9"	27'-2"	35'-11"
Bottom of Slab	6 -#5 a114(E) bars	10'-4"	34'-4"	45'-1"

**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**



**SUPERSTRUCTURE DETAILS  
 STRUCTURE NO. 099-8332**

SHEET SB-17 OF SB-48 SHEETS


F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	672
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

**HBM**  
 ENGINEERING GROUP, LLC


USER NAME =	DESIGNED - PG	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - PG	REVISED -
	CHECKED - MI, JJS	REVISED -



**DIAPHRAGM AT SOUTH ABUTMENT**



**VIEW B-B**



**PLAN AT SOUTH ABUTMENT**  
(Showing bottom flange of beam)

**TABLE 1**

Girder	A
1 thru 11	19°12'42"
12	21°33'05"
13	24°55'54"

- NOTES:**
- See Sheet SB-17 of SB-48 for superstructure details and Bill of Material.
  - See sheet SB-21 of SB-48 for P.J.F. details.
  - The s100(E) and s101(E) bars shall be placed parallel to the girders. Spacing for these bars shall be at right angles to the girders.
  - The approach slab seat shall have a constant slope determined from the control points shown.

MODEL: Default  
 FILE NAME: p:\projects\transystems\pww\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-19-5-Abutment\Diaphragm.dwg  
 4/22/2025 4:04:10 PM



USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -




**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**SOUTH ABUTMENT DIAPHRAGM ELEVATION AND DETAILS  
STRUCTURE NO. 099-8332**

SHEET SB-18 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	673
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				


MODEL: Default  
 FILE NAME: p:\projects\transystems\pww\beniley.com\transystems\pww\1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\62R22-5B-18-NAbutIntegralDiaphragm




**SECTION A-A**  
(At Right Angles)

**MINIMUM BAR LAP**  
#6 Bar = 4'-4"

**DIAPHRAGM AT NORTH ABUTMENT**



**VIEW B-B**



**PLAN AT NORTH ABUTMENT**  
(Showing bottom flange of beam)

**NOTES:**

1. See Sheet SB-17 of SB-48 for superstructure details and Bill of Material.
2. See Sheet SB-23 of SB-48 for P.J.F. details.
3. The s100(E) and s101(E) bars shall be placed parallel to the girders. Spacing for these bars shall be at right angles to the girders.
4. The approach slab seat shall have a constant slope determined from the control points shown.



USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**


**NORTH ABUTMENT DIAPHRAGM ELEVATION AND DETAILS**  
**STRUCTURE NO. 099-8332**

SHEET SB-19 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	674
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



MODEL: Default  
 FILE NAME: p:\projects\transys\corp\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-20-5-Approach Plan




Measured Perpendicular to Local Tangent Along End of Approach

Measured Perpendicular to Local Tangent Along End of Approach

**NOTES:**

1. The joint opening shall be adjusted for temperature per Article 520.04 of the Standard Specifications. However, since this detail is for jointless structures, the length of bridge used to calculate the adjustment shall be equal to half the total bridge length plus the length of the bridge approach slab.
2. Bars indicated thus 60 x3-#8 etc. indicates 60 lines of bars with 3 lengths per line.
3. See Sheet SB-21 of SB-48 for Cross Section, Section A-A, Inside Elevation of Parapet and curb, bar diagrams and Bill of Material.
4. For South Approach Pile Bent details, including top and bottom elevations, see Sheet SB-40.



**DETAIL A**  
(at Rt.  $\angle$ 's)

- \* Cost included with Concrete Superstructure (Approach Slab).
- \*\* Per manufacturer recommendations
- † Cut in field to fit

**MINIMUM BAR LAP**  
 #5 bar = 3'-6"  
 #8 bar = 6'-9"






USER NAME =	DESIGNED - PG	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

SOUTH APPROACH SLAB PLAN  
 STRUCTURE NO. 099-8332

SHEET SB-20 OF SB-48 SHEETS



F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	675
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



**SOUTH APPROACH  
BILL OF MATERIAL**


Bar	No.	Size	Length	Shape
a130(E)	84	#5	27'-7"	—
a131(E)	168	#8	31'-11"	—
a132(E)	40	#5	7'-4"	—
a133(E)	42	#5	34'-0"	—
b130(E)	99	#5	29'-10"	—
b131(E)	155	#9	29'-10"	—
b132(E)	4	#5	14'-8"	—
b133(E)	1	#4	15'-0"	—
b134(E)	1	#4	16'-5"	—
b135(E)	4	#5	15'-2"	—
b136(E)	15	#5	31'-5"	—
b137(E)	26	#9	31'-5"	—
d130(E)	46	#5	6'-5"	—
d131(E)	46	#5	8'-6"	—
e130(E)	20	#4	14'-8"	—
Concrete Superstructure	Cu Yd		4.0	
Bridge Deck Grooving	Sq Yd		235	
Protective Coat	Sq Yd		252	
Concrete Superstructure (Approach Slab)	Cu Yd		106.0	
Reinforcement Bars, Epoxy Coated	Pound		41,660	

- NOTES:**
- For Detail A, see Sheet SB-20 of SB-48.
  - Parapet concrete shall be paid for as Concrete Superstructure.
  - Approach slab shall be paid for as Concrete Superstructure (Approach Slab).
  - For Approach Pile Bent details, see Sheet SB-40.
  - For Granular Backfill for Structures and drainage treatment details, see Sheet SB-03 of SB-48.



\* Cost included with Concrete Superstructure (Approach Slab).

\*\* For West Parapet:  
(1) - 2" Ø PVC Conduit for electrical (see Electrical Plans)  
(1) - 2" Ø PVC Conduit for ITS (see ITS Plans)  
For East Parapet:  
(1) - 2" Ø PVC Conduit for electrical (see Electrical Plans)



USER NAME =	DESIGNED - PG	REVISIONS -
CHECKED - MI, JJS	REVISIONS -	
PLOT SCALE =	DRAWN - PG	REVISIONS -
PLOT DATE =	CHECKED - MI, JJS	REVISIONS -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**SOUTH APPROACH SLAB SECTIONS AND DETAILS  
STRUCTURE NO. 099-8332**

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	676
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				


MODEL: Default  
FILE NAME: p:\transystems\pw\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-21-5-Approach Sections

MODEL: Default  
 FILE NAME: p:\projects\transys\corppw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-NT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-22-NApproachPlan



**NOTES:**

1. The joint opening shall be adjusted for temperature per Article 520.04 of the Standard Specifications. However, since this detail is for jointless structures, the length of bridge used to calculate the adjustment shall be equal to half the total bridge length plus the length of the bridge approach slab.
2. Bars indicated thus 60 x3-#8 etc. indicates 60 lines of bars with 3 lengths per line.
3. See Sheet SB-23 of SB-48 for Cross Section, Section A-A, Inside Elevation of Parapet and curb, bar diagrams and Bill of Material.
4. For North Approach Pile bent Details, including top and bottom elevations, see sheet SB-41



- \* Cost included with Concrete Superstructure (Approach Slab).
- \*\* Per manufacturer recommendations
- † Cut in field to fit

**MINIMUM BAR LAPS**  
 #5 bar = 3'-6"  
 #8 bar = 6'-9"




USER NAME =	DESIGNED - PG	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - PG	REVISED -
	CHECKED - MI, JJS	REVISED -

**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**


**NORTH APPROACH SLAB PLAN  
 STRUCTURE NO. 099-8332**

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	677
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				




**NOTES:**

1. For Detail A, see Sheet SB-22 of SB-48.
2. Parapet concrete shall be paid for as Concrete Superstructure.
3. Approach slab shall be paid for as Concrete Superstructure (Approach Slab).
4. For Approach Pile Bent details see Sheet SB-41.
5. For Granular Backfill for Structures and drainage treatment details, see Sheet SB-03 of SB-48.



**NORTH APPROACH BILL OF MATERIAL**



Bar	No.	Size	Length	Shape
a120(E)	86	#5	26'-9"	U
a121(E)	174	#8	30'-10"	U
a122(E)	42	#5	7'-4"	U
a123(E)	43	#5	30'-5"	U
b120(E)	111	#5	29'-8"	U
b121(E)	177	#9	29'-8"	U
b122(E)	4	#5	15'-2"	U
b123(E)	2	#4	14'-6"	U
b124(E)	4	#5	14'-8"	U
d120(E)	46	#5	6'-5"	U
d121(E)	46	#5	8'-6"	U
e120(E)	20	#4	14'-8"	U
Concrete Superstructure		Cu Yd		4.0
Bridge Deck Grooving		Sq Yd		234
Protective Coat		Sq Yd		256
Concrete Superstructure (Approach Slab)		Cu Yd		105.0
Reinforcement Bars, Epoxy Coated		Pound		40,760



\* Cost included with Concrete Superstructure (Approach Slab).

\*\* For West Parapet:  
(1) - 2" Ø PVC Conduit for electrical (see Electrical Plans)  
(1) - 2" Ø PVC Conduit for ITS (see ITS Plans)



For East Parapet:  
(1) - 2" Ø PVC Conduit for electrical (see Electrical Plans)




MODEL: Default  
FILE NAME: p:\projects\transys\corp\pw1\hosted\Documents\Projects\_2018\CH40\_401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-23-NApproach Sections

	USER NAME =	DESIGNED - PG	REVISED -	<b>STATE OF ILLINOIS</b> <b>DEPARTMENT OF TRANSPORTATION</b>	<b>NORTH APPROACH SLAB SECTIONS AND DETAILS</b> <b>STRUCTURE NO. 099-8332</b>	F.A.I. RTE. =	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE =	DRAWN - PG	REVISED -			80	FAI 80 21 INTERCHANGE	WILL	1209	678
PLOT DATE =	CHECKED - MI, JJS	REVISED -		SHEET SB-23 OF SB-48 SHEETS			CONTRACT NO. 62R22			
4/22/2025 4:04:21 PM				ILLINOIS			FED. AID PROJECT			


MODEL: Default  
 FILE NAME: p:\transystems\pw\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-24-DrainageScupperDS11



VANE GRATE DETAIL




GRATE BOLT HOLE DETAIL




SECTION A-A

See Sheet SB-17 of SB-48 for scupper location relative to parapet.




SECTION B-B

Drill and tap 4 holes 1/2" deep for 1/2" Ø-13 UNC bolts.



DOWNSPOUT



ANCHOR ROD DETAIL

**Notes:**  
 All cast iron parts shall be gray iron conforming to the requirements of AASHTO M105, Class 35B and AASHTO M306.  
 Bolts, anchor rods, nuts and washers shall be according to ASTM A307 and shall be galvanized according to AASHTO M232. As an alternate stainless steel may be used.  
 Stainless steel hardware shall be according to Article 1006.29(d) of the Standard Specifications.  
 Structural steel weldments of equal sections and of the same configuration may be substituted for the cast iron scupper frames and downspouts; however, the scupper grates shall remain cast iron. Fillet or full penetration welds shall be used for the weldments. Details shall be submitted to the Engineer for approval.  
 Structural steel scupper frames and downspouts, when utilized, shall be galvanized according to AASHTO M111.  
 As an alternate, fiberglass may be used for downspouts according to ASTM D2996 with a short-time rupture strength hoop tensile stress of 30,000 psi min. in lieu of the cast iron or structural steel.  
 Exterior surfaces of downspouts and exterior exposed surfaces of the scupper frame below deck shall be treated as specified on Sheet SB-17 of SB-48.  
 The Contractor shall take appropriate measures to assure that Protective Coat is not applied to the scupper.  
 Cost of the grate, frame, downspout, anchor rods, nuts and washers including complete installation of the scupper shall be paid for at the contract unit price for Drainage Scuppers, DS-11.

BILL OF MATERIAL

ITEM	UNIT	QUANTITY
Drainage Scuppers, DS-11	Each	3

DS-11

5-15-2023



USER NAME =	DESIGNED - PG	REVISED -
PLOT SCALE =	CHECKED - MI	REVISED -
PLOT DATE =	DRAWN - PG	REVISED -
	CHECKED - MI	REVISED -





STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

DRAINAGE SCUPPERS, DS-11  
 STRUCTURE NO. 099-8332


SHEET SB-24 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	679
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				


MODEL: Default  
 FILE NAME: p:\transystems\pww\beniley.com\transyscorp\pww1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-25-DrainageSystem



**PIER & BARRIER WALL END VIEW**




**PLAN**




**ELEVATION**

**PIPE SUPPORT DETAIL**



**SECTION A-A**

\*Dimension as Required by Pipe Clamp



**PIPE BRACKET DETAIL**

**NOTES**

1. Provide structural support from proposed deck slab for drain pipe per manufacturer's recommendation, not to exceed 6' cts. Cost included with "Drainage System for Structures".
2. All pipes, pipe fittings, brackets sleeves and P.J.F. needed shall be included with cost of "Drainage System for Structures".
3. Drain Pipes and fittings shall be 8"Ø.
4. Bolt pattern and size in drain pipe flange to match scupper flange.
5. Drainage system shall connect to drainage structure. See Drainage Schedule for stationing and offset of drainage structure.

**BILL OF MATERIAL**

Item	Unit	Quantity
Drainage System for Structures	L. Sum	1



USER NAME =	DESIGNED - KJD	REVISED -
	CHECKED - MI	REVISED -
PLOT SCALE =	DRAWN - KJD	REVISED -
PLOT DATE =	CHECKED - MI	REVISED -


**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**DRAINAGE SYSTEM DETAILS  
 STRUCTURE NO. 099-8332**

SHEET SB-25 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	680
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Default  
 FILE NAME: p:\projects\trans\systems\ppw\beniley.com\trans\systems\ppw1\hosted\Documents\Projects\_2018\CH40\_401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-25B-26-Framing Plan



**FRAMING PLAN**



**GIRDER 13 COORDINATES**

(All Dimensions in feet)


Girder	C. Brg. S. Abut.		Point A, Curve End		C. Splice 1	
	X	Y	X	Y	X	Y
13	-113.498	44.145	-18.057	39.375	0.000	39.375

**NOTE A:**


Header Girder shall be treated as System Redundant Member (SRM) and shall be fabricated as per AWS Chapter 12.

**NOTES:**

- All structural steel shall be AASHTO M270 Grade 50.
- All cross frames or diaphragms shall be installed as steel is erected and secured with erection pins and bolts except as otherwise noted. Individual cross frames or diaphragms at supports may be temporarily disconnected to install bearing anchor bolts.
- For Girders 1 thru 11 Elevation, see Sheet SB-27.
- For Girder 12 Elevation, Header Girder Elevation and associated sections and details, see Sheet SB-29.
- For Girder 13 Elevation see Sheet SB-28.
- For Girder Moment and Reaction Tables, see Sheets SB-30 and SB-31.
- For Camber Diagram and Top of Web Elevations, see Sheet SB-32.
- For Girder Bolted field splice details, see Sheet SB-33.
- For Diaphragm D1 and Cross Frame CF, see Sheet SB-34.



**GIRDER LAYOUT**



**CURVED GIRDER 13 LAYOUT**

("X" Measured Along Local Tangent)



USER NAME =	DESIGNED - ANS	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - ANS	REVISED -
	CHECKED - MI, JJS	REVISED -


STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

FRAMING PLAN  
STRUCTURE NO. 099-8332



SHEET SB-26 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	681
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Default  
 FILE NAME: p:\projects\transystems\pw\beniley.com\transyscorp\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-27-Girder Elevation and Details (Sheet 1 of 3)




**GIRDERS 1 THRU 11 ELEVATION**



\* Terminate 1/4" (±1/8") from the end of plate intersects.  
 \*\* Clip may be rounded for ease of shop painting.

**WELD LIMITS AND CLIP DETAILS**

\*\*\* Stop welds 1/4" (±1/8") from edges as shown. Typical.



**NOTES:**

- All structural steel shall be AASHTO M270 Grade 50.
- Load carrying components designated "CVN" shall conform to the Charpy V-Notch Impact Energy Requirement, Zone 2.

**LEGEND:**

E.S. Each Side



USER NAME =	DESIGNED - ANS	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - ANS	REVISED -
	CHECKED - MI, JJS	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION


GIRDER ELEVATION AND DETAILS (SHEET 1 OF 3)  
 STRUCTURE NO. 099-8332

SHEET SB-27 OF SB-48 SHEETS



F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	682
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



MODEL: Default  
 FILE NAME: p:\projects\transystems\pw\beniley.com\transcorp\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\5N-099-8332\0998332-62R22-5B-2B-Girder Elevation and Details (Sheet 2 of 3)




**GIRDER 13 ELEVATION**



\* Terminate 1/4" (±1/8") from the end of plate intersects.  
 \*\* Clip may be rounded for ease of shop painting.

**WELD LIMITS AND CLIP DETAILS**  
 \*\*\* Stop welds 1/4" (±1/8") from edges as shown. Typical.



**SECTION C-C**

**NOTES:**

- All structural steel shall be AASHTO M270 Grade 50.
- Load carrying components designated "CVN" shall conform to the Charpy V-Notch Impact Energy Requirement, Zone 2.

**LEGEND:**

E.S. Each Side



USER NAME =	DESIGNED - ANS	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -


STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

GIRDER ELEVATION AND DETAILS (SHEET 2 OF 3)  
 STRUCTURE NO. 099-8332



F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	683
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

SHEET SB-28 OF SB-48 SHEETS


MODEL: Default  
 FILE NAME: p:\projects\transys\scorp\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\62R22-5B-29-Girder Elevation and Details (Sheet 3 of 3)




**GIRDER 12 ELEVATION**




**SECTION B-B**



**HEADER GIRDER**



**SECTION C-C**



**GIRDER 12 END AT HEADER GIRDER**

- NOTES:**
1. All bolts in Header Girder are 7/8 inch in 1 1/8 inch diameter holes unless noted otherwise.
  2. All structural steel shall be AASHTO M270 Grade 50.
  3. Load carrying components designated "CVN" shall conform to the Charpy V-Notch Impact Energy Requirement, Zone 2.
  4. Two hardened washers shall be required for each set of slotted holes.



USER NAME =	DESIGNED - ANS	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

GIRDER ELEVATION AND DETAILS (SHEET 3 OF 3)  
 STRUCTURE NO. 099-8332

SHEET SB-29 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	684
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

**EXTERIOR GIRDER G1 MOMENT TABLE**

	0.4 Sp. 1	Pier 1	0.6 Sp. 2
$I_s$	(in <sup>4</sup> ) 29,344	65,138	29,344
$I_c$ (n)	(in <sup>4</sup> ) 61,074	-	61,074
$I_c$ (3n)	(in <sup>4</sup> ) 45,348	-	45,348
$I_c$ (cr)	(in <sup>4</sup> ) -	70,074	-
$S_s$	(in <sup>3</sup> ) 1,329	2,699	1,329
$S_c$ (n)	(in <sup>3</sup> ) 1,660	-	1,660
$S_c$ (3n)	(in <sup>3</sup> ) 1,535	-	1,535
$S_c$ (cr)	(in <sup>3</sup> ) -	2,765	-
$S_x$	(in <sup>3</sup> ) 1,584	-	1,603
DC1	(k/ft) 0.96	1.18	0.96
$M_{DC1}$	(k) 1,330	3,155	1,001
DC2	(k/ft) 0.26	0.26	0.26
$M_{DC2}$	(k) 372	804	284
DW	(k/ft) 0.24	0.24	0.24
$M_{DW}$	(k) 337	728	257
LLDF	0.48	0.52	0.49
$M_L + IM$	(k) 1,997	2,462	1,873
$f_t$ (Strength I)	(ksi) 0.00	0.00	0.00
$M_u + 1/3 f_t S_x$	(k) 6,128	10,349	5,270
$\Phi_f M_n$	(k) 7,919	11,380	7,919
$f_s$ DC1	(ksi) 12.01	14.03	9.04
$f_s$ DC2	(ksi) 2.91	3.49	2.22
$f_s$ DW	(ksi) 2.63	3.16	2.01
$f_s$ ( $\ell + IM$ )	(ksi) 14.44	10.68	13.54
$f_t$ (Service II)	(ksi) 0.00	0.00	0.00
$f_s + f_t/2$ (Service II)	(ksi) 36.32	34.56	30.87
Service II Resistance	(ksi) 47.50	47.50	47.50
$f_s + f_t/3$ (Strength I)	(ksi) 47.86	45.33	40.78
$\Phi_f F_n$	(ksi) -	-	-
$V_f$	(k) 45.92	67.49	47.11

**EXTERIOR GIRDER G1 REACTION TABLE**

	S. Abut.	Pier 1	N. Abut
LLDF	0.73	0.68	0.73
OCF	1.07	1.07	1.06
RDC1	(k) 51.74	195.58	45.77
RDC2	(k) 14.06	48.89	11.90
RDW	(k) 12.73	44.27	12.04
RLL	(k) 78.63	155.18	76.60
RIM	(k) 16.10	26.94	15.99
RTotal (Strength I)(Impact)	(k) 267.12	690.70	252.18
RTotal (Strength I)(No Impact)	(k) 238.95	643.56	224.20

**INTERIOR GIRDER G2 MOMENT TABLE**

	0.4 Sp. 1	Pier 1	0.6 Sp. 2
$I_s$	(in <sup>4</sup> ) 29,344	65,138	29,344
$I_c$ (n)	(in <sup>4</sup> ) 61,284	-	61,284
$I_c$ (3n)	(in <sup>4</sup> ) 45,508	-	45,508
$I_c$ (cr)	(in <sup>4</sup> ) -	70,138	-
$S_s$	(in <sup>3</sup> ) 1,329	2,699	1,329
$S_c$ (n)	(in <sup>3</sup> ) 1,661	-	1,661
$S_c$ (3n)	(in <sup>3</sup> ) 1,537	-	1,537
$S_c$ (cr)	(in <sup>3</sup> ) -	2,764.60	-
$S_x$	(in <sup>3</sup> ) 1,582	-	1,602
DC1	(k/ft) 0.97	1.18	0.97
$M_{DC1}$	(k) 1,341	3,181	1,009
DC2	(k/ft) 0.16	0.16	0.16
$M_{DC2}$	(k) 223.00	482.00	171.00
DW	(k/ft) 0.31	0.31	0.31
$M_{DW}$	(k) 443.00	957.00	338.00
LLDF	0.48	0.52	0.49
$M_L + IM$	(k) 1,882	2,325	1,764
$f_t$ (Strength I)	(ksi) 0.00	0.00	0.00
$M_u + 1/3 f_t S_x$	(k) 5,913	10,083	5,069
$\Phi_f M_n$	(k) 7,931	11,371	7,931
$f_s$ DC1	(ksi) 12.11	14.14	9.11
$f_s$ DC2	(ksi) 1.74	2.09	1.34
$f_s$ DW	(ksi) 3.46	4.15	2.64
$f_s$ ( $\ell + IM$ )	(ksi) 13.59	10.09	12.74
$f_t$ (Service II)	(ksi) 0.00	0.00	0.00
$f_s + f_t/2$ (Service II)	(ksi) 34.98	33.51	29.65
Service II Resistance	(ksi) 47.50	47.50	47.50
$f_s + f_t/3$ (Strength I)	(ksi) 46.29	44.18	39.31
$\Phi_f F_n$	(ksi) -	-	-
$V_f$	(k) 45.92	67.49	47.11

**INTERIOR GIRDER G2 REACTION TABLE**

	S. Abut.	Pier 1	N. Abut
LLDF	0.74	0.68	0.74
OCF	1.07	1.07	1.06
RDC1	(k) 52.19	197.15	45.89
RDC2	(k) 8.44	29.33	7.44
RDW	(k) 16.74	58.20	14.77
RLL	(k) 78.63	155.18	76.60
RIM	(k) 16.10	26.94	15.99
RTotal (Strength I)(Impact)	(k) 266.68	689.11	250.85
RTotal (Strength I)(No Impact)	(k) 238.50	641.97	222.87

**INTERIOR GIRDER G11 MOMENT TABLE**

	0.4 Sp. 1	Pier 1	0.6 Sp. 2
$I_s$	(in <sup>4</sup> ) 29,344	65,138	29,344
$I_c$ (n)	(in <sup>4</sup> ) 61,284	-	61,284
$I_c$ (3n)	(in <sup>4</sup> ) 45,508	-	45,508
$I_c$ (cr)	(in <sup>4</sup> ) -	70,138	-
$S_s$	(in <sup>3</sup> ) 1,329	2,699	1,329
$S_c$ (n)	(in <sup>3</sup> ) 1,661	-	1,661
$S_c$ (3n)	(in <sup>3</sup> ) 1,537	-	1,537
$S_c$ (cr)	(in <sup>3</sup> ) -	2,765	-
$S_x$	(in <sup>3</sup> ) 1,571	-	1,599
DC1	(k/ft) 0.97	1.18	0.97
$M_{DC1}$	(k) 1,499	3,502	1,028
DC2	(k/ft) 0.16	0.16	0.16
$M_{DC2}$	(k) 275	508	153
DW	(k/ft) 0.31	0.31	0.31
$M_{DW}$	(k) 414	886	308
LLDF	0.48	0.51	0.49
$M_L + IM$	(k) 1,904	2,352	1,758
$f_t$ (Strength I)	(ksi) 0.00	0.00	0.00
$M_u + 1/3 f_t S_x$	(k) 6,171	10,458	5,015
$\Phi_f M_n$	(k) 7,931	11,370	7,931
$f_s$ DC1	(ksi) 13.54	15.57	9.28
$f_s$ DC2	(ksi) 2.15	2.21	1.19
$f_s$ DW	(ksi) 3.23	3.85	2.40
$f_s$ ( $\ell + IM$ )	(ksi) 13.75	10.21	12.70
$f_t$ (Service II)	(ksi) 0.00	0.00	0.00
$f_s + f_t/2$ (Service II)	(ksi) 36.79	34.89	29.39
Service II Resistance	(ksi) 47.50	47.50	47.50
$f_s + f_t/3$ (Strength I)	(ksi) 48.52	45.85	38.93
$\Phi_f F_n$	(ksi) -	-	-
$V_f$	(k) 45.92	67.49	47.11

**INTERIOR GIRDER G11 REACTION TABLE**

	S. Abut.	Pier 1	N. Abut
LLDF	0.74	0.68	0.74
OCF	1.07	1.07	1.06
RDC1	(k) 62.34	200.25	45.26
RDC2	(k) 11.96	30.19	7.27
RDW	(k) 16.74	58.20	14.77
RLL	(k) 78.63	155.18	76.60
RIM	(k) 16.10	26.94	15.99
RTotal (Strength I)(Impact)	(k) 283.76	694.06	249.85
RTotal (Strength I)(No Impact)	(k) 255.59	646.92	221.87

$I_s, S_s$ : Non-composite moment of inertia and section modulus of the steel section used for computing  $f_s$  (Total-Strength I, and Service II) due to non-composite dead loads (in<sup>4</sup> and in<sup>3</sup>).

$I_c$  (n),  $S_c$  (n): Composite moment of inertia and section modulus of the steel and deck based upon the modular ratio, "n", used for computing  $f_s$  (Total-Strength I, and Service II) in uncracked sections due to short-term composite live loads (in<sup>4</sup> and in<sup>3</sup>).

$I_c$  (3n),  $S_c$  (3n): Composite moment of inertia and section modulus of the steel and deck based upon 3 times the modular ratio, "3n", used for computing  $f_s$  (Total-Strength I, and Service II) in uncracked sections, due to long-term composite (superimposed) dead loads (in<sup>4</sup> and in<sup>3</sup>).

$I_c$  (cr),  $S_c$  (cr): Composite moment of inertia and section modulus of the steel and longitudinal deck reinforcement, used for computing  $f_s$  (Total-Strength I and Service II) in cracked sections, due to both short-term composite live loads and long-term composite (superimposed) dead loads (in<sup>4</sup> and in<sup>3</sup>).

$S_x$ : Section modulus about the major axis of a section to the controlling flange, tension or compression, taken as yield moment with respect to the controlling flange over the yield strength of the controlling flange (in<sup>3</sup>).

DC1: Un-factored non-composite dead load (kips/ft.).

$M_{DC1}$ : Un-factored moment due to non-composite dead load (kip-ft.).

DC2: Un-factored long-term composite (superimposed excluding future wearing surface) dead load (kips/ft.).

$M_{DC2}$ : Un-factored moment due to long-term composite (superimposed excluding future wearing surface) dead load (kip-ft.).

DW: Un-factored long-term composite (superimposed future wearing surface only) dead load (kips/ft.).

$M_{DW}$ : Un-factored moment due to long-term composite (superimposed future wearing surface only) dead load (kip-ft.).

LLDF: Live Load Distribution Factor for moment and shear computed according to Article 4.6.2.2 and further IDOT provisions.

$M_L + IM$ : Un-factored live load moment plus dynamic load allowance (impact) (kip-ft.).

$M_u$ : Strength I load combination of factored design moments (kip-ft.).

$1.25 (M_{DC1} + M_{DC2}) + 1.5 M_{DW} + 1.75 M_L + IM$

$f_t$ : Factored calculated flange lateral bending stress as calculated  $f_s + f_t/2$  (Service II) using Article 6.10.1.6 and as further simplified by IDOT provisions (ksi).

$\Phi_f M_n$ : Factored nominal flexural resistance of the section determined as specified in Article 6.10.7.1 or A6 as applicable (kip-ft.).

$f_s$  DC1: Un-factored stress at edge of flange for controlling steel flange due to vertical non-composite dead loads as calculated below (ksi).

$M_{DC1} / S_s$

$f_s$  DC2: Un-factored stress at edge of flange for controlling steel flange due to vertical composite dead loads as calculated below (ksi).

$M_{DC2} / S_c$  (3n) or  $M_{DC2} / S_c$  (cr) as applicable.

$f_s$  DW: Un-factored stress at edge of flange for controlling steel flange due to vertical composite future wearing surface loads as calculated below (ksi).

$M_{DW} / S_c$  (3n) or  $M_{DW} / S_c$  (cr) as applicable.

$f_s$  ( $\ell + IM$ ): Un-factored stress at edge of flange for controlling steel flange due to vertical composite live load plus impact loads as calculated below (ksi).

$M_L + IM / S_c$  (n) or  $M_L + IM / S_c$  (cr) as applicable.

Sum of stresses as computed below (ksi).

$f_s$  DC1 +  $f_s$  DC2 +  $f_s$  DW + 1.3  $f_s$  ( $\ell + IM$ ) +  $f_t/2$

Service II Resistance: Composite (0.95 $R_n F_y R$ ) or noncomposite (0.80 $R_n F_y R$ ) stress capacity according to Article 6.10.4.2 (ksi).

$f_s + f_t/3$  (Strength I): Sum of stresses as computed below on non-compact sections (ksi).

$1.25 (f_s$  DC1 +  $f_s$  DC2) + 1.5  $f_s$  DW + 1.75  $f_s$  ( $\ell + IM$ ) +  $f_t/3$

$\Phi_f F_n$ : Factored nominal flexural resistance of the section as specified in Article 6.10.7.2 or 6.10.8 as applicable (ksi).

$V_f$ : Maximum factored shear range in span computed according to Article 6.10.10.

OCF: Obtuse Correction Factor according to Article 4.6.2.2.3c or as further simplified by IDOT provisions.

$R_{DC1}$ : Un-factored reaction due to non-composite dead load (kip).

$R_{DC2}$ : Un-factored reaction due to long-term composite (superimposed excluding future wearing surface) dead load (kip).

$R_{DW}$ : Un-factored reaction due to long-term composite (superimposed future wearing surface only) dead load (kip).

$R_L$ : Un-factored live load reaction (kip).

$R_{IM}$ : Un-factored dynamic load allowance (impact) (kip).

RTotal (Strength I)(Impact): Strength I load combination of factored design reactions (kip).

$1.25 (R_{DC1} + R_{DC2}) + 1.5 R_{DW} + 1.75 (R_L + R_{IM})$

RTotal (Strength I)(No Impact): Strength I load combination of factored design reactions, not including dynamic load allowance (Impact) (kip).

$1.25 (R_{DC1} + R_{DC2}) + 1.5 R_{DW} + 1.75 (R_L)$

Note:  $M_L$  and  $R_L$  include the effects of centrifugal force and superelevation.

MODEL: Default  
FILE NAME: p:\transystems\ppw\beniley\comtransystems\corppw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332-62R22-5B-30-Girder Moment and Reaction Tables (Sheet 1 of 2).



USER NAME =	DESIGNED - ANS	REVISED -
CHECKED - MI, JJS	REVISIONS -	
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**GIRDER MOMENT AND REACTION TABLES (SHEET 1 OF 2)  
STRUCTURE NO. 099-8332**

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	685
CONTRACT NO. 62R22				
ILLINOIS		FED. AID PROJECT		

MODEL: Default  
 FILE NAME: p:\it\transys\spw\beniley\com\transys\corp\pwp1\hosted\Documents\Projects\_2018\CH401\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332-62R22-5B-30-Girder Moment and Reaction Tables (Sheet 2 of 2)

**GIRDER G12 MOMENT TABLE**

	0.5 Sp. 1
$I_s$	(in <sup>4</sup> ) 29,344
$I_c (n)$	(in <sup>4</sup> ) 55,705
$I_c (3n)$	(in <sup>4</sup> ) 41,510
$I_c (cr)$	(in <sup>4</sup> ) -
$S_s$	(in <sup>3</sup> ) 1,329
$S_c (n)$	(in <sup>3</sup> ) 1,622
$S_c (3n)$	(in <sup>3</sup> ) 1,493
$S_c (cr)$	(in <sup>3</sup> ) -
$S_x$	(in <sup>3</sup> ) 1,615
DC1	(k/ft) 0.80
$M_{DC1}$	(k) 134.00
DC2	(k/ft) 0.16
$M_{DC2}$	(k) 26.23
DW	(k/ft) 0.24
$M_{DW}$	(k) 40.00
LLDF	0.42
$M_{L+IM}$	(k) 343
$f_t$ (Strength I)	(ksi) 0.00
$M_u + \frac{1}{3} f_t S_x$	(k) 1,026
$\Phi_f M_n$	(k) 6,504
$f_s$ DC1	(ksi) 1.21
$f_s$ DC2	(ksi) 0.21
$f_s$ DW	(ksi) 0.32
$f_s (\pm+IM)$	(ksi) 2.54
$f_t$ (Service II)	(ksi) 0.00
$f_s + f_t/2$ (Service II)	(ksi) 5.04
Service II Resistance	(ksi) 0.00
$f_s + f_t/3$ (Strength I)	(ksi) 6.70
$\Phi_f F_n$	(ksi) -
$V_r$	(k) 31.01

**HEADER GIRDER MOMENT TABLE**

	0.5 Sp. 1
$I_s$	(in <sup>4</sup> ) 9,194
$I_c (n)$	(in <sup>4</sup> ) -
$I_c (3n)$	(in <sup>4</sup> ) -
$I_c (cr)$	(in <sup>4</sup> ) -
$S_s$	(in <sup>3</sup> ) 510
$S_c (n)$	(in <sup>3</sup> ) -
$S_c (3n)$	(in <sup>3</sup> ) -
$S_c (cr)$	(in <sup>3</sup> ) -
$S_x$	(in <sup>3</sup> ) -
DC1	(k/ft) 15.00
$M_{DC1}$	(k) 31.88
DC2	(k/ft) 2.87
$M_{DC2}$	(k) 6.17
DW	(k/ft) 5.11
$M_{DW}$	(k) 10.86
LLDF	-
$M_{L+IM}$	(k) 100
$f_t$ (Strength I)	(ksi) 0.00
$M_u + \frac{1}{3} f_t S_x$	(k) 239
$\Phi_f M_n$	(k) 2,125
$f_s$ DC1	(ksi) 0.75
$f_s$ DC2	(ksi) 0.15
$f_s$ DW	(ksi) 0.26
$f_s (\pm+IM)$	(ksi) 2.36
$f_t$ (Service II)	(ksi) 0.00
$f_s + f_t/2$ (Service II)	(ksi) 4.22
Service II Resistance	(ksi) 0.00
$f_s + f_t/3$ (Strength I)	(ksi) 5.63
$\Phi_f F_n$	(ksi) -
$V_r$	(k) 26.00

**EXTERIOR GIRDER G13 MOMENT TABLE**

	0.4 Sp. 1	Pier 1	0.6 Sp. 2
$I_s$	(in <sup>4</sup> ) 29,344	65,138	29,344
$I_c (n)$	(in <sup>4</sup> ) 61,892	-	61,074
$I_c (3n)$	(in <sup>4</sup> ) 45,977	-	45,348
$I_c (cr)$	(in <sup>4</sup> ) -	70,074	-
$S_s$	(in <sup>3</sup> ) 1,329	2,699	1,329
$S_c (n)$	(in <sup>3</sup> ) 1,665	-	1,660
$S_c (3n)$	(in <sup>3</sup> ) 1,541	-	1,535
$S_c (cr)$	(in <sup>3</sup> ) -	2,762	-
$S_x$	(in <sup>3</sup> ) 1,576	-	1,603
DC1	(k/ft) 0.96	1.75	0.96
$M_{DC1}$	(k) 1,533	3,387	994
DC2	(k/ft) 0.26	0.26	0.26
$M_{DC2}$	(k) 445	866	274
DW	(k/ft) 0.24	0.24	0.24
$M_{DW}$	(k) 348	736	253
LLDF	0.48	0.51	0.49
$M_{L+IM}$	(k) 1,901	2,269	1,729
$f_t$ (Strength I)	(ksi) 0.00	0.00	0.00
$M_u + \frac{1}{3} f_t S_x$	(k) 6,322	10,390	4,989
$\Phi_f M_n$	(k) 6,398	11,376	6,467
$f_s$ DC1	(ksi) 13.84	15.06	8.98
$f_s$ DC2	(ksi) 3.46	3.76	2.14
$f_s$ DW	(ksi) 2.71	3.20	1.98
$f_s (\pm+IM)$	(ksi) 13.70	9.86	12.50
$f_t$ (Service II)	(ksi) 0.00	0.00	0.00
$f_s + f_t/2$ (Service II)	(ksi) 37.83	34.83	29.34
Service II Resistance	(ksi) 47.50	47.50	47.50
$f_s + f_t/3$ (Strength I)	(ksi) 49.67	45.57	38.73
$\Phi_f F_n$	(ksi) -	-	-
$V_r$	(k) 56.60	72.48	49.35

**GIRDER G12 REACTION TABLE**

	S. Abut.	Header Girder
LLDF	0.50	0.50
OCF	(k) 1.04	1.04
RDC1	(k) 15.97	14.91
RDC2	(k) 2.87	2.87
RDW	(k) 4.58	4.14
RLL	(k) 43.31	33.96
RIM	(k) 11.74	9.20
RTotal (Strength I)(Impact)	(k) 126.76	103.97
RTotal (Strength I)(No Impact)	(k) 106.21	87.87

**HEADER GIRDER REACTION TABLE**

	Girder 13	Girder 11
LLDF	-	-
OCF	(k) -	-
RDC1	(k) 7.50	7.50
RDC2	(k) 1.44	1.44
RDW	(k) 2.56	2.56
RLL	(k) 18.00	18.00
RIM	(k) 4.00	4.00
RTotal (Strength I)(Impact)	(k) 53.50	53.50
RTotal (Strength I)(No Impact)	(k) 46.50	46.50

**EXTERIOR GIRDER G13 REACTION TABLE**

	S.Abut.	Pier 1	N. Abut
LLDF	0.74	0.69	0.73
OCF	(k) 1.07	1.07	1.06
RDC1	(k) 59.14	206.40	46.41
RDC2	(k) 20.24	51.37	15.52
RDW	(k) 12.91	44.43	11.13
RLL	(k) 79.60	168.14	77.30
RIM	(k) 16.23	29.10	16.14
RTotal (Strength I)(Impact)	(k) 286.29	734.03	257.63
RTotal (Strength I)(No Impact)	(k) 257.89	683.10	229.38

$I_s, S_s$ : Non-composite moment of inertia and section modulus of the steel section used for computing  $f_s$  (Total-Strength I, and Service II) due to non-composite dead loads (in.<sup>4</sup> and in.<sup>3</sup>).  
 $I_c (n), S_c (n)$ : Composite moment of inertia and section modulus of the steel and deck based upon the modular ratio, "n", used for computing  $f_s$  (Total-Strength I, and Service II) in uncracked sections due to short-term composite live loads (in.<sup>4</sup> and in.<sup>3</sup>).  
 $I_c (3n), S_c (3n)$ : Composite moment of inertia and section modulus of the steel and deck based upon 3 times the modular ratio, "3n", used for computing  $f_s$  (Total-Strength I, and Service II) in uncracked sections, due to long-term composite (superimposed) dead loads (in.<sup>4</sup> and in.<sup>3</sup>).  
 $I_c (cr), S_c (cr)$ : Composite moment of inertia and section modulus of the steel and longitudinal deck reinforcement, used for computing  $f_s$  (Total-Strength I and Service II) in cracked sections, due to both short-term composite live loads and long-term composite (superimposed) dead loads (in.<sup>4</sup> and in.<sup>3</sup>).  
 $S_x$ : Section modulus about the major axis of a section to the controlling flange, tension or compression, taken as yield moment with respect to the controlling flange over the yield strength of the controlling flange (in.<sup>3</sup>).

DC1: Un-factored non-composite dead load (kips/ft.).  
 $M_{DC1}$ : Un-factored moment due to non-composite dead load (kip-ft.).  
 DC2: Un-factored long-term composite (superimposed excluding future wearing surface) dead load (kips/ft.).  
 $M_{DC2}$ : Un-factored moment due to long-term composite (superimposed excluding future wearing surface) dead load (kip-ft.).  
 DW: Un-factored long-term composite (superimposed future wearing surface only) dead load (kips/ft.).  
 $M_{DW}$ : Un-factored moment due to long-term composite (superimposed future wearing surface only) dead load (kip-ft.).  
 LLDF: Live Load Distribution Factor for moment and shear computed according to Article 4.6.2.2 and further IDOT provisions.  
 $M_{L+IM}$ : Un-factored live load moment plus dynamic load allowance (kip-ft.).  
 $M_u$ : Strength I load combination of factored design moments (kip-ft.).  
 $1.25 (M_{DC1} + M_{DC2}) + 1.5 M_{DW} + 1.75 M_{L+IM}$   
 $f_t$ : Factored calculated flange lateral bending stress as calculated using Article 6.10.1.6 and as further simplified by IDOT provisions (ksi).  
 $\Phi_f M_n$ : Factored nominal flexural resistance of the section determined as specified in Article 6.10.7.1 or A6 as applicable (kip-ft.).

$f_s$  DC1: Un-factored stress at edge of flange for controlling steel flange due to vertical non-composite dead loads as calculated below (ksi).  
 $M_{DC1} / S_s$   
 $f_s$  DC2: Un-factored stress at edge of flange for controlling steel flange due to vertical composite dead loads as calculated below (ksi).  
 $M_{DC2} / S_c (3n)$  or  $M_{DC2} / S_c (cr)$  as applicable.  
 $f_s$  DW: Un-factored stress at edge of flange for controlling steel flange due to vertical composite future wearing surface loads as calculated below (ksi).  
 $M_{DW} / S_c (3n)$  or  $M_{DW} / S_c (cr)$  as applicable.  
 $f_s (\pm+IM)$ : Un-factored stress at edge of flange for controlling steel flange due to vertical composite live load plus impact loads as calculated below (ksi).  
 $M_{L+IM} / S_c (n)$  or  $M_{L+IM} / S_c (cr)$  as applicable.  
 $R_{Total} (Strength I)(Impact)$ : Sum of stresses as computed below (ksi).  
 $f_s$  DC1 +  $f_s$  DC2 +  $f_s$  DW + 1.3  $f_s (\pm+IM)$  +  $f_t / 2$   
 $R_{Total} (Strength I)(No Impact)$ : Composite (0.95 $R_n F_{yr}$ ) or noncomposite (0.80 $R_n F_{yr}$ ) stress capacity according to Article 6.10.4.2 (ksi).  
 $f_s + f_t / 3$  (Strength I): Sum of stresses as computed below on non-compact sections (ksi).  
 $1.25 (f_s DC1 + f_s DC2) + 1.5 f_s DW + 1.75 f_s (\pm+IM) + f_t / 3$

$\Phi_f F_n$ : Factored nominal flexural resistance of the section as specified in Article 6.10.7.2 or 6.10.8 as applicable (ksi).  
 $V_r$ : Maximum factored shear range in span computed according to Article 6.10.10.  
 OCF: Obtuse Correction Factor according to Article 4.6.2.2.3c or as further simplified by IDOT provisions.  
 $R_{DC1}$ : Un-factored reaction due to non-composite dead load (kip).  
 $R_{DC2}$ : Un-factored reaction due to long-term composite (superimposed excluding future wearing surface) dead load (kip).  
 $R_{DW}$ : Un-factored reaction due to long-term composite (superimposed future wearing surface only) dead load (kip).  
 $R_L$ : Un-factored live load reaction (kip).  
 $R_{IM}$ : Un-factored dynamic load allowance (impact) (kip).  
 $R_{Total} (Strength I)(Impact)$ : Strength I load combination of factored design reactions (kip).  
 $1.25 (R_{DC1} + R_{DC2}) + 1.5 R_{DW} + 1.75 (R_L + R_{IM})$   
 $R_{Total} (Strength I)(No Impact)$ : Strength I load combination of factored design reactions, not including dynamic load allowance (Impact) (kip).  
 $1.25 (R_{DC1} + R_{DC2}) + 1.5 R_{DW} + 1.75 (R_L)$   
 Note:  
 $M_{L+IM}$  and  $R_L$  include the effects of centrifugal force and superelevation.




USER NAME =	DESIGNED - ANS	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -

**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**GIRDER MOMENT AND REACTION TABLES (SHEET 2 OF 2)  
 STRUCTURE NO. 099-8332**

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	686
ILLINOIS FED. AID PROJECT			CONTRACT NO. 62R22	

MODEL: Default  
 FILE NAME: p:\projects\transys\corppw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332-62R22-5B-31-Camber Diagram



**CAMBER DIAGRAM**

**TOP OF WEB ELEVATIONS**

(For Fabrication Only)

Girder	C Brg. S. Abut.	C Splice 1	C Brg. Pier 1	C Splice 2	C Brg. N. Abut.
1	610.80	611.93	612.41	612.59	612.55
2	610.88	612.03	612.51	612.71	612.68
3	610.79	611.93	612.45	612.70	612.82
4	610.55	611.79	612.36	612.66	612.94
5	610.33	611.68	612.29	612.64	613.07
6	610.02	611.55	612.19	612.57	613.13
7	609.88	611.39	612.04	612.42	613.02
8	609.66	611.23	611.88	612.27	612.90
9	609.41	611.05	611.71	612.10	612.77
10	609.21	610.91	611.56	611.97	612.67
11	608.96	610.73	611.40	611.80	612.53
13	608.59	610.59	611.26	611.66	612.43

Girder	C Brg. S. Abut.	Header Girder
12	608.79	609.33

**CAMBER ORDINATES**

Girder	A1	A2	A3	B1	B2	B3	C1	C2	C3
1 Thru 6	3"	4"	3"	0"	0"	0"	3 1/2"	5"	3"
7 Thru 11; 13	2"	3"	2"	0"	0"	0"	3 1/2"	5"	3"
12	0"	-	-	-	-	-	-	-	-



USER NAME =	DESIGNED - ANS	REVISED -
	CHECKED - MI, LAB	REVISED -
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - MI, LAB	REVISED -




STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

CAMBER DIAGRAM  
 STRUCTURE NO. 099-8332

SHEET SB-32 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	687
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Default  
 FILE NAME: p:\w\transystems\ppw\beniley.com\transys\corp\ppw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-32-5\Structural (Sheet 1 of 2)



**SPLICES 1 AND 2**  
**(GIRDERS 1 THRU 11 AND GIRDER 13)**  
 (Splice 1 Shown; Splice 2 Opposite Hand)  
 (24 Required)

**NOTES:**

1. See Sheet SB-26 for girder framing plan.
2. Load carrying components designated "CVN" shall conform to the Charpy V-Notch Impact Energy Requirement, Zone 2.
3. Use 7/8" Ø H.S. bolts with 15/16" Ø holes for all splice connections.
4. All structural steel shall be AASHTO M270 Grade 50.



USER NAME =	DESIGNED - ANS	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - ANS	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -


**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**STRUCTURAL STEEL DETAILS (SHEET 1 OF 2)**  
**STRUCTURE NO. 099-8332**

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	688
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				


SHEET SB-33 OF SB-48 SHEETS

MODEL: Default  
 FILE NAME: p:\projects\transys\corppw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SB-N-099-8332\0998332-62R22-5B-33-5\Structural (Sheet 2 of 2)




**INTERIOR CROSS FRAME PLAN**

**SECTION A-A**



**SECTION B-B**



**INTERIOR CROSS FRAME**

\*Fillet weld angles along 3 sides on one face of gusset plate; however, if cross-frames are galvanized, weld all-around.


\*\*If cross-frames are galvanized, weld all-around.

**CROSS FRAME DIM. "A" TABLE**

Cross Frame	Dim. A	# Req
CF	6'-7 <sup>3</sup> / <sub>8</sub> "	191
CF1	6'-8"	1
CF2	6'-11 <sup>1</sup> / <sub>8</sub> "	1
CF3	7'-7 <sup>1</sup> / <sub>8</sub> "	1
CF4	4'-9 <sup>1</sup> / <sub>8</sub> "	1
CF5	5'-6 <sup>7</sup> / <sub>8</sub> "	1
CF6	4'-11 <sup>1</sup> / <sub>2</sub> "	1
CF7	5'-7 <sup>7</sup> / <sub>8</sub> "	1

**NOTES:**

1. Load carrying components designated "CVN" shall conform to the Charpy V-Notch Impact Energy Requirement, Zone 2.
2. All cross frames shall be installed as steel is erected and secured with erection pins and bolts except as otherwise noted. Individual cross frames at supports may be temporarily disconnected to install bearing anchor rods.
3. Provide 1<sup>5</sup>/<sub>16</sub> inch diameter holes for 3/4 inch High Strength bolts. Two hardened washers required for each set of oversized holes (typical all cross frame connections).
4. All structural steel shall be AASHTO M270 Grade 50.



**DIAPHRAGM D1**  
(1 Required)



USER NAME =	DESIGNED - ANS	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - ANS	REVISED -
	CHECKED - MI, JJS	REVISED -


**STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION**

**STRUCTURAL STEEL DETAILS (SHEET 2 OF 2)  
 STRUCTURE NO. 099-8332**

SHEET SB-34 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	689
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				


MODEL: Default  
 FILE NAME: p:\projects\transys\scorp\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-09-8332-62R22-5B-34-Bearing Details  
 7/21/2025 3:58:20 PM




**SECTION THRU BEARING**

\*As alternates to the bolted connection shown, the guide bars may be connected to the sole plate by groove welds or the guide bars and sole plate may be fabricated as a single piece.

1/8" Elastomeric neoprene leveling pad according to the material properties of Article 1052.02(a) of the Standard Specifications. Cost included with bearing pay item.



**SOLE PLATE AND TOP DISC PLATE PLAN**



**MASONRY PLATE AND BOTTOM DISC PLATE PLAN**

**GUIDED EXPANSION HLMR DISC BEARING AT PIER**  
(12 required)


**NOTES:**

- Two 1/8 in. adjusting shims shall be provided for each bearing in addition to all other fill plates or shims and placed as shown on bearing details. Fill Plates and Shim plates not included in total bearing height. Cost included with bearing pay item.
- Total bearing height is estimated based on manufacturer data. Actual bearing height may differ from contract plans. The Contractor shall be responsible for verifying bearing heights and adjusting seat elevations, if required, prior to placing pier or abutment concrete.
- Anchor bolts at all supports shall be installed as each member is erected unless an equivalent temporary means of lateral restraint is used.
- The structural steel plates of the Bearing Assembly shall conform to the requirements of AASHTO M270 Grade 50.
- All (embedded and separate) bearing plates, side retainers, anchor bolts, nuts, washers and pintles shall be galvanized according to AASHTO M111 or M232 as applicable.

**DESIGN DATA - PIER**

Unfactored Vertical Dead Load Reaction (R <sub>DC</sub> )	253.7 kips
Unfactored Vertical Wearing Surface Reaction (R <sub>DW</sub> )	47.8 kips
Unfactored Vertical Live Load without Impact Reaction (R <sub>LL</sub> )	189.4 kips
Maximum Strength or Extreme Event Lateral Reaction (H <sub>u</sub> )	144.1 kips
Maximum Strength Limit State Rotation (Θ <sub>u</sub> according to Article 14.4.2.2)	0.0079 rad
Unfactored Design Thermal Movement from 50° F (ΔT)	1.642 in.
Service I Factored Lateral Reaction	98.2 kips
Service I Rotation	0.0052 rad
Strength I Factored Longitudinal Movement	1.970 in.
Service I Factored Vertical Reaction	490.9 kips
Strength I Factored Vertical Reaction	720.3 kips

Service I Load Factors = 1.0DC + 1.0DW + 1.0LL  
 Strength I Load Factors = 1.25DC + 1.5DW + 1.75LL + 1.2TU  
 Extreme Event Load Factors = 1.0EQ




BELOW 50°F.  
(Move masonry plate away from fixed bearing)

ABOVE 50°F.  
(Move masonry plate toward fixed bearing)

**SETTING ANCHOR BOLTS AT EXPANSION BEARING**

D = 1/8" per each 100' of expansion for every 15° temp. change from the normal temp. of 50° F.



**ELEVATION AT ABUTMENT**

**SECTION A-A**

**FIXED BEARING AT ABUTMENTS**  
(25 required)

**BILL OF MATERIAL**

Item	Unit	Total
** High Load Multi-Rotational Bearings, Disc, Guided Expansion-500K	Each	12
Anchor Bolts, 1 1/4"	Each	48
Anchor Bolts, 1"	Each	50

\*\* The value specified in the pay item name is an approximate vertical load capacity that is used for letting and bidding purposes only. Exact bearing capacity will vary subject to final design.



USER NAME =	DESIGNED - PG	REVISED
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - PG	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**BEARING DETAILS  
STRUCTURE NO. 099-8332**


SHEET SB-35 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	690
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				





**ELEVATION**  
(Looking South)



**PLAN**

**NOTES:**

1. Bars noted thus 4x2-#7, indicates 4 lines of #7 bars with 2 lengths per line.
2. For suggested South Abutment Construction Sequence, see Sheet SB-37.
3. For additional Notes, Sections Thru Abutment, Anchor Bolt Location Detail, bar diagrams, and Bill of Material, see Sheet SB-37.

**MINIMUM BAR LAPS**

- #8 bar = 5'-9"
- #7 bar = 5'-0"
- #5 bar = 3'-7"


**PILE DATA**

Type: HP14x117 with pile shoes  
 Nominal Required Bearing: 929 Kips  
 Factored Resistance Available: 511 Kips  
 Est. Length: 38 Feet (Abutment)  
 No. Production Piles: 12  
 No. Test Piles: 1

**TOP OF SEAT ELEVATIONS**


Girder No.	Elev.
1	606.83
2	606.91
3	606.82
4	606.58
5	606.36
6	606.05
7	605.91
8	605.69
9	605.44
10	605.24
11	605.00
12	604.82
13	604.62

MODEL: Default  
FILE NAME: p:\transystemspw\beniley.com\transyscorppw\1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-36-5\_Abut\_Secs&Details




**FIELD CUTTING DIAGRAM**


Order h171(E), h174(E), v172(E) and v174(E) full length. Cut as shown and use remainder of bars in the opposite face.




**BAR s171(E)**



**BAR h175(E)**



**BAR sp170(E)**





**BAR s170(E), s172(E) AND s174(E)**

Bar	A
s170(E)	3'-4"
s172(E)	3'-8"
s174(E)	3'-10"


**BAR v170(E)**

(Headed. 422-#8 Bar terminators)


**BAR h172(E)**




**BAR s173(E)**



**BARS u170(E) AND u172(E)**




**BAR u171(E)**



**ANCHOR BOLT LOCATION DETAIL**


**NOTES:**

1. Space reinforcement in cap to miss anchor bolts.
2. Pour steps monolithically with cap.
3. For Diaphragm Details, see Sheet SB-18.
4. For details of piles, see Sheet SB-44.
5. Bar terminators paid for separately. See Total Bill of Material.



**SECTION A-A**

Dimensions at right angles to abutment



**SECTION B-B**

Dimensions at right angles to abutment

**BILL OF MATERIAL**

Bar	No.	Size	Length	Shape
h170(E)	23	#8	13'-9"	
h171(E)	4	#8	22'-11"	
h172(E)	2	#5	8'-3"	
h173(E)	20	#8	15'-7"	
h174(E)	6	#8	25'-2"	
h175(E)	2	#5	10'-5"	
p170(E)	33	#7	31'-5"	
p171(E)	12	#5	26'-7"	
p172(E)	12	#5	22'-4"	
p173(E)	8	#5	25'-1"	
p174(E)	4	#5	33'-3"	
p175(E)	4	#5	20'-1"	
s170(E)	76	#6	14'-4"	
s171(E)	26	#5	4'-4"	
s172(E)	1	#6	15'-0"	
s173(E)	4	#6	8'-2"	
s174(E)	1	#6	15'-4"	
* sp170(E)	13	#4	2'-0"	MWM
u170(E)	7	#6	12'-1"	
u171(E)	239	#4	5'-4"	
u172(E)	4	#6	12'-3"	
v170(E)	211	#8	6'-8"	
v171(E)	4	#5	10'-4"	
v172(E)	7	#5	17'-1"	
v173(E)	4	#5	8'-2"	
v174(E)	9	#5	11'-9"	
Structure Excavation		Cu Yd	205	
Concrete Structures		Cu Yd	60.0	
Reinforcement Bars, Epoxy Coated		Pound	12,520	
Furnishing Steel Piles HP14X117		Foot	456	
Driving Piles		Foot	456	
Test Pile Steel HP14X117		Each	1	
Pile Shoes		Each	13	
Granular Backfill For Structures		Cu Yd	198	
Geocomposite Wall Drain		Sq Yd	99	
Pipe Underdrains For Structures 4"		Foot	107	

\* Length is height of spiral

\*\* Only piles within Retaining Wall #6 (SN 099-W122) MSE reinforced soil mass are required to have pile sleeves. All pile sleeves shall extend to the top of leveling pad elevation and be backfilled with bentonite to the bottom of South Abutment

**SUGGESTED SOUTH ABUTMENT CONSTRUCTION SEQUENCE:**

1. Backfill to the theoretical top of leveling pad elevation of Retaining Wall #6 (SN 099-W122).
2. Drive South Abutment and South Approach Bent piles located within the Retaining Wall #6 (SN 099-W122) MSE reinforced soil mass.
3. Place pile sleeves around South Abutment and South Approach Bent piles located within the Retaining Wall #6 (SN 099-W122) MSE reinforced soil mass.
4. Construct Retaining Wall #6 (SN 099-W122) MSE wall and backfill embankment to the bottoms of South Abutment and South Approach Bent.
5. Fill pile sleeves with bentonite to the Bottom of South Abutment and Bottom of South Approach Bent Elevations.
6. Drive remaining South Abutment and South Approach Bent piles and complete construction of these elements.



USER NAME =	DESIGNED - IAL, EN	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - EN	REVISED -
	CHECKED - MI, JJS	REVISED -


STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

SOUTH ABUTMENT SECTIONS AND DETAILS  
STRUCTURE NO. 099-8332


SHEET SB-37 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	692
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				


MODEL: Default  
 FILE NAME: p:\projects\transys\corp\ppw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\2-5B-37-N.Abut.Plan&Elev.  
 4/22/2025 4:04:59 PM



**ELEVATION**  
(Looking North)



**PLAN**



**TOP OF SEAT ELEVATIONS**

Girder No.	Elev.
1	608.58
2	608.72
3	608.85
4	608.97
5	609.11
6	609.17
7	609.05
8	608.93
9	608.80
10	608.70
11	608.56
12	-
13	608.46

**NOTES:**

1. Bars noted thus, 4x2-#7, indicates 4 lines of #7 bars with 2 lengths per line.
2. For Notes, Section thru Abutment, Anchor Bolt Location Detail, Bar Diagrams and Bill of Material, see Sheet SB-39.

**MINIMUM BAR LAPS**

- #8 bar = 5'-9"
- #7 bar = 5'-0"
- #5 bar = 3'-7"

**PILE DATA**

Type: HP14x117 with pile shoes  
 Nominal Required Bearing: 929 Kips  
 Factored Resistance Available: 456 Kips  
 Est. Length: 24 Feet  
 No. Production Piles: 11  
 No. Test Piles: 1



USER NAME =	DESIGNED - IAL, JMI	REVISED -
	CHECKED - MI, JJS	REVISED -
PLOT SCALE =	DRAWN - JMI	REVISED -
PLOT DATE =	CHECKED - MI, JJS	REVISED -

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

NORTH ABUTMENT PLAN AND ELEVATION  
 STRUCTURE NO. 099-8332


SHEET SB-38 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	693
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

**BILL OF MATERIAL**


Bar	No.	Size	Length	Shape
h160(E)	40	#8	15'-7"	—
h161(E)	12	#8	25'-2"	—
h162(E)	4	#5	10'-1"	—
p160(E)	22	#7	42'-0"	—
p161(E)	8	#5	24'-10"	—
p162(E)	4	#5	32'-9"	—
s160(E)	72	#6	14'-4"	—
s161(E)	24	#5	4'-4"	—
s162(E)	2	#6	15'-0"	—
s163(E)	4	#6	8'-2"	—
*sp160(E)	12	#4	2'-0"	—
u160(E)	8	#6	12'-1"	—
u161(E)	82	#4	5'-4"	—
v160(E)	198	#8	6'-9"	—
v161(E)	8	#5	8'-2"	—
v162(E)	18	#5	11'-9"	—
Structure Excavation	Cu Yd		167	
Concrete Structures	Cu Yd		46.3	
Reinforcement Bars, Epoxy Coated	Pound		10,810	
Furnishing Steel Piles HP14X117	Each		264	
Driving Piles	Foot		264	
Test Pile Steel HP14X117	Each		1	
Pile Shoes	Each		12	
Granular Backfill For Structures	Cu Yd		168	
Geocomposite Wall Drain	Sq Yd		82	
Pipe Underdrains For Structures 4"	Foot		103	

\*Length is height of spiral




**FIELD CUTTING DIAGRAM**


(Order h161(E) and v162(E) full length. Cut as shown and use remainder of bars in opposite face)




**BAR v160(E)**  
(Headed 396-#8 Bar terminators)




**BAR h162(E)**




**BAR s161(E)**



**BAR sp160(E)**




**BAR s160(E) & s162(E)**




**SEC. THRU ABUT.**


Dimensions at right angles to abutment




**BAR u160(E)**



**BAR u161(E)**



**BAR s163(E)**



**ANCHOR BOLT LOCATION DETAIL**

**NOTES:**

1. Space reinforcement in cap to miss anchor bolts.
2. Pour steps monolithically with cap.
3. For diaphragm details, see Sheet SB-19.
4. For details of piles, see Sheet SB-44.
5. Bar terminators paid for separately. See Total Bill of Material.

MODEL: Default  
FILE NAME: pw://transystems-pw.bentley.com/transyscorp/pw1-hosted/Projects/2018/CH40/401.180022/03-WSP/CAD/62R22-INT-4 (Center)/Sheets/Structural/SN-099-8332-62R22-5B-38-N.Abut\_Secs&Details




USER NAME =	DESIGNED - IAL, JMI	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - JMI	REVISED -
	CHECKED - MI, JJS	REVISED -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION


NORTH ABUTMENT SECTIONS AND DETAILS  
STRUCTURE NO. 099-8332

SHEET SB-39 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	694
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



**SOUTH APPROACH BENT PLAN**  
(p151(E) thru p154(E) bars not shown for clarity)




**ELEVATION**  
(Looking South)

**TOP AND BOTTOM ELEVATIONS FOR SOUTH APPROACH PILE BENT**

South Approach		
Location	Top	Bottom
A-NW	607.71	605.17
B-N. CL	609.28	605.17
C-NE	610.06	605.17
D-SE	610.02	605.17
E-S. CL	609.24	605.17
F-SW	607.67	605.17


**NOTES:**

- Bars indicated thus 4 x 3 #7 etc. indicates 4 lines of #7 bars with 3 lengths per line.
- For Suggested Construction Sequence, see sheet SB-37.
- The proposed layout of the South Approach Bent is positioned above the existing ground surface and the existing Center Ramp AD, which is embedded in excavated bedrock. Due to these conditions, the estimated pile lengths for the South Approach Bent may vary. This variability should be considered during construction planning and pile driving.



**SECTION A-A**

\* Only piles within Retaining Wall #6 (SN 099-W122) MSE reinforced soil mass are required to have pile sleeves. All pile sleeves shall extend to the top of leveling pad elevation and be backfilled with bentonite to the bottom of South Approach Bent



**PILE DATA**

Type: HP 12X53 w/ Pile Shoes  
Nominal Required Bearing: 418 kips  
Factored Resistance Available: 230 kips  
Est. Length: 23'-0", 30'-0", 36'-0"  
No. Production Piles: 11  
No. Test Piles: 1

**MINIMUM BAR LAPS**

#7 Bar = 5'-0"  
#5 Bar = 3'-7"

**BILL OF MATERIAL**

Bar	No.	Size	Length	Shape
s150(E)	77	#6	10'-0"	□
s151(E)	2	#6	10'-8"	□
s152(E)	4	#6	4'-8"	□
u150(E)	6	#5	9'-8"	▤
u151(E)	135	#4	4'-2"	□
p150(E)	16	#7	42'-2"	▬
p151(E)	6	#5	28'-10"	▬
p152(E)	12	#5	23'-4"	▬
p153(E)	8	#5	22'-9"	▬
p154(E)	4	#5	22'-3"	▬
Structure Excavation	Cu Yd	126		
Concrete Structures	Cu Yd	28.0		
Reinforcement Bars, Epoxy Coated	Pound	3,790		
Furnishing Steel Piles HP12X53	Foot	358		
Driving Piles	Foot	358		
Test Pile Steel HP12X53	Each	1		
Pile Shoes	Each	12		

MODEL: Default  
FILE NAME: p:\projects\transystems\pww\transystems\pww\1-hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-39-5-ApproachBent



USER NAME =	DESIGNED - PG, EN	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - PG, EN	REVISED -
	CHECKED - MI, JJS	REVISED -


STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

SOUTH APPROACH BENT DETAILS  
STRUCTURE NO. 099-8332


SHEET SB-40 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	695
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

MODEL: Default  
 FILE NAME: p:\projects\transys\corp\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-40-NApproachBent



**NORTH APPROACH BENT PLAN**




**ELEVATION**  
(Looking North)

**TOP AND BOTTOM ELEVATIONS FOR NORTH APPROACH PILE BENT**

North Approach		
Location	Top	Bottom
A-SW	611.93	609.41
B-S. CL	612.66	609.41
C-SE	611.95	609.41
D-NE	611.93	609.41
E-N. CL	612.64	609.41
F-NW	611.91	609.41


**NOTE:**  
 1. Bars indicated thus 4 x 3 -#7 etc. indicates 4 lines of #7 bars with 3 lengths per line.



**SECTION A-A**

**MINIMUM BAR LAPS**

#7 Bar = 5'-0"  
 #5 Bar = 3'-7"



**PILE DATA**

Type: HP 12X53 w/ Pile Shoes  
 Nominal Required Bearing: 418 kips  
 Factored Resistance Available: 134 kips  
 Est. Length: 25'-0"  
 No. Production Piles: 10  
 No. Test Piles: 1

**NORTH APPROACH BENT BILL OF MATERIAL**

Bar	No.	Size	Length	Shape
p140(E)	16	#7	41'-3"	—
p141(E)	4	#5	6'-1"	—
p142(E)	4	#5	42'-6"	—
p143(E)	6	#5	28'-3"	—
u140(E)	6	#5	9'-6"	U
u141(E)	52	#4	4'-2"	U
s140(E)	70	#6	10'-0"	□
s141(E)	2	#6	10'-4"	□
s142(E)	4	#6	4'-8"	□
Structure Excavation		Cu Yd	78	
Concrete Structures		Cu Yd	20.6	
Reinforcement Bars, Epoxy Coated		Pound	3,050	
Furnishing Steel Piles HP12X53		Foot	250	
Driving Piles		Foot	250	
Test Pile Steel HP12X53		Each	1	
Pile Shoes		Each	11	



USER NAME =	DESIGNED - PG, EN	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - PG, EN	REVISED -
	CHECKED - MI, JJS	REVISED -

**STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**


**NORTH APPROACH BENT DETAILS  
 STRUCTURE NO. 099-8332**

SHEET SB-41 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	696
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

**TOP OF SEAT ELEVATIONS**


Girder No.	Elev.
1	607.49
2	607.59
3	607.53
4	607.44
5	607.37
6	607.28
7	607.12
8	606.97
9	606.79
10	606.64
11	606.49
12	-
13	606.34



**MIN. LAP LENGTH**

- #5 bar = 3'-7"
- #6 bar = 3'-3" (Stirrups)
- #6 bar = 4'-4"
- #8 bar = 7'-2"
- #10 bar = 11'-6"

15 pairs-#6 s180(E) bars at 6" cts. Top & Bott., Cut to fit




**END VIEW**

(The maximum applied service bearing pressure, Qmax = 22 ksf)

**NOTES:**

- Space reinforcement in cap to miss anchor bolts.
- Pour steps monolithically with cap.
- For Sections A-A, B-B, C-C, D-D & E-E, bar diagrams and Bill of Material, see Sheet SB-43.
- Concrete Sealer shall be applied to all exposed faces of Pier above grade.
- The bottom of footing elevation(s) shall be adjusted to ensure a minimum embedment of 5'-1" in non-weathered rock. The rock excavation shall be made with near-vertical sides at the plan dimensions to allow the sides and base of the embedded portion of the footing to be cast against undisturbed rock surfaces.

**FOOTING PLAN**



MODEL: Default  
FILE NAME: p:\transystems\pww\beniley.com\transyscorp\pww\hosted\Documents\Projects\_2018\CH40\401.180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-SB-41-PierPlan&Elev.  
6/9/2025 12:30:29 PM



USER NAME =	DESIGNED - PG, ANS	REVISIONS -
PLOT SCALE =	CHECKED - MI, JJS	REVISIONS -
PLOT DATE =	DRAWN - PG	REVISIONS -
	CHECKED - MI, JJS	REVISIONS -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

PIER PLAN AND ELEVATION  
STRUCTURE NO. 099-8332







SHEET SB-42 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	697
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				

**BILL OF MATERIAL**


Bar	No.	Size	Length	Shape
h180(E)	16	#5	40'-9"	—
h181(E)	5	#5	14'-0"	—
h182(E)	5	#5	27'-0"	—
h183(E)	5	#5	19'-0"	—
h184(E)	54	#6	35'-0"	—
n180(E)	110	#8	11'-7"	⌋
p180(E)	10	#10	52'-0"	—
p181(E)	10	#10	38'-0"	—
p182(E)	12	#10	23'-8"	—
p183(E)	20	#10	37'-10"	—
p184(E)	20	#10	18'-3"	—
s180(E)	60	#6	8'-11"	⌋
s181(E)	60	#6	10'-1"	⌋
s182(E)	260	#6	9'-7"	⌋
s183(E)	260	#6	11'-1"	⌋
s184(E)	50	#5	11'-5"	⌋
s185(E)	50	#5	9'-9"	⌋
s186(E)	100	#5	3'-10"	⌋
s187(E)	129	#8	22'-10"	⌋
s188(E)	22	#6	11'-4"	⌋
s189(E)	129	#8	22'-6"	⌋
t180(E)	134	#8	12'-8"	⌋
t181(E)	67	#6	9'-4"	⌋
u180(E)	14	#6	11'-10"	⌋
u181(E)	61	#5	5'-2"	⌋
v180(E)	110	#8	12'-1"	—
w180(E)	36	#6	35'-0"	—
Structure Excavation		Cu Yd	217	
Rock Excavation For Structures		Cu Yd	124	
Concrete Structures		Cu Yd	200.0	
Reinforcement Bars, Epoxy Coated		Pound	55,930	
Concrete Sealer		Sq Ft	2,817	

\* Cut in field to fit



**A & B DIMENSIONS**

Bar	A	B
u180(E)	3'-2"	4'-4"
u181(E)	3'-2"	1'-0"
s180(E)	1'-11"	3'-6"
s181(E)	1'-11"	4'-1"
s182(E)	1'-11"	3'-10"
s183(E)	1'-11"	4'-7"
s184(E)	2'-5"	4'-6"
s185(E)	2'-5"	3'-8"
s187(E)	2'-8"	10'-1"
s188(E)	2'-8"	4'-4"
s189(E)	2'-8"	9'-11"
t180(E)	7'-8"	2'-6"
t181(E)	7'-8"	10"



**BARS**  
(See Table)

MODEL: Default  
FILE NAME: p:\projects\transys\corp\pw1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\62R22-5B-42-PierSecs6.Dwg  
6/9/2025 12:31:06 PM



USER NAME =	DESIGNED - PG, ANS	REVISED -
PLOT SCALE =	CHECKED - MI, JJS	REVISED -
PLOT DATE =	DRAWN - PG	REVISED -
	CHECKED - MI, JJS	REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**PIER SECTIONS AND DETAILS  
STRUCTURE NO. 099-8332**

SHEET SB-43 OF SB-48 SHEETS


F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	698
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				






**STEEL PILE TABLE**


Designation	Depth d	Flange width bf	Web and Flange thickness t	Encasement diameter A
HP 18x181	18	18	1	36"
x157	17 <sup>3</sup> / <sub>4</sub> "	17 <sup>7</sup> / <sub>8</sub> "	7/8"	36"
x135	17 <sup>1</sup> / <sub>2</sub> "	17 <sup>3</sup> / <sub>4</sub> "	3/4"	36"
HP 16x183	16 <sup>1</sup> / <sub>2</sub> "	16 <sup>1</sup> / <sub>2</sub> "	1 <sup>1</sup> / <sub>8</sub> "	36"
x162	16 <sup>1</sup> / <sub>4</sub> "	16 <sup>1</sup> / <sub>8</sub> "	1"	36"
x141	16	16	7/8"	36"
x121	15 <sup>3</sup> / <sub>4</sub> "	15 <sup>7</sup> / <sub>8</sub> "	3/4"	36"
HP 14x117	14 <sup>1</sup> / <sub>4</sub> "	14 <sup>7</sup> / <sub>8</sub> "	13/16"	30"
x102	14"	14 <sup>3</sup> / <sub>4</sub> "	11/16"	30"
x89	13 <sup>7</sup> / <sub>8</sub> "	14 <sup>3</sup> / <sub>4</sub> "	5/8"	30"
x73	13 <sup>5</sup> / <sub>8</sub> "	14 <sup>5</sup> / <sub>8</sub> "	1/2"	30"
HP 12x84	12 <sup>1</sup> / <sub>4</sub> "	12 <sup>1</sup> / <sub>4</sub> "	11/16"	24"
x74	12 <sup>1</sup> / <sub>8</sub> "	12 <sup>1</sup> / <sub>4</sub> "	5/8"	24"
x63	12"	12 <sup>1</sup> / <sub>8</sub> "	1/2"	24"
x53	11 <sup>3</sup> / <sub>4</sub> "	12"	7/16"	24"
HP 10x57	10"	10 <sup>1</sup> / <sub>4</sub> "	9/16"	24"
x42	9 <sup>3</sup> / <sub>4</sub> "	10 <sup>1</sup> / <sub>8</sub> "	7/16"	24"
HP 8x36	8"	8 <sup>1</sup> / <sub>8</sub> "	7/16"	18"



**ELEVATION**




**DETAIL B**



**ISOMETRIC VIEW**

**WELDED COMMERCIAL SPLICE**




**ELEVATION**

**END VIEW**


**DETAIL C**

Designation	F	Ft	Fw	W	Wt	Ww
HP 18x181	15 <sup>1</sup> / <sub>2</sub> "	1 <sup>1</sup> / <sub>2</sub> "	1"	9 <sup>1</sup> / <sub>2</sub> "	7/8"	3/4"
x157	15 <sup>1</sup> / <sub>4</sub> "	1 <sup>1</sup> / <sub>4</sub> "	1"	9 <sup>1</sup> / <sub>2</sub> "	7/8"	3/4"
x135	15 <sup>1</sup> / <sub>4</sub> "	1 <sup>1</sup> / <sub>4</sub> "	1"	9 <sup>1</sup> / <sub>2</sub> "	7/8"	3/4"
HP 16x183	13 <sup>3</sup> / <sub>4</sub> "	1 <sup>1</sup> / <sub>2</sub> "	1"	8 <sup>3</sup> / <sub>4</sub> "	7/8"	3/4"
x162	13 <sup>1</sup> / <sub>2</sub> "	1 <sup>1</sup> / <sub>2</sub> "	1"	8 <sup>3</sup> / <sub>4</sub> "	3/4"	5/8"
x141	13 <sup>1</sup> / <sub>2</sub> "	1 <sup>1</sup> / <sub>4</sub> "	7/8"	8 <sup>3</sup> / <sub>4</sub> "	3/4"	5/8"
x121	13 <sup>1</sup> / <sub>2</sub> "	1 <sup>1</sup> / <sub>4</sub> "	7/8"	8 <sup>3</sup> / <sub>4</sub> "	3/4"	5/8"
HP 14x117	12 <sup>1</sup> / <sub>2</sub> "	1 <sup>1</sup> / <sub>4</sub> "	7/8"	7 <sup>3</sup> / <sub>4</sub> "	5/8"	1/2"
x102	12 <sup>1</sup> / <sub>2</sub> "	1"	3/4"	7 <sup>3</sup> / <sub>4</sub> "	5/8"	1/2"
x89	12 <sup>1</sup> / <sub>2</sub> "	7/8"	11/16"	7 <sup>3</sup> / <sub>4</sub> "	5/8"	1/2"
x73	12 <sup>1</sup> / <sub>2</sub> "	3/4"	9/16"	7 <sup>3</sup> / <sub>4</sub> "	5/8"	1/2"
HP 12x84	10"	1"	11/16"	6 <sup>1</sup> / <sub>2</sub> "	5/8"	1/2"
x74	10"	7/8"	11/16"	6 <sup>1</sup> / <sub>2</sub> "	5/8"	1/2"
x63	10"	3/4"	1/2"	6 <sup>1</sup> / <sub>2</sub> "	1/2"	3/8"
x53	10"	3/4"	1/2"	6 <sup>1</sup> / <sub>2</sub> "	1/2"	3/8"
HP 10x57	8"	7/8"	9/16"	5 <sup>1</sup> / <sub>4</sub> "	1/2"	3/8"
x42	8"	3/4"	9/16"	5 <sup>1</sup> / <sub>4</sub> "	1/2"	3/8"
HP 8x36	6 <sup>3</sup> / <sub>4</sub> "	5/8"	7/16"	4"	1/2"	3/8"

**WELDED PLATE FIELD SPLICE**




**ELEVATION**



**DETAIL A**

**SHOE ATTACHMENT**


Note:  
The steel H-piles shall be according to AASHTO M270 Grade 50.




**ISOMETRIC VIEW**

**WELDED COMMERCIAL SPLICE ALTERNATE**

- \* Interrupt welds 1/4" from end of web and/or each flange.
- \*\* Remove portions of backup plates that extend outside the flanges.
- \*\*\* Weld size per pile shoe manufacturer (5/16" min.).



**ELEVATION**



**SECTION A-A**

**INDIVIDUAL PILE CONCRETE ENCASEMENT (when specified)**

MODEL: Default  
FILE NAME: p:\w\transystems\pww\beniley.com\transystems\pww\1\hosted\Documents\Projects\_2018\CH40\401180022\03-WSP\CAD\62R22-INT-4 (Center)\Sheets\Structural\SN-099-8332\0998332-62R22-5B-43-HP Pile Details

F-HP

10-27-2023



USER NAME =	DESIGNED - PG	REVISD -
PLOT SCALE =	CHECKED - MI	REVISD -
PLOT DATE =	DRAWN - PG	REVISD -
	CHECKED - MI	REVISD -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

HP PILE DETAILS  
STRUCTURE NO. 099-8332

SHEET SB-44 OF SB-48 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	699
CONTRACT NO. 62R22				
ILLINOIS FED. AID PROJECT				



Illinois Department of Transportation  
Division of Highways  
GSG

# SOIL BORING LOG

ROUTE I-80 DESCRIPTION I-80 at Center Street LOGGED BY DD

SECTION I-80 over Des Plaines River LOCATION SEC. 16, TWP. 35 N, RNG. 10 E

Latitude Longitude

COUNTY Will DRILLING METHOD HSA DRILLING RIG CME-75  
HAMMER TYPE AUTO  
HAMMER EFF (%) 91

STRUCT. NO. Station	D E P T H (ft)	B L O W S (/6")	U C S Qu (tsf)	M O I S T T S (%)	Surface Water Elev. _____ ft Stream Bed Elev. _____ ft	D E P T H (ft)	B L O W S (/6")	U C S Qu (tsf)	M O I S T T S (%)
099-8332					N/A				
BSB-65 Station 28+35.56' Offset 126.55ft LT Ground Surface Elev. 595.18 ft					N/A				
10 inches of Asphalt	594.35				Light Gray LIMESTONE, slightly weathered, heavily fractured (continued)				
Brown, Moist FILL: SILTY CLAY, trace sand and gravel		3	3.1	22					
	592.18								
Very Stiff Brown, Moist SILTY CLAY LOAM, trace sand and gravel (ML/CL)		4	3.1	15	End of Boring				
	589.18								
Very Stiff Gray, Very Moist SILTY CLAY LOAM, trace sand and gravel (ML/CL)		5	2.5	28					
	587.68	50/2"							
Very Dense Light Brown, Wet SAND, with gravel (SPG)									
Auger refusal at 7.5 feet									
Light Gray LIMESTONE, slightly weathered, heavily fractured	-10								
Run 1: 7.5' - 17.5' Recovery: 100% RQD: 19.2% (Very Poor)									
	-15								
Run 2: 17.5' - 23.5' Recovery: 100% RQD: 40.3% (Poor)									
	-20								

The Unconfined Compressive Strength (UCS) Failure Mode is indicated by (B-Bulge, S-Shear, P-Penetrometer)  
The SPT (N value) is the sum of the last two blow values in each sampling zone (AASHTO T206)

BBS, form 137 (Rev. 8-99)

**NOTE:**

1. The location of Boring Log BSB-65 is at Sta. 30+72.50 (Center St.) Offset 39.35' Rt. Elev. 595.18



Illinois Department of Transportation  
Division of Highways  
GSG

# SOIL BORING LOG

ROUTE I-80 DESCRIPTION I-80 at Center Street LOGGED BY DM

SECTION I-80 over Des Plaines River LOCATION SEC. 16, TWP. 35 N, RNG. 10 E

Latitude Longitude

COUNTY Will DRILLING METHOD HSA DRILLING RIG CME-75  
HAMMER TYPE AUTO  
HAMMER EFF (%) 91

STRUCT. NO. Station	D E P T H (ft)	B L O W S (/6")	U C S Qu (tsf)	M O I S T T S (%)	Surface Water Elev. _____ ft Stream Bed Elev. _____ ft	D E P T H (ft)	B L O W S (/6")	U C S Qu (tsf)	M O I S T T S (%)
099-8332					N/A				
BSB-66 Station 27+10.93' Offset 15.08ft RT Ground Surface Elev. 593.57 ft					N/A				
12 inches of Asphalt	592.57								
Brown, Moist FILL: SILTY CLAY, trace sand and gravel		14	4.5	12					
	590.57								
Very Stiff Dark Brown, Moist SILTY CLAY, trace sand and gravel (CL/ML)		5	2.8	22					
	589.07	11							
Medium Dense Brown, Dry SANDY GRAVEL, with limestone fragments (GPS)		12	P						
	587.07								
Stiff Dark Brown, Dry SILTY CLAY, with sand and gravel (CL/ML)		8	1.8	3					
	585.57	9	P						
Auger refusal at 8.0 feet									
End of Boring									
	-10								
	-15								
	-20								

The Unconfined Compressive Strength (UCS) Failure Mode is indicated by (B-Bulge, S-Shear, P-Penetrometer)  
The SPT (N value) is the sum of the last two blow values in each sampling zone (AASHTO T206)

BBS, form 137 (Rev. 8-99)

**NOTE:**

1. The location of Boring Log BSB-66 is at Sta. 28+97.08 (Center St.) Offset 35.24' Lt. Elev. 593.57

MODEL: Default  
FILE NAME: pw:\transystems-pw.bentley.com\transystems-pw1-host\td\Documents\Projects\_2018\CH401\401.180022\03-WSP\CAD\62622-INT-4 (Center)\Sheets\Structure\SN-099-8332\0998332-52R22-5B-45-Boring\_Logs (Sheet\_1\_of\_4)



USER NAME =	DESIGNED - PG	REVISID -
CHECKED - MI	REVISID -	
PLOT SCALE =	DRAWN - PG	REVISID -
PLOT DATE =	CHECKED - MI	REVISID -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

BORING LOGS (SHEET 1 OF 4)  
STRUCTURE NO. 099-8332

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	FAI 80 21 INTERCHANGE	WILL	1209	700

CONTRACT NO. 62R22  
ILLINOIS FED. AID PROJECT