

THE COST OF CONSTRUCTING THE P.C. CONCRETE SIDEWALK 6" OR 8"
THICK THROUGH DRIVEWAYS SHALL BE CONSIDERED INCLUDED WITH THE
P.C. CONCRETE SIDEWALK 4" AND NO ADDITIONAL COMPENSATION WILL
BE ALLOWED


THE COST OF CONSTRUCTING THE P.C. CONCRETE DRIVEWAY PAVEMENT THICKER ADJACENT TO THE COMBINATION CONCRETE CURB AND GUTTER AS SHOWN IN SECTION A-A WILL BE CONSIDERED INCLUDED WITH THE P.C. CONCRETE DRIVEWAY PAVEMENT AND NO ADDITIONAL COMPENSATION


WHEN THE WIDTH OF THE P.C. CONCRETE DRIVEWAY PAVEMENT IS 15 FEET OR CREATER A CONSTRUCTION JOINT, APPROVED BY THE ENGINEER, SHALL BE PLACED IN THE CENTER OF THE DRIVEWAY.

THE MINIMUM WIDTH OF P.C. CONCRETE DRIVEWAY PAVEMENT SHALL BE 12 FEET AND MAXIMUM WIDTH OF 36 FEET UNLESS SHOWN OTHERWISE ON THE PLANS.


VARIABLE HEIGHT CURB ADJACENT TO P.C. CONCRETE DRIVEWAY PAVEMENT SHALL BE CONSTRUCTED MONOLITHIC WITH AND INCLUDED IN THE AREA OF P.C. CONCRETE DRIVEWAY PAVEMENT AND NO ADDITIONAL COMPENSATION

ALL COST OF CONSTRUCTING THE COMBINATION CONCRETE CURB AND GUTTER AS SHOWN SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE PER FOOT FOR COMBINATION CONCRETE CURB AND GUTTER OF THE TYPE SPECIFIED IN THE PLANS.





## SECTION A-A



## **PCC ENTRANCE DETAIL**

NOT TO SCALE