

 \bigcirc

 \bigcirc

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS

PLANS FOR PROPOSED FEDERAL AID HIGHWAY PLAINFIELD/NAPERVILLE ROAD 104TH ST. TO 95TH ST. MEDIAN LANDSCAPING

INDEX OF SHEETS


SHEET NO.	DESCRIPTION
1	COVER SHEET
2	GENERAL NOTES AND INDEX OF HIGHWAY STANDARDS SHEET
3	SUMMARY OF QUANTITIES AND PLANTING DETAILS SHEET
4	EXISTING AND PROPOSED TYPICAL CROSS SECTIONS SHEET
5	PLAN - STA 115+78.15 TO 123+98
6	PLAN - STA 123+98 TO 136+21
7	PLAN - STA 136+21 TO 148+48

PLAN - STA 148+48 TO 156+52.79


0 100' 200' 300' — 1"= 100'
0 50' 100' — 1"= 50'
0 50' 100' — 1"= 40'
0 50' 100' — 1"= 30'
0 50' 100' — 1"= 20

FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E. JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123 OR 811 SECTION NO.: 07-00137-00-LS PROJECT NO.: TE-00D1(788) JOB NO.: C-91-142-08 WILL COUNTY







PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

CONTRACT NO. 63065

ENGINEER, MARILIN SOLOMON, 847-705-4407

GENERAL NOTES

- 1. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE FOLLOWING ILLINOIS STANDARD SPECIFICATIONS: THE "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION" ADOPTED JANUARY 1, 2007; THE LATEST EDITION OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS": THE "MANUAL OF TEST PROCEDURES FOR MATERIALS"; THE LATEST EDITION OF THE "SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS", AND THE DETAILS AND SPECIAL PROVISIONS INCUDED IN THE CONTRACT DOCUMENTS.
- 2. THE CONTRACTOR SHALL CALL J.U.L.I.E. (1-800-892-0123) 72 HOURS BEFORE EXCAVATION. FOR UNDERGROUND UTILITY LOCATIONS, UTILITY LOCATIONS SHOWN ON PLANS ARE APPROXIMATE.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL ABOVE AND BELOW GROUND UTILITIES, EVEN THOUGH THEY MAY APPEAR ON THE PLANS, AND ANY DAMAGE DONE TO EXISTING UTILITIES BY THE CONTRACTOR SHALL BE REPAIRED IMMEDIATELY AT THE CONTRACTOR'S EXPENSE.
- 4. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS IN THE FIELD PRIOR TO BIDDING OF THE PROJECT
- THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL PROPERTY MARKS AND MONUMENTS UNTIL THE OWNER, AND AUTHORIZED SURVEYOR OR AGENT HAS WITNESSED OR OTHERWISE REFERENCED THEIR LOCATION.
- 6. THE CONTRACTOR SHALL COORDINATE CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES, THE WILL COUNTY DEPARTMENT OF HIGHWAYS, LOCAL AGENCIES, AND THE ILLINOIS DEPARTMENT OF TRANSPORTATION.
- WHEN ARTIFICIAL LIGHTING IS UTILIZED IN NIGHT OPERATIONS THE CONTRACTOR SHALL EXERCISE THE UTMOST PRECAUTIONS IN PREVENTING ADVERSE VISIBILITY TO THE MOTORING PUBLIC AND ADJOINING RESIDENTIAL AREAS.
- 8. THE CONTRACTOR SHALL MAINTAIN THE SURFACE DRAINAGE OF THE ROAD DURING CONSTRUCTION OF THIS PROJECT. WHEN EXISTING DRAINAGE FACILITIES ARE DISTURBED, THE CONTRACTOR SHALL PROVIDE AND MAINTAIN TEMPORARY OUTLETS AND CONNECTIONS FOR ALL PRIVATE OR PUBLIC DRAINS, SEWER INLETS, OR CATCH BASINS. THE CONTRACTOR SHALL PROVIDE FACILITIES TO TAKE IN ALL STORM WATER WHICH WILL BE RECEIVED BY THESE AND SEWER DISCHARGE THE SAME. THE CONTRACTOR SHALL PROVIDE AND MAINTAIN A TEMPORARY OUTLET AND BE PREPARED AT ALL TIMES TO DISPOSE OF THE WATER RECEIVED FROM THESE TEMPORARY CONNECTIONS UNTIL SUCH TIME AS THE PERMANENT CONNECTIONS ARE IN SERVICE. THIS WORK SHALL NOT BE PAID FOR DIRECTLY, BUT WILL BE CONSIDERED INCIDENTAL TO THE CONTRACT UNLESS OTHERWISE NOTED ON PLANS.
- THE CONTRACTOR IS TO MAINTAIN ACCESS TO ABUTTING PROPERTY OWNERS AT ALL TIMES, EXCEPT FOR SHORT PERIODS OF TIME, WHEN ACCESS IS GOING TO BE INTERRUPTED, THE CONTRACTOR SHALL NOTIFY THE PROPERTY OWNER NO LESS THAN 24 HOURS IN ADVANCE OF THE INTERRUPTION AND SHALL NOTIFY THE OWNER OF THE TIME AND DURATION OF THE INTERRUPTION.
- 10. BARRICADES: THE CONTRACTOR SHALL PROVIDE AND INSTALL TWO WEIGHTED SAND BAGS ON EACH TYPE I OR II BARRICADE USED - ONE (1) WEIGHTED SANDBAG ACROSS EACH BOTTOM RAIL.
- 11. EXISTING CONDTIONS WERE TAKEN FROM THE BEST AVAILABLE INFORMATION. INFORMATION SHOWN CONERNING FEATURES AND UTILITIES IS NOT GUARANTEED ALL INCLUSIVE OR CORRECT. THE CONTRACTOR SHALL VERIFY THE FEATURES PRIOR TO CONSTRUCTION. EXISTING UTILITIES SHALL BE MAINTAINED IN SERVICE AT ALL TIMES, UNLESS OTHERWISE NOTED ON THE PLANS. THE LOCATION, MATERIAL, AND DIMENSIONS OF EXISTING FACILITIES AND OBSTRUCTIONS ARE BASED UPON AVAILABLE RECORDS AND ARE SHOWN ON THE PLANS STRICTLY AS AN AID TO THE CONTRACTOR, BUT MUST NOT BE CONSTRUED AS BEING ACCURATE, COMPLETE, OR CORRECT.
- 12. IN ACCORDANCE WITH ARTICLE 107.25 OF THE STANDARD SPECIFICATIONS, THE CONTRACTOR SHALL BE REQUIRED TO MAINTAIN, STOCK, RE--ERECT TEMPORARILY AND/OR REPLACE AT PERMANENT LOCATIONS ALL EXISTING SIGNING AS NOTED THEREIN AS DIRECTED BY THE ENGINEER.
- 13. CITY OF NAPERVILLE DPU-E REQUIRES THE CONTRACTOR TO CONTACT J.U.L.I.E. TO LOCATE ALL UTILITIES. CONTRACTOR SHALL PROTECT ALL UTILITIES. IT IS NOT ANTICIPATED THAT UTILITIES SHALL HAVE TO BE RELOCATED.


STATE STANDARDS


000001-05	STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS (8 SHEETS)
701601-05	URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERSABLE MEDIAN (2 SHEETS)
701701-05	URBAN LANE CLOSURE, MULTILANE INTERSECTION (1 SHEET)
701801-03	LANE CLOSURE MULTILANE 1W OR 2W CROSSWALK OR SIDEWALK CLOSURE (1 SHEET)
701901	TRAFFIC CONTROL DEVICES (3 SHEETS)

FILE NAME =	USER NAME = WJM	DESIGNED	_	WJM	REVISED	_	NAME AND ADDRESS OF THE PARTY O	
-		DRAWN	_	MLN	REVISED	-	****	
	PLOT SCALE=1:20	CHECKED		SLD	REVISED	-		
	PLOT DATE = 08-25-08	DATE	_	08-25-08	REVISED	~~		

STATE OF ILLINOIS

	SUMMARY OF QUANTITIES					
CODE NUMBER	ITEM	UNIT	QUANTITY	ISLAND A	ISLAND B	ISLAND C
				CONSTR	E Y003	
21101805	COMPOST FURNISH AND PLACE, 2"	SQ YD	810	191	239	380
25200110	SODDING, SALT TOLERANT	SQ YD	100			
25200200	SUPPLEMENTAL WATERING	UNIT	10			
67100100	MOBILIZATION	LUMP SUM	1			
701,02630	TRAFFIC CONTROL AND PROTECTION, STANDARD 701601	LUMP SUM	1			
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	LUMP SUM	1			
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	LUMP SUM	1			
70106800	CHANGEABLE MESSAGE SIGN	CAL MO	2			
B2006320	TREE, SYRINGA RETICULATA 'IVORY SILK' (IVORY SILK JAPANESE TREE LILAC), 2-1/2" CAL. TREE FORM, BALLED AND BURLAPPED	EACH	21	3	6	12
C2010224	SHRUB, SPIRAEA JAPONICA 'LITTLE PRINCESS' (LITTLE PRINCESS JAPANESE SPIREA), 2' HEIGHT, BALLED AND BURLAPPED	EACH	369	82	123	164
X0301115	LANDSCAPE BED EDGING	FOOT	1058	204	340	514
X0322831	GAILLARDIA X GRANDIFLORA 'GOBLIN' - CONTAINER GROWN (2 QUART)	EACH	228	58	58	112
XX003239	CALAMAGROSTIS ACUTIFLORA 'KARL FOERSTER' 2 GAL	EACH	440	124	85	231
XX003273	SEDUM 'AUTUMN JOY' (1 GAL.)	EACH	162	36	63	63
XX005767	TREE, MALUS 'CENTURION' (CENTURION CRABAPPLE) 1-3/4" BALLED AND BURLAPPED	EACH	30	6	9	15
XX007724	SOD STRIPPING, 2" DEPTH	SQ YD	810	191	239	380





TRIANGULAR SPACING,
DISTANCE PER PLANT LIST

SET PLANT AT SAME LEVEL AS
CROWN IN CONTAINER

REFER TO NOTES FOR MULCH DEPTH.
WORK UNDER BRANCHES

PREPARED PLANTING BED

1 DECIDUOUS TREE

NOT TO SCALE

2 SHRUB PLANTING
NOT TO SCALE


3 PERENNIAL PLANTING NOT TO SCALE

FILE NAME =	USER NAME = WJM	DESIGNED	-	WJM	REVISED		
_ ,		DRAWN	_	MLN	REVISED		***
	PLOT SCALE=1:20	CHECKED		SLD	REVISED	_	FURN NAME OF THE PARTY OF THE P
	PLOT DATE = 08-25-08	DATE	_	08-25-08	REVISED		

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

DI AINEIE DA MADEDANIE DOAD MEDIANI LANDOGADINO	F.A RTE.	SECTION
PLAINFIELD/NAPERVILLE ROAD MEDIAN LANDSCAPING		07001370
SCALE: N/A SHEET NO. 3 OF 8 SHEETS SUMMARY OF QUANTITIES SHEET	FED. R	OAD DIST. NO ILL

_	F.A RTE.		SEC.	ION	T	COUNTY	TOTAL SHEETS	SHEET NO.	
5	07-00137-00-LS						WILL	8	3
							CONTRAC	T NO. 6	3065
	FFD I	TRIG GLOS	NO	BURNOIS	EED	AIF	DRO ECT		



TYPICAL CROSS SECTION - 11 FOOT MEDIAN 124+49 TO 127+42 132+58 TO 137+67 143+48 TO 151+93

EXISTING	09	PROPOSED	09
	0,		40
	0 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
	50		20
WDTH LAPESS 2 WN 15 11 WAX 2 WN 15 11 WAX		WOTH TAPERS	0
	720	2 1	-20
	- T		- 1
	04-		-40
	09		09-


TYPICAL CROSS SECTION — TAPERING MEDIAN 124+19 TO 124+49 127+42 TO 128+21 1.32+33 TO 132+58 137+67 TO 137+98 143+26 TO 143+48 151+93 TO 153+44


FILE NAME =	USER NAME = WJM	DESIGNED	_	WUW	REVISED	_	
_		DRAWN	-	MLN	REVISED	-	
*	PLOT SCALE=1:10	CHECKED	_	SLD	REVISED		
	PLOT DATE = 08-25-08	DATE		08-25-08	REVISED		date description


STATE	OF	ILLINOIS
DEPARTMENT (OF T	RANSPORTATION


DIAMETER ALABEDIALE DOAD MEDIAM LANDCOADING	RTE.	SEC	TION		COUNTY
PLAINFIELD/NAPERVILLE ROAD MEDIAN LANDSCAPING		070013	700LS	S	WILL
					CONT
SCALE: 1"=10' H & V SHEET NO. 4 OF 8 SHEETS EXISTING AND PROPOSED TYPICAL CROSS SECTIONS	FED. F	ROAD DIST. NO	ILUNOIS	FED. A	ID PROJECT


	F.A RTE. SECTION							COUN	TY	TOTAL SHEETS	SHEET NO.	
		07-00137-00-LS						WILL		8	4	
_									CON	TRAC	T NO.	63065
						A hard market	ren					

















FILE NAME =	USER NAME = MLN	DESIGNED		WJM	REVISED	
_		DRAWN		MLN	REVISED	NAME AND POST OF THE PARTY OF T
	PLOT SCALE=1:20	CHECKED	_	WJM	REVISED	No.
	PLOT DATE = 08-25-08	DATE		08-25-08	REVISED	

STATE OF ILLINOIS						
DEPARTMENT OF TRANSPORTATION						

PLAINFIELD	/nape	RVIL	LE	ROAD	MEDIAN	LANDSCAPIN	IG E
 SCALE: 1"=20'	SHEET NO.	8 OF	8 9	SHEETS	STA, 148+4	18 TO STA. 156+52.79	

	F.A RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
G		07-00137-00-LS	WILL	8	8
			CONTRAC	T NO. 6	3065
	FED. R	OAD DIST. NO ILLINOIS FED. A	ID PROJECT		