INDEX OF SHEETS SHEET NO TITLE COVER SHEET INDEX OF SHEETS AND LIST OF STANDARDS 03-07 SUMMARY OF QUANTITIES 08-13 STANDARD TRAFFIC SIGNAL DESIGN DETAILS (6 SHEETS) TRAFFIC SIGNAL MODIFICATION PLAN GRAND AVENUE AT MT. PROSPECT ROAD /COUNTY LINE ROAD MODIFIED CABLE PLAN, EXISTING PHASE DESIGNATION DIAGRAM, EXISTING EMERGENCY VEHICLE PREEMPTION SEQUENCE, AND 15 SCHEDULE OF QUANTITIES GRAND AVENUE AT MT. PROSPECT ROAD /COUNTY LINE ROAD TRAFFIC SIGNAL MODIFICATION PLAN GRAND AVENUE AT NORTHWEST AVENUE MODIFIED CABLE PLAN, EXISTING PHASE DESIGNATION DIAGRAM, EXISTING EMERGENCY VEHICLE PREEMPTION SEQUENCE, AND 17 SCHEDULE OF QUANTITIES GRAND AVENUE AT NORTHWEST AVENUE TEMPORARY TRAFFIC SIGNAL INSTALLATION AND REMOVAL PLAN GRAND AVENUE AT WOLF ROAD TEMPORARY CABLE PLAN, TEMPORARY PHASE DESIGNATION DIAGRAM, TEMPORARY EMERGENCY VEHICLE PREEMPTION SEQUENCE, AND GRAND AVENUE AT WOLF ROAD TRAFFIC SIGNAL INSTALLATION PLAN GRAND AVENUE AT WOLF ROAD 20 CABLE PLAN, PHASE DESIGNATION DIAGRAM, EMERGENCY VEHICLE PREEMPTION SEQUENCE, AND SCHEDULE OF QUANTITIES GRAND AVENUE AT WOLF ROAD 21 MAST ARM MOUNTED STREET NAME SIGNS 22 TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS 23

TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC)

GENERAL NOTES

BEFORE STARTING ANY EXCAVATION. THE CONTRACTOR SHALL CALL "J.U.L.I.E," AT (800) 892-0123 OR 811 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS UTILITIES. 48 HOUR NOTIFICATION IS REQUIRED.

THE CONTRACTOR SHALL CONTACT THE TRAFFIC CONTROL SUPERVISOR AT (841) 705-4470 72 HOURS IN ADVANCE OF BEGINNING WORK.

IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND CONDITIONS EXISTING IN THE FIELD PRIOR TO ORDERING MATERIALS AND BEGINNING CONSTRUCTION THIS SHALL INCLUDE LOCATING THE MAST ARM FOUNDATIONS AND VERIFYING THE MAST ARMS FENCTINE.

THE EXACT LOCATION OF ALL UTILITIES SHALL BE FIELD VERIFIED BY THE CONTRACTOR BEFORE ORDERING ANY MATERIALS AND STARTING ANY WORK FOR LOCATIONS OF UTILITIES LOCALLY OWNED EQUIPMENT, LEASED ENFORCEMENT CAMERA SYSTEM FACILITIES AND IDOT UNDERGROUND FACILITIES. CONTACT THE LOCAL COUNTIES, MUNICIPALITIES AND IDOT FOR LOCATES, THE CONTRACTOR SHALL CALL "JULIE" AT (8001892-0123 OR 811, IN THE CITY OF CHICAGO CONTACT DIGGER AT (12) 744-7000 FOR FIELD LOCATIONS OF BURIED UTILITIES (48 HOURS NOTIFICATION REQUIRED.

IF THIS CONTRACT REQUIRES THE SERVICES OF AN ELECTRICAL CONTRACTOR. THE CONTRACTOR SHALL BE RESPONSIBLE AT HISHER OWN EXPENSE FOR LOCATING EXISTING IDOT ELECTRICAL FACILITIES PRIOR TO PERFORMING ANY WORK IF THIS CONTRACT DOES NOT REQUIRE THE SERVICES OF AN ELECTRICAL CONTRACTOR. THE CONTRACTOR MAY REQUEST ONE FREE LOCATE FOR EXISTING IDOT ELECTRICAL FACILITIES FROM THE DISTRICT ONE ELECTRICAL MAINTENANCE CONTRACTOR PRIOR TO THE START OF ANY WORK ADDITIONAL REQUESTS MAY BE AT THE EXPENSE OF THE CONTRACTOR THE LOCATION OF UNDERGROUND TRAFFIC FACILITIES DOES NOT RELIEVE THE CONTRACTOR OF THEIR RESPONSIBILITY TO REPAIR ANY FACILITIES DAMAGED DURING CONSTRUCTION AT THEIR EXPENSE.

THE CONTRACTOR SHALL CHECK THE PROPOSED TRAFFIC SIGNAL EQUIPMENT LOCATIONS FOR OVERHEAD UTILITY CONFLICTS. THE CONTRACTOR SHALL COORDINATE ANY CONFLICTS WITH THE UTILITY COMPANIES AND RESIDENT ENGINEER BEFORE ORDERING MATERIALS.

THE CONTRACTOR SHALL COORDINATE CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES, LOCAL GOVERNMENT AGENCIES AND IDOT.

RESTORATION OF THE TRAFFIC SIGNAL WORK AREA SHALL BE INCLUDED IN THE RELATED PAY ITEM SUCH AS FOUNDATION, CONDUIT, HANDHOLE, ETC., AND NO EXTRA COMPENSATION SHALL BE ALLOWED, ALL ROADWAY SUCH AS SHOULDERS, MEDIAN, SIDEWALKS, PAVEMENT, ETC. SHALL BE REPLACED IN KIND, ALL DAMAGE TO MOWED LAWNS SHALL BE REPLACED WITH AN APPROVED SOD, AND ALL DAMAGED TO UNMOWED FIELDS SHALL BE SEEDED IN ACCORDANCE WITH STANDARD SPECIFICATIONS 252 AND 250 RESPECTIVELY.

IDOT STANDARDS

STD. NO.	DESCRIPTION				
000001 - 04	ABBREVIATIONS, SYMBOLS AND PATTERNS				
701001 - 02	OFF-RD OPERATIONS, 2L, 2W MORE THAN 15' (4.5m) AWAY				
701006 - <i>04</i>	OFF-RD OPERATIONS, 2L, 2W, 15' (4.5m) TO 24" (600mm) FROM PAVEMENT EDGE				
701011 - 03	OFF-RD MOVING OPERATIONS, 2L, 2W, DAY ONLY				
701101 - <i>03</i>	OFF-RD OPERATIONS, MULTILANE, 15' (4.5 m) TO 24" (600 mm) FROM PAVEMENT EDGE				
701301 - 04	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS				
701421 - 05	LANE CLOSURE, MULTILANE, DAY OPERATIONS ONLY, FOR SPEEDS ≥ 45 MPH TO 55 MPH				
701501 - 0W	URBAN LANE CLOSURE, 2L, 2W, UNDWIDED				
	URBAN LANE CLOSURE, MULTILANE INTERSECTION				
701901 - 02	TRAFFIC CONTROL DEVICES				
	SIGN PANEL MOUNTING DETAILS				
805001 - 01	ELECTRICAL SERVICE INSTALLATION DETAILS				
814001 ~ 02	HANDHOLES				
814006 - OZ	DOUBLE HANDHOLES				
857001-01	STANDARD PHASE DESIGNATION DIAGRAMS AND PHASE SEQUENCES				
862001-01	UNINTERRUPTABLE POWER SUPPLY (UPS)				
873001 - 02	TRAFFIC SIGNAL GROUNDING & BONDING				
877001 ~ 0.5	STEEL MAST ARM ASSEMBLY AND POLE 16' THROUGH 55'				
878001-09	CONCRETE FOUNDATION DETAILS				
880001-04	SPAN WIRE MOUNTED SIGNALS AND FLASHING BEACON INSTALLATION				
880006 - 01	Traffic signal mounting details				
886001 - 01	DETECTOR LOOP INSTALLATIONS				
886006 - 01	TYPICAL LAYOUTS FOR DETECTION LOOPS				

NOTES FOR TEMPORARY TRAFFIC SIGNALS

- ALL CONTROL EQUIPMENT INCLUDING EMERGENCY PRE-EMPTION AND COMMUNICATION DEVICES FOR THE TEMPORARY TRAFFIC SIGNAL(S) SHALL BE FURNISHED BY THE CONTRACTOR.
- 2. ONLY CONTROLLERS SUPPLIED BY ONE OF THE DISTRICT APPROVED CLOSED LOOP EQUIPMENT MANUFACTURERS WILL BE APPROVED FOR USE AT TEMPORARY SIGNAL LOCATIONS. ALL CONTROLLERS USED FOR TEMPORARY TRAFFIC SIGNALS SHALL BE FULLY ACTUATED NEMA MICROPROCESSOR BASED WITH RS232 DATA ENTRY PORTS COMPATIBLE WITH EXISTING MONITORING SOFTWARE APPROVED BY IDOT DISTRICT 1, INSTALLED IN A NEMA TS2 CABINET. ONLY ONE BRAND OF CONTROLLER WILL BE ACCEPTED FOR ANY ONE CONTRACT,
- 3. ALL TRAFFIC SIGNAL SECTIONS AND PEDESTRIAN SIGNAL SECTIONS SHALL BE LED 12"
 DIAMETER, HEADS SHALL BE PLACED AS INDICATED ON THE TEMPORARY TRAFFIC
 SIGNAL PLAN OR AS DIRECTED BY THE ENGINEER PEDESTRIAN SIGNALS SHALL INCLUDE
 SOLID INTERNATIONAL SYMBOLS, PEDESTRIAN SIGNALS WITH COUNTDOWN TIMERS SHALL BE
 USED WHEN THE EXISTING INSTALLATION UTILIZES COUNTDOWN TYPE OR AS DIRECTED BY THE ENGINEER.
 COUNTDOWN TYPE PEDESTRIAN SIGNALS ARE NOT TO BE INSTALLED AT A RAILROAD INTERSECTION. THE
 CONTRACTOR SHALL PURNISH ENOUGH CABLE SLACK TO RELOCATE HEADS
 TO ANY POSITION ON THE SPAN WIRE OR AT LOCATIONS ILLUSTRATED ON THE PLANS FOR CONSTRUCTION
 STAGING, THE TEMPORARY TRAFFIC SIGNAL SHALL REMAIN IN OPERATION
 DURING ALL SIGNAL HEAD RELOCATIONS, EACH TEMPORARY TRAFFIC SIGNAL HEAD SHALL
 HAVE ITS OWN CABLE FROM THE CONTROLLER CABINET TO THE SIGNAL HEAD.
- 4. ALL EXISTING STREET NAME AND INTERSECTION REGULATORY SIGNS SHALL BE REMOVED FROM EXISTING POLES, RELOCATED AND SECURELY FASTENED TO THE SPAN WIRE OR WOOD POLE AS DIRECTED BY THE ENGINEER.
- ANY TEMPORARY SIGNAL WITHIN AN EXISTING CLOSED LOOP TRAFFIC SIGNAL SYSTEM SHALL BE INTERCONNECTED TO THAT SYSTEM USING SIMILAR BRAND CONTROL EQUIPMENT AT NO ADDITIONAL COST TO THE CONTRACT.
- 6. THE TEMPORARY TRAFFIC SIGNAL SHALL HAVE THE SIGNAL HEAD DISPLAYS, SIGNAL HEAD PLACEMENTS AND CONTROLLER PHASING MATCH THE EXISTING TRAFFIC SIGNAL AT THE TIME OF THE TURN ON, IF NO TRAFFIC STAGING IS IN PLACE OR WILL NOT BE STAGED ON THE DAY OF THE TURN ON.
- 7. UNINTERRUPTIBLE POWER SUPPLY (UPS) SYSTEMS SHALL BE INSTALLED AND MADE OPERATIONAL AT TEMPORARY TRAFFIC SIGNAL INSTALLATIONS WHERE UPS IS INSTALLED AT THE EXISTING TRAFFIC SIGNAL, TEMPORARY TRAFFIC SIGNALS AT RAILROAD INTERSECTIONS, AND TEMPORARY TRAFFIC SIGNALS AT INTERSECTIONS WITH FIRE STATION ACTUATED EMERGENCY VEHICLE PRE-EMPTION, OR WHEN INDICATED ON THE PLANS.
- 8. TRAFFIC SIGNAL MANAGEMENT SYSTEMS SHALL BE MAINTAINED IN OPERATION AS INDICATED ON THE PLANS OR AS DIRECTED BY THE ENGINEER REQUIRED EQUIPMENT SHALL BE AS SHOWN ON THE PLANS AND THE CONTRACTOR SHALL PLACE THE EQUIPMENT IN OPERATION TO THE SATISFACTION OF THE ENGINEER AND THE AGENCY RESPONSIBLE FOR THE TRAFFIC SIGNAL MANAGEMENT SYSTEM
- 9. DETECTION AT TEMPORARY TRAFFIC SIGNALS SHALL BE INCLUDED FOR ALL APPROACHES OF THE INTERSECTION UNLESS INDICATED OTHERWISE ON THE PLANS. THE DETECTION SYSTEM MUST MEET THE SPECIFICATIONS OF DISTRICT I AND THE CONTRACTOR SHALL PLACE THE DETECTORS INTO OPERATION TO THE SATISFACTION OF THE ENGINEER DETECTION SHALL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN TEMPORARY TRAFFIC SIGNAL INSTALLATION PAY ITEM.
- 10. WHEN PAN, TILT, ZOOM CAMERAS ARE INSTALLED AT THE EXISTING INTERSECTION OR ARE CALLED FOR IN THE PLANS, THE CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLING AND MAINTAINING THE CAMERAS TO THE SATISFACTION OF THE ENGINEER AND THE AGENCY RESPONSIBLE FOR THE CAMERAS.

FILE NAME .	USER NAME . SUSER*	DESIGNED - PKG	REVISED -			RIE. SECTION COUNTY SHEETS NO.
setter.		DRAWN - EA	REVISED -	STATE OF ILLINOIS	INDEX OF SHEETS AND LIST OF STANDARDS	1376 2013-045TS COOK 24 02
***	PLOT SCALE * *SCALE*	CHECKED - PKG	REVISED -	DEPARTMENT OF TRANSPORTATION		CONTRACT NO. 60W98
	PLOT DATE . *DATE*	DATE ~ 8/15/2013	REVISEO -		SCALE: N.T.S. SHEET NO. OF SHEETS STA. TO STA.	FED. ROAD DIST. NO ILLINOIS FED. AID PROJECT