


INDEX OF SHEETS

- 1. COVER SHEET
- 2. GENERAL NOTES
- 3 - 5. SUMMARY OF QUANTITIES
- 6. EXAMPLE WORK SHEET
- 7. PAVEMENT MARKING SUMMARY
- 8 - 15. PAVEMENT MARKING DETAILS

STANDARDS

- 701006-05 OFF-ROAD OPERATIONS 2L, 2W, 15' (4.5 m) TO 24" (600 mm) FROM PAVEMENT EDGE
- 701101-05 OFF-ROAD OPERATIONS, MULTILANE, 15' (4.5 m) TO 24" (600 mm) FROM PAVEMENT EDGE
- 701106-02 OFF-RD OPERATIONS, MULTILANE, MORE THAN 15' (4.5 m) AWAY
- 701201-05 LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS \geq 45 MPH
- 701301-04 LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
- 701311-03 LANE CLOSURE 2L, 2W MOVING OPERATIONS-DAY ONLY
- 701400-10 APPROACH TO LANE CLOSURE, FREEWAY/EXPRESSWAY
- 701401-12 LANE CLOSURE, FREEWAY/EXPRESSWAY
- 701406-12 LANE CLOSURE, FREEWAY/EXPRESSWAY, DAY OPERATIONS ONLY
- 701411-09 LANE CLOSURE, MULTILANE, AT ENTRANCE OR EXIT RAMP FOR SPEEDS \geq 45 MPH
- 701426-09 LANE CLOSURE, MULTILANE INTERMITTENT OR MOVING OPERATION, FOR SPEEDS \geq 45 MPH
- 701427-05 LANE CLOSURE, MULTILANE INTERMITTENT OR MOVING OPERATION, FOR SPEEDS \leq 40 MPH
- 701428-01 TRAFFIC CONTROL, SETUP AND REMOVAL, FREEWAY/EXPRESSWAY
- 701501-06 URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
- 701502-09 URBAN LANE CLOSURE, 2L, 2W, WITH BIDIRECTIONAL LEFT TURN LANE
- 701601-09 URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERSABLE MEDIAN
- 701602-10 URBAN LANE CLOSURE, MULTILANE, 2W WITH BIDIRECTIONAL LEFT TURN LANE
- 701701-10 URBAN LANE CLOSURE, MULTILANE INTERSECTION
- 701901-08 TRAFFIC CONTROL DEVICES



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
 JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
 1-800-892-0123
 OR 811


PROJECT ENGINEER: THOMAS SCHAEFER, P.E.
 UNIT CHIEF: RON WOODSHANK
 DISTRICT 3 NO. (815) 434-6131
 CONTRACT NO. 46560

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

**PROPOSED
 HIGHWAY PLANS**

VARIOUS ROUTES
 SECTION D3 HT PVMNT MRK RPR 21-13
 HIGH TYPE PAVEMENT MARKING
 VARIOUS COUNTIES

M-60-012-21



ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VARIOUS	D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	1
		ILLINOIS	CONTRACT NO. 46560	

D-93-091-20



STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

SUBMITTED August 17 2020
Thomas Schaefer
 REGIONAL ENGINEER

December 4, 2020
Scott A. Elk
 ENGINEER OF DESIGN AND ENVIRONMENT

December 4, 2020
Thomas Schaefer
 DIRECTOR OF HIGHWAYS PROJECT IMPLEMENTATION

PRINTED BY THE AUTHORITY
 OF THE STATE OF ILLINOIS

GENERAL NOTES

PLAN DIMENSIONS AND DETAILS RELATIVE TO EXISTING PLANS ARE SUBJECT TO NOMINAL CONSTRUCTION VARIATIONS. THE CONTRACTOR SHALL FIELD VERIFY EXISTING DIMENSIONS AND DETAILS AFFECTING NEW CONSTRUCTION AND MAKE NECESSARY APPROVED ADJUSTMENTS PRIOR TO CONSTRUCTION OR ORDERING OF MATERIALS. SUCH VARIATIONS SHALL NOT BE CAUSE FOR ADDITIONAL COMPENSATION FOR A CHANGE IN SCOPE OF WORK; HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED AT THE UNIT PRICE BID FOR THE WORK.

FOR STABILIZATION, ALL TYPE III BARRICADES WILL REQUIRE A MINIMUM OF FOUR SAND BAGS PER BARRICADE.

ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUBNUMBER SHOWN IN THE LIST OF STANDARDS OR THE COPY INCLUDED IN THESE PLANS.

COMMITMENTS

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DISTRICT THREE
AS BUILT INFORMATION

SUPERVISING CONSTRUCTION FIELD ENGINEER

RESIDENT ENGINEER / TECHNICIAN

START & END DATES
OF CONSTRUCTION:

INSPECTORS:

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DISTRICT THREE

PREPARED BY: _____
DISTRICT STUDIES & PLANS ENGINEER

DATE: _____

EXAMINED BY: _____
DISTRICT CONSTRUCTION ENGINEER

DISTRICT MATERIALS ENGINEER

DISTRICT OPERATIONS ENGINEER

FILE NAME =	USER NAME = WOODSHANKRL	DESIGNED - EM	REVISED -
p:\planroom.dot.illinois.gov\PIDOT\Documents\IDOT Offices\District 3\Projects\0346533\0346533-EM.dgn		CHECKED - RW	REVISED -
Default	PLOT SCALE = 100.0000' / in.	DATE - 7/2/19	REVISED -
	PLOT DATE = 6/24/2020		

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

GENERAL NOTES

SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VARIOUS	D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	2
			CONTRACT NO. 46560	
		ILLINOIS	FED. AID PROJECT	

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE
				100% STATE
				PAVEMENT MARKING
				0021
78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	5000	5000
78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	1000	1000
78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	3000	3000
78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	1000	1000
78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	1000	1000
78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	135000	135000
78001130	PAINT PAVEMENT MARKING - LINE 6"	FOOT	50000	50000
78003130	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 6"	FOOT	3000	3000
78003180	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 24"	FOOT	1000	1000
78008210	POLYUREA PAVEMENT MARKING TYPE I - LINE 4"	FOOT	950000	950000
78008230	POLYUREA PAVEMENT MARKING TYPE I - LINE 6"	FOOT	125000	125000
78008240	POLYUREA PAVEMENT MARKING TYPE I - LINE 8"	FOOT	35000	35000
78009000	MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	8000	8000
78009004	MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	750000	750000

FILE NAME =	USER NAME = WOODSHANKRL	DESIGNED - EM	REVISED -
p:\planroom.dot.illinois.gov\PIDOT\Documents\IDOT Offices\District 3\Projects\0346533\0346533-EM.dgn		REVISIONS	REVISED -
Default	PLOT SCALE = 100.0000' / in.	CHECKED - RW	REVISED -
	PLOT DATE = 6/24/2020	DATE - 7/2/19	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES

SCALE: SHEET 1 OF 3 SHEETS STA. TO STA.

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VARIOUS	D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	3
ILLINOIS FED. AID PROJECT			CONTRACT NO. 46560	

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE
				100% STATE
				PAVEMENT MARKING
				0021
78009006	MODIFIED URETHANE PAVEMENT MARKING - LINE 6"	FOOT	80000	80000
78009008	MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	60000	60000
78009012	MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	8000	8000
78009024	MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	3000	3000
X0327979	PAVEMENT MARKING REMOVAL - GRINDING	SQ FT	500	500
X0327980	PAVEMENT MARKING REMOVAL - WATER BLASTING	SQ FT	4000	4000
X2700027	PREFORMED PLASTIC PAVEMENT MARKING, TYPE D - LINE 8" CONTRAST	FOOT	24000	24000
X7800815	HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINE - 4 INCH	FOOT	200000	200000
X7800835	HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINE - 6 INCH	FOOT	30000	30000
X7800845	HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINE - 8 INCH	FOOT	5000	5000
X7830068	GROOVING FOR RECESSED PAVEMENT MARKING, LETTERS, NUMBERS AND SYMBOLS	SQ FT	4000	4000
X7830070	GROOVING FOR RECESSED PAVEMENT MARKING 5"	FOOT	30000	30000
X7830074	GROOVING FOR RECESSED PAVEMENT MARKING 7"	FOOT	25000	25000
X7830076	GROOVING FOR RECESSED PAVEMENT MARKING 9"	FOOT	3000	3000

CODE NO.	ITEM	UNIT	TOTAL QUANTITY	CONSTRUCTION CODE
				100% STATE
				PAVEMENT MARKING
				0021
X7830078	GROOVING FOR RECESSED PAVEMENT MARKING 13"	FOOT	500	500
X7830090	GROOVING FOR RECESSED PAVEMENT MARKING 25"	FOOT	1000	1000
Z0008758	AERIAL SPEED CHECK MARKING	FOOT	200	200

FILE NAME =	USER NAME = WOODSHANKRL	DESIGNED - EM	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES	ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
pww\planroom.dot.illinois.gov:PWIDOT\Documents\DOT Offices\District 3\Projects\D346533\CADDData\D346533	DRAWN - EM	CHECKED - RW	REVISED -			VARIOUS	D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	5
Default	PLOT SCALE = 100.0000 ' / in.	DATE - 7/2/19	REVISED -			CONTRACT NO. 46560				
	PLOT DATE = 6/24/2020	DATE - 7/2/19	REVISED -			SCALE:	SHEET 3 OF 3 SHEETS	STA.	TO STA.	ILLINOIS

**WORK ORDER
D3 HT PVMNT MRK RPR 21-13**

WORK ORDER NUMBER _____ DATE OF ISSUE _____ ROUTE _____

LOCATION DESCRIPTION _____

CONTRACT NO. 46560 JOB NO. M-60-012-21

CODE NUMBER	ITEM	UNIT	QUANTITY	UNIT PRICE	ITEM COST
78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	4,000		
78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	5,000		
78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	1,000		
78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	3,000		
78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	1,000		
78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	1,000		
78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	135,000		
78001130	PAINT PAVEMENT MARKING - LINE 6"	FOOT	50,000		
78003130	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 6"	FOOT	3,000		
78003180	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - LINE 24"	FOOT	1,000		
78008210	POLYUREA PAVEMENT MARKING TYPE I - LINE 4"	FOOT	950,000		
78008230	POLYUREA PAVEMENT MARKING TYPE I - LINE 6"	FOOT	125,000		
78008240	POLYUREA PAVEMENT MARKING TYPE I - LINE 8"	FOOT	35,000		
78009000	MODIFIED URETHANE PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	8,000		
78009004	MODIFIED URETHANE PAVEMENT MARKING - LINE 4"	FOOT	750,000		
78009006	MODIFIED URETHANE PAVEMENT MARKING - LINE 6"	FOOT	80,000		
78009008	MODIFIED URETHANE PAVEMENT MARKING - LINE 8"	FOOT	60,000		
78009012	MODIFIED URETHANE PAVEMENT MARKING - LINE 12"	FOOT	8,000		
78009024	MODIFIED URETHANE PAVEMENT MARKING - LINE 24"	FOOT	3,000		
X0327979	PAVEMENT MARKING REMOVAL - GRINDING	SQ FT	500		
X0327980	PAVEMENT MARKING REMOVAL - WATER BLASTING	SQ FT	4,000		
X2700027	PREFORMED PLASTIC PAVEMENT MARKING, TYPE D - LINE 8", CONTRAST	FOOT	24,000		
X7800815	HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINE - 4 INCH	FOOT	200,000		
X7800835	HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINE - 6 INCH	FOOT	30,000		
X7800845	HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINE - 8 INCH	FOOT	5,000		
X7830068	GROOVING FOR RECESSED PAVEMENT MARKING, LETTERS, NUMBERS & SYMBOLS	SQ FT	4,000		
X7830070	GROOVING FOR RECESSED PAVEMENT MARKING 5"	FOOT	30,000		
X7830074	GROOVING FOR RECESSED PAVEMENT MARKING 7"	FOOT	25,000		
X7830076	GROOVING FOR RECESSED PAVEMENT MARKING 9"	FOOT	3,000		
X7830078	GROOVING FOR RECESSED PAVEMENT MARKING 13"	FOOT	500		
X7830090	GROOVING FOR RECESSED PAVEMENT MARKING 25"	FOOT	1,000		
Z0008758	AERIAL SPEED CHECK MARKING	FOOT	200		

DISTRICT CONTACT

NAME: _____

TELEPHONE NO. _____


CELL PHONE NO. _____

SUBMITTED BY: _____
REGIONAL ENGINEER


DATE: _____

APPROVED BY: _____
TRAFFIC ENGINEER OF OPERATIONS


DATE: _____




**LEFT TURN LANE
TYPICAL APPLICATION**




**TYPICAL SPACING DETAIL FOR
CROSSWALKS AND STOP BARS**




**TYPICAL SPACING DETAIL FOR
CROSSWALKS AND STOP BARS**




**ADVANCE AND INTERSECTION LANE
DIVIDER, INTERSTATE RAMP
TRANSITION LINES**



**TYPICAL DETAIL FOR
PAINTING HANDICAP MARKINGS**




**TYPICAL APPLICATION @
TWO WAY LEFT TURN LANE (TWLTL)**




PAVEMENT MARKING


FILE NAME =	USER NAME = WOODSHANKRL	DESIGNED - EM	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PAVEMENT MARKING DETAILS			ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
pw:\planroom\dot\illinois\gov\PWDOT\Documents\IDOT\Office\District 3\Projects\D346533\CADData\D346533-cover.dgn	DRAWN - EM	REVISED -	VARIOUS					D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	8	
Default	PLOT SCALE = 100.0000 / in.	CHECKED - RW	REVISED -		CONTRACT NO. 46560							
	PLOT DATE = 6/24/2020	DATE - 7/2/19	REVISED -		SCALE:	SHEET 1	OF 8	SHEETS	STA.	TO STA.	ILLINOIS	FED. AID PROJECT





TYPICAL PAVEMENT MARKING FOR ENTRANCE RAMP TERMINALS



TYPICAL PAVEMENT MARKINGS



TYPICAL PAVEMENT MARKINGS FOR I-39 ONLY



TYPICAL PAVEMENT MARKINGS FOR EXIT RAMP TERMINALS


FILE NAME =	USER NAME = WOODSHANKRL	DESIGNED - EM	REVISED -
pwc:\planroom\dot\illinois.gov\PWIDOT\Documents\IDOT\Office\District 3\Projects\D346533\CADData\D346533-cover.dgn		DRAWN - EM	REVISED -
Default	PLOT SCALE = 100,0000' / in.	CHECKED - RW	REVISED -
	PLOT DATE = 6/24/2020	DATE - 7/2/19	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVEMENT MARKING DETAILS

SCALE: SHEET 2 OF 8 SHEETS STA. TO STA.


ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VARIOUS	D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	9
			CONTRACT NO. 46560	
		ILLINOIS	FED. AID PROJECT	





20' (6 m): urban
50' (15 m): rural
(Between arrow
and word or
between words)

ONLY


WORD AND ARROW LAYOUT




SHARED LANE SYMBOL




BIKE SYMBOL
(Arrow is optional.)



TYPICAL CLOVERLEAF LOOP RAMP MARKINGS



PAVEMENT MARKINGS AT RAILROAD-HIGHWAY GRADE CROSSING



NOTES:
THE TRANSVERSE SPREAD OF THE "X" MAY VARY ACCORDING TO LANE WIDTH.
ON MULTI-LANE ROADS, THE STOP LINES SHALL EXTEND ACROSS ALL APPROACH LANES AND SEPARATE RXR SYMBOLS SHALL BE PLACED ADJACENT TO EACH OTHER IN EACH LANE.
WHEN THE PAVEMENT MARKING SYMBOL IS USED, A PORTION OF THE SYMBOL SHOULD BE LOCATED DIRECTLY ADJACENT TO THE ADVANCE WARNING SIGN (W10-1).


FILE NAME =	USER NAME = WOODSHANKRL	DESIGNED - EM	REVISED -
pwc:\planroom\dtd\illinois.gov\PWIDOT\Documents\IDOT\Office\District 3\Projects\D346533\CADData\D346533-cover.dgn		DRAWN - EM	REVISED -
	PLOT SCALE = 100,0000 / in.	CHECKED - RW	REVISED -
Default	PLOT DATE = 6/24/2020	DATE - 7/2/19	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


PAVEMENT MARKING DETAILS

SCALE: SHEET 3 OF 8 SHEETS STA. TO STA.


ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VARIOUS	D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	10
CONTRACT NO. 46560			ILLINOIS FED. AID PROJECT	




RIGHT IN RIGHT OUT ACCESS PAVEMENT MARKING




**LARGE MERGE ARROWS
41.5 Sq. Ft.**



99' AND UNDER



100' TO 149'



150' AND LONGER

**TYPICAL PLACEMENT OF ARROWS
IN TURN LANES**


FILE NAME =	USER NAME = WOODSHANKRL	DESIGNED - EM	REVISED -
pw:\planroom\dot\illinois.gov\PWDOT\Documents\IDOT\Office\District 3\Projects\D346533\CADData\D346533-cover.dgn		DRAWN - EM	REVISED -
Default	PLOT SCALE = 100.0000 "/in.	CHECKED - RW	REVISED -
	PLOT DATE = 6/24/2020	DATE - 7/2/19	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


PAVEMENT MARKING DETAILS

SCALE: SHEET 4 OF 8 SHEETS STA. TO STA.


ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VARIOUS	D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	11
CONTRACT NO. 46560			ILLINOIS FED. AID PROJECT	



WITH INTERSECTION TRAFFIC SIGNALS




WITH NEAR-SIDE TRAFFIC SIGNALS




WITH NONSIGNALIZED INTERSECTION


- NOTE:
1. PAVEMENT MARKINGS TO BE INSTALLED ONLY ON APPROACHES TO INTERSECTIONS CONTROLLED BY TRAFFIC SIGNALS WHICH ARE INTERCONNECTED WITH THE RAILROAD WARNING SIGNALS.
 2. WHERE NEAR-SIDE TRAFFIC SIGNALS ARE USED THE PAVEMENT MARKINGS EXTEND TO THE INTERSECTION.
 3. DISTANCE TO BE SHOWN ON SIGN MEASURED FROM A POINT 6 FEET FROM THE RAIL CLOSEST TO THE INTERSECTION OR FROM THE CLOSEST POINT ALONG THE EXIT GATE IF PRESENT OVER THE ROADWAY WHEN IN THE LOWERED POSITION TO THE STOP BAR OR CROSSWALK, WHICH EVER IS CLOSEST, ROUNDED DOWN TO NEAREST 5 FEET. WHERE THERE IS NO STOP LINE, MEASURE TO POINT WHERE DRIVER HAS A VIEW OF APPROACHING TRAFFIC.
 4. THE CLEARANCE SIGN IS ALSO TO BE USED AS AN INTERIM MEASURE AT LOCATIONS WITH INTERCONNECTED INTERSECTION TRAFFIC SIGNALS WHERE IT IS PLANNED TO CHANGE THEM TO NEAR-SIDE SIGNALS AT A FUTURE TIME. IN THIS CASE, THE DISTANCE TO BE SHOWN ON THE SIGN IS MEASURED FROM THE EDGE OF THE STRIPED-OUT AREA INSTEAD OF 6 FEET FROM THE RAIL. THE SIGN IS TO BE REMOVED WHEN THE NEAR-SIDE SIGNALS ARE INSTALLED AND THE PAVEMENT MARKINGS EXTEND TO THE INTERSECTION.




LEFT TURN LANE WITH APPROACH MEDIAN



PREFERRED METHOD




OPTION 2




OPTION 3


TYPICAL PARKING SPACING



IT WILL BE NECESSARY TO HAVE A REPRESENTATIVE OF THE STATE POLICE PRESENT SO THAT THE ACCURACY OF MEASUREMENT CAN BE ATTESTED TO IN COURT.





AERIAL SPEED CHECK ZONES



TYPICAL ISLAND

FILE NAME =	USER NAME = WOODSHANKRL	DESIGNED - EM	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	PAVEMENT MARKING DETAILS			ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
Default	PLOT SCALE = 100.0000' / in.	CHECKED - RW	REVISED -					VARIOUS	D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	13
	PLOT DATE = 6/24/2020	DATE - 7/2/19	REVISED -		SCALE:	SHEET 6	OF 8 SHEETS	STA.	TO STA.	CONTRACT NO. 46560		
										ILLINOIS FED. AID PROJECT		



Legend Height	Arrow Size	a
6' (1.8 m)	Small	2.9 (74)
8' (2.4 m)	Large	3.8 (96)

The space between adjacent letters or numerals should be approximately 3 (75) for 6' (1.8 m) legend and 4 (100) for 8' (2.4 m) legend.

LETTER AND ARROW GRID SCALE

FILE NAME =	USER NAME = WOODSHANKRL	DESIGNED - EM	REVISED -
pw:\planroom.dot\illinois.gov\PWDOT\Documents\IDOT Offices\District 3\Projects\D346533\CADData\D346533-cover.dgn		DRAWN - EM	REVISED -
Default	PLOT SCALE = 100,0000 "/in.	CHECKED - RW	REVISED -
	PLOT DATE = 6/24/2020	DATE - 7/2/19	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVEMENT MARKING DETAILS

SCALE: SHEET 8 OF 8 SHEETS STA. TO STA.

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VARIOUS	D3 HT PVMNT MRK RPR 21-13	VARIOUS	15	15
			CONTRACT NO. 46560	
			ILLINOIS FED. AID PROJECT	