



* THE EXISTING ROADWAY IS FULL DEPTH BITUMINOUS BEGINNING AT RT STA 1599+00.00 AND LT STA 1623+00.00 TO THE NORTHERNMOST PROJECT LIMITS.



E TANGENT SECTION WITH INLAY/OVERLAY

LT STA 1531+28.00 TO STA 1559+30.00
 RT STA 1534+89.94 TO STA 1557+63.73
 LT STA 1586+88.95 TO STA 1614+50.00
 * RT STA 1597+28.72 TO STA 1612+92.15
 * LT STA 1623+04.00 TO STA 1627+54.93
 * RT STA 1626+02.37 TO STA 1627+34.90



F TANGENT SECTION WITH INLAY/OVERLAY AND EXTRA LANE

RT STA 1531+28.00 TO STA 1534+89.94
 RT STA 1557+63.73 TO STA 1566+34.35
 LT STA 1559+30.00 TO STA 1566+34.35
 LT STA 1579+82.25 TO STA 1581+30.00
 RT STA 1579+82.25 TO STA 1588+63.64

- ① EXISTING PCC PAVEMENT
- ② EXISTING BITUMINOUS PAVEMENT
- ③ EXISTING BITUMINOUS SHOULDER
- ④ EXISTING AGGREGATE SHOULDERS
- ⑤ POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, STONE MATRIX ASPHALT, N80 - (2 - 2" LIFTS)
- ⑥ HOT-MIX ASPHALT SHOULDERS, (2 - 2" LIFTS)
- ⑦ AGGREGATE WEDGE SHOULDER, TYPE B - (4" TO 0")
- ⑧ BITUMINOUS MATERIALS (PRIME COAT) AND AGGREGATE (PRIME COAT)
- ⑨ HMA/PCC SURFACE REMOVAL (SEE SCHEDULE FOR THICKNESS AND LOCATIONS)
- ⑩ PIPE UNDERDRAINS, 4"

EXISTING PAVEMENT AND SHOULDER THICKNESSES				
RIGHT (NORTHBOUND)			PAVEMENT	SHOULDER
1390+00.00	TO	1531+28.00	10" CRPCCP	10" BITUMINOUS
1531+28.00	TO	1556+00.00	10" CRPCCP	10" BITUMINOUS
4.25" OVERLAY				
1556+00.00	TO	1599+00.00	10" CRPCCP	10" BITUMINOUS
			0.5" MILL AND 3.75" OVERLAY	
1599+00.00	TO	1627+34.90	16.5" BITUMINOUS	8" BITUMINOUS
LEFT (SOUTHBOUND)			PAVEMENT	SHOULDER
1390+00.00	TO	1531+28.00	10" CRPCCP	10" BITUMINOUS
1531+28.00	TO	1557+00.00	10" CRPCCP	10" BITUMINOUS
4.25" OVERLAY				
1557+00.00	TO	1614+52.00	10" CRPCCP	10" BITUMINOUS
			0.5" MILL AND 3.75" OVERLAY	
1614+52.00	TO	1623+00.00	10" CRPCCP	10" BITUMINOUS
1623+00.00	TO	1627+54.93	16.5" BITUMINOUS	8" BITUMINOUS

FROM EXISTING PLANS, ACTUAL FIELD CONDITIONS MAY VARY.

SUPERELEVATION TABLE			
1385+50.00	TO	1388+00.00	TRANSITION
1388+00.00	TO	1400+50.00	4.4% SUPER
1400+50.00	TO	1403+00.00	TRANSITION
1439+00.00	TO	1441+50.00	TRANSITION
1441+50.00	TO	1472+50.00	5.2% SUPER
1472+50.00	TO	1475+00.00	TRANSITION
1497+50.00	TO	1500+00.00	TRANSITION
1500+00.00	TO	1512+00.00	5.2% SUPER
1512+00.00	TO	1514+50.00	TRANSITION
1566+34.35	TO	1567+76.91	TRANSITION
1567+76.91	TO	1578+39.69	4.4% SUPER
1578+39.69	TO	1579+82.25	TRANSITION

FROM EXISTING PLANS, ACTUAL FIELD CONDITIONS MAY VARY. OVERLAY SHALL BE PLACED AT THICKNESS SHOWN ON TYPICAL SECTIONS.