

- 1. Existing reinforcement extending into the removal area shall be cleaned, straightened and incorporated into the new construction. Any reinforcement bars that are damaged during concrete removal shall be replaced with an approved bar splicer or anchorage system. Cost shall be included with Concrete Removal.
- 2. Trim existing reinforcement to accommodated proposed expansion joint.
- 3. See sheet 11 for section A-A, B-B, C-C and D-D.

BILL OF MATERIAL

Item	Unit	Total
Concrete Removal	Cu. Yd.	6.0
Concrete Superstructure	Cu. Yd.	6.8
Protective Coat	Sg. Yd.	15.0

LEGEND



Concrete Removal

-Parapet

—Parapet

-Parapet

ILE NAME = \$FILES\$



USER NAME = sdgnann	DESIGNED -	SDG	REVISED -
	CHECKED -	FAS	REVISED -
PLOT SCALE = \$SCALE\$	DRAWN -	IK	REVISED -
PLOT DATE = 5/22/2013	CHECKED -	SDG	REVISED -

MIN. LAP

#5 Bar 2'-7" Min. Lap.

STATI	E OI	FILLINOIS
DEPARTMENT	OF	TRANSPORTATION

	NORTH	ABUTM	ENT	EXP	ANS	ION	JOINT	CONCRETE	
REMOVAL AND REPLACEMENT									
STRUCTURE NO. 060-0222 S.B.									
		CHEET	NO	0	OF	1.4	CHEET	· c	

RTE.	SECTION		COUNTY	TOTAL SHEETS	SHEE NO.
255	60-(8,9) RS-1		MADISON	206	178
			CONTRACT	NO. 7	76F10
	TI I TNOTS E	ED A1	IN DDO IECT		