1-17-14 LETTTING ITEM 080

INDEX OF SHEETS

- **COVER SHEET**
- 2. PLANT SCHEDULE & UTILITY CONTACTS
- SUMMARY OF QUANTITIES
- LANDSCAPING PLAN ENTRY CORRIDOR 1, (OTTAWA AVE) 4.-8.
- LANDSCAPING PLAN ENTRY CORRIDOR 2, (CHAMPLAIN ST) 9.-11.
- LANDSCAPING PLAN ENTRY CORRIDOR 3, (MAIN ST)
- LANDSCAPING PLAN ENTRY CORRIDOR 4, (MADISON ST) 15.-17.

STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS

ENTRY CORRIDOR LEGEND

URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED

TRAFFIC CONTROL DEVICES

OFF-RD OPERATIONS, 2L, 2W, 15' (4.5 m) TO 24" (600 mm) FROM PAVEMENT EDGE

URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERSABLE MEDIAN

URBAN LANE CLOSURE, MULTILANE, 2W WITH MOUNTABLE MEDIAN LANE CLOSURE MULTILANE 1W OR 2W CROSSWALK OR SIDEWALK CLOSURE

OFF-RD MOVING OPERATIONS, MULTILANE, 15' (4.5 m) TO 24" (600 mm) FROM PAVEMENT EDGE

LANDSCAPING PLAN - ENTRY CORRIDOR 5, (McKINLEY RD)

CONSTRUCTION DETAILS

HIGHWAY STANDARDS

000001-06

701006-05

701101-04

701501-06

701601-09

701606-09

701801-05

701901-03

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION **DIVISION OF HIGHWAYS**

PROPOSED HIGHWAY PLANS

ENTRY CORRIDOR TREE PLANTING PROJECT FAU ROUTES: 6026, 6027, 6028, 6032 & 6046

PROJECT NO.: TE-00D3(076)

SECTION NO.: 12-00164-01-LS

ILLINOIS TRANSPORTATION ENHANCEMENT FUNDS

CITY of OTTAWA **LASALLE COUNTY**

JOB NO.: C-93-025-13

GROSS LENGTH=23,300 FEET=4.41 MILES NET LENGTH=23.300 FEFT=4.41 MILES

ENTRY	STREET NAME	FAU ROUTE	BEGIN CORRIDOR	END CORRIDOR	R/	ANGE 3 E	RANGE 4 E
ORRIDOR						RTE 23	
1	OTTAWA AVENUE	6028	WEST CITY LIMITS	CLAY STREET			
2	CHAMPLAIN STREET	6046	NORRIS DRIVE	CHERIE LANE		= =	
3	MAIN STREET	6027	BOYCE MEMORIAL DRIVE	CLAY STREET	34 N		
4	MADISON STREET	6026	BOYCE MEMORIAL DRIVE	CLAY STREET		DAYTON RD	
5	McKINLEY ROAD	6032	ADAMS STREET	E OF DAKOTA DRIVE	5	I-80	
SCALES (PLAN - 1"= PROFILE HORIZ 1"= PROFILE VERT 1"= CROSS SECTIONS - 1"=	50° 5'	_	ENTRY CORRIDOR (2	T-80	ETNA RD	
			CI	HAMPLAIN ST (FAU 60			Left
	50' 100'	300' - 1"= 10 30' - 1"= 10	· [ENTRY CORRIDOR (MADISON ST (FAU 602	26)	NORRIS DR NORRIS DR	US RTE 6
	50' 10	- 1"= 40' 100'	= 30'		MADISON ST (FAU 6027)	6)	- The state of the
	50		100' - 1"= 20'		Samuel Commission	\$	4
ENGINEER Conform	ING SCALES, RED TO STANDARD S	UCED SIZED Cales, in Mai	D USING STANDARD PLANS WILL NOT (ING MEASUREMENTS ES MAY BE USED.	ENTRY CORRIDOR (3 Main St (Fau 6027)		MCKINITEA LD (EVR 6035)	
J. U. L. I. JOINT UT		NFORMATION F		ENTRY CORRIDOR (1) OTTAWA AVE (FAU 602		(HE 23	A.B.
				ENTRY CORRIDOR (5		LOCATION N	MAP


McKINLEY RD (FAU 6032)




1"=3600"

12-00164-01-LS LASALLE FED. ROAD DEST. NO. 3 ELIHOIS FED. AND PROJECT TE-OOD3(076)

CONTRACT #87543





PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

CONTRACT NO. 87543

13289-COVR-01 - IDOT C01

UTILITY CONTACTS

ELECTRIC
AMERIN IP
MR. TIM MCTAGGART
RR1, 340 RACCUGLIA DR.
PO BOX 1428
LA SALLE, IL 61301
(815) 224-6270

GAS NICOR MS. CONNIE LANE 1844 FERRY RD. NAPERVILLE, IL 60563-9600 (630) 388-3830

TELEPHONE ATT MR. LARRY HUNT 301 DAYTON RD. OTTAWA, IL 61350 (815) 433-9931

MCI MR. TOM BUHER 7719 WEST 60TH PL. SUMMIT, IL 60501 (708) 458-6410

CABLE T.V.
MEDIACOM
MR. BOB GROUND
2506-1/2 N. BLOOMINGTON ST.
STREATOR, IL 61364
(815) 716-3103

WATER AND SEWER CITY OF OTTAWA MR. DAVE NOBLE 301 W. MADISON ST. OTTAWA, IL 61350 (815) 433-0161

		PLANT SCH	HEDULE		
DECIDU	IOUS SHADE T	TREES			
CODE	QUAN	BOTANICAL NAME	COMMON NAME	SIZE	ROO
RS	49	Acer Rubrum Red Sunset	Red Sunset Red Maple	2-1/2" cal.	B&B
GG	41	Ginkgo Biloba Autumn Gold	Autumn Gold Ginkgo	2-1/2" cal.	B&B
SG	41	Ginkgo Biloba Princeton Sentry	Princeton Sentry Ginkgo	2-1/2" cal.	B&B
ORNAM	ENTAL TREES				
НМ	90	Acer Campestre	Hedge Maple	2-1/2" cal.	B&E
CC	86	Cercis Canadensis	Eastern Redbud	2" cal.	B&B
SR	88	Syringa Reticulata	Japanese Tree Lilac	2-1/2" cal.	B&B

FILE NAME = 13289-INDEX-01 - IDOT G01	USER NAME =	DESIGNED — JRA	REVISED	
		CHECKED — BDB	REVISED —	
	PLOT SCALE =	DRAWN — JJB	REVISED —	
Print Sprint Sprint Art Sprint Sprint Ethiology Ethiology	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ENTRY CORRIDOR TREE PLANTING PROJECT CITY OF OTTAWA		F.A.U. RTE.	SEC	TION	COUNTY	TOTAL	SHEET NO.			
	DI ANT COL			ACTO		12-0016	84-01-LS	LASALLE	22	2
		HEDULE & UTIL	1					CONTRACT	NO. 875	43
SCALE: 1"≈50'	SHEET NO. 2	OF 22 SHEETS	STA.	TO STA.	FED. ROAD	DIST. NO. 3	ILLINOIS FED. A	ND PROJECT TE-00	D3(076)	10.0


	SUMMARY OF QUANTITIES			LANDSCAPE	
I. CODE NO.	PAY ITEM	UNIT	QUAN	CONSTRUCTION TYPE CO	
	TREE REMOVAL (6 TO 15 UNITS DIAMETER)				
20100110		UNIT	40	40	
20100210	TREE REMOVAL (OVER 15 UNITS DIAMETER)	UNIT	60	60	
67100100	MOBILIZATION	L SUM	1	1	
A2001220	TREE, ACER RUBRUM RED SUNSET (RED SUNSET RED MAPLE), 2-1/2" CALIPER, BALLED AND BURLAPPED	EACH	49	49	
A2004514	TREE, GINKGO BILOBA AUTUMN GOLD (AUTUMN GOLD GINKGO), 2-1/2" CALIPER BALLED AND BURLAPPED	EACH	41	41	
A2004520	TREE, GINKGO BILOBA PRINCETON SENTRY (PRINCETON SENTRY GINKGO), 2-1/2" CALIPER, BALLED AND BURLAPPED	EACH	41	41	
B2000120	TREE, ACER CAMPESTRE (HEDGE MAPLE), 2-1/2" CALIPER, TREE FORM, BALLED AND BURLAPPED	EACH	90	90	
B2001116	TREE, CERCIS CANADENSIS (EASTERN REDBUD), 2" CALIPER, TREE FORM, BALLED AND BURLAPPED	EACH	86	86	
B2006220	TREE, SYRINGA RETICULATA (JAPANESE TREE LILAC), 2-1/2" CALIPER, TREE FORM, BALLED AND BURLAPPED	EACH	88	88	
X7010216	TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	L SUM	1	1	
XX005206	EXPLORATORY EXCAVATION	FOOT	50	50	
XX005833	TREE PROTECTION, SPECIAL	L SUM	1	1	
1					
1 11					
H H I Gard					
3					
200					


 Δ - INDICATES SPECIAL PROVISION

FILE NAME = 13289-QUAN-01 - IDOT Q01	USER NAME =	DESIGNED — JRA	REVISED —	
		CHECKED — BDB	REVISED —	
	PLOT SCALE =	DRAWN — JJB	REVISED —	
	PLOT DATE - 10-10-2013	CHECKED - IBA	BEMSED —	-

SCALE: 1*=50'

F.A.U. RTE.	SEC	TION		COUNTY	TOTAL SHEETS	SHEET NO.
-	12-0016	34-01-LS		LASALLE	22	3
				CONTRACT	NO. 8754	43
FED. ROAD	DIST. NO. 3	ILLINOIS	FED. A	D PROJECT TE-0	OD3(076)	





ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59-7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET $22.\,$

FOR PLANT SCHEDULE SEE SHEET 2.


CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TUPE AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

NO SOIL SHALL LEAVE THE JOB SITE. ALL EXISTING MATERIAL IS TO REMAIN AT LOCATION.

FILE NAME = 13289-Ottawa - IDOT OT-1	USER NAME =	DESIGNED — JRA	REVISED —	
		CHECKED — BDB	REVISED —	
	PLOT SCALE =	DRAWN — JJB	REVISED —	
LIPST SALVEST HIS LAND MARKET ON THE 1-4/12 PROPERTY AND REAL PROPERTY THE 1-4/12	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —	٦

	ENTRY CORRIDOR TREE PLANTING PROJECT CITY OF OTTAWA		F.A.U. RTE.	F.A.U. SECTION		TOTAL	SHEET NO.		
				6028	6028 12-00164-01-LS		LASALLE 22		
LANDSCAPING PLAN			CONTRACT NO.				43		
	SCALE: 1*=50'	SHEET NO. 4 OF 22 SHEETS	STA.	TO STA.	FED, ROAD DI	IST. NO. 3 ILLINOIS FED	AID PROJECT TE-A	003 (076)	





ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59-7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET 22.


FOR PLANT SCHEDULE SEE SHEET 2.

CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TURF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

FILE NAME = 13289-Ottawa - IDOT OT-2	USER NAME =	DESIGNED — JRA	REVISED	
1		CHECKED — BDB	REVISED —	
	PLOT SCALE =	DRAWN — JJB	REVISED —	
UNTIL SERVICE AND ACTION OF A SERVICE AND ACTION OF ACTION ACTIONS AND ACTION ACTIONS AND	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

	ENTRY CORRIDOR TREE PLANTING PROJECT CITY OF OTTAWA LANDSCAPING PLAN					SEC	TION	COUNTY		SHEET NO.
						6028 12-00164-01-LS		LASALLE	ALLE 22	
						CONTRACT NO. 87543				
SCALE: 1"=50"	SHEET NO. 5 OF 2	2 SHEETS	STA.	TO STA.	FED. ROAD DIST. NO. 3 ILLINOIS FED. AID PROJECT TE-0063 (076)				063 (076)	



EXISTING MANHOLE PROPOSED ORNAMENTAL TREE 0 EXISTING TREE 0 EXISTING BUSH / HEDGE (XX) LS EXISTING EVERGREEN EXISTING STORM SEWER EXISTING STORM SEWER
EXISTING SANITARY SEWER
EXISTING FORCEMAIN
EXISTING WATER MAIN
APPARENT RIGHT-OF-WAY
(PER CITY OF OTTAWA) R REMOVE TREE

ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59-7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.


FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET 22.

CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TUPF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.


NO SOIL SHALL LEAVE THE JOB SITE. ALL EXISTING MATERIAL IS TO REMAIN AT LOCATION.

FILE NAME = 13289-Ottawa - IDOT OT-3	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — JJB	REVISED —
TOTAL THE ANALYSIS AND TOTAL T	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —

	ENTRY CORRIDOR TREE PI	F.A.U. RTE.	F.A.U. SECTION		TOTAL	SHEET NO.		
	CITY OF OTT	6028	12-00164-01-LS	LASALLE	22	6		
	LANDSCAPING			CONTRACT	NO. 8754	43		
SCALE: 1*=50'	SHEET NO. 6 OF 22 SHEETS	STA. TO STA.	FED. ROAD DIST. NO. 3 ILLINOIS FED. AID PROJECT TE-0003(076)					







ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59—7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS, NO SOD SHALL REMAIN IN NEW PLANTING AREAS.


FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET $22.\,$

CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TUPF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

FILE NAME = 13289-Ottawa - IDOT OT-5	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — JJB	REVISED —
Land of the Control o	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —


STATE OF ILLINOIS								
DEPARTMENT OF TRANSPORTATION								

	ENTRY CORRIDOR TREE PL	F.A.U. RTE.	F.A.U. RTE. SECTION		TOTAL	SHEET NO.		
	CITY OF OTTA	6028	6028 12-00164-01-LS		LASALLE 22			
	LANDSCAPING		CONTRACT				43	
SCALE: 1"=50"	SHEET NO. 8 OF 22 SHEETS	TO STA.	FED. ROAD DI	AD DIST. NO. 3 ILLINOIS FED. AID PROJECT TE-0003 (076)				









ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59—7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET $22.\,$


FOR PLANT SCHEDULE SEE SHEET 2.

CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TUPF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.


NO SOIL SHALL LEAVE THE JOB SITE. ALL EXISTING MATERIAL IS TO REMAIN AT LOCATION.

FILE NAME = 13289-Champlain - IDOT CHA-1	USER NAME =	DESIGNED — JRA	REVISED —
The second secon		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — JJB	REVISED —
A-SINGE AND A	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —

	ENTRY CORRIDOR TREE PLANTING PROJECT					F.A.U. RTE.	SECTION		COUNTY	TOTAL	SHEET NO.	
	CITY OF OTTAWA					6046 12-00164-01-LS		64-01-LS	LASALLE	22	9	
	LANDSCAPING PLAN									CONTRACT	NO. 8754	13
SCALE: 1	1*=50'	SHEET NO. 9	OF 22	SHEETS	STA.	TO STA.	FED. ROAD DI	ST. NO. 3	ILLINOIS FED.	AID PROJECT TE-0	063 (076)	







ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59-7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET $22.\,$


FOR PLANT SCHEDULE SEE SHEET 2.


CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TUPF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

NO SOIL SHALL LEAVE THE JOB SITE. ALL EXISTING MATERIAL IS TO REMAIN AT LOCATION.

FILE NAME = 13289-Champlain - IDOT CHA-2	USER NAME =	DESIGNED — JRA	REVISED —
The second secon	Design of the second of the se	CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — JJB	REVISED —
The second second	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —

	ENTRY CORRIDOR TREE PLANTING PROJECT					F.A.U. RTE. SECTION		TOTAL	SHEET NO.
CITY OF OTTAWA					12-00164-01-LS		LASALLE	22	10
LANDSCAPING PLAN				CONTRACT				NO. 87543	
SCALE: 1"=50"	SHEET NO. 10 OF 22 SHEETS	STA.	TO STA.	FED. ROAD (DIST. NO. 3	ILLINOIS FED.	AID PROJECT TE-00	03 (076)	





ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59-7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET 22.


FOR PLANT SCHEDULE SEE SHEET 2.


CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TURF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.


NO SOIL SHALL LEAVE THE JOB SITE. ALL EXISTING MATERIAL IS TO REMAIN AT LOCATION.

FILE NAME = 13289-Champlain - IDOT CHA-3	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — JJB	REVISED —
(Anti-Mala John Lacrome-Scrip pt PA z C) According to the control of product of the control	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —

	ENTRY CORRIDOR TREE PL		F.A.U. RTE.	SECTION	COUNTY	TOTAL	SHEET NO.
	CITY OF OTTA	6046	12-00164-01-LS	LASALLE	22	11	
	LANDSCAPING		CONTRACT NO. 8754				
SCALE: 1"=50"	SHEET NO. 11 OF 22 SHEETS	STA. TO STA.	FED. ROAD DO	AID PROJECT TE-0003(076)			







ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59—7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS, NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET $22.\,$


FOR PLANT SCHEDULE SEE SHEET 2.

CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TURF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

NO SOIL SHALL LEAVE THE JOB SITE. ALL EXISTING MATERIAL IS TO REMAIN AT LOCATION.

FILE NAME = 13289-Madison Main - IDOY MAIN-2	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — JJB	REVISED —
(Freedom Constants) (Special Constants) (Freedom Landscholm) (Constants)	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —

	ENTRY CORRIDOR TREE PLANTING PROJECT CITY OF OTTAWA LANDSCAPING PLAN		F.A.U. RTE.	SEC	TION	COUNTY	TOTAL	SHEET NO.		
				6027 12-0		84-01-LS	LASALLE	22	13	
							CONTRACT	NO. 8754	43	
	SCALE: 1*=50'	SHEET NO. 13 OF 22 SHEETS	STA.	TO STA.	FED. ROAD DE	IST, NO. 3	ILLINOIS FED. A	ID PROJECT TE-00	03 (076)	





LINE & SYMBOL LEGEND EXISTING FIRE HYDRANT EXISTING VALVE EXISTING INLET PROPOSED DECIDUOUS SHADE TREE EXISTING CATCH BASIN EXISTING MANHOLE PROPOSED ORNAMENTAL TREE 0 EXISTING TREE 0 EXISTING BUSH / HEDGE (XX) LS EXISTING EVERGREEN EXISTING STORM SEWER EXISTING STORM SEWER EXISTING SANITARY SEWER EXISTING FORCEMAIN EXISTING WATER MAIN APPARENT RIGHT-OF-WAY (PER CITY OF OTTAWA) R REMOVE TREE

NOTES

ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59-7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS,

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET $22.\,$


FOR PLANT SCHEDULE SEE SHEET 2.


CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TUPE AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

NO SOIL SHALL LEAVE THE JOB SITE. ALL EXISTING MATERIAL IS TO REMAIN AT LOCATION.

FILE NAME = 13289-Madison Main - IDOT MAIN-3	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — JJB	REVISED —
(100 miles)(100 art)(00 (200 (30 (40)))) (100 (40 (40))) (100 (40)) (100 (PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —


ENTRY CORRIDOR TREE PLANTING PROJECT		F.A.U. RTE.	SEC	TION	COUNTY	TOTAL	SHEET NO.	
CITY OF OTTAWA			6027	12-0016	34-01-LS	LASALLE	22	14
LANDSCAPING PLAN					CONTRACT	NO. 8754	43	
SCALE: 1"=50"	SHEET NO. 14 OF 22 SHEETS	STA. TO STA.	FED, ROAD DI	IST. NO. 3	ILLINOIS FED.	ED. AID PROJECT TE-0003 (076)		






FILE NAME = 13289-Madison Main - IDOT MAD-2	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — JJB	REVISED —
HATCHISON AND A PARKETS IN IA IN	PLOT DATE = 10-10-2013	CHECKED — JRA	REVISED —

ENTRY CORRIDOR TREE PLANTING PROJECT		F.A.U. RTE.	SECTION	COUNTY	TOTAL	SHEET NO.		
CITY OF OTTAWA LANDSCAPING PLAN			6026	12-00164-01-LS	LASALLE	22	16	
					CONTRACT	NO. 8754	43	
SCALE: 1"=50"	SHEET NO. 16 OF 22 SHEETS	STA. TO STA.	FED. ROAD I	FED. ROAD DIST. NO. 3 ILLINOIS FED. AID PROJECT TE-DOb3 (078)				







ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59—7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

PLANT QUANTITIES SHOWN ON DRAWINGS ARE APPROXIMATE. CONTRACTOR SHALL PROVIDE PLANT MATERIALS SUFFICIENT TO COVER AREAS SHOWN ON PLANS AT THE REQUIRED SPACING.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET $22.\,$


FOR PLANT SCHEDULE SEE SHEET 2.


CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TURF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

FILE NAME = 13289-McKinley - IDOT MCKIN-1	USER NAME =	DESIGNED — JRA	REVISED —
X8:		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — ACAD	REVISED —
	PLOT DATE = 10-10-2013	CHECKED — ACAD	REVISED —

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

	ENTRY CORRIDOR TREE PLANTING PROJECT CITY OF OTTAWA LANDSCAPING PLAN		F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
			6032	12-00164-01-LS	LASALLE 22		18	
				receivable -	CONTRACT	NO. 8754	13	
	SCALE: 1"=50'	SHEET NO. 18 OF 22 SHEETS	STA. TO STA.	FED. ROAD DIST	T. NO. 3 ILLINOIS FED. A	AID PROJECT TE- 00	03(076)	





ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59-7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

PLANT QUANTITIES SHOWN ON DRAWINGS ARE APPROXIMATE. CONTRACTOR SHALL PROVIDE PLANT MATERIALS SUFFICIENT TO COVER AREAS SHOWN ON PLANS AT THE REQUIRED SPACING.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET 22.


FOR PLANT SCHEDULE SEE SHEET 2.


CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TURF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

FILE NAME = 13289-McKinley - IDOT MCKIN-2	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — ACAD	REVISED —
The second second	PLOT DATE = 10-10-2013	CHECKED — ACAD	REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

	ENTRY CORRIDOR TREE PLANTING PROJECT CITY OF OTTAWA		F.A.U. RTE.	SEC	TION		COUNTY	TOTAL	SHEET NO.
			6032			LASALLE 22		19	
LANDSCAPING PLAN							CONTRACT	NO. 875	13
SCALE: 1"=50"	SHEET NO. 19 OF 22 SHEETS	STA. TO STA.	FED. ROAD D	FED. ROAD DIST. NO. 3 ILLINOIS FED. AIL					





ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59-7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

PLANT QUANTITIES SHOWN ON DRAWINGS ARE APPROXIMATE. CONTRACTOR SHALL PROVIDE PLANT MATERIALS SUFFICIENT TO COVER AREAS SHOWN ON PLANS AT THE REQUIRED SPACING.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET 22.


FOR PLANT SCHEDULE SEE SHEET 2.


CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TUPF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

NO SOIL SHALL LEAVE THE JOB SITE. ALL EXISTING MATERIAL IS TO REMAIN AT LOCATION.

FILE NAME = 13289-McKinley - IDOT MCKIN-3	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — ACAD	REVISED —
	PLOT DATE = 10-10-2013	CHECKED — ACAD	REVISED —

	ENTRY CORRIDOR TREE PLANTING PROJECT			F.A.U. RTE.	SEC	TION	COUNTY	TOTAL	SHEET NO.	
	CITY OF OTTAWA LANDSCAPING PLAN		6032	6032 12-00164-01-LS		LASALLE	22	20		
						CONTRACT	NO. 875	13		
	SCALE: 1*=50*	SHEET NO. 20 OF 22 SHEETS	STA.	TO STA.	FED. ROAD I	FED. ROAD DIST. NO. 3 ILLINOIS FED. AID PROJECT TE-8003 (076)				2000-2





ALL PLANTINGS SHALL FOLLOW IDOT BUREAU OF DESIGN & ENVIRONMENT MANUAL — CHAPTER 59 — LANDSCAPE DESIGN AND EROSION CONTROL 59-7.09 PLANTING IN URBANIZED AREA FOR SIGHT DISTANCES.

ALL AREAS TO BE LANDSCAPED SHALL BE EXCAVATED TO THE DEPTH APPROPRIATE FOR THE PROPOSED PLANTINGS. NO SOD SHALL REMAIN IN NEW PLANTING AREAS.

PLANT QUANTITIES SHOWN ON DRAWINGS ARE APPROXIMATE. CONTRACTOR SHALL PROVIDE PLANT MATERIALS SUFFICIENT TO COVER AREAS SHOWN ON PLANS AT THE REQUIRED SPACING.

FOR LANDSCAPE PLANTING DETAILS AND ADDITIONAL PLANTING NOTES, SEE SHEET 22.

FOR PLANT SCHEDULE SEE SHEET 2.

CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TURF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.

NO SOIL SHALL LEAVE THE JOB SITE. ALL EXISTING MATERIAL IS TO REMAIN AT LOCATION.

FILE NAME = 13289-McKinley - IDOT MCKIN-4	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — ACAD	REVISED —
	PLOT DATE = 10-10-2013	CHECKED — ACAD	REVISED —


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ENTRY CORRIDOR TREE PLANTING PROJECT CITY OF OTTAWA LANDSCAPING PLAN			F.A.U. RTE.	SECTION
			6032	12-00164-01-LS
SCALE: 1*=50*	SHEET NO. 21 OF 22 SHEETS	STA. TO STA.	FED. BOAD D	IST NO 3 TILLINOIS

COUNTY TOTAL SHEET NO.

LASALLE 22 21


CONTRACT NO. 87543



SPECIFIED CHAFING GUARD, COLOR TO BE BLACK
SPECIFIED GLYING WIRE

SPECIFIED STAKES, 3 PER TIRE

4 STAKING DETAIL
NOT TO SCALE



5 TREE PLANTING ON SLOPE DETAIL NOT TO SCALE


1 TREE PLANTING DETAIL
NOT TO SCALE



STAKING & GUYING PLAN
NOT TO SCALE



3 GUYING DETAIL
NOT TO SCALE



6 ORNAMENTAL TREE PLANTING IN MEDIAN DETAIL

GENERAL PLANTING NOTES

- CONTRACTOR SHALL VERIFY SITE CONDITIONS BEFORE PROCEEDING WITH WORK AND SHALL REPORT ANY CONFLICT TO ENGINEER.
- EXACT LOCATIONS OF ALL UNDERGROUND UTILITIES SHALL BE DETERMINED AND VERIFIED IN THE FIELD BY CONTRACTOR. CONTRACTOR SHALL REPORT ANY CONFLICTS TO ENGINEER PRIOR TO BEGINNING WORK.
- 3. THE CONTRACTOR SHALL COORDINATE THIS WORK WITH OTHER TRADES AND MAINTAIN DRAINAGE DURING CONSTRUCTION.
- 4. CONTRACTOR SHALL KEEP ALL AREAS CLEAN, NEAT AND ORDERLY AT ALL TIMES.
- CONTRACTOR SHALL PROTECT EXISTING VEGETATION OUTSIDE THE PLANTING LIMITS. ALL EXISTING PARKWAY TREES AND EXISTING INTERIOR TREES SHALL BE PROTECTED WHILE PROJECT IS UNDER CONSTRUCTION AND SHALL BE REPLACED AT HIS COST, IF DAMAGED BY CONTRACTOR
- 6. AT LEAST ONE PLANT OF EACH SPECIES DELIVERED TO THE SITE WILL HAVE AN IDENTIFICATION TAG FROM THE SUPPLYING NURSERY SHOWING COMMON AND BOTANICAL PLANT NAMES. ALL PLANTS SHALL BE PROTECTED AGAINST HEAT, SUN, WIND AND FROST DURING TRANSPORTATION TO THE SITE AND WHILE BEING HELD AT THE SITE. DO NOT STORE PLANTS IN TOTAL DARKNESS MORE THAN ONE DAY.
- 7. DO NOT DAMAGE PLANT ROOT BALL DURING TRANSPORTATION OR PLANTING.
- CONTRACTOR SHALL NOTIFY THE ENGINEER AT THE TIME OF DELIVERY OF ANY PLANT MATERIAL THAT IS DAMAGED OR IN POOR CONDITION TO DETERMINE ACCEPTABILITY.
- 9. ALL TREES SHALL BE SINGLE TRUNK STANDARDS UNLESS OTHERWISE NOTED.
- ENGINEER RESERVES THE RIGHT TO INSPECT ALL PLANT MATERIALS BEFORE PLANTING. MATERIAL MAY BE REJECTED AT ANY TIME DUE TO CONDITION, FORM OR DAMAGE BEFORE OR AFTER PLANTING.
- 11. THE PLANTING PLANS ARE DIAGRAMMATIC. PLANT MATERIALS SHALL BE SPOTTED APPROXIMATELY AS SHOWN ON THE LANDSCAPE DRAWING AND ARE TO BE APPROVED BY THE ENGINEER BEFORE EXCAVATING SOIL FOR PLANTING. THE CONTRACTOR SHALL FURNISH ALL MARKING FLAGS. THE ENGINEER WILL PLACE THE MARKING FLAGS AND LAYOUT EACH AREA FOR PLANTING.
- INSTALL ALL PLANT MATERIAL IN ACCORDANCE WITH DETAILS. ALL FINISH GRADING AND PLANTING OPERATIONS SHALL BE CARRIED OUT IN ACCORDANCE WITH PROJECT SPECIFICATIONS.
- 13. ALL PLANT TYING MATERIAL AND MARKING TAPES SHALL BE REMOVED AT THE TIME OF PLANTING.
- 14. WATER ALL TREES IMMEDIATELY AFTER PLANTING.
- 15. CONTRACTOR SHALL REPAIR TO ITS ORIGINAL CONDITION ANY AREA OR ITEM DAMAGED AS A RESULT OF THEIR WORK. ANY EXISTING LANDSCAPE THAT IS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED AND/OR REPLACED IN KIND AND EQUIVALENT SIZE. CONTRACTOR SHALL REPAIR AND SEED IN KIND, AT HIS COST, ALL TURF AREAS DAMAGED AS A RESULT OF PROJECT CONSTRUCTION.
- 16. CONTRACTOR TO GUY AND STAKE TREES, IF REQUIRED, AS DIRECTED BY ENGINEER, IMMEDIATELY AFTER PLANTING. PROVIDE A MINIMUM OF TWO GUY WIRES PER TREE ON THE UPHILL SIDE OF TREES PLANTED ON SLOPES STEEPER THAN 3:1.
- 17. PROVIDE WIRE TIES AND GUYS OF 2-STRAND, TWISTED, PLIABLE GALVANIZED IRON WIRE, NOT LICHTER THAN 12 GAGE WITH ZINC-COATED TURNBUCKLES. PROVIDED NOT LESS THAN ½" DIAMETER RUBBER OR PLASTIC HOSE, CUT TO REQUIRED LENGTHS AND OF UNIFORM COLOR, MATERIAL, AND SIZE TO PROTECT TREE TRUNKS FROM DAMAGE BY
- CONTRACTOR TO WARRANTY ALL TREES AGAINST DEATH AND DEFECTS INCLUDING UNSATISFACTORY GROWTH.
- 19. PROTECT SEEDED AREAS AND SLOPES AGAINST EROSION AND SEED LOSS DUE TO BIRDS AND OTHER WILDLIFE BY APPLYING SHORT TERM, BIODEGRADABLE EROSION CONTROL BLANKETS, MATS, AND/OR NETTING AFTER COMPLETION OF SEEDING OPERATIONS. ADHERE TO MANUFACTURER'S SPECIFICATIONS FOR REQUIRED PLACEMENT AND STAKING.
- 20. REMOVE AGGREGATE FILL TO AN ADEQUATE DEPTH TO ENSURE THAT NO PART OF THE PLANT MATERIAL IS IN CONTACT OR AFFECTED BY THE LIME IN THE AGGREGATE FILL AS APPROVED BY ENGINEER.

FILE NAME = 13289-DTLS-01 - IDOT D1	USER NAME =	DESIGNED — JRA	REVISED —
		CHECKED — BDB	REVISED —
	PLOT SCALE =	DRAWN — ACAD	REVISED —
	PLOT DATE = 10-10-2013	CHECKED — ACAD	REVISED —

	ENTRY CORRIDOR TREE PLANTING PROJECT		SECTION	COUNTY	TOTAL	SHEET NO.
CITY OF OTTAWA			12-00164-01-LS		LASALLE 22	22
	CONSTRUCTION DETAILS			CONTRACT	NO. 875	43
SCALE: 1'=	O' SHEET NO. 22 OF 22 SHEETS STA. TO STA.	FED BOAD	DIST NO 3 HUNDIS FEE	AID PROJECT TE	00.1/076)	