


ILLINOIS TOLLWAY LEGEND PROPOSED

- | | | | |
|----|--|----|---|
| 1 | PORTLAND CEMENT CONCRETE PAVEMENT 10" (JOINTED) | 11 | AGGREGATE SHOULDERS, TYPE B |
| 2 | PORTLAND CEMENT CONCRETE PAVEMENT 12" (JOINTED) | 12 | AGGREGATE SHOULDERS SPECIAL, TYPE C |
| 3 | CONTINUOUSLY REINFORCED P.C.C. PAVEMENT 12" | 13 | GALVANIZED STEEL PLATE BEAM GUARDRAIL, 6' POSTS |
| 4 | SUBGRADE AGGREGATE, 12" | 14 | SOLDIER PILE RETAINING WALL WITH 42" CONCRETE BARRIER |
| 5 | SUBGRADE AGGREGATE SPECIAL, 6" | 15 | TOPSOIL EXCAVATION AND PLACEMENT, 8" |
| 6 | DRILLED AND GROUTED IN PLACE, TIE BARS 3/4" X 24" AT 24" CTS. (INCLUDED IN COST OF PAVEMENT) | 16 | SEEDING |
| 7 | GUTTER, TYPE G-2 (SEE NOTE 6) | 17 | PIPE UNDERDRAINS, FABRIC LINED TRENCH 6" |
| 8 | GUTTER, TYPE G-2 MODIFIED | 18 | SLOPE WALL (SEE BRIDGE DRAWINGS) |
| 9 | HOT-MIX ASPHALT SHOULDERS, 6" | 19 | PORTLAND CEMENT CONCRETE SHOULDER 8" |
| 10 | STABILIZED SUBBASE HOT-MIX ASPHALT, 4" | 20 | RIGHT OF WAY FENCE, 6' |

NOTES

- SEE CROSS SECTIONS FOR GRADING INFORMATION.
- SEE LANDSCAPING PLANS FOR SEEDING AND SODDING INFORMATION.
- SEE PLANS FOR PLACEMENT OF GUARDRAIL.
- SEE UNDERDRAIN PLANS FOR PLACEMENT OF UNDERDRAINS.
- THE PAVEMENT CROSS SLOPE TRANSITIONS FROM 8% TO -7.1% FOLLOW TYPICAL SECTION FOR LAY OUT PURPOSES ONLY. USE THE SUPERELEVATION TRANSITION DIAGRAM FOR GRADING INFORMATION.
- SEE PLAN & PROFILE SHEETS FOR LOCATION OF CURB AND GUTTER.



FILE NAME =	USER NAME = *USER*	DESIGNED <i>PJO</i>	REVISED -
*FILEL#		DRAWN <i>KES</i>	REVISED -
	PLOT SCALE = *SCALE*	CHECKED <i>JCM</i>	REVISED -
	PLOT DATE = *DATE*	DATE <i>10/15/2012</i>	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

TYPICAL SECTIONS
I-88 RAMP C

SCALE: SHEET NO. 16 OF 17 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	62
CONTRACT NO. 60I31				
ILLINOIS FED. AID PROJECT				