

BEAM 16

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	819+34.44	-6.96	730.50	730.50
⊕ Brg. S. Abut	819+35.96	-6.96	730.52	730.52
A	819+45.96	-6.96	730.62	730.65
B	819+55.96	-6.96	730.72	730.77
C	819+65.96	-6.96	730.81	730.89
D	819+75.96	-6.96	730.89	730.99
E	819+85.96	-6.96	730.97	731.09
F	819+95.96	-6.96	731.05	731.17
G	820+05.96	-6.96	731.12	731.23
H	820+15.96	-6.96	731.18	731.29
I	820+25.96	-6.96	731.24	731.33
J	820+35.96	-6.96	731.30	731.36
K	820+45.96	-6.96	731.35	731.39
S. Brg. Pier	820+59.96	-6.96	731.41	731.41
⊕ Pier	820+60.96	-6.96	731.41	731.41
N. Brg. Pier	820+61.96	-6.96	731.42	731.42
L	820+71.96	-6.96	731.45	731.48
M	820+81.96	-6.96	731.48	731.54
N	820+91.96	-6.96	731.51	731.59
O	821+01.96	-6.96	731.53	731.63
P	821+11.96	-6.96	731.55	731.66
Q	821+21.96	-6.96	731.56	731.68
R	821+31.96	-6.96	731.57	731.68
S	821+41.96	-6.96	731.57	731.68
T	821+51.96	-6.96	731.56	731.65
U	821+61.96	-6.96	731.56	731.62
V	821+71.96	-6.96	731.54	731.58
⊕ Brg. N. Abut	821+85.96	-6.96	731.51	731.51
Bk. N. Abut.	821+87.47	-6.96	731.51	731.51

BEAM 17

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	819+35.33	-0.46	730.38	730.38
⊕ Brg. S. Abut	819+36.84	-0.46	730.39	730.39
A	819+46.84	-0.46	730.49	730.52
B	819+56.84	-0.46	730.59	730.65
C	819+66.84	-0.46	730.68	730.76
D	819+76.84	-0.46	730.76	730.86
E	819+86.84	-0.46	730.84	730.96
F	819+96.84	-0.46	730.92	731.04
G	820+06.84	-0.46	730.99	731.10
H	820+16.84	-0.46	731.05	731.16
I	820+26.84	-0.46	731.11	731.20
J	820+36.84	-0.46	731.17	731.23
K	820+46.84	-0.46	731.22	731.25
S. Brg. Pier	820+60.84	-0.46	731.28	731.28
⊕ Pier	820+61.84	-0.46	731.28	731.28
N. Brg. Pier	820+62.84	-0.46	731.28	731.28
L	820+72.84	-0.46	731.32	731.35
M	820+82.84	-0.46	731.35	731.41
N	820+92.84	-0.46	731.38	731.46
O	821+02.84	-0.46	731.40	731.50
P	821+12.84	-0.46	731.41	731.53
Q	821+22.84	-0.46	731.43	731.54
R	821+32.84	-0.46	731.43	731.55
S	821+42.84	-0.46	731.43	731.54
T	821+52.84	-0.46	731.43	731.52
U	821+62.84	-0.46	731.42	731.49
V	821+72.84	-0.46	731.40	731.45
⊕ Brg. N. Abut	821+86.84	-0.46	731.38	731.38
Bk. N. Abut.	821+88.36	-0.46	731.37	731.37

P.G. LINE & ⊕ SOUTHBOUND IL 59

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	819+35.39	0.00	730.37	730.37
⊕ Brg. S. Abut	819+36.91	0.00	730.38	730.38
A	819+46.91	0.00	730.48	730.51
B	819+56.91	0.00	730.58	730.64
C	819+66.91	0.00	730.67	730.75
D	819+76.91	0.00	730.75	730.86
E	819+86.91	0.00	730.83	730.95
F	819+96.91	0.00	730.91	731.03
G	820+06.91	0.00	730.98	731.09
H	820+16.91	0.00	731.04	731.15
I	820+26.91	0.00	731.10	731.19
J	820+36.91	0.00	731.16	731.22
K	820+46.91	0.00	731.21	731.24
S. Brg. Pier	820+60.91	0.00	731.27	731.27
⊕ Pier	820+61.91	0.00	731.27	731.27
N. Brg. Pier	820+62.91	0.00	731.27	731.27
L	820+72.91	0.00	731.31	731.34
M	820+82.91	0.00	731.34	731.40
N	820+92.91	0.00	731.37	731.45
O	821+02.91	0.00	731.39	731.49
P	821+12.91	0.00	731.40	731.52
Q	821+22.91	0.00	731.42	731.53
R	821+32.91	0.00	731.42	731.54
S	821+42.91	0.00	731.42	731.53
T	821+52.91	0.00	731.42	731.51
U	821+62.91	0.00	731.41	731.48
V	821+72.91	0.00	731.39	731.44
⊕ Brg. N. Abut	821+86.91	0.00	731.37	731.37
Bk. N. Abut.	821+88.42	0.00	731.36	731.36