

BEAM 3

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	919+10.45	13.46	730.24	730.24
⊕ Brg. S. Abut	919+11.97	13.46	730.26	730.26
A	919+21.97	13.46	730.37	730.40
B	919+31.97	13.46	730.48	730.53
C	919+41.97	13.46	730.58	730.66
D	919+51.97	13.46	730.67	730.78
E	919+61.97	13.46	730.76	730.88
F	919+71.97	13.46	730.85	730.97
G	919+81.97	13.46	730.93	731.05
H	919+91.97	13.46	731.01	731.11
I	920+01.97	13.46	731.08	731.17
J	920+11.97	13.46	731.14	731.21
K	920+21.97	13.46	731.20	731.24
S. Brg. Pier	920+35.97	13.46	731.28	731.28
⊕ Pier	920+36.97	13.46	731.28	731.28
N. Brg. Pier	920+37.97	13.46	731.29	731.29
L	920+47.97	13.46	731.34	731.36
M	920+57.97	13.46	731.38	731.43
N	920+67.97	13.46	731.42	731.50
O	920+77.97	13.46	731.45	731.55
P	920+87.97	13.46	731.48	731.59
Q	920+97.97	13.46	731.50	731.62
R	921+07.97	13.46	731.51	731.63
S	921+17.97	13.46	731.53	731.64
T	921+27.97	13.46	731.53	731.63
U	921+37.97	13.46	731.54	731.60
V	921+47.97	13.46	731.53	731.57
⊕ Brg. N. Abut	921+61.97	13.46	731.52	731.52
Bk. N. Abut.	921+63.48	13.46	731.52	731.52

BEAM 4

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	919+11.34	19.96	730.39	730.39
⊕ Brg. S. Abut	919+12.86	19.96	730.40	730.40
A	919+22.86	19.96	730.51	730.55
B	919+32.86	19.96	730.62	730.68
C	919+42.86	19.96	730.72	730.80
D	919+52.86	19.96	730.82	730.92
E	919+62.86	19.96	730.91	731.02
F	919+72.86	19.96	730.99	731.11
G	919+82.86	19.96	731.07	731.19
H	919+92.86	19.96	731.15	731.25
I	920+02.86	19.96	731.22	731.31
J	920+12.86	19.96	731.28	731.35
K	920+22.86	19.96	731.34	731.38
S. Brg. Pier	920+36.86	19.96	731.42	731.42
⊕ Pier	920+37.86	19.96	731.42	731.42
N. Brg. Pier	920+38.86	19.96	731.43	731.43
L	920+48.86	19.96	731.48	731.50
M	920+58.86	19.96	731.52	731.57
N	920+68.86	19.96	731.55	731.63
O	920+78.86	19.96	731.59	731.69
P	920+88.86	19.96	731.61	731.73
Q	920+98.86	19.96	731.63	731.75
R	921+08.86	19.96	731.65	731.77
S	921+18.86	19.96	731.66	731.77
T	921+28.86	19.96	731.67	731.76
U	921+38.86	19.96	731.67	731.74
V	921+48.86	19.96	731.67	731.71
⊕ Brg. N. Abut	921+62.86	19.96	731.65	731.65
Bk. N. Abut.	921+64.37	19.96	731.65	731.65

BEAM 5

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	919+12.23	26.46	730.53	730.53
⊕ Brg. S. Abut	919+13.74	26.46	730.55	730.55
A	919+23.74	26.46	730.66	730.69
B	919+33.74	26.46	730.77	730.82
C	919+43.74	26.46	730.87	730.95
D	919+53.74	26.46	730.96	731.06
E	919+63.74	26.46	731.05	731.17
F	919+73.74	26.46	731.14	731.26
G	919+83.74	26.46	731.21	731.33
H	919+93.74	26.46	731.29	731.40
I	920+03.74	26.46	731.36	731.45
J	920+13.74	26.46	731.42	731.49
K	920+23.74	26.46	731.48	731.52
S. Brg. Pier	920+37.74	26.46	731.56	731.56
⊕ Pier	920+38.74	26.46	731.56	731.56
N. Brg. Pier	920+39.74	26.46	731.57	731.57
L	920+49.74	26.46	731.61	731.64
M	920+59.74	26.46	731.66	731.71
N	920+69.74	26.46	731.69	731.77
O	920+79.74	26.46	731.72	731.82
P	920+89.74	26.46	731.75	731.86
Q	920+99.74	26.46	731.77	731.89
R	921+09.74	26.46	731.79	731.91
S	921+19.74	26.46	731.80	731.91
T	921+29.74	26.46	731.80	731.90
U	921+39.74	26.46	731.81	731.88
V	921+49.74	26.46	731.80	731.84
⊕ Brg. N. Abut	921+63.74	26.46	731.79	731.79
Bk. N. Abut.	921+65.26	26.46	731.79	731.79