

BEAM 6

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	919+13.12	32.96	730.68	730.68
⊕ Brg. S. Abut	919+14.63	32.96	730.70	730.70
A	919+24.63	32.96	730.80	730.84
B	919+34.63	32.96	730.91	730.97
C	919+44.63	32.96	731.01	731.09
D	919+54.63	32.96	731.10	731.21
E	919+64.63	32.96	731.19	731.31
F	919+74.63	32.96	731.28	731.40
G	919+84.63	32.96	731.36	731.47
H	919+94.63	32.96	731.43	731.54
I	920+04.63	32.96	731.50	731.59
J	920+14.63	32.96	731.56	731.63
K	920+24.63	32.96	731.62	731.66
S. Brg. Pier	920+38.63	32.96	731.70	731.70
⊕ Pier	920+39.63	32.96	731.70	731.70
N. Brg. Pier	920+40.63	32.96	731.71	731.71
L	920+50.63	32.96	731.75	731.78
M	920+60.63	32.96	731.80	731.85
N	920+70.63	32.96	731.83	731.91
O	920+80.63	32.96	731.86	731.96
P	920+90.63	32.96	731.89	732.00
Q	921+00.63	32.96	731.91	732.03
R	921+10.63	32.96	731.92	732.04
S	921+20.63	32.96	731.93	732.04
T	921+30.63	32.96	731.94	732.03
U	921+40.63	32.96	731.94	732.01
V	921+50.63	32.96	731.94	731.98
⊕ Brg. N. Abut	921+64.63	32.96	731.92	731.92
Bk. N. Abut.	921+66.15	32.96	731.92	731.92

BEAM 7

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	919+14.01	39.46	730.82	730.82
⊕ Brg. S. Abut	919+15.52	39.46	730.84	730.84
A	919+25.52	39.46	730.95	730.98
B	919+35.52	39.46	731.05	731.11
C	919+45.52	39.46	731.15	731.24
D	919+55.52	39.46	731.25	731.35
E	919+65.52	39.46	731.34	731.45
F	919+75.52	39.46	731.42	731.54
G	919+85.52	39.46	731.50	731.62
H	919+95.52	39.46	731.57	731.68
I	920+05.52	39.46	731.64	731.73
J	920+15.52	39.46	731.71	731.77
K	920+25.52	39.46	731.76	731.80
S. Brg. Pier	920+39.52	39.46	731.84	731.84
⊕ Pier	920+40.52	39.46	731.84	731.84
N. Brg. Pier	920+41.52	39.46	731.85	731.85
L	920+51.52	39.46	731.89	731.92
M	920+61.52	39.46	731.93	731.99
N	920+71.52	39.46	731.97	732.05
O	920+81.52	39.46	732.00	732.10
P	920+91.52	39.46	732.03	732.14
Q	921+01.52	39.46	732.05	732.17
R	921+11.52	39.46	732.06	732.18
S	921+21.52	39.46	732.07	732.18
T	921+31.52	39.46	732.08	732.17
U	921+41.52	39.46	732.08	732.15
V	921+51.52	39.46	732.07	732.11
⊕ Brg. N. Abut	921+65.52	39.46	732.06	732.06
Bk. N. Abut.	921+67.04	39.46	732.05	732.05

BEAM 8

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	919+14.90	45.96	730.97	730.97
⊕ Brg. S. Abut	919+16.41	45.96	730.99	730.99
A	919+26.41	45.96	731.09	731.12
B	919+36.41	45.96	731.20	731.26
C	919+46.41	45.96	731.30	731.38
D	919+56.41	45.96	731.39	731.49
E	919+66.41	45.96	731.48	731.60
F	919+76.41	45.96	731.56	731.68
G	919+86.41	45.96	731.64	731.76
H	919+96.41	45.96	731.71	731.82
I	920+06.41	45.96	731.78	731.87
J	920+16.41	45.96	731.85	731.91
K	920+26.41	45.96	731.90	731.94
S. Brg. Pier	920+40.41	45.96	731.98	731.98
⊕ Pier	920+41.41	45.96	731.98	731.98
N. Brg. Pier	920+42.41	45.96	731.99	731.99
L	920+52.41	45.96	732.03	732.06
M	920+62.41	45.96	732.07	732.13
N	920+72.41	45.96	732.11	732.19
O	920+82.41	45.96	732.14	732.24
P	920+92.41	45.96	732.16	732.28
Q	921+02.41	45.96	732.18	732.30
R	921+12.41	45.96	732.20	732.32
S	921+22.41	45.96	732.21	732.32
T	921+32.41	45.96	732.21	732.30
U	921+42.41	45.96	732.21	732.28
V	921+52.41	45.96	732.21	732.25
⊕ Brg. N. Abut	921+66.41	45.96	732.19	732.19
Bk. N. Abut.	921+67.93	45.96	732.19	732.19