


F.A.P. RTF.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
322	II-13	CHRISTIAN	437	170
STA.	TO STA.			
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		



CONDUIT DETAIL
(Integral Abutment)


GENERAL NOTES

Stainless steel conduit, couplings, and elbows shall be according to Section 810 of the Standard Specifications, as applicable, shall be Type 304 or Type 316, and shall be manufactured according to UL Standard 6A and ANSI Standard C 80.1.

Conduit fittings shall be the threaded type, shall be Type 304 or Type 316 stainless steel, and shall be manufactured according to UL Standard 514B.

All stainless steel and liquid tight flexible non-metallic conduit, including all fittings, bushings, couplings, and elbows shall be included in the cost of the "Junction Box, Stainless Steel, Attached to Structure, 12" X 10" X 6" " pay item.

All dimensions are in millimeters (inches) unless otherwise shown.



CONDUIT DETAIL
(Open Abutment)

CONDUIT - PARAPET ON APPROACH PAVEMENT

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION	
NAME	DATE		
SEB	10/10/12		
SEB	11/14/12		
SCALE:		ILLUMINATING PLAN -	
DATE		LIGHTING DETAILS 3 OF 4	
		FAP 322 (US 51)	
		SECTION II-13	
		CHRISTIAN COUNTY	
NONE		DRAWN BY IDOT	
		CHECKED BY	