



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

January 2, 2019

SUBJECT: TR 189 A (Rural Street)  
Section 15-01127-01-BR  
Kane County  
Contract No. 61F31  
Item 120  
January 18, 2019 Letting  
Addendum (A)

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised the Schedule of Prices.**
- 2. Revised page 1 of the Table of Contents**
- 3. Revised page 17 of the Special Provisions.**
- 4. Revised sheets 2, 4, 5, 12, 21, 25 & 26 of the Plans.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bid.

Very truly yours,

Jack A. Elston, P.E.  
Bureau Chief  
Engineer of Design and Environment

A handwritten signature in black ink, reading "Ted B. Walschleger, P.E." with a stylized flourish at the end.

By: Ted B. Walschleger, P.E.  
Engineer of Project Management

## TABLE OF CONTENTS

<u>DESCRIPTION</u>	<u>PAGE</u>
LOCATION OF PROJECT .....	1
DESCRIPTION OF PROJECT .....	1
AVAILABLE REPORTS .....	2
COMPLETION DATE PLUS WORKING DAYS.....	3
HOURS OF WORK.....	3
LIST OF WORK ITEMS NOT PAID FOR SEPARATELY .....	3
<b>DIVISION 200 .....</b>	<b>6</b>
DEWATERING AND DIVERSION.....	6
EARTH EXCAVATION.....	9
EROSION CONTROL BLANKET .....	9
EXPLORATION TRENCH, SPECIAL.....	10
INLET PROTECTION, SPECIAL.....	10
WASHOUT BASIN.....	11
<b>DIVISION 400 .....</b>	<b>12</b>
REVTMENT MAT REMOVAL .....	12
SAW CUTTING.....	12
STABILIZED DRIVEWAYS .....	12
TEMPORARY ACCESS.....	13
<b>DIVISION 600 .....</b>	<b>15</b>
EXISTING FIELD TILE REMOVAL .....	15
FENCE REMOVAL .....	15
SANITARY MANHOLES TO BE ADJUSTED.....	15
STEEL PLATE BEAM GUARDRAIL (SHORT RADIUS).....	16
TRAFFIC BARRIER TERMINAL, TYPE 6A (SPECIAL) .....	17
WOOD FENCE .....	17
<b>DIVISION 700 .....</b>	<b>19</b>
CHANGEABLE MESSAGE SIGN .....	19
TEMPORARY INFORMATION SIGNING.....	19

1





hardware as described herein. This work shall include the work necessary to set the post in the paved shoulder as detailed on Standard 630001.

**TRAFFIC BARRIER TERMINAL, TYPE 6A (SPECIAL)**

Description: This work shall consist of furnishing and installing a modified Type 6A Traffic Barrier Terminal to be used in conjunction with the Short Radius guardrails and Traffic Barrier Terminal Type 1 Special. These terminals shall be in accordance with Section 631 of the Standard Specifications and as detailed on the plans and applicable portions of IDOT Standard 631032.

Construction Methods: Steel post in paved the shoulder shall be have a “Leave-out for Post” as detailed on Standard 630001.

Method of Measurement: This work will be measured for payment in accordance with Article 631.12 of the Standard Specifications.

Basis of Payment: This work will be paid for at the contract unit price per lineal Each, for TRAFFIC BARRIER TERMINAL, TYPE 6A (SPECIAL), complete in place, accepted, which payment shall constitute full compensation for furnishing and installing the steel plate beam guardrail, post, hardware as described herein. This work shall include the work necessary to set the post in the paved shoulder as detailed on Standard 630001.

**WOOD FENCE**

Description: This item will consist of installing a new fortress style wooden fence with “dog-ear” planking along the property at the southeast corner of the bridge at the location and as detailed on the plans.

Material:

Wood Products: The Contractor shall verify the wood material type(s) used for the various parts of the existing fencing being removed and match the wood type for the proposed fencing. All product shall meet the applicable requirements of Section 641 of the Standard Specifications.

Concrete Footings. All post shall be set in concrete as detailed on the plans. The concrete shall Class SI in accordance with Section Post called out to be Section 1020 of the Standard Specifications.

Construction Requirements: All posts shall be placed in a hand or mechanically augured hole and the hole shall be backfilled with the specified materials. All post set in concrete shall be set at a minimum depth of 42 inches. These top of the concrete shall be ½ inch high than the existing ground elevation and coped to drain away from the post. Post, rails and planking lengths shall be as specified in the plans.

Submittals: The wooden post, rail and planking supplier shall submit shop drawings to the Engineer according to Article 105.04 of the Standard Specifications. No work or ordering of materials for the fence shall be done by the Contractor until the submittal has been approved in