					1111110		•••	0001
_	RTE.	SECTION		COL	JNTY	TO1 SHE	TAL ETS	SHEET NO.
	*	2006-027	I	L	AKE		31	2
	FED. RO	AD DIST. NO. 1	ILL	INOIS	FED.	AID	PRO	DJECT

\* PARK ROADS IDNR File No. 2-03-025 B D91~401-Q6

## STATE STANDARDS

DESCRIPTION STANDARD NO. STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS 000001-04 TEMPORARY EROSION CONTROL SYSTEMS 280001-03 CURB RAMPS FOR SIDEWALKS 424001-**04** 780001**- 01** TYPICAL PAVEMENT MARKINGS DETECTOR LOOP INSTALLATIONS 886001 TYPICAL LAYOUT FOR DETECTOR LOOPS 886006 701501-03 702001-06

#### GENERAL NOTES

- BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "JULIE" AT 800-892-0123 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS FACILITIES. (48 HOURS NOTIFICATION IS REQUIRED)
- CONTACT AREA TRAFFIC FIELD ENGINEER, MS. DEBBIE HANLON AT (847) 438-2300, TWO WEEKS PRIOR TO INSTALLATION OF FINAL PAVEMENT MARKINGS.
- SPECIAL CONSTRUCTION MEASURES SHOULD BE EMPLOYED DURING EXCAVATION AND PLACEMENT OF SUBGRADE AND BASE COURSES IN AREAS WHICH CONTAIN EXISTING
- THE DEVELOPMENT AND COMPLETION OF THE IMPROVEMENT NEEDS TO INCLUDE AND BE IN COMPLIANCE WITH IDNR'S HEALTH AND SAFETY PLAN.
- CONTACT IDNR'S DISTRICT RESTORATION ECOLOGIST, DEB NELSON AT (815) 675-2386 X-321, IN AT LEAST THE FOLLOWING CIRCUMSTANCES RELATED TO SEEDING OPERATIONS:
  - IMMEDIATELY AFTER THE CONTRACTOR PROVIDES 48-HOUR ADVANCE NOTIFICATION OF THE HAND BROADCAST SEEDING OPERATIONS TO THE RESIDENT ENGINEER.
  - 2. IF THE CONTRACTOR REQUESTS SEED MATERIAL SUBSTITUTIONS. NO SEED SPECIES BE APPROVED BY THE RESIDENT ENGINEER THAT ARE NOT ALSO APPROVED BY IDNR'S RESTORATION ECOLOGIST. THIS IS NECESSARY TO AVOID PLANTING OF UNDESIRABLE SPECIES THAT MAY REQUIRE COSTLY ERADICATION AFTER THE PROJECT IS COLSED OUT.
  - 3. TO REVIEW REQUIRED CERTIFICATIONS, LAB ANALYSIS, AND SAMPLES OF TOPSOIL (SPECIAL), THE INDIVIDUAL COMPOST AND SAND PRODUCTS, AS WELL AS THE FINAL
- CONTRACTOR SHALL COORDINATE ALL CONSTRUCTION ACTIVITIES WITH NORTH POINT MARINA
- CONTRACTOR IS REQUIRED TO OBTAIN ALL NECESSARY PERMITS TO PERFORM THE WORK NEEDED TO COMPLETE THE IMPROVEMENT AS SHOWN ON THE PLAN

### 20100110 TREE REMOVAL (6 TO 15 UNITS DIAMETER)

X2010300 TREE REMOVAL (UNDER 6 UNITS DIAMETER)

INDEX OF SHEETS, STATE STANDARDS, AND GENERAL NOTES

PARKING LOT PAVEMENT MARKING AND PLASTIC CAR BUMPER DETAIL

DISTRICT 1 DETECTOR LOOP INSTALLATION DETAILS FOR ROADWAY RESURFACING

PAVEMENT PATCHING FOR HMA SURFACED PAVEMENT

STATION	OFFSET (FT.)	SIDE	UNIT	TYPE
NORTH POINT DR. 14+30.9	64.16	RT	8	RED MAPLE

INDEX OF SHEETS

DESCRIPTION

COVER SHEET

SUMMARY OF QUANTITIES

LOCATIONS OF PARKING LOTS

PROPOSED PARKING LOT PLANS

PROPOSED PAVEMENT MARKING

PROPOSED LOOP DETECTOR DETAIL

BUTT JOINT AND HMA TAPER DETAILS

TEMPORARY INFORMATION SIGNING

DISTRICT ONE TYPICAL PAVEMENT MARKINGS

EROSION CONTROL PLAN

EXISTING UTILITY & PARKING LOT PLANS

TYPICAL SECTIONS

SHEET NO.

5.

6-10.

11-15.

16-19.

20-24.

25.

26.

27.

28.

29. 30.

31.

	STATION	OFFSET (FT.)	SIDE	UNIT	TYPE
NORTH POINT DR.	23+88.4	62.80	LT	2	HACKBERRY
	24+02.7	69.21	LT	2	HACKBERRY

# BITUMINOUS MIXTURES REQUIREMENTS CHART

ITEM	AC TYPE	VOID	RAP %
HOT-MIX ASPHALT SURFACE COURSE, SUPERPAVE, MIX "D", N50	PG 64-22	4% @ 50 GYR	15
HOT-MIX ASPHALT BINDER COURSE, SUPERPAVE, IL-19.0, N50	PG 58-22	4% @ 50 GYR	25

\* THE UNIT WEIGHT USED FOR ALL HOT-MIX ASHPALT MIXTURES IS 112 LBS/SQ YD IN \*

ILLINOIS DEPARTMENT OF TRANSPORTATION PARK ROADS ILLINOIS BEACH STATE PARK NORTH POINT MARINA INDEX OF SHEETS. STATE STANDARDS, GENERAL NOTES AND SCHEDULE OF QUANTITIES DRAWN BY: CDT