

December 18, 2006

SUBJECT: Centennial Trail Project ACTE-D1(610) Section 94-F3000-05-BT Cook County Contract No 83859 Item 56 A January 19, 2007 Letting

TO PROSPECTIVE BIDDERS:

To clarify information it is necessary to revise the following:

Proposal- Deleted Special Provision "HMA Field VMA (District One)" on pages 45-46. Revised Table of Contents to reflect deleted Special Provision.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal. Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Since the proposal sheets are printed back to back, bidders are cautioned to exercise care when inserting revised and/or added special provisions into their proposals.

Please call 217-782-7806 if any of the above-described material is not included in this transmittal.

Very truly yours,

Eric Harm Interim Engineer of Design and Environment

Terte abucheyou DE.

By: Ted B. Walschleger, P. E. Engineer of Project Management

Centennial Trail Section: 94-F3000-05-BT Cook County

	CHAIN LINK FENCE REMOVAL AND RE-ERECTION
	DROP GATES, SPECIAL
	DROP GATES
	TRAIL HEAD SIGN 12-13
	SEGMENTAL CONCRETE BLOCK WALL
	SEEDING
	RUB RAIL
	RUSTIC RAIL FENCE
	WEED CONTROL, TEASEL
	PROTECTION OF RAILWAY INTERESTS
	EXHIBIT C: CONTRACTOR REQUIREMENTS (re. BNSF ROW)25-31
	EXHIBIT C-1: AGREEMENT BETWEEN BNSF RAILWAY COMPANY AND THE CONTRACTOR
	PERMITS
deleted (HMA FIELD VMA (DISTRICT ONE)
deleted (

Revised 12/18/06

HMA FIELD VMA (DISTRICT ONE)

Èffective: January 1, 2007

Add the following to the table in Article 1030.05(d)(2)(a):



Note 5. The G_{sb} used in the Field VMA calculation shall be the same average G_{sb} value listed in the mix design.

Add the following to the "Contro! Limits" table in Article (030.05(d)(4):

"CONTROL LIMITS					
Parameter	High	High	All Other		
	ESAL /	ESAL			
	Low ESAL	Low ESAL			
			Individual		
	Individual	Moving	Test		
	/Test	Avg. of 💐			
Field VMA	£ 0.7 % ^{2/}	± 0.5 % ^{2/}	N/A		
	A		ا <i>کر</i>		

2/ Allowable limit below minimum design VMA requirement"

Revise Article 1030,05(d)(6)a.1. to read:

"1. Voids, Field VMA and Asphalt Binder Content."

Revise the second sentence in Article 1030.05(d)(6)a.1.(a) to read:

"If the retest for voids, field VMA or asphalt binder content exceeds control limits, HMA production shall cease and immediate corrective action shall be instituted by the Contractor."

Delete

12/18/01

Add the following to the table in Article 1030.05(d)(5):

CONTROL CHART	High ESAL Low ESAL	All Other
	Field VMA"	

Revise the table in 1030.05(e) to read as follows:

"Test Parameter	Acceptable Limits of Precision
% Passing: 1/	
1/2 in. (12.5 mm)	5.0 %
No. 4 (4.75 mm)	5.0 %
No. 8 (2.36 mm)	3.0 %
No. 30 (600 μm)	2.0 %
Total Dust Content	2.2%
No. 200 (75 μm) ^{1/}	2.20
Asphalt Binder Content	0.3 %
Maximum Specific Gravity	0.026
of Mixture	0.020
Bulk Specific Gravity	0.030
Field VMA	1.4%
Density (% Compaction)	1.0 % (Correlated)"

Deleted 12/18/06

46