

January 2, 2018

SUBJECT: Various Routes Section D3 Bridge Deck Sealing 2018 Various Counties Contract No. 66H69 Item No. 78,January 19, 2018 Letting Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised the Schedule of Prices
- 2. Revised the Table of Contents to the Special Provisions
- 3. Added page 31 to the Special Provisions
- 4. Revised Sheet 3 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

Priscilla Tobias Director, Office of Program and Development

Verter abechlyon P.E.

By: Ted B. Walschleger, P. E. Engineer of Project Management

cc: Kevin Marchek, Region 2, District 3; Tim Kell; D. Carl Puzey; Estimates

JW/ck

TABLE OF CONTENTS

_OCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
DELAYED START DATE	1
TRAFFIC CONTROL PLAN	1
VEHICLE PARKING	2
EQUIPMENT ILLUMINATION	2
BRIDGE DECK CONCRETE SEALER	3
AUTOMATED FLAGGER ASSISTANCE DEVICES (BDE)	
COMPENSABLE DELAY COSTS (BDE)	7
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)	12
EQUIPMENT PARKING AND STORAGE (BDE)	25
LIGHTS ON BARRICADES (BDE)	
PAYMENTS TO SUBCONTRACTORS (BDE)	27
PROGRESS PAYMENTS (BDE)	
SPEED DISPLAY TRAILER (BDE)	28
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	30
WEEKLY DBE TRUCKING REPORTS (BDE)	
WORKING DAYS (BDE)	30
PORTABLE CHANGEABLE MESSAGE SIGNS (BDE)	31

PORTABLE CHANGEABLE MESSAGE SIGNS (BDE)

Effective: November 1, 2016

Revised: April 1, 2017

Revise the second paragraph of Article 701.20(h) of the Standard Specifications to read:

"For all other portable changeable message signs, this work will be paid for at the contract unit price per calendar day for each sign as CHANGEABLE MESSAGE SIGN."

Revise this second sentence of the first paragraph of Article 1106.02(i) of the Standard Specifications to read:

"The message panel shall be a minimum of 7 ft (2.1 m) above the edge of pavement in urban areas and a minimum of 5 ft (1.5 m) above the edge of pavement in rural areas, present a level appearance, and be capable of displaying up to eight characters in each of three lines at a time."