

ROUTE NO.	SECTION	COUNTY		TOTAL SHEETS	SHEET NO.	SHEET NO. 1
		Whiteside			11	5 SHEETS
FED. ROAD DIST. NO. 7		1LL INOIS	PED ALD PROJECT-			
Contract	Numb	er: 644	4 <i>51</i>			

## GENERAL NOTES

Plan dimensions and details relative to existing structure have been taken from existing plans and are subject to nominal construction variations. It shall be the Contractor's responsibility to verify such dimensions and details in the field and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in the scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

The minimum thickness of the Concrete overlay shall be 5" and varies as required to adjust for the new profile grade and beam camber.

Reinforcement bars shall conform to AASHTO M31 or M322, Grade 60. The cut strands at each beam end shall be given two coats of zinc dust spray or paint meeting the requirements of ASTM A780. The zinc dust spray or paint shall be applied before corrosion appears and allowed to dry according to manufacturer's specifications prior to another coat of zinc. A concrete sealer meeting the requirements of Section 587 of the Standard Specifications shall be applied to the exterior face and 9" in on the underside of each fascia beam. The sealer shall be applied after visible crack growth has subsided. This work shall be performed by the producer and included with the cost of the beam.

All construction joints shall be bonded.

Repair of the pier caps shall be completed prior to placement of the new deck beams.

The contractor is advised that the existing PPC Deck Beams are in a deteriorated condition with reduced load carrying capacity. It is the contractors responsibility to account for the condition of the beams when developing construction procedures for removal and replacement of the superstructure.

Existing wingwalls are to remain in place, care shall be taken as not to damage them during deck beam removal and replacement. Fill the space between existing wingwalls and new fascia beam with Preformed Joint Filler. Cost included in PPC Deck Beams (27").

Attach new Name plate to the backside of 8" Rail element. Existing name plate is to be removed, cleaned and relocated adjacent to new name plate. Cost included in the cost of Name Plates.

If the contractor's procedure for existing beam removal or placement of new beams involves placement of cranes or other heavy equipment on new beams, a detailed procedure shall be submitted to the Engineer for approval. The procedure shall include calculations, prepared and sealed by an Illinois Licensed Structural Engineer, verifying that the equipment and procedure used will not overstress the new beams. To distribute load to multiple beams and protect the concrete, in all cases a double layer mat of heavy timbers shall be used at all times under crane tracks or wheels and any outriggers in the down position. If necessary, shims shall be used under the crane mat to ensure uniform contact with the underlying beams. Prior to placement of the timber mats the following shall be done: placement and tightening of transverse tie assemblies, grouting and curing the dowel rods 24 hours minimum and grouting and curing the shear keys. A temporary means of lateral restraint will be required for fascic beams at expansion ends of beams to prevent movement of the beams.

No in-stream work will be allowed on this project. Structure to be closed to traffic during construction.

> STATION 537+62 REBUILT 20 BY STATE OF ILLINOIS F.A.S. RT. 203 SEC. 13BR-1 LOADING HS20 STR. NO. 098-0002

## QUANTITY UNIT Sa. Ft. 2.1 Foot 106 631 Sq. Yd. Each 5.664 Sq. Ft. Pound 7,630

346

631

620

Foot

Sq. Yd.

Sq. Yd.

Fach

NAME PLATE (See Std. 515001) PLAN AND ELEVATION MOLINE ROAD / ROCK CREEK F.A.S. RT. 203 SEC. 13BR-1 WHITESIDE COUNTY STA. 537+62.00 SN 098-0002