


DETAIL A

DETAIL B



CONCRETE BARRIER, DOUBLE FACE, 42" CONCRETE BARRIER BASE





* WHEN 6" OR GREATER ADD TOP TIE BAR.

CONCRETE BARRIER, DOUBLE FACE, VARIABLE HEIGHT CONCRETE BARRIER BASE, VARIABLE HEIGHT

- 1. 1" DEEP CONTRACTION JOINTS SHALL BE CONSTRUCTED IN THE CONCRETE BARRIER WALL AND IN THE CONCRETE BARRIER BASE. CONTRACTION JOINTS SHALL ALSO BE CONSTRUCTED AT BOTH SIDES OF ALL DRAINAGE STRUCTURES, MAXIMUM JOINT SPACING SHALL BE 20'
- SHALL BE 20'
 2. THE FORMING OF CONTRACTION JOINTS SHALL BE DONE WITH AN APPROVED FINISHING TOOL AT THE DISCRETION
 OF THE ENGINEER SUBJECT TO THE SATISFACTORY CONTROL OF CRACKING. THE SAWING OF CONTRACTION
 JOINTS IN THE CONCRETE BARRIER WALL SHALL NOT BE PERMITTED.
 3. GUTTER PROFILE IN THE VICINITY OF SAG VERTICAL CURVES, ALONG FLAT GRADES AND AT THE MEETING OF PROPOSED AND
 EXISTING GUTTER, SHALL BE CAREFULLY CONTROLLED AND FIELD ADJUSTED IF NECESSARY TO ENSURE POSITIVE DRAINAGE AND
- AVOID PONDING.
- AVOID PONDING.

 4. IN AREAS OF RELATIVELY FLAT LONGITUDINAL PROFILE GRADES, THE 3" VERTICAL DIMENSION AT THE BOTTOM OF THE BARRIER CAN VARY FROM 2" TO 3 1/4" TO CREATE AN ACCEPTABLE LONGITUDINAL GRADE IN THE GUTTER.

 5. TIE BARS ARE INCIDENTAL TO THE VARIOUS BARRIER & GUTTER ITEMS AND SHALL BE EPOXY COATED.

 6. WHEN ELECTRICAL OR ITS CONDUITS ARE REQUIRED THEY SHALL BE LOCATED IN THE BARRIER BASE OR IN THE EARTH BELOW THE BASE.
- 7. WHEN VARIABLE HEIGHT VERTICAL DIFFERENTIAL EXCEEDS 9" SEE PLAN DETAIL.

SCALE: NTS

			Illinois Tollway Open Roads for a Faster future
	DATE	REVISIONS	CONCRETE BARRIER BASE AND
			CONCRETE BARRIER, DOUBLE FACE,
			42" AND VARIABLE HEIGHT
			STANDARD C5-00

DATE 10-15-2007

-							*
	McClure Engineering Associates, Inc.	LOCHNER	USER NAME = _USERNAME_	DESIGNED	-	AM	REVISED -
		H.W. LOCHMER, INC., CHICAGO, ILLINOIS		DRAWN	-	ESC	REVISED -
	RWA	QE DUIGO ENGINERING INC	PLOT SCALE = 10.0000 '/ IN.	CHECKED	-	AM	REVISED -
1	Regina Webster & Associatos, Inc.		PLOT DATE = 10/19/2011	DATE	-	10/14/2011	REVISED -

STATE	OF	ILLINOIS
DEPARTMENT	OF	TRANSPORTATION

CONCRETE BARRIER BASE AND CONCRETE BARRIER, DOUBLE FACE, 42" AND VARIABLE HEIGHT						F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEE NO.
						90	(X2-1)R	WINNEBAGO	510	210
	DOUBLE 1	MUL, 4	E AND V	ANIADLL	ILIGIII			CONTRACT	「 NO. €	34C29
TS	SHEET NO.	0F	SHEETS	STA.	TO STA.		ILLINOIS FED. A	ID PROJECT		