
PAVEMENT MARKINGS AT RAILROAD-HIGHWAY GRADE CROSSING



SUPPLEMENTAL PAVEMENT MARKING TREATMENT FOR RAILROAD-HIGHWAY GRADE CROSSING


PAVEMENT MARKING LEGEND

12 8" (200) SOLID (WHITE)


13 4" (100) PARKING WHITE

1 4" (100) SKIP-DASH (YELLOW) 2 4" (100) SOLID (YELLOW) -12" (300) ← TRAFFIC 3 12" (300) DIAGONAL (YELLOW) TRAFFIC => - 4" (100) 4 4" (100) DOUBLE YELLOW (NARROW) ¦🚍 8″ (200) CTS. 5 RESERVED 6 RESERVED 7 6" (150) SKIP-DASH (WHITE) 8 4" (100) SOLID (WHITE) 9 12" (300) DIAGONAL (WHITE) 10 6" (150) SOLID (WHITE) 11 24" (600) STOP BAR (WHITE)

RAILROAD CROSSING WITH INTERCONNECT ONLY



RAILROAD CROSSING WITH INTERCONNECT AND PRE-SIGNALS



GENERAL NOTES

- 1. SUPPLEMENTAL PAVEMENT MARKINGS TO BE INSTALLED ONLY ON APPROACHES TO INTERSECTIONS CONTROLLED BY TRAFFIC SIGNALS WHICH ARE INTERCONNECTED WITH THE RAILROAD WARNING SIGNALS.
- 2. EXTEND PAVEMENT MARKINGS TO THE INTERSECTION ONLY WHERE NEAR-SIDE TRAFFIC SIGNALS ARE USED.
- 3. WHERE THE ANGLE BETWEEN THE DIAGONAL PAVEMENT MARKINGS AND THE TRACK WOULD BE LESS THAN 20° THE PAVEMENT MARKINGS SHOULD BE PLACED IN THE OPPOSITE DIRECTION FROM THAT SHOWN.

Note: All dimensions are in INCHES (millimeters) unless otherwise shown.

NOT TO SCALE

1							DIST	DISTRICT 7 DETAIL NO. 78000001			
FILE NAME =	USER NAME = teasleyck	DESIGNED -	REVISED -		PAVEMENT MARKING AND RAISED REFLECTIVE PAVEMENT MARKERS		F.A.I.	SECTION	COUNTY	TOTAL SHEET	
c:\pw_work\pwidot\teasleyck\dØ264695\D7	4467-sht-details.dgn	DRAWN -	REVISED -	STATE OF ILLINOIS	1 AVEINGE	(RURAL & URBAN APPLICATIONS)		57	*		32 30
i	PLOT SCALE = 50.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION						CONTRACT	NO. 74467
İ	PLOT DATE = 9/29/2011	DATE -	REVISED -		SCALE:	SHEET NO. 4 OF 4 SHEETS STA.	TO STA.		ILLINOIS FED. AID PROJECT		
	• (87									* She	lby, Cumberland