1-20-2012 LETTING ITEM 132

STATE OF ILLINOIS

DEPARTMENT OF TRANSPORTATION

DIVISION OF HIGHWAYS

FOR INDEX OF SHEETS, SEE SHEET NO. 2

PROPOSED HIGHWAY PLANS

F.A.S. ROUTE 1807 (BUS. U.S. RTE. 50) **SECTION D7 BRIDGE REPAIRS 2012-3**

LAWRENCE COUNTY

C-97-055-11

ADT = 7600 (2006)

0

 \circ

 \circ



R 12 W R 11 W LAWRENCEVILLE

LOCATION OF SECTION INDICATED THUS: - -

D-97-020-11

1807 D7 BRIDGE REPAIRS 2012-3 LAWRENCE 3 1

ILLINOIS CONTRACT NO. 74520

PROJECT LOCATION S.N. 051-0053

> **DEPARTMENT OF TRANSPORTATION** TORUM DIRECTOR OF HIGHWAY CHIEF EN

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123

PROJECT ENGINEER: TOM RONAN PROJECT MANAGER: TOM RONAN

PHONE: 217-342-8320 **CONTRACT NO. 74520**

GROSS LENGTH = 1236 FT. = 0.23 MILE NET LENGTH = 1236 FT. = 0.23 MILE

INDEX OF SHEETS

SHEET NO.

DESCRIPTION

TITLE SHEET

INDEX OF SHEETS, GENERAL NOTES, LOCATION DESCRIPTION,

SUMMARY OF QUANTITIES

3 STRUCTURE PLANS

THE FOLLOWING STANDARDS ARE A PART OF THESE PLANS AND ARE INCLUDED AFTER SHEET NO. 3.

STANDARD 701001-02	TYPICAL	APPLICATION	OF TRAFFIC	CONTROL DEVICES
STANDARD 701006-03	TYPICAL	APPLICATION	OF TRAFFIC	CONTROL DEVICES
STANDARD 701201-04	TYPICAL	APPLICATION	OF TRAFFIC	CONTROL DEVICES
STANDARD 701311-03	TYPICAL	APPLICATION -	OF TRAFFIC	CONTROL DEVICES
STANDARD 701901-02	TYPICAL	APPLICATION .	OF TRAFFIC	CONTROL DEVICES

PROJECT LOCATION

PROJECT LOCATION

ROUTE: FAS 1807 MARKED: Business US 50 SECTION: 1B-1 STATION: 29+99.84 STRUCTURE NUMBERS: 051-0053

TYPE OF BRIDGE: Welded Plate Girders (6 Girders Total, River Span)
LOCATION: 0.5 Miles East of Lawrenceville
FEATURE CARRIED/SPANNED: Business US 50 over the Embarrass River

SUMMARY OF QUANTITIES		TOTAL	CONSTRUCTION TYPE CODE	
CODE NO	ITEM	UNIT	UNIT	
67100100	MOBILIZATION	L SUM	1	1
70100450	TRAFFIC CONTROL AND PROTECTION, STANDARD 701201	L SUM	1	1 .
70300100	SHORT TERM PAVEMENT MARKING		248	248
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	41	41
78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	2782	2782
78300100	PAVEMENT MARKING REMOVAL	SQ FT	918	918
Z0064265	CAPE SEAL		5496	5496

GENERAL NOTES

THIS SECTION SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE PLANS; THE "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION" ADOPTED JANUARY 1, 2012; AND THE SPECIAL PROVISIONS INCLUDED IN THE PROPOSAL.

THE WORK ON THIS PROJECT IS LOCATED AT STRUCTURE NUMBER 051-0053 ON BUS US ROUTE 50 IN LAWRENCE COUNTY IN DISTRICT 7. THE WORK ON THIS PROJECT CONSISTS OF THE APPLICATION OF A CAPE SEAL TREATMENT ON THE WEARING SURFACE OF STRUCTURE NUMBER 051-0053, TRAFFIC CONTROL, AND ANY OTHER WORK NECESSARY TO COMPLETE THE PROJECT

PLAN DIMENSIONS AND DETAILS RELATIVE TO THE EXISTING STRUCTURE HAVE BEEN TAKEN FROM EXISTING PLANS AND ARE SUBJECT TO NOMINAL CONSTRUCTION VARIATIONS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY DIMENSIONS AND DETAILS IN THE FIELD. AND TO MAKE NECESSARY APPROVED ADJUSTMENTS PRIOR TO CONSTRUCTION OR MATERIAL ACQUISITION. SUCH VARIATIONS SHALL NOT BE CAUSE FOR ADDITIONAL COMPENSATION OR CHANGE IN THE SCOPE OF WORK. THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED AT THE UNIT BID PRICE FOR THE WORK.

THE AGGREGATES FOR THE MICRO-SURFACING SHALL MEET THE FRICTION AGGREGATE REQUIREMENTS FOR MIXTURE D IN ARTICLE 1004.03(a).

EXISTING RAISED REFLECTIVE PAVEMENT MARKERS AND THE EXPANSION JOINTS SHALL BE TEMPORARILY COVERED PRIOR TO APPLICATION OF THE CAPE SEAL TREATMENT TO PREVENT THE MATERIAL FROM BEING APPLIED TO THE MARKERS AND THE EXPANSION JOINTS. THE TEMPORARY TAPE SHALL EXTEND 6" BEYOND EACH END OF THE RAISED REFLECTIVE PAVEMENT MARKERS TO ENSURE THE REFLECTORS ARE VISIBLE UPON COMPLETION OF THE WORK. THE TEMPORARY COVERING SHALL BE REMOVED AFTER APPLICATION OF THE CAPE SEAL TREATMENT AND PRIOR TO OPENING TO TRAFFIC. COST IS INCLUDED WITH THE DECK SURFACE TREATMENT SPECIFIED.

PAVEMENT MARKING SHALL BE APPLIED IN ACCORDANCE WITH SECTION 780 OF THE STANDARD SPECIFICATIONS. SHORT TERM PAVEMENT MARKING SHALL BE APPLIED TO THE SEAL COAT AND THE CAPE SEAL AS SPECIFIED IN SECTION 703 OF THE STANDARD SPECIFICATIONS. TEMPORARY TAPE SHALL BE USED ON THE CAPE SEAL AND PAINT SHALL BE USED ON THE SEAL COAT.

THE TOTAL QUANTITY OF PAINT PAVEMENT MARKING - LINE 4" CONSISTS OF 309 FEET OF YELLOW AND 2,473 FEET OF WHITE.

FILE NAME =	USER NAME = swartzrw	DESIGNED -	REVISED -	ſ
c:\pw_work\pwidot\swartzrw\d0262716\d774	520-sht-index.dgn	DRAWN -	REVISED -	
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	ĺ
	PLOT DATE = 10/5/2011	DATE -	REVISED -	L

SCALE: NA

