01-20-2023 LETTING ITEM 089

STATE OF ILLINOIS

DEPARTMENT OF TRANSPORTATION

FOR INDEX OF SHEETS, SEE SHEET NO. 2 FOR STATE STANDARDS, SEE SHEET NO. 2

PROPOSED HIGHWAY PLANS

VARIOUS ROUTES


PROJECT HBFP-7944(577)

SECTION: D2 BDS 2023–02

TYPE of IMPROVEMENT: BRIDGE DECK SEALING

HENRY COUNTY

C-92-016-23



DISTRICT 2

0 100' 200' 300' — 1" = 100'
0 10' 20' 30' — 1" = 10'
0 50' 100' — 1" = 50'
0 50' 100' — 1" = 40'
0 50' 100' — 1" = 30'
0 50' 100' — 1" = 30'

FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1–800–892–0123
OR 811

PROJECT ENGINEER: DAVID DOSS (815) 284–5416 PROJECT MANAGER: MAHMOUD ETEMADI (815) 284–5393

CONTRACT NO. 64S18

 \bigcirc

D-92-050-23

NO DAVIESS STEPHENSOR WINNERPAGE BOOK MC HENRY LAKE

CARROLL

OGI.E

OGI.

LOCATION OF SECTION INDICATED THUS: -



PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

INDEX OF SHEETS

L COVER SHEET

INDEX OF SHEETS, STATE STANDARDS & GENERAL NOTES

SUMMARY OF QUANTITIES
SCHEDULE OF QUANTITIES

6 SEALING DETAIL

LOCATION MAP HENRY COUNTY

-11 WORK ZONE SIGN DETAILS (DISTRICT STANDARD 34.1)

12-15 TRAFFIC CONTROL FOR TRANSITION AREAS (DISTRICT STANDARD 38.1)

16 TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC) (DISTRICT STANDARD 94.2)

STATE STANDARDS

701006-05
701101-05
701101-05
701201-05
701400-11
701406-13

CLANE CLOSURE, FREEWAY/EXPRESSWAY

701426-09
701901-08

OFF-RD OPERATIONS, 2L, 2W, 15'(4.5m) TO 24"(600mm) FROM PAVEMENT EDGE
15'(4.5m) TO 24"(600mm) FROM PAVEMENT EDGE
16'(4.5m) TO 24"(600mm) FROM PAVEMENT EDGE
16'(4.5m)

GENERAL NOTES

THE CONCRETE SEALER SHALL BE APPLIED TO THE ENTIRE TOP SURFACE OF THE DECK, INCLUDING THE INSIDE FACES AND TOPS OF PARAPETS.

WATER BASED CONCRETE SEALERS WILL NOT BE ALLOWED.

WORK ON THIS PROJECT MAY POTENTIALLY CONFLICT WITH WORK ON OTHER CONTRACTS IN THE AREA. THE CONTRACTOR SHOULD BE PREPARED TO PLAN FOR POTENTIAL DELAYS AND COOPERATE WITH CONTRACTORS ON THE OTHER PROJECTS.

NO WORK SHALL BE PERFORMED ON THIS CONTRACT AFTER NOVEMBER 15 OR PRIOR TO APRIL 15.

NO STREAM PERMITS HAVE BEEN PROCURED FOR THIS PROJECT. NONE ARE REQUIRED FROM THE REGULATORY AGENCIES AS LONG AS THERE IS NO DEBRIS FALLING OR BEING PLACED INTO THE STREAM. ANY TEMPORARY FILL IN THE STREAM OR THE COMPROMISING OF THE DIKE (IF APPLICABLE) WILL NOT BE ALLOWED. IF THE CONTRACTOR CHOOSES TO USE ALTERNATE/MODIFIED CONSTRUCTION METHOD(S) FROM THE AFOREMENTIONED, THEY WILL BE RESPONSIBLE FOR OBTAINING THE PROPER PERMITS. NO RELIEF OR COMPENSATION WILL BE GIVEN FOR ANY DELAYS, WORKING DAYS CHARGED, OR CALENDAR DAYS EXPIRED AS A RESULT OF THE LOSS TIME OR DELAY DURING THE RE-SUBMITTAL PROCESS TO PROCURE THE NECESSARY PERMIT(S) DUE TO THE CONTRACTOR CHOOSING ALTERNATE/MODIFIED CONSTRUCTION METHOD(S). ABSOLUTELY NO CONSTRUCTION ACTIVITIES WILL TAKE PLACE WITHOUT THE PROPER PERMITS BEING SECURED.

USER NAME = David.Doss	DESIGNED	REVISED	
	DRAWN	REVISED	
PLOT SCALE = 100.0000 ' / in.	CHECKED	REVISED	
PLOT DATE = Sep-12-2022 09:48:09 AM	DATE	REVISED	

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCALE:

	INDE	X OF SHEETS		F.A RTE.	SEC
CTATE	CTANDA	RDS & GENERAL N	INTES	VAR.	D2 BDS
JIAIL	JIANUA	IDS & GENERAL I	IUILO		
LCHEET	OF	CHEETC CTA	TO CTA		

SUMMARY OF QUANTITIES

CODE NUMBER	ITEM	UNIT	0047 HENRY COUNTY 80% FEDERAL 20% STATE	TOTAL QUANTITY 80% FEDERAL 20% STATE
x5870015	BRIDGE DECK CONCRETE SEALER	SQ FT	226,919	226,919
67100100	MOBILIZATION	L SUM	1	1
70100450	TRAFFIC CONTROL AND PROTECTION, STANDARD 701201	L SUM	1	1
70100700	TRAFFIC CONTROL AND PROTECTION, STANDARD 701406	L SUM	1	1

USER NAME = David.Doss	DESIGNED	REVISED
	DRAWN	REVISED
PLOT SCALE = 100.0000 ' / in.	CHECKED	REVISED
PLOT DATE = Sep-12-2022 09:48:59 AM	DATE	REVISED -

SCALE: ___

					F.A RTE.	SEC	ΓΙΟΝ		COUNTY	TOTAL SHEETS	SHEET NO.
SU	MMARY	OF QU	ANTITIES		VAR.	D2 BDS	2023-02	?	HENRY	16	3
					ļ				CONTRACT	NO. 6	4518
 SHEET	OF	SHEETS	STA	TO STA			ILLINOIS	FED. A	D PROJECT		

SCHEDULE OF QUANTITIES

SN	FacilityCarried	FeatureCrossed	Location	Length Total	Bridge Rdwy Width	Area to be Sealed	Traffic Control Standard
0370009	FAI 74 SB	OSCO-ORION RD/FS2224	2 MIE OF ORION	102.2	47.9	5,611	701400 & 701406 OR 7001426
0370010	FAI 74 NB	OSCO-ORION RD/FS2224	2 MIE OF ORION	102.2	47.9	5,611	701400 & 701406 OR 7001426
0370029	FAI 80 SB	MINERAL CREEK	0.7 MIN JCT US 6	172	39	7,912	701400 & 701406 OR 7001426
0370030	FAI 80 NB	MINERAL CREEK	0.7 MIN JCT US 6	172	39	7,912	701400 & 701406 OR 7001426
0370079	FAU 5789/US 6	FAI 80	1.2 MI E JCT ILL 84	231.7	33.4	9,361	701201
0370114	TR 330	FAI 80	1 MI W ATKINSON RD	229	24	7,099	701201
0370115	ATKINSON RD / CH 5	FAI 80	S EDGE ATKINSON	232	32.2	9,094	701201
0370116	TR 376	FAI 80	1.8 MI E ATKINSON RD	226	24	7,006	701201
0370117	TR 400 A	FAI 80	2.8 MI W JCT ILL 78	228	24	7,068	701201
0370118	TR 468	FAI 80	1.5 MI E JCT ILL 78	229	24	7,099	701201
0370135	OPHIEM ROAD	MUD CREEK	0.2 MI. W. OF US 150	73.5	30.2	2,734	701201
0370136	GREEN RIVER ROAD	MINERAL CREEK	0.4 MI. N. OF US 6	87.7	30.1	3,254	701201
0370137	IL 82	N. BR. EDWARDS RIVER	2 MI S OF CAMBRIDGE	190.3	32	7,422	701201
0370138	IL 82	S. BR EDWARDS RIVER	2.4 MI N OF IL 17	218.2	32	8,510	701201
0370139	US 6	MUD CREEK	.3 MI. E. OF IL 84	71.8	35.7	3,066	701201
0370140	FAS 227 - OSCO ROAD	W. MINERAL CREEK	5 MI. SE OF COLONA	84.1	29.7	3,086	701201
0370141	US 6 (FAU 5789)	BN RR & TR 38	3 MI. E ROCK ISL CO	392	36	16,856	701201
0370142	US 6 – FAU 5789	STREAM	1/4 MI E COAL VALLEY	46	44.2	2,355	701201
0370143	FAU5789 - US 6	MOSQUITO CREEK	1 MI. E. COAL VALLEY	109	36.2	4,709	701201
0370146	IL 78	SPECIAL DITCH	0.3 MI. N. HOOPPOLE	52	40	2,444	701201
0370147	ULAH ROAD (CH 21)	DRAINAGE DITCH	N. EDGE OF ULAH	72	24	2,232	701201
0370148	IL 82	PHENIX DITCH	0.7 MI. S. OF IL 92	80	32	3,120	701201
0370149	IL 92	ROCK RIVER	HENRY/ROCK IS. CO LI	1120.3	32	43,692	701201
0370150	IL 92	PHENIX DITCH	1.3 MI. E. OF IL 82	120.5	32	4,700	701201
0370151	GRANGE RD	BIG SLOUGH DITCH	1.2 MI. S. OF IL 92	111.7	27.6	3,865	701201

MODEL: Default

USER NAME = David Doss	DESIGNED	REVISED
	DRAWN	REVISED
PLOT SCALE = 100.0000 ' / in.	CHECKED	REVISED
PLOT DATE = Sen-12-2022 09:50:06 AM	DATE	REVISED

I F			F.A RTE.	SECT	ION		COUNTY	TOTAL SHEETS	SHEET NO.		
HEDULE OF QUANTITIES				VAR.	VAR. D2 BDS 2023-02			HENRY	16	4	
									CONTRACT	NO. 64	4518
OF	SHEETS	STA.	TO	STA			TELIMOIS	EED AI	ID DROJECT		

SCHEDULE OF QUANTITIES

SN	FacilityCarried	FeatureCrossed	Location	Length Total	Bridge Rdwy Width	Area to be Sealed	Traffic Control Standard
0370152	US 150	CAMP CREEK	0.7 MI. N. OF IL 81	135	35.4	5,724	701201
0370164	US 6	SPRING CREEK	3.8 MI. E. OF IL 82	128.6	31.5	4,951	701201
0370165	ATKINSON ROAD	GREEN RIVER	3.5 MI. N. ATKINSON	188.5	32	7,352	701201
0370166	IL 81	I–74	1.8 MI. W. ANDOVER	218	62	15,042	701201
0370171	POPPY GRN RD/FAU5862	FAI RT 80	.96 MI E JCT ILL 84	206	32	8,034	701201

MODEL: Default

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

 SCHEDULE OF QUANTITIES
 F.A. SECTION


 VAR.
 D2 BDS 2023-02


 SCALE: _____ SHEET ___ OF ___ SHEETS ______ TO STA. _______
 _______ ILLINOIS IN INC. _______


HENRY 16 5

CONTRACT NO. 64S18

SEALING DETAIL








AREA TO BE SEALED

USER NAME = David.Doss	DESIGNED	REVISED
	DRAWN	REVISED
PLOT SCALE = 100.0000 / in.	CHECKED	REVISED
PLOT DATE = Aug-30-2022 08:57:12 AM	DATE -	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

						F.A RTE	SECT	TION	COUNTY	TOTAL SHEETS	SHEET NO.
		SEALI	NG DE1	AIL		VAR.	D2 BDS	2023-02	HENRY	16	6
									CONTRACT	NO. 64	‡S18
SCALE:	SHEET	OF	SHEETS	STA	TO STA			ILLINOIS FED. A	ID PROJECT		



WORK ZONE SIGN DETAILS

ILLINOIS STANDARD G20–I100



COLOR LEGEND AND BORDER BACKGROUND

BL ACK ORANGE NON-REFLECTORIZED REFLECTORIZED

SICN SIZE		DIMENSIONS										
SIGN SIZE	Α	В	С	D	Е	F	G	Н	J	K	L	М
60 × 36	60.00	36.00	2.25	6.4	21.80	16.40	10.00	22.40	13.20	15.50	10.50	10.00

SIGN SIZE	SERI	ES BY	LINE	MARGIN	BORDER	
SIGN SIZE	1	2	3	WARGIN	DORDER	
60 × 36	5C	5C	5C	0.625	0.875	

Sign not to scale

GENERAL NOTES


All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.

Signs shall meet the applicable portions of Sections 701 and 720 of the Standard Specifications.

All dimensions are in inches unless otherwise noted.

ILLINOIS STANDARD W8–I107



COLOR LEGEND AND BORDER BACKGROUND

BLACK

NON-REFLECTORIZED REFLECTORIZED

SIGN SIZE	DIMENSIONS										
31GN 31ZE	A B C			D	E	F	G	Н	J		
48 × 48	48.00	3.00	25.00	34.80	34.20	24.94	9.00	1.00	10.00		


SIGN SIZE	SERI	ES BY	LINE	MARGIN	BORDER	
31GN 31ZE	1	2	3	WARGIN	BUNDER	
48 × 48	7C	7C	7C	1.250	0.750	

Sign not to scale

FILE NAME =	USER NAME = David.Doss	DESIGNED	REVISED - <u>3-0</u> 2-16			F.A. SECTION	COUNTY TOTAL SHEET
pw:\\ildot-pw.bentley.com:PWIDOT\Do	ments\IDOT Offices\District 2\Projects\Operation	ons (BRAWN Section\Br <u>idge</u> Deck Sealing Cor	t- REW860 \64918\C <u>ADD\</u> 64918-sht-cover.dgr	STATE OF ILLINOIS	REGION 2 / DISTRICT 2 STANDARD	VAR. D2 BDS 2023-02	HENRY 16 8
	PLOT SCALE = 100.0000 ' / in.	CHECKED	REVISED	DEPARTMENT OF TRANSPORTATION		'	CONTRACT NO. 64S18
	PLOT DATE = Aug-30-2022 08:57:33 AM	DATE	REVISED		SCALE: SHEET NO OF SHEETS STA TO STA	FED. ROAD DIST. NO ILLINOIS FED.	

WORK ZONE SIGN DETAILS

ILLINOIS STANDARD W12–I102



GENERAL NOTES

All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.

Signs shall meet the applicable portions of Sections 701 and 720 of the Standard Specifications.

All dimensions are in inches unless otherwise noted.

LEGEND AND BORDER COLOR BACKGROUND

FL ORANGE

NON-REFLECTORIZED REFLECTORIZED


SIGN SI7F	DIMENSIONS				
31GN 31ZE	Α	В			
48 × 48	48.00	3.00			

Illinois Standard signs W12-I102 and W12-I103 shall be used as described in the special provisions.

SIGN SIZE	SERIES BY LINE	MARGIN	BADDED
SIGN SIZE	1	MARGIN	DURDER
48 × 48	12C	0.750	1.250

Sign not to scale

ILLINOIS STANDARD W12–I103



LEGEND AND BORDER BACKGROUND BACKGROUND (WIDTH)

BLACK WHITE

NON-REFLECTORIZED REFLECTORIZED FL ORANGE REFLECTORIZED

SIGN SIZE		DIMENSIONS										
SIGN SIZE	А	В	С	D	Е	F	G	Ι	J	K	Г	М
48 × 48	48.00	3.00	38.40	13.20	19.20	32.00	22.00	26.20	12.00	24.00	10.00	11.00

SIGN SIZE	S	ERIES	BY LIN	E	MARGIN	DODDED	
31GN 31ZE	1	2	3	4	MARGIN	BORDER	
48 × 48	6C	8D	6D	6D	0.750	1.250	

Sign not to scale

XX'-XX'' WIDTH AND X MILES ARE VARIABLE TOP AND BOTTOM OF BACKGROUND WHITE

FILE NAME =	USER NAME = David.Doss	DESIGNED	REVISED - <u>3-0</u> 2-16
pw:\\ildot-pw.bentley.com:PWIDOT\Document	s\IDOT Offices\District 2\Projects\Operation:	BRAWN Section\Br <u>idge</u> Deck Sealing Cont	- &EW360 \64518\C <u>ADD\</u> 64518-sht-cover.dgn
	PLOT SCALE = 100.0000 '/ in.	CHECKED	REVISED
	PLOT DATE = Aug-30-2022 08:57:40 AM	DATE	REVISED

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

	REGION	2 /	DISTRICT	2 ST/	ANDARD		
CALE:	SHEET NO	OF	SHEETS	STA.		TO	STA.

F.A RTE.		SEC	TION		COUNTY	TOTAL SHEETS	SHEET NO.
VAR.	D2	BDS	2023-02	2	HENRY	16	9
					CONTRACT	NO. 6	54S18

WORK ZONE SIGN DETAILS

ROAD CLOSED TO OVERSIZED LOADS



COLOR


LEGEND AND BORDER BACKGROUND BLACK ORANGE NON-REFLECTORIZED
REFLECTORIZED

Permit Loads - Loads Over 13 Feet; 3.0" Radius, 1.3" Border; [NO OVERSIZE -] D; [OVERWEIGHT LOADS] D 85% spacing; [XX MILES AHEAD] D; Table of letter and object lefts.

N 11.7	O 18.1	0 30.0	V 36.2	E 42.8	R 48.4	S 54.4	I 60.7	Z 63.5	E 69 . 5	- 80.8				
0 2.6	V 8.6	E 15.0	R 20.4	W 26.2	E 33.4	I 38.8	G 41.3	H 47.4	T 53.2	L 64.5	O 69.9	A 75.9	D 82.9	S 88.7
X 7.6	X 13.6	M 25.3	I 32.3	L 35.1	E 40.6	S 46.2	A 57.9	H 65.1	E 71.4	A 76.6	D 83.7			

Sign not to scale

STOP LINE SIGN FOR TEMPORARY SIGNALS



COLOR

LEGEND AND BORDER BACKGROUND BLACK WHITE NON-REFLECTORIZED REFLECTORIZED

SIGN SIZE	SERIES BY LINE					
SIGN SIZE	1	2	3			
24 × 24	4C	4C	4C			

Sign not to scale

GENERAL NOTES

All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.


Signs shall meet the applicable portions of Sections 701 and 720 of the Standard Specifications.

All dimensions are in inches unless otherwise noted.

FILE NAME =	USER NAME = David.Doss	DESIGNED	REVISED - <u>3-0</u> 2-16			F.A RTF	SECTION	COUNTY	TOTAL SHEET
pw:\\ildot-pw.bentley.com:PWIDOT\Document	s\IDOT Offices\District 2\Projects\Operation	NBRAWN Section\Br <u>idge</u> Deck Sealing Con-	- 	STATE OF ILLINOIS	REGION 2 / DISTRICT 2 STANDARD	VAR.	D2 BDS 2023-02	HENRY	16 10
	PLOT SCALE = 100.0000 ' / 10.	CHECKED	REVISED	DEPARTMENT OF TRANSPORTATION				CONTRAC	CT NO. 64S18
	PLOT DATE = Aug-30-2022 08:57:50 AM	DATE	REVISED		SCALE: SHEET NO OF SHEETS STA TO STA	FED. ROAD	DIST. NO ILLINOIS FED.	AID PROJECT	

ENTRANCE SIGN FOR USE WITH TEMPORARY SIGNALS

WORK ZONE SIGN DETAILS



LEGEND AND BORDER BACKGROUND

BLACK ORANGE NON-REFLECTORIZED REFLECTORIZED

2.25" Radius, 0.88" Border, 0.50" IndenT; [CAUTION] D; [ONE LANE ROAD] D; [FOLLOW TRAFFIC] D: [FLOW] D


This sign shall be installed at the temporary signals as shown in the staging plans. This sign shall be installed at entrances located between

Table Of Widths And Spaces

22.31	C 3.36	0.62	A 4.18	0.94	U 3.36	0.94	T 3.04	0.94	I 0.78	1.17	0 3.52	1.17	N 3.36	22.31	
-------	-----------	------	------------------	------	-----------	------	-----------	------	-----------	------	-----------	------	-----------	-------	--


	0		Ν		Ε
8.23	3 . 51	1.17	3.36	1.18	3.04

5.00 3.05 0.31 4	\ 1.18 0.94	N 3.36	1.17	E 3.05
------------------	----------------	-----------	------	-----------










Sign not to scale

STAY IN YOUR LANE



LEGEND AND BORDER BACKGROUND

BL ACK ORANGE NON-REFLECTORIZED REFLECTORIZED

48.0" across sides 3.8" Radius, 1.0" Border, 0.6" Indent; "STAY" E Mod; "IN YOUR" E Mod; "LANE" E Mod;

Table of Letter and Object Lefts

ſ	S	Т	Α	Υ
	20.7	26.8	31.6	38.0

I	Z	Υ	0		R
13.2	15.9	26.7	33.9	40.5	46.8

L	Α	N	E
20.9	25.8	33.1	39.4

Sign not to scale

FILE NAME :	USER NAME = David.Doss	DESIGNED	REVISED - <u>3-02</u> -16			F.A RTE.	SECTION	COUNTY	TOTAL SHEE SHEETS NO.	. 7
pw:\\:ldot-pw.bentley.com:PWIDOT\Document	s\IDOT Offices\District 2\Projects\Operation	NRAWN Section\Br <u>idge</u> Deck Sealing Cont		STATE OF ILLINOIS	REGION 2 / DISTRICT 2 STANDARD	VAR.	D2 BDS 2023-02	HENRY	16 11	٦
	PLOT SCALE = 100.0000 '/ in.	CHECKED	REVISED	DEPARTMENT OF TRANSPORTATION				CONTRAC	T NO. 64518	٦
	PLOT DATE = Aug-30-2022 08:57:57 AM	DATE	REVISED		SCALE: SHEET NO OF SHEETS STA TO STA	FED. ROAD (DIST. NO ILLINOIS FED.	AID PROJECT		7

GENERAL NOTES


included in the cost of the specified traffic control standards and shall not be paid separately.


and 720 of the Standard Specifications.


All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.

Signs shall meet the applicable portions of Sections 701

All dimensions are in inches unless otherwise noted.







FLAGGER WITH TRAFFIC CONTROL SIGN

DRUMS OR BARRICADES WITH LIGHTS

WORK AF

NOTE: STANDARDS 701301 AND 701306 SHALL NOT BE USED WITHIN 500 FEET OF THE TRANSITION.


- 2. If the work is within 2500 feet of the transition when the speed is > 40 mph, or 1500 feet for all other speeds, the detail shall be used.
- 3. WORK ZONE SPEED LIMIT 55 SIGN ASSEMBLY shall be replaced with WORK ZONE SPEED LIMIT 45 SIGN ASSEMBLY where the workers are within 500 feet of the transition.

THIS TRAFFIC CONTROL DETAIL SHALL BE INCLUDED IN THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.


NAME =	USER NAME = David.Doss	DESIGNED	REVISED - <u>4-20</u> -17
vildot-pw.bentley.com:PWIDOT\Document	s\IDOT Offices\District 2\Projects\Operation	\BRAWN Section\Br <u>idge</u> Deck Sealing Cont	- REVISED \64918\C ABO\$ 64 \$ 18-sht-cover.dgr
	PLOT SCALE = 100.0000 '/ in.	CHECKED	REVISED - <u>8-2</u> 7-13
	PLOT DATE = Aug-30-2022 08:58:18 AM	DATE	REVISED - <u>3-0</u> 5-12

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

REGION 2 / DISTRICT 2 STANDARD	VAR.
DECION O / DIOTRICT O OTAMBADO	F.A. RTE.



TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC)



LEGEND



WORK AREA



LANE OPEN TO TRAFFIC



TYPE I OR II BARRICADE OR DRUM WITH FLASHING BURNING LIGHT



DRUM OR BARRICADE WITH STEADY BURN LIGHT



SIGN (SEE DETAIL)



TYPE I OR II CHECK BARRICADE WITH STEADY LIGHT BURN

REVISED - 10-14-11

GENERAL NOTES

CONES MAY BE SUBSTITUTED FOR BARRICADES OR DRUMS AT HALF THE SPACING DURING DAY OPERATIONS. CONES SHALL BE A MINIMUM OF 28 IN HEIGHT.

STEADY BURNING LIGHTS WILL NOT BE REQUIRED ON BARRICADES OR DRUMS FOR DAY OPERATIONS. ALL LIGHTS WILL BE MONODIRECTIONAL.

TEMPORARY PAVEMENT MARKING SHALL BE PLACED THROUGHOUT THE BARRICADED AREA OF EACH BAY WHERE THE CLOSURE TIME IS GREATER THAN FOURTEEN DAYS.

THIS APPLICATION ALSO APPLIES WHEN WORK IS BEING PERFORMED IN THE RIGHT LANE(S) AND THE RIGHT TURN BAY IS TO REMAIN OPEN. UNDER THIS CONDITION. "RIGHT TURN LANE" R3-100 24 X 24 AND M6-2R 21 X 15 SHALL BE USED.

THESE CONTROLS SHALL SUPPLEMENT MAINLINE TRAFFIC CONTROL FOR LANE CLOSURES. LONGITUDINAL DIMENSIONS MAY BE ADJUSTED TO FIT FIELD CONDITIONS.

TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC) SHALL BE INCLUDED IN THE COST SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.

ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.

REVISED			SECTION	COUNTY	TOTAL	SHEET NO.
REVISED	REGION 2 / DISTRICT 2 STANDARD	RTE. VAR.	D2 BDS 2023-02	HENRY	16	16
REVISED		· ·		CONTRAC	T NO. 6	34518
REVISED	SCALE: 100.0000 / 1. SHEET NO OF SHEETS STA TO STA FED. ROAD DIST, NO. ILLINOIS FED. AID PROJECT					