



INSIDE ELEVATION OF PARAPET




SECTION THRU PARAPET


Floor drains shall be located clear of all diaphragms




BAR d100(E)




BAR d101(E)




BAR s101(E)




BAR v100(E)



BAR s100(E)



PARAPET JOINT DETAILS



DETAIL B

Note:
Cut longitudinal reinforcement to clear drainage scuppers.

SUPERSTRUCTURE
BILL OF MATERIAL

Bar	No.	Size	Length	Shape
a100(E)	803	#5	28'-4"	—
a101(E)	803	#5	19'-2"	—
a102(E)	460	#6	6'-6"	—
a103(E)	4	#5	32'-8"	—
a104(E)	4	#5	22'-1"	—
a110(E)	24	#5	4'-0"	—
b100(E)	504	#5	34'-3"	—
b101(E)	153	#6	37'-0"	—
b102(E)	430	#5	31'-3"	—
d100(E)	626	#5	6'-10"	⌒
d101(E)	626	#5	7'-11"	⌒
e100(E)	196	#4	17'-3"	—
e101(E)	32	#4	19'-8"	—
e102(E)	16	#8	34'-9"	—
e103(E)	4	#8	19'-8"	—
e104(E)	16	#4	32'-6"	—
m100(E)	10	#6	32'-10"	—
m101(E)	10	#6	22'-3"	—
m102(E)	12	#6	9'-11"	—
m103(E)	12	#6	11'-10"	—
m104(E)	4	#6	10'-9"	—
m105(E)	4	#6	3'-9"	—
m106(E)	10	#6	8'-1"	—
m107(E)	2	#6	3'-3"	—
m108(E)	2	#6	4'-5"	—
s100(E)	96	#5	6'-10"	⌒
s101(E)	86	#4	12'-10"	⌒
v100(E)	104	#5	3'-11"	⌒
Reinforcement Bars, Epoxy Coated	Pound		102,770	
Concrete Superstructure	Cu. Yds.		511.0	

Bars indicated thus 1 x 4 -#5 etc. indicates 1 line of bars with 4 lengths per line.

SUPERSTRUCTURE DETAILS - N.B.
STRUCTURE NUMBERS 081-0188 (S.B.) & 081-0189 (N.B.)

PROFESSIONAL DESIGN FIRM | LICENSE #184-001084

© Copyright Hanson Professional Services Inc. 2010

HANSON
Hanson Professional Services Inc.

JOB NO.

Q5R1532A

DATE

07/23/10

SHEET NO. 18

50 SHEETS

F.A.I. RTE.

280

SECTION

81-1(HB)R

COUNTY

Rock Island

TOTAL SHEETS

503

SHEET NO.

151

CONTRACT NO. 64815

ILLINOIS FED. AID PROJECT