



Bar	No.	Size	Length	Shape
* P ₁₀₀ (E)	20	#7	13'-9"	—
* P ₁₀₁ (E)	20	#5	12'-9"	—
P ₁₀₀ (E)	8	#9	35'-5"	—
P ₁₀₁ (E)	5	#5	35'-5"	—
* P ₁₀₂ (E)	8	#9	24'-3"	—
P ₁₀₃ (E)	5	#5	23'-0"	—
P ₁₀₄ (E)	4	#5	26'-6"	—
* P ₁₀₅ (E)	9	#5	24'-3"	—
P ₁₀₆ (E)	4	#5	9'-7"	—
P ₁₀₇ (E)	4	#5	15'-4"	—
P ₁₀₈ (E)	5	#5	34'-2"	—
S ₁₀₂ (E)	104	#6	12'-0"	□
S ₁₀₃ (E)	2	#6	12'-8"	□
S ₁₀₄ (E)	25	#5	5'-8"	□
S ₁₀₅ (E)	26	#5	6'-4"	□
U ₁₀₀ (E)	8	#6	11'-3"	⌒
V ₁₀₁ (E)	110	#5	4'-4"	—
V ₁₀₂ (E)	22	#5	12'-5"	—
Structure Excavation			Cu. Yd.	40
Concrete Structures			Cu. Yd.	26.2
Reinforcement Bars, Epoxy Coated			Pound	6,530
Furnishing Steel Piles			Foot	510
HP12x53			Foot	510
Driving Piles			Foot	510
Test Pile Steel			Each	1
HP12x53				
Concrete Encasement			Cu. Yd.	2.5

* Field cut bars as required to fit.
For details of Bar Splicers, see Sheet 44 of 50.
For details of piles and Concrete Encasement,
see Sheet 45 of 50.

NORTH ABUTMENT DETAILS - S.B.
STRUCTURE NUMBERS 081-0188 (S.B.) & 081-0189 (N.B.)