


<u>SECTION</u> (Showing reinforcement clearances for slip forming and additional reinforcement bars)



GENERAL NOTES

All dimensions shall remain the same as shown on superstructure details, except dimensions A and B

Place aluminum sheet in curb portion at and near piers. Full thickness saw cut at all joint locations in

Steel superstructure shown. Other superstructure

which are to be revised as shown to provide additional clearance. Additional concrete needed to revise dimension A and B = 0.0165 cu. yds./ft. of

parapet.

types similar.

lieu of cork joint filler.


#3 (E) BAR

¹₂′′ ¢ GFRP rebar. 4'-6" long. —ех (Е) d(E)--© Full thickness saw cut

GFRP REBAR STIFFENING DETAIL

(Place as shown in parapet section at each parapet joint location.)

CONCRETE PARAPET SLIPFORMING OPTION STRUCTURE NO. 081-0018 (EB) STRUCTURE NO. 081-0019 (WB)



	PROJECT NO. 09033		F
	SCALE	SHEET NO. 49	F
	6/4/2010		
	BD/MCB	55 SHEETS	-
	DRAWN BY TFG	UU SHEETS	L
_	CHECKED DA	1	

			-								_
1. 49	F.A.I RTE.	SECTION					CO	TOTAL SHEETS		SHEET NO.	
	280		81-1	(VB) R			ROCK	ISLAND	50	3	235
ETS							CON	TRACT	NO.	64	815
	FED. R	OAD DIST.	NO. 7	ILLINOIS	FED.	ΑI) PROJ	ECT			

T DATE = 7/21/2010 : NAME = ...#081-0018-0019-64815-0 T SCALE = 041.029397 '1" / IN, R NAME = CFC.