



- SHEET NOTES:**
- ALL EXISTING DIMENSIONS ARE SHOWN FOR REFERENCE ONLY AND SHALL BE VERIFIED PRIOR TO COMMENCEMENT OF CONSTRUCTION AND/OR FABRICATION OF ANY MEMBERS TO DETERMINE ANY CRITICAL DIMENSIONS THAT MAY BE DEPENDENT ON THE EXISTING STRUCTURE.
  - ALL NEW CANOPY MEMBERS AND DECK SHALL BE CONSTRUCTED WITH ALUMINUM ALLOY MEMBERS IN ACCORDANCE WITH THE GENERAL NOTES.
- KEY NOTES:**
- EXISTING ALUMINUM CANOPY BENTS.
  - NEW ALUMINUM CANOPY BENT.
  - EXISTING WF12 COLUMN.
  - NEW W14x159 STEEL COLUMN FOR STATION STRUCTURE ABOVE.
  - NEW 8WF11.24 ALUMINUM CANOPY POST.
  - ELEVATOR TOWER STEEL FRAME. SEE SHEET S-200 FOR ELEVATIONS.
  - EXISTING STAIR REINSTALLED AT NEW LOCATION.
  - C12x10.4 ALUMINUM CHANNEL
  - PROVIDE NEW ALUMINUM ROOF DECK. MATCH DEPTH AND GAGE OF EXISTING ALUMINUM DECK.
  - CROSS-BRACE MEMBER BUILT-UP FROM 5/16" THICK ALUMINUM PLATE WITH 5/16"x4" FLANGES, TOP AND BOTTOM.
  - ALL RADII AND WORK POINT DIMENSIONS ARE SYMMETRICAL ABOUT THE PLATFORM CENTERLINE.
  - 5/16" INFILL PLATE, TYPICAL, WITH FULL PENETRATION WELDS ALL AROUND, GROUND SMOOTH.

MEMBERS		
MARK	SHAPE	SIZE
C1	CHANNEL	C12x10.4
L1	ANGLE	L4x4x3/8

