DRAINAGE GENERAL NOTES:

- THE CONTRACTOR SHALL COORDINATE THE PROPOSED DRAINAGE SYSTEM CONSTRUCTION WITH ALL OTHER UTILITY ADJUSTMENTS AND INSTALLATIONS AS APPROVED BY THE ENGINEER. THIS WORK SHALL BE INCIDENTAL TO CONSTRUCTION OF THE PROPOSED DRAINAGE SYSTEM.
- DURING CONSTRUCTION, THE CONTRACTOR SHALL MAINTAIN ALL SURFACE DRAINAGE WITHIN THE PROJECT LIMITS. ALL STORM FLOW MUST BE MAINTAINED AT ALL TIMES, UNLESS OTHERWISE DIRECTED BY THE ENGINEER.
- 3. ANY EXISTING DRAINAGE FACILITIES DISTURBED OR DAMAGED DURING CONSTRUCTION SHALL BE REPAIRED OR REPLACED AT CONTRACTORS EXPENSE. THIS WORK SHALL MEET THE SATISFACTION OF THE ENGINEER.
- 5. ROADWAY AND DITCH PROFILES ARE SHOWN ON PROFILE SHEETS.
- 6. SEE BOX CULVERT PLANS FOR DETAILS OF BOX CULVERTS.
- 7. LATERAL DISTANCES FROM THE CENTERLINES/BASELINES ON ALL INLETS OR MANHOLES ARE TO THE CENTER OF INLET OR MANHOLE.
- 8. ALL CULVERT PIPES UNDER DRIVEWAYS SHALL MATCH FLOW LINES OF DITCH.
- 9. ALL PIPE UNDERDRAIN HEADWALLS INSTALLED PER STANDARD 601001.
- 10. ALL CORRUGATED METAL PIPE (CMP) REMOVALS SHALL BE INCLUDED IN EARTH EXCAVATION.
- 11. ALL RIPRAP DIMENSIONS AND CLASS SHOWN ON EROSION CONTROL PLANS.

LOWELL L & ETAL FREEDLUND 521 UNIVERSITY PKWY ROCKTON IL 61072

DRAINAGE LEGEND

PRECAST REINFORCED CONCRETE FLARED END SECTION FES EORS ELLIPTICAL EQUIVALENT ROUND SIZE


REINFORCED CONCRETE BOX CULVERT

PC PIPE CULVERT

EXISTING UTILITIES LEGEND

-----FO--- UNDERGROUND FIBER OPTIC LINE

⊢ UNDERGROUND GAS LINE



FILE NAME =	USER NAME =	DESIGNED - GC	REVISED -			ROSCOE ROAD	F.A.P.	SECTION	COUNTY	TOTAL SHEET
c:\pw_work\pwidot\rundbladerrr\d0331840\	D264H70-sht-drain-06.dgn	DRAWN - RDT	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	DRAINAGE PLAN 6		734	77R-1	WINNEBAGO	179 80
	PLOT SCALE =	CHECKED - GC	REVISED -						CONTRACT	T NO. 64H70
	PLOT DATE =	DATE - 10/05/2012	REVISED -		SCALE: 1"=50"	SHEET NO. 80 OF 179 SHEETS STA. 9030+00 TO STA. 9039+60.00		ILLINOIS FED. AII	D PROJECT	