
TOTAL SHEETS - 12

CONSTRUCTION PLANS **FOR** FAIRFIELD MUNICIPAL AIRPORT FAIRFIELD, WAYNE COUNTY, ILLINOIS

IN THIS PROJECT SHALL BE ASSOCIATED TAXIWAY CENTERLINE AND HOLDING LINES MARKING WITH MARKING REMOVAL.



FWC-4377

38° 22' 43" 88° 24' 46"

436.0' M.S.L.

DEC. 2, 2013

S.B.G. PROJ.: 3-17-SBGP-XX

ILL. PROJ.:

LATITUDE: LONGITUDE:

ELEVATION: DATE:



Date Submitted __JANUARY 10, 2014

LOCATION OF COUNTY

REMARK BOTH RUNWAYS SCOPE OF WORK THIS PROJECT CONSISTS OF REMARKING BOTH RUNWAYS. INCLUDED

REVISED 12/18/2013

HANSON

NOVEMBER 30, 2015

FAIRFIELD MUNICIPAL AIRPORT FAIRFIELD, ILLINOIS

DATE REVISION	2/18/13 REVISED AS PER IDA COMMENTS				
	-	_			××

FAIRFIELD MUNICIPAL AIRPORT FAIRFIELD, ILLINOIS

HANSON

REMARK RUNWAYS 18-36 AND 9-27 SUMMARY OF QUANTITIES AND INDEX TO SHEETS

SUMMARY OF QUANTITIES					
ITEM NO.	DESCRIPTION	UNIT	TOTAL QUANTITIES	AS BUILT	
AR620520	PAVEMENT MARKING - WATERBORNE	S.F.	29,413		
AR620525	PAVEMENT MARKING - BLACK BORDER	S.F.	9,509		
AR620900	PAVEMENT MARKING REMOVAL	S.F.	20,504		

INDEX TO SHEETS SHEET NO. DESCRIPTION COVER SHEET SUMMARY OF QUANTITIES AND INDEX TO SHEETS PROPOSED SAFETY PLAN EXISTING MARKING PLAN RUNWAY 9-27 STA. 116+24 TO STA. 131+00 EXISTING MARKING PLAN RUNWAY 9-27 STA. 131+00 TO STA. 147+00 EXSITING MARKING PLAN RUNWAY 9-27 STA. 147+00 TO STA. 156+24 EXISTING MARKING PLAN RUNWAY 18-36 STA. 1+00 TO STA. 21+00 PROPOSED MARKING PLAN RUNWAY 9-27 STA. 116+24 TO STA. 131+00 PROPOSED MARKING PLAN RUNWAY 9-27 STA. 131+00 TO STA. 147+00 PROPOSED MARKING PLAN RUNWAY 9-27 STA. 147+00 TO STA. 156+24 PROPOSED MARKING PLAN RUNWAY 18-36 STA. 1+00 TO STA. 17+00 PROPOSED MARKING PLAN RUNWAY 18-36 STA. 17+00 TO STA. 21+00

HAUL ROUTE AND VEHICLE PARKING

THE CONTRACTOR WILL USE THE DESIGNATED HAUL ROUTE AND PARKING AREA AS SHOWN ON THIS SHEET. THE PROPOSED PARKING AREA WILL BE 100' X 100'. THE CONTRACTOR WILL BE REQUIRED TO MAINTAIN THE PROPOSED HAUL ROUTE AND PARKING AREA THROUGHOUT THE COURSE OF THE PROJECT. ANY AREAS DAMAGED OUTSIDE OF THESE AREAS WILL BE REPAIRED BY THE CONTRACTOR AND AT THE CONTRACTOR'S OWN EXPENSE. AT THE CONCLUSION OF THE PROJECT THE CONTRACTOR WILL GRADE, FERTILIZE, SEED AND MULCH THE PARKING AREA AS NEEDED TO RESTORE IT TO ITS' ORIGINAL STATE. RESTORATION OF THE HAUL ROUTE AND PARKING AREA WILL BE CONSIDERED INCIDENTAL TO THE PROJECT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

CONTRACTOR RESPONSIBILITIES

THE CONTRACTOR'S EQUIPMENT PARKING AND STORAGE AREA WILL BE AS SHOWN ON THIS SHEET. THE CONTRACTOR'S EMPLOYEES WILL PARK THEIR VEHICLES IN THIS AREA. ONLY CONTRACTOR VEHICLES WILL BE ALLOWED OUTSIDE THIS AREA.

THE CONTRACTOR AND HIS EMPLOYEES WILL BE RESTRICTED TO THE WORK AREA AND ALL OTHER AREAS OF THE AIRPORT ARE "OFF LIMITS" TO THEM.

EXCEPT FOR WHEN HE IS WORKING WITHIN THE INTERSECTION OF THE TWO RUNWAYS. THE CONTRACTOR SHALL KEEP ONE RUNWAY OPEN AT ALL TIMES AND MAINTAIN CONTINUOUS TAXIWAY ACCESS TO ALL HANGARS AND ADMINISTRATIVE AREAS.

ALL WORK PERFORMED SHALL BE DONE IN A ORDERLY AND EFFECTIVE MANNER TO MINIMIZE RUNWAY CLOSURE.

BARRICADES AND TRAFFIC CONES

IT WILL BE THE CONTRACTOR'S RESPONSIBILITY TO PLACE AND MAINTAIN BARRICADES AND TRAFFIC CONES AS SHOWN ON THIS SHEET OR AS DIRECTED BY THE AIRPORT MANAGER. THE BARRICADES WILL BE EQUIPPED WITH RED FLASHING OR RED STEADY—BURN LIGHTS AND 20" SQUARE ORANGE FLAGS. THE BARRICADES, THEIR MAINTENANCE, PLACEMENT AND REMOVAL WILL BE CONSIDERED AS AN INCIDENTAL ITEM TO THE CONTRACT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

LEGEND

EXISTING IMPROVEMENTS

PROPOSED IMPROVEMENTS

EXISTING BUILDINGS

PROPOSED HAUL ROUTE AND EQUIPMENT PARKING AREA
PROPOSED BARRICADES WHEN RUNWAY 9-27 IS CLOSED

PROPOSED BARRICADES WHEN RUNWAY 18-36 & 9-27 ARE CLOSED

BARRICADES WILL BE MOVED FROM ACROSS THE APRON ACCESS TAXIWAY TO THIS LOCATION IF RUNWAY 18-36 RE-MARKING REQUIRES MORE THAN ONE DAY TO COMPLETE

SCOPE OF WORK

THIS PROJECT CONSISTS OF REMARKING BOTH RUNWAYS. INCLUDED IN THIS PROJECT SHALL BE ASSOCIATED TAXIWAY CENTERLINE AND HOLDING LINES MARKING WITH MARKING REMOVAL.

AIRPORT SECURITY NOTE

AIRPORT SECURITY WILL BE MAINTAINED AT ALL TIMES. THE CONTRACTOR WILL CLOSE AND LOCK THE EXISTING GATE IN THE HAUL ROUTE AT THE END OF FACH WORKING DAY

HEIGHT OF CONSTRUCTION EQUIPMENT

THE MAXIMUM ANTICIPATED HEIGHT OF THE CONSTRUCTION EQUIPMENT WILL BE 15 FEET. THE TALLEST EQUIPMENT IS EXPECTED TO BE A PAINT TRUCK.

RUNWAY 9-27

CRITICAL POINT DATA

POINT NO. 1
TAXIWAY "A" CENTERLINE,
125' LEFT RUNWAY 18—36
LATITUDE: 38' 22' 42.83"
LONGITUDE: 88' 24' 28.70"
ELEVATION: 414.24 M.S.L.
POINT NO. 2
144.5' NORTH RUNWAY 18 END
244.5' EAST RUNWAY 18—36 CENTERLINE
LATITUDE: 38' 22' 59.33"
LONGITUDE: 88' 24' 23.96"
ELEVATION: 415.9 M.S.L.

CERTIFIED PAYROLLS

THE RESIDENT ENGINEER **CANNOT** FORWARD CONSTRUCTION REPORTS TO THE ILLINOIS DIVISION OF AERONAUTICS FOR PROCESSING UNTIL ALL **CERTIFIED PAYROLLS** FOR THE PERIOD HAVE BEEN RECEIVED.

MATERIAL CERTIFICATION

COMPLETED WORK **CANNOT** BE PLACED ON A CONSTRUCTION REPORT UNTIL ALL MATERIAL CERTIFICATIONS FOR THAT PAY ITEM HAVE BEEN RECEIVED, REVIEWED AND ACCEPTED BY THE RESIDENT ENGINEER.

<u>NOTE</u>

ALL CONSTRUCTION/OPERATIONS ARE TO BE PERFORMED IN ACCORDANCE WITH THE CURRENT EDITIONS OF FAA ADVISORY CIRCULAR (AC) 150/5370-2 "OPERATIONAL SAFETY ON AIRPORTS DURING CONSTRUCTION" AND AC 150/5300-13 "AIRPORT DESIGN"

ALL CONSTRUCTION EQUIPMENT ON THE AIRPORT SHALL BE MARKED, LIGHTED AND/OR FLAGGED IN ACCORDANCE WITH AC 150/5210-5 AND 70/7460-1 (CURRENT EDITIONS).

CRITICAL POINT NO.

PROPOSED EQUIPMENT

PARKING AND STORAGE

PROPOSED HAUL ROUTE

P

ARFA

PROPOSED REMARK

RUNWAY 9-27 AND

AIRCRAFT OPERATION LINE


18 - 36

CRITICAL POINT NO. 1

TAXIWAY "A"

HALF SIZE SCALE: 1"= 600' FULL SIZE SCALE: 1"= 300'

FA006



DETAIL OF CROSS FOR CLOSED RUNWAY "NOT TO SCALE"

E:

COST OF CONSTRUCTING, PLACING, MAINTAINING AND REMOVING CROSSES WILL BE CONSIDERED INCIDENTAL TO THE CONTRACT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED. THE CROSSES WILL BE YELLOW IN COLOR AND SHALL BE MADE OF A SUITABLE MATERIAL AS APPROVED BY THE AIRPORT MANAGER. THE CROSSES WILL BE PLACED AS DETAILED AND SECURED IN A MANNER APPROVED BY THE MANAGER. THE PROPOSED CROSSES WILL BE PLACED EACH DAY THE RUNWAY IS CLOSED AND REMOVED WHEN THE RUNWAY IS RE-OPENED. THE CONTRACTOR WILL BE RESPONSIBLE FOR THE PLACEMENT AND REMOVAL OF THE CROSSES. NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

J.U.L.I.E. INFORMATION

COUNTYWAYNE	
CITYFAIRFIELD	
TOWNSHIPBIG MOUND	
SECTION NO3	
ADDRESSFAIRFIELD MUNICIPAL AIRF	20R1
ROUTE 45	
FAIRFIELD, ILLINOIS 6283	i7

PROPOSED SAFETY PLAN

GENERAL - THE FAIRFIELD MUNICIPAL AIRPORT IS COMPRISED OF TWO RUNWAYS. THE PROPOSED CONSTRUCTION WILL NECESSITATE CLOSING BOTH RUNWAYS. ANY TIME THE CONTRACTOR IS WORKING WITHIN 200' OF RUNWAY 9-27 CENTERLINE OR 125' OF RUNWAY 18-36 CENTERLINE, THAT RUNWAY WILL BE CLOSED. TO CLOSE A RUNWAY THE CONTRACTOR WILL TURN OFF THE RUNWAY LIGHTING CIRCUIT, TURN OFF ALL ASSOCIATED NAVAIDS AND PLACE CROSSES OFF BOTH RUNWAY ENDS.

RUNWAY 9-27 WILL BE CLOSED AT THE START OF CONSTRUCTION AND WILL REMAIN CLOSED UNTIL THE RE-MARKING HAS BEEN ESSENTIALLY COMPLETED ON RUNWAY 9-27. THEN THE CONTRACTOR WILL CLOSE RUNWAY 18-36 WHILE LEAVING RUNWAY 9-27 CLOSED (THUS CLOSING THE AIRPORT). THE CONTRACTOR WILL HAVE ONE DAY TO COMPLETE THE MARKING REMOVAL ON RUNWAY 18-36 AND AT LEAST THE PLACEMENT OF BOTH APPLICATIONS OF PAINT ON THE SOUTH 1,400 FEET OF RUNWAY 18-36. THIS WILL COMPLETE THE RE-MARKING OF RUNWAY 18-36 PAST THE FIRST APRON ACCESS TAXIWAY, AT THE END OF THIS CONSTRUCTION DAY THE CONTRACTOR WILL RE-OPEN RUNWAY 9-27 TO AIRCRAFT OPERATIONS. RUNWAY 18-36 WILL REMAIN CLOSED UNTIL THE RE-MARKING HAS BEEN COMPLETED AND THEN THE CONTRACTOR WILL RE-OPEN RUNWAY 18-36.

IN ORDER TO RE-OPEN A RUNWAY THE CONTRACTOR, RESIDENT ENGINEER AND A REPRESENTATIVE OF THE AIRPORT WILL INSPECT THE RUNWAY AND IF ALL PARTIES AGREE, THEN THE CONTRACTOR WILL ACTIVATE THE RUNWAY LIGHTING CIRCUIT, ACTIVATE ALL ASSOCIATED NAVAIDS AND REMOVE THE CROSSES. ALL WORK INCLUDED IN OPENING AND CLOSING THE RUNWAYS WILL BE CONSIDERED INCIDENTAL TO THE PROJECT AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

IDENTIFICATION — WHEN THE CONTRACTOR'S VEHICLES AND EQUIPMENT ARE ON THE AIRPORT THEY SHALL BE PROPERLY MARKED WITH THREE (3') FOOT SQUARE CHECKERED FLAGS (INTERNATIONAL ORANGE AND WHITE). THE CONTRACTOR WILL ALSO PROVIDE WORKERS WITH SOME TYPE OF TAG OR GARMENT TO IDENTIFY THE PERSON AS BEING PART OF THE CONSTRUCTION CREW.

RADIO CONTROL - THE CONTRACTOR WILL BE REQUIRED TO BE IN TWO-WAY RADIO CONTACT (123.05 MHz.) WITH THE AIRPORT UNICOM. THIS WILL KEEP THE CONTRACTOR IN CONSTANT CONTACT WITH THE FAIRFIELD MUNICIPAL AIRPORT AND ENABLE THE AIRPORT TO IMMEDIATELY CONTACT THE CONTRACTOR IN CASE OF AN AERONAUTIC EMERGENCY THAT WOULD REQUIRE ACTION BY THE CONTRACTOR AND/OR HIS PERSONNEL.

EROSION CONTROL

THIS PROJECT WILL DISTURB LESS THAN 1 ACRE OF LAND, THEREFORE NO N.P.D.E.S. PERMIT WILL BE REQUIRED.

AIRCRAFT OPERATION LINE

THE AIRCRAFT OPERATION LINE WILL BE LOCATED 125' FROM THE RUNWAY CENTERLINE FOR RUNWAY 18-36 AND 200' FROM THE RUNWAY CENTERLINE FOR RUNWAY 9-27. NO CONTRACTOR PERSONNEL OR VEHICLE MAY VENTURE BEYOND THE AIRCRAFT OPERATION LINE WITHOUT FIRST CLOSING THE RUNWAY.

DATE REVISED AS PER IDA COMMENTS 01/10/14 REVISED AS PER IDA COMMENTS 01/10/14 REVISED AS PER IDA COMMENTS

AIRFIELD MUNICIPAL AIRPORT FAIRFIELD, ILLINOIS

 Scale
 1" = 300'

 Date
 09/20/13

 LAYOUT
 BAK
 07/10/13

 DRAWN
 BAK
 07/10/13

HANSON

Copyright Horson Professional Services Inc. 2014

Hanson Professional Services Inc. 1512

Springfield, Illinois 62703-2886


Springfield, Illinois 62703-2886


Www.harson-inc.com


(EMARK RUNWAYS 18-36 AND 9-27 ROPOSED SAFETY PLAN

3

JAN 10, 2014 9:24 AM HAGLO00382









HALF SIZE SCALE: 1"= 60' FULL SIZE SCALE: 1"= 30'


6 of 12 sheets


EXISTING MARKING PLAN RUNWAY 9-27 STA. 147+00 TO STA. 156+24

FAIRFIELD MUNICIPAL AIRPORT FAIRFIELD, ILLINOIS









20' 9'	23'	5' 10' 5'
32.	5, 05	25, 15, 15, 15, 15, 15, 15, 15, 15, 15, 1
652 SQ. FT.	473 SQ. FT.	712 SQ. FT.

PROPOSED	NUMERAL	DETAILS
"NO	T TO SCALE"	

5' --

40'

SEE PROPOSED RUNWAY NUMERAL 27 DETAIL WITH 6" BLACK BORDER ON THIS SHEET.

08, 2014 4:21 PM

60'

20'

PROPOSED MARKING	QUANTITIES FO	OR RUNWAY 9-2	7
DESCRIPTION	UNIT AREA	NO. REQUIRED	TOTAL AREA
RUNWAY CENTERLINE STRIPE	360	14	5,040
RUNWAY CENTERLINE STRIPE	324	5	1,620
NUMBER 2	652	1	652
NUMBER 7	475	1	475
NUMBER 9	712	_ 1	712
THRESHOLD STRIPE	862.5	6	5,175
AIMING POINT MARKER	1,500	4	6,000
		TOTAL WHITE	19,674
HOLDING LINE (RWY. END 9 TURNAROUND)	210	1	210
HOLDING LINE (TEA CUP TURNAROUND)	90	2	180
TAXIWAY CENTERLINE	1,933	1	1,933
		TOTAL YELLOW	2,323
RUNWAY CENTERLINE STRIPE	124	14	1,736
RUNWAY CENTERLINE STRIPE	112	5	560
NUMBER 2	106	1	106
NUMBER 7	87	1	87
NUMBER 9	113	1	113
THRESHOLD STRIPE	156.75	6	940.5
AIMING POINT MARKER	116	4	464
HOLDING LINE (RWY. END 9 TURNAROUND)	354	1	354
HOLDING LINE (TEA CUP TURNAROUND)	147	2	294
TAXIWAY CENTERLINE	1,819	1	1,819
		TOTAL BLACK	6,474
		TOTAL MARKING	28,471





HALF SIZE SCALE: 1"= 60' FULL SIZE SCALE: 1"= 30'

10 of 12 sheets

PROPOSED MARKING PLAN RUNWAY 9-27 STA. 147+00 TO STA. 156+24

REMARK RUNWAYS 18-36 AŅD 9-27





18.5'

900 SQ. FT.

620-PAVEMENT MARKING-WATERBORNE NOTES

THIS ITEM SHALL CONSIST OF RUNWAY MARKING, TAXIWAY CENTERLINE, AND TAXIWAY HOLDING POSITION MARKING IN ACCORDANCE WITH THESE SPECIFICATIONS AND AT THE LOCATIONS SHOWN ON THE CONSTRUCTION PLANS. ALL MARKING WILL BE YELLOW AND WHITE IN COLOR WITH A 6-IN BLACK BORDER. THE PROPOSED PAVEMENT MARKING WILL BE APPLIED IN TWO APPLICATIONS.

ANY MATERIAL DELIVERED THAT FAILS TO MEET THE SPECIFICATIONS SHALL BE DISPOSED OF BY THE VENDOR AND IMMEDIATELY REPLACED WITH ACCEPTABLE MATERIAL ENTIRELY AT THE VENDOR'S EXPENSE, INCLUDING

AN FAA WAIVER WILL BE REQUIRED FOR THE YELLOW PAINT. THE CONTRACTOR/PAINT MANUFACTURER WILL OBTAIN THE WAIVER AND SEND THE WAIVER TO THE PROJECT ENGINEER AS PART OF THE CONTRACTOR'S SHOP DRAWING SUBMITTAL PROCESS.

ALL PROPOSED MARKING WILL BE COMPLETED IN ACCORDANCE WITH THE DETAILS SHOWN ON THE CONSTRUCTION PLANS.

IF THE CONTRACTOR ELECTS TO "BLOCK PAINT" THE BLACK PAINT AND THEN PAINT EITHER YELLOW OR WHITE PAINT OVER THE BLACK PAINT; ONLY THE VISIBLE BLACK PAINT WILL BE ELIGIBLE FOR PAYMENT.

GLASS BEADS SHALL BE REQUIRED ONLY ON THE SECOND APPLICATION OF MARKING. NO GLASS BEADS ARE REQUIRED ON THE BLACK PAINT.

CUT-OFF SHEETS WILL BE REQUIRED TO INSURE STRAIGHT EDGES.

AR620520 PAVEMENT MARKING-WATERBORNE ___ PER S.F.
AR620525 PAVEMENT MARKING-BLACK BORDER ___ PER S.F.


DAVELLERIT	MADIZINIO	WATERDOONE	NOTEO	

THE PAVEMENT MARKING-WATERBORNE (620) SHALL BE PLACED IN ACCORDANCE WITH ITEM 620 "PAVEMENT MARKING" AS STATED ON PAGE 272 OF THE STANDARD SPECIFICATIONS FOR CONSTRUCTION OF AIRPORTS, ADOPTED APRIL. 1, 2012.

HANDLING AND TRANSPORTATION CHARGES.

THE PROPOSED MARKING WILL BE PAID FOR UNDER ITEM:

PROPOSED MARK	(ING QUANTITIES FO	R RUNWAY 18-3	36
DESCRIPTION	UNIT AREA	NO. REQUIRED	TOTAL AREA
RUNWAY CENTERLINE STRIPE	360	4	1,440
RUNWAY CENTERLINE STRIPE	330	6	1,980
NUMBER 1	318	1	318
NUMBER 3	633	1	633
NUMBER 6	712	1	712
NUMBER 8	876	1	876
	TO	OTAL WHITE	5,959
TAXIWAY CENTERLINE	1,457	1	1,457
	TO	OTAL YELLOW	1,457
RUNWAY CENTERLINE STRIPE	124	4	496
RUNWAY CENTERLINE STRIPE	114	6	684
NUMBER 1	67	1	67
NUMBER 3	103	1	103
NUMBER 6	113	1	113
NUMBER 8	132	1	132
TAXIWAY CENTERLINE	1,440	1	1,440
	TO	OTAL BLACK	3,035
	TC	OTAL MARKING	10,451



FA006 FAIRFIELD MUNICIPAL AIRPORT FAIRFIELD, ILLINOIS

LEGEND

EXISTING MARKING

EXISTING PAVEMENT

PROPOSED MARKING

HANSON

PROPOSED MARKING PLAN RUNWAY 18-36 STA. 17+00 TO STA. 21+00

REMARK RUNWAYS 18-36 AND 9-27

12 of 12 sheets

PROPOSED NUMERAL DETAILS "NOT TO SCALE"

320 SQ. FT.

10'

700 SQ. FT.

20'

735 SQ. FT.