03-03-2017 LETTING ITEM 078

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

•VARIOUS

D-98-056-16

00 OANIESS 31

CABROLL

MILITESIDE

ROCK 15LAND

NEDSTY

CAPROLL OOLE OF FALL RANGE

DISTB RESURFACING 2017-1 VARIOUS 9 1
 ILLINOIS CONTRACT NO. 76J72

FOR INDEX OF SHEETS, SEE SHEET NO. 2

PROPOSED HIGHWAY PLANS

TRAFFIC DATA

NA


VARIOUS LOCATIONS

DIST 8 RESURFACING 2017–1

BITUMINOUS SURFACE TREATMENT – A2

COUNTY: MADISON, GREENE, JERSEY, & CALHOUN (VARIOUS)

C-98-050-16



PINC SCRITTER

MANCHEN

MANCHE

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUBMITTED

20

REGIONAL ENGINEER

ENGINEER OF DESIGN AND ENVIRONMENT

20

DIRECTOR OF PROBRAM DEVELOPMENT

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

CONTRACT NO. 76J72

INDEX OF SHEETS

COVER SHEET

INDEX, HIGHWAY STANDARDS, GENERAL NOTES & COMMITMENTS

SUMMARY OF QUANTITIES

4-9. LOCATION MAP, LOCATION DETAILS

HIGHWAY STANDARDS

STANDARD SYMBOLS, ABBREVIATIONS, & PATTERNS 000001-06

DECIMAL OF AN INCH & OF A FOOT 001006

OFF-RD OPERATIONS, 2L, 2W MORE THAN 15' AWAY
OFF-RD OPERATIONS, 2L, 2W, 15' TO 24" FROM PAVEMENT EDGE 701001-02 701006-05

701011-04

OFF-RD MOVING OPERATIONS, 2L, 2W, DAY ONLY LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATIONS DAY ONLY, 701306-03

FOR SPEEDS = 45MPH

LANE CLOSURE 2L, 2W MOVING OPERATIONS DAY ONLY 701311-03

TRAFFIC CONTROL DEVICES 701901-06

GENERAL NOTES

FILE NAME =

- 1. ILLINOIS STATE LAW REQUIRES A 48-HOUR NOTICE TO BE GIVEN TO UTILITIES BEFORE DIGGING. FIELD MARKING OF FACILITIES MAY BE OBTAINED BY CONTACTING J.U.L.I.E. (1-800-892-0123 OR 811) OR FOR NON-MEMBERS, THE UTILITY COMPANY DIRECTLY.
- 2. THE CONTRACTOR AND THE ENGINEER SHALL BE AWARE THAT NO SURVEY WAS PERFORMED FOR THIS PROJECT. THE STATIONING, TOPOGRAPHY, AND QUANTITIES SHOWN IN THE PLANS WERE CREATED USING MICROFILM AND FIELD MEASUREMENTS. ALL SHALL BE ASSUMED TO BE APPROXIMATE. THE CONTRACTOR SHALL VERIFY DIMENSIONS AND CONDITIONS IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING OF MATERIALS.
- 3. THE DEPARTMENT STRONGLY ENCOURAGES THE PRIME CONTRACTOR AND THEIR APPROVED SUB-CONTRACTORS TO HIRE MINORITY, WOMEN AND DISADVANTAGED INDIVIDUALS FROM ITS FEDERALLY FUNDED HIGHWAY CONSTRUCTION CAREERS TRAINING PROGRAM (HCCTP) TO HELP MEET WORKFORCE AND TRAINEE GOALS. THIS PROGRAM IS TRAINING MINORITIES, WORKFORCE AND TRAINEE GOALS. THIS PROGRAM IS TRAINING MINOTITIES, WOMEN AND DISADVANTAGED INDIVIDUALS IN HIGHWAY CONSTRUCTION RELATED SKILLS, E.G., MATH FOR THE TRADES, JOB READINESS, TECHNICAL SKILLS COURSEWORK (CARPENTRY, CONCTRETE FLATWORK, BLUEPRINT READING, SITE PLANS, SITE WORK, TOOLS USE, ETC.) AND OSHA 10 HOUR CERTIFICATION, TO PREPARE THEM FOR A CARBEL IN THE HIGHER ONSTRUCTION TRADES. GRADUATES ARE WELL-TRAINED AND READY TO BECOME PRODUCTIVE ENTRY-LEVEL CONSTRUCTION WORKERS CONTACT THE DISTRICT 8 EEO OFFICE AT 618-346-3360 AND/OR THE HCCTP COORDINATOR AT 618-874-6528 TO LEARN MORE ABOUT THE PROGRAM AND FOR ASSISTANCE IN MEETING WORKFORCE AND TRAINEE GOALS.
- 4. "ROAD CONSTRUCTION AHEAD" SIGNS SHALL BE PLACED AT INTERCHANGES, ENTRANCES AND SIDE STREETS WHERE WORK IS BEING CONDUCTED AS DIRECTED BY THE RESIDENT ENGINEER. ALL CONSTRUCTION SIGNS SHALL BE FLUORESCENT ORANGE. THIS SHALL BE INCLUDED IN THE COST OF THE TRAFFIC CONTROL AND PROTECTION. THESE SIGNS SHALL BE 48" X 48"

USER NAME = LeemonYE

PLOT DATE * 12/14/2016

PLOT SCALE . 189.8880 '/ in.

5. THE CONTRACTOR SHALL BE AWARE THAT THERE ARE MANHOLES AND VALVES AND DRAINS LOCATED WITHIN THE RESUFACING LIMITS. CARE SHALL BE TAKEN IN THESE LOCATIONS DURING OPERATIONS.

DESIGNED ~

CHECKED -

DATE

mants\1007 Offices\District 8\Projects\0875DRAMMOsts\6ADsheats\0876J72-sht-cov

REVISED -

- REVISED -

REVISED

REVISED

- 6. A FLAGGER SHALL BE REQUIRED AT ALL TIMES WHEN WORKERS OR EQUIPMENT ARE ENCROACHING THE LANE OF TRAFFIC.
- 7. THE ROADWAY SHALL REMAIN OPEN TO TRAFFIC DURING CONSTRUCTION. NO OVERNIGHT LANE CLOSURES WILL BE ALLOWED ON THIS PROJECT.
- 8. PAINT PAVEMENT MARKINGS AND TEMPORARY RAISED REFLECTED PAVEMENT MARKINGS WILL BE PLACED AT LOCATIONS WITH EXISTING PAVEMENT MARKINGS AND SHALL BE PLACED TO MATCH EXISTING OR AS DIRECTED
- 9. THE IDOT MAINTENANCE YARDS, BRIDGE/FERRY PARKING LOCATIONS SHALL BE COMPLETED TO THE SATISFACTION OF THE MAINTENANCE FIELD TECHNICIAN. WORK SHALL BE CONDUCTED BETWEEN 7:00AM AND 3:30PM. YARD TECHNICIANS SHALL BE NOTIFIED 7 DAYS PRIOR TO THE START OF WORK.

HARDIN BRIDGE	(618)576-2316
BRUSSELS FERRY	(618)786-3636
JERSEYVILLE YARD	(618)498-2723
KAMPSVILLE FERRY	(618)653-4518
CARROLLTON YARD	(217)942-5112
GODFREY YARD	(618)444-2376

COMMITMENTS

NONE

* VARIOUS

COUNTY TOTAL SHEET NO. SECTION INDEX, HIGHWAY STANDARDS, GENERAL VARIOUS 9 2 STATE OF ILLINOIS DB RESURFACING 2017-1 NOTES, AND COMMITMENTS CONTRACT NO. **DEPARTMENT OF TRANSPORTATION** SCALE SHEET OF SHEETS STA. TO STA.

100 %. STATE

981 92 331


CONSTRUCTION CODE


			L	
				VARIOUS
			werentschafte	ROADWAY
CODE		-	TOTAL	0005
NO.	ITEM	UNIT	QUANTITY	RURAL
40300200	BITUMINOUS MATERIALS (PRIME COAT)	TON	49.2	49. 2


40300400	BITUMINOUS MATERIALS (COVER AND SEAL COATS)	TON	91.7	91. 7
40300500	COVER COAT AGGREGATE	TON	314.5	314.5
40300600	SEAL COAT AGGREGATE	TON	314.5	314.5
67100100	MOBILIZATION	LSUM	e-d	1
70100460	TRAFFIC CONTROL AND PROTECTION, STANDARD 701306	LSUM	1	1

* VARIOUS


FILE NAME =	USER NAME = LeamonYE	DESIGNED -	REVISED -		T							SECTION	COUNTY	TOTAL SHEETS	HEET NO.
pwi\\II.884EBIDINTEG,1ll:nose,goviPWIDOT\Do	umanta\1007 Officea\Dietriot 8\Projects\D87	JRANNOsta\EADshaats\D876J72-sht-oover	dBEVISED ~	STATE OF ILLINOIS	SUMMARY OF QUANTITIES				•	D8 RESURFACING 2017-1	VARIOUS	9	3		
	PLOT SCALE * 109.0000 ' / in.	CHECKED -	REVISEO -	DEPARTMENT OF TRANSPORTATION					\Box		CONTRAC	JT NO. 76	J72		
Defeuit	PLOT DATE * 12/14/2016	DATE ~	REVISEO -		SCALE	SHEET	0F	SHEETS	STA,	TO STA.		ILLINOIS			







LOCATION MAP



46'

31'

64'

50'

29'

LOCATION 2 KAMPSVILLE FERRY PLAN DETAIL

NOT TO SCALE


109'


AREA = 4475 SQ YDS BITUMINOUS MATERIALS (PRIME COAT) = 7T BITUMINOUS MATERIALS (COVER & SEAL COAT) = 13T COVER COAT AGGREGATE = 44.75T SEAL COAT AGGREGATE = 44.75T

A2 BITUMINOUS SURFACE TREATMENT

* VARIOUS

													_
FILE NAME =	USER NAME = LeemonVE	DESIGNED -	REVISED -			10	F.A.	SECTION	COUNTY	TOTAL SHEET	1		
pw:\\ILØ84EBIDINTEG.ıllınoıs.gov:PWII	DOT\Documents\IDOT Offices\District 8\Proj	ects\D87 5.DRXWAW Data\€ADsheets\D87	SJ72-sht-cover dBEVISED -	STATE OF ILLINOIS	LOCATION #2 KAMPSVILLE FERRY PARKING LOT DETAIL					IST8 RESURFACING 2017-1	VARIOUS	9 5	1
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION							CONTRAC	T NO. 76J72	1
Default	PLOT DATE = 12/14/2016	DATE -	REVISED -		SCALE:	SHEET OF	SHEETS STA.	TO STA.		TI I TNOTS			1





LOCATION #5
CARROLLTON MAINTENANCE YARD

SHEET OF SHEETS STA. TO STA.


F.A. SECTION

D8 RESURFACING 2017-1

| ILLINOIS

COUNTY TOTAL SHEET NO. 2017-1 VARIOUS 9 8
CONTRACT NO. 76J72

LOCATION MAP



90010 WINCHESTER 1

- <u>CARROLLTON MAINTENANCE YARD</u> 39°18'06.08"N 90°25'06.73"W

211

1400N


Z

 $\frac{\text{LOCATION 5}}{\text{CARROLLTON MAINTENANCE YARD}}$ $\frac{\text{AREA} = 6715 \text{ SQ YDS}}{\text{BITUMINOUS MATERIALS (PRIME COAT)} = 10.5T$ BITUMINOUS MATERIALS (COVER & SEAL COAT) = 19.6T COVER COAT AGGREGATE = 67.2T SEAL COAT AGGREGATE = 67.2T

SCALE:

A2 BITUMINOUS SURFACE TREATMENT

* VARIOUS



8



STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION**

LOCATION #6 GODFREY MAINTENANCE YARD SHEET OF SHEETS STA. TO STA.

AREA = 10075 SQ YDS BITUMINOUS MATERIALS (PRIME COAT) = 15.8T BITUMINOUS MATERIALS (COVER & SEAL COAT) = 29.4T COVER COAT AGGREGATE = 100.8T SEAL COAT AGGREGATE = 100.8T

SCALE:


D8 RESURFACING 2017-1


* VARIOUS

SECTION VARIOUS CONTRACT NO. 76J72

A2 BITUMINOUS SURFACE TREATMENT

LOCATION MAP





CONC. WALL

CONC. ENTRANCE